INDUCED TERMINATION OF PREGNANCY STATISTICS

2018

```
rate analysis of the county table of treporting the frequency agetrend special services quality
```

Vital Statistics

registration quality chart percent reporting analysis vital registrar county total date rate age data trend. In umber state data population certificate constality population certificate data registrar profile equation data registrar profile equation certificate county data profile equation county data propulation statistical frequency quality special service equation population vital health department expectation date







This publication was produced by: DIVISION OF STATISTICAL ANALYSIS CENTER FOR HEALTH STATISTICS

Xuejun Shen, Ph.D.

Director, Division of Statistical Analysis

Division Members:
Qun Zheng, M.S.
Jimmy T. Messick, M.S.
Suzi C. Turner-Osborne, M.P.H.

Scott Harris, M.D., State Health Officer
Nicole H. Rushing, M.P.H., Director, Center for Health Statistics

Alabama Department of Public Health Center for Health Statistics Division of Statistical Analysis Post Office Box 5625 Montgomery, Alabama 36103-5625 (334) 206-5429

For additional copies or more information on mortality, natality, and other vital events, please visit http://www.alabamapublichealth.gov/healthstats/

Informational materials in alternative formats will be made available upon request.





TABLE OF CONTENTS

	Page
INDUCED TERMINATIONS OF PREGNANCY, RESIDENTS OF ALABAMA, 2018	
Induced Terminations of Pregnancy by Race of Patient	1
Induced Terminations of Pregnancy by Age of Patient	1
Induced Terminations of Pregnancy by Marital Status of Patient	1
Induced Terminations of Pregnancy by Previous Pregnancy Type	
Induced Terminations of Pregnancy by Education of Patient	2
Induced Terminations of Pregnancy by Clinical Estimate	
of Gestation of Fetus	3
INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2018	
Induced Terminations of Pregnancy by Probable	
Post-fertilization Age (PPFA)	4
Was a Determination of PPFA Made?	5
No PPFA Determined; Medical Emergency Existed	5
Was Ultrasound Used to Determine Post-fertilization Age?	
Induced Terminations of Pregnancy by Race of Patient	
Induced Terminations of Pregnancy by Age of Patient	5
Induced Terminations of Pregnancy by Type of Consent	
for Women Under 18	6
Procedure Used to Terminate the Pregnancy	6
Was an Intra-fetal Injection Used in an Attempt	
to Induce Fetal Demise?	6
Information Required for Terminations at 20 Weeks or More PPFA	7
INDUCED TERMINATIONS OF PREGNANCY	
BY FACILITY AND PROBABLE POST-FERTILIZATION AGE (PPFA)	
ALABAMA, 2018	8
INDUCED TERMINATIONS OF PREGNANCY	
BY FACILITY AND TERMINATION PROCEDURE	
ALABAMA, 2018	9



INDUCED TERMINATIONS OF PREGNANCY RESIDENTS OF ALABAMA, 2018

Note that these tables contain data reported to the Center for Health Statistics for women who are residents of Alabama. The numbers include induced terminations of pregnancy that occurred to Alabama residents in Alabama and in other states that provide data to the Center. However, not all states (including some states bordering Alabama) provide information about events occurring to Alabama residents. Therefore, the numbers shown do not represent the entire population of Alabama residents having these events.

Induced Terminations of Pregnancy by Race of Patient			
Race	All Women	Women Under 18	
Total	7,381	254	
White	2,418	86	
Black	4,459	158	
All other	231	5	
Not stated	273	5	

Induced Terminations of Pregnancy by Age of Patient				
All Women Under 1		Jnder 18		
Age	Number		Age	Number
Total	7,381		Total	254
10-14	23		10 or Less	0
15-19	700		11	1
20-24	2,288		12	2
25-29	2,209		13	2
30-34	1,302		14	18
35-39	653		15	41
40-44	187		16	74
45 and older	16		17	116
Not stated	3			

Induced Terminations of Pregnancy by Marital Status of Patient			
Marital Status	All Women	Women Under 18	
Total	7,381	254	
Married	786	1	
Not married	6,435	248	
Not stated	160	5	

INDUCED TERMINATIONS OF PREGNANCY RESIDENTS OF ALABAMA, 2018 (Continued)

Induced Terminations of Pregnancy by Previous Pregnancy Type				
Number of	Previous Live Births		Previous Induced Terminations of Pregnancy	
Events	All Women	Women Under 18	All Women	Women Under 18
Total	7,381	254	7,381	254
None	2,705	249	4,890	250
1	2,096	5	1,642	4
2	1,528	0	574	0
3	681	0	181	0
4	245	0	59	0
5	77	0	18	0
6	26	0	11	0
7	13	0	1	0
8	6	0	0	0
9 or more	2	0	2	0
Not stated	2	0	3	0

Induced Terminations of Pregnancy by Education of Patient				
Highest Grade Completed	Highest Grade Completed All Women Women Under 18			
Total	7,381	254		
None	1	0		
1-6	44	2		
7-9	223	55		
10-11	389	119		
12	2,729	75		
13 or more	3,891	1		
Not stated	104	2		

INDUCED TERMINATIONS OF PREGNANCY RESIDENTS OF ALABAMA, 2018 (Continued)

Induced Terminations of Pregnancy by Clinical Estimate of Gestation of Fetus

by Clinical Estimate of Gestation of Fetus			
Estimate of Gestation in Weeks	All Women	Women Under 18	
Total	7,381	254	
6 or less	1,586	37	
7	1,289	28	
8	1,234	45	
9	965	39	
10	531	23	
11	357	12	
12	331	20	
13	273	12	
14	188	5	
15	183	15	
16	126	5	
17	71	3	
18	73	5	
19	55	1	
20	60	1	
21	54	3	
22	1	0	
23	2	0	
24	0	0	
25	0	0	
26 or more	1	0	
Not stated	1	0	

INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2018

Note that these tables contain data for all induced terminations of pregnancy that occurred in Alabama. The women may have lived in Alabama or some other states.

Induced Terminations of Pregnancy by Probable Post-fertilization Age (PPFA)		
Total	6,484	
6 or less	3,433	
7	921	
8	492	
9	349	
10	285	
11	256	
12	173	
13	153	
14	102	
15	67	
16	68	
17	51	
18	56	
19	73	
20	1	
21	2	
22	0	
23	0	
24	0	
25	1	
26 or more	0	
Not stated	1	

INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2018 (Continued)

1	Was a Determination of PPFA	Made?
Total		6,484
Yes		6,483
No		1

No PPFA Determined; Medical Emerg	gency Existed
Total	1
Ectopic pregnancy	0
Uncontrolled obstetrical hemorrhage	0
Other (incomplete/inevitable abortion with persistent vaginal bleeding)	1

Was Ultrasound Used to Determine Post	-fertilization Age?
Total	6,484
Yes	6,482
No	2
Not stated	0

Induced Te	erminations of Pregnancy by Race of Patient	
Total		6,484
White		2,273
Black		4,012
All other		199
Not stated		0

Indu	ced Terminations of Pregnancy by Age of Patient	
Total		6,484
10-14		24
15-19		634
20-24		1,997
25-29		1,956
30-34		1,104
35-39		585
40-44		169
45 and older		12
Not stated		3

INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2018 (Continued)

Induced Terminations of Pregnancy by Type of Consent for Women Under 18

Consent Requirement		
otal	229	
ot required married)	0	
Required	229	
lot ototod	0	
ot stated		

Procedure Used to Terminate the Pr	egnancy
Total	6,484
Suction curettage	4,027
Sharp curettage	3
Dilation and evacuation	405
Hysterotomy	1
Hysterectomy	2
Medication abortion (such as mifepristone/misoprostol or methotrexate/misoprostol)	2,019
Manual vacuum aspiration	0
Electrical vacuum aspiration	12
Combined induction abortion and dilation and evacuation	7
Induction abortion and prostaglandins	2
Induction abortion with intra-amniotic instillation (such as saline or urea)	0
Induction abortion - other	2
Intact dilation and evacuation	0
Method not listed, specify	0
Not stated	4

Was an Intra-fetal Injection Used in an Attempt to Induce Fetal Demise (such as intra-fetal potassium chloride or digoxin)?

Total	6,484
Yes	1
No	6,483

INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2018 (Continued)

Information Required for Terminations at 20 Weeks or More PPFA

Number at 20 Weeks PPFA or More	and Reason
Total	4
Severe preeclampsia/eclampsia	1
Severe/life threatening cardiac disease	0
Severe/life threatening pulmonary disease	0
Severe/life threatening liver disease	0
Severe/life threatening chorioamnionitis/sepsis	0
Uncontrolled obstetrical hemorrhage (placental abruption, placenta previa)	0
Advanced malignancy	0
Other (Inevitable abortion, baby and membranes in vagina/spontaneous rupture of membranes, no fluid)	2
Unknown	1

Was the Method of Abortion Used One That, in Reasonable Medical Judgment, Provided the Best Opportunity for the Unborn Child to Survive? Total Yes No 1

If No, Basis of the Determination That Termination of the Pregnancy Would Pose a Greater Risk, Either of the Death of the Pregnant Woman or of the Substantial and Irreversible Physical Impairment of a Major Bodily Function Total 1 1 Severe preeclampsia/eclampsia Severe/life threatening cardiac disease 0 Severe/life threatening pulmonary disease 0 Severe/life threatening liver disease 0 Severe/life threatening chorioamnionitis/sepsis 0 Uncontrolled obstetrical hemorrhage (placental

abruption, placenta previa) Advanced malignancy

Other

0

0

0

INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND PROBABLE POST-FERTILIZATION AGE (PPFA) ALABAMA, 2018

Facility	Total Total	1-5 Weeks	6-10 Weeks	11-15 Weeks	16-19 Weeks	20 or More Weeks	Unknown				
	BUKIIC	IN CLIN									
Alabama Women's Center for Reproductive Alternatives	1,823	815	582	186	236	4	0				
Reproductive Health Services, Inc	1,286	10	990	286	0	0	0				
West Alabama Women's Center	3,371	1,410	1,673	279	8	0	1				
HOSPITALS											
USA Children and Women's Center	2	0	0	0	2	0	0				
Brookwood Medical Center	2	0	0	0	2	0	0				
Total	6,484	2,235	3,245	751	248	4	1				

INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND TERMINATION PROCEDURE ALABAMA, 2018

Facility	Total	Suction Curettage	Sharp Curettage	Dilation and Evacuation	Hysterotomy	Hysterectomy	Medication Abortion	Manual Vacuum Aspiration	Electrical Vacuum Aspiration	Combined Induction Abortion and Dilation and Evacuation	Induction Abortion with Prostaglandins	Induction Abortion with Intra-Amniotic Instillation	Induction Abortion-Other	Intact Dilation and Evacuation	Method Not Listed	Unknown
	Ī			1	ABOR	TION	CLIN	ICS			Ī					
Alabama Women's Center for Reproductive Alternatives	1,823	863	1	316	0	0	641	0	0	0	1	0	1	0	0	0
Reproductive Health Services, Inc	1,286	1,283	0	0	0	0	3	0	0	0	0	0	0	0	0	0
West Alabama Women's Center	3,371	1,881	2	89	1	2	1,372	0	12	7	1	0	0	0	0	4
HOSPITALS																
USA Children and Women's Center	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
Brookwood Medical Center	2	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Total	6,084	4,027	3	405	1	2	2,019	0	12	7	2	0	2	0	0	4