


INDUCED TERMINATION OF PREGNANCY STATISTICS 2016



ALABAMA
CENTER FOR
HEALTH STATISTICS



ALABAMA
PUBLIC
HEALTH



This publication was produced by:
**DIVISION OF STATISTICAL ANALYSIS
CENTER FOR HEALTH STATISTICS**

Xuejun Shen, Ph.D.
Director, Division of Statistical Analysis

Division Members:
Jimmy T. Messick, M.S.
Hua Xu, Ph.D., M.P.A.
Qun Zheng, M.S.

Scott Harris, M.D., State Health Officer
Nicole H. Rushing, M.P.H., Director, Center for Health Statistics

**Alabama Department of Public Health
Center for Health Statistics
Division of Statistical Analysis
Post Office Box 5625
Montgomery, Alabama 36103-5625
(334) 206-5429**

For additional copies or more information on mortality, natality and other vital events, please visit <http://www.alabamapublichealth.gov/healthstats/>.

Informational materials in alternative formats will be made available upon request.

TABLE OF CONTENTS

	Page	
INDUCED TERMINATIONS OF PREGNANCY, RESIDENTS OF ALABAMA, 2016		
Induced Terminations of Pregnancy by Race of Patient	1	
Induced Terminations of Pregnancy by Age of Patient	1	
Induced Terminations of Pregnancy by Marital Status of Patient	1	
Induced Terminations of Pregnancy by Previous Pregnancy Type	2	
Induced Terminations of Pregnancy by Education of Patient	2	
Induced Terminations of Pregnancy by Clinical Estimate of Gestation of Fetus	3	
INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2016		
Induced Terminations of Pregnancy by Probable Postfertilization Age (PPFA)	4	
Was a determination of PPFA made?	5	
No PPFA determined; medical emergency existed.....	5	
Was ultrasound used to determine post-fertilization age?	5	
Induced Terminations of Pregnancy by Race of Patient	5	
Induced Terminations of Pregnancy by Age of Patient	5	
Induced Terminations of Pregnancy by Type of Consent for Women Under 18 Only	6	
Procedure Used to Terminate the Pregnancy	6	
Was an intra-fetal injection used in an attempt to induce fetal demise?	6	
Information Required for Terminations at 20 Weeks or More PPFA	7	
INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND PROBABLE POSTFERTILIZATION AGE (PPFA) ALABAMA, 2016		8
INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND TERMINATION PROCEDURE ALABAMA, 2016		9



INDUCED TERMINATIONS OF PREGNANCY, RESIDENTS OF ALABAMA, 2016

Note that these tables contain data reported to the Center for Health Statistics for women who are residents of Alabama. The numbers include induced terminations of pregnancy that occurred to Alabama residents in Alabama and in other states that provide data to the Center. However, not all states (including some states bordering Alabama) provide information about events occurring to Alabama residents.

Therefore, the numbers shown do not represent the entire population of Alabama residents having these events.

Induced Terminations of Pregnancy by Race of Patient

Race	All Women	Women Under 18 Only
Total	6,959	271
White	2,360	95
Black	4,350	171
All Other	186	2
Not Stated	63	3

Induced Terminations of Pregnancy by Age of Patient

All Women		Details for Women Under 18 Only	
Age	Number	Age	Number
Total	6,959	Total	271
10-14	29	10 or Less	0
15-19	725	11	0
20-24	2,263	12	4
25-29	1,986	13	7
30-34	1,178	14	18
35-39	594	15	47
40-44	176	16	76
45 & Older	7	17	119
Not Stated	1		

Induced Terminations of Pregnancy by Marital Status of Patient

Marital Status	All Women	Women Under 18 Only
Total	6,959	271
Married	658	1
Not Married	6,241	269
Not Stated	60	1

**INDUCED TERMINATIONS OF PREGNANCY,
RESIDENTS OF ALABAMA, 2016 (continued)**


Induced Terminations of Pregnancy by Previous Pregnancy Type				
Number of Events	Previous Live Births		Previous Induced Terminations of Pregnancy	
	All Women	Women Under 18 Only	All Women	Women Under 18 Only
Total	6,959	271	6,959	271
None	2,581	260	4,584	259
1	1,969	8	1,598	12
2	1,445	3	550	0
3	635	0	153	0
4	224	0	43	0
5	63	0	16	0
6	24	0	6	0
7	11	0	2	0
8	2	0	1	0
9 or More	2	0	0	0
Not Stated	3	0	6	0

Induced Terminations of Pregnancy by Education of Patient		
Highest Grade Completed	All Women	Women Under 18 Only
Total	6,959	271
None	0	0
1-6	33	2
7-9	164	63
10-11	403	126
12	2,420	65
13 or More	3,566	2
Not Stated	373	13

**INDUCED TERMINATIONS OF PREGNANCY,
RESIDENTS OF ALABAMA, 2016 (continued)**

Induced Terminations of Pregnancy by Clinical Estimate of Gestation of Fetus		
Estimate of Gestation in Weeks	All Women	Women Under 18 Only
Total	6,959	271
6 or Less	1,541	42
7	1,296	32
8	1,116	33
9	854	35
10	487	31
11	355	11
12	276	14
13	278	15
14	157	15
15	144	8
16	116	5
17	80	9
18	74	7
19	55	1
20	51	3
21	59	8
22	7	1
23	3	0
24	1	0
25	0	0
26 or More	2	1
Not Stated	7	0

Produced by the Center for Health Statistics, Division of Statistical Analysis



**INDUCED TERMINATIONS OF PREGNANCY,
OCCURRING IN ALABAMA, 2016**

Note that these tables contain data for all induced terminations of pregnancy that occurred in Alabama. The women may have lived in Alabama or some other states.

Induced Terminations of Pregnancy by Probable Postfertilization Age (PPFA)	
Total	6,642
6 or Less	3,687
7	851
8	478
9	353
10	284
11	268
12	157
13	133
14	106
15	88
16	84
17	55
18	46
19	49
20	2
21	0
22	1
23	0
24	0
25	0
26 or More	0
Not Stated	0

**INDUCED TERMINATIONS OF PREGNANCY,
OCCURRING IN ALABAMA, 2016 (continued)**

Was a determination of probable post-fertilization age made?	
Total	6,642
Yes	6,642
No	0

No PPFA determined, medical emergency existed	
Total	0
Ectopic pregnancy	0
Uncontrolled obstetrical hemorrhage	0
Other	0

Was ultrasound used to determine post-fertilization age?	
Total	6,642
Yes	6,639
No	3
Not Stated	0

Induced Terminations of Pregnancy by Race of Patient	
Total	6,642
White	2,285
Black	4,189
All Other	165
Not Stated	3

Induced Terminations of Pregnancy by Age of Patient	
Age	Number
Total	6,642
10-14	23
15-19	711
20-24	2,196
25-29	1,924
30-34	1,091
35-39	534
40-44	155
45 & Older	7
Not Stated	1

**INDUCED TERMINATIONS OF PREGNANCY,
OCCURRING IN ALABAMA, 2016 (continued)**

Induced Terminations of Pregnancy by Type of Consent for Women Under 18 Only				
Consent Requirement			Type of Consent (only includes those required)	
Total	254		Total	254
Not Required (married)	0		Parental	252
Required	254		Court Order	2
Not Stated	0		Medical Emergency	0
		Not Stated	0	

Procedure used to terminate the pregnancy	
Total	6,642
Suction Curettage	4,248
Sharp Curettage	9
Dilation and Evacuation (D&E)	89
Hysterotomy	0
Hysterectomy	0
Medication Abortion (such as mifepristone/misoprotol or methotrexate/misoprostol)	1,906
Manual Vacuum Aspiration	2
Electrical Vacuum Aspiration	366
Combined Induction Abortion and Dilation and Evacuation	14
Induction Abortion and Prostaglandins	4
Induction Abortion with Intra-Amniotic Instillation (such as saline or urea)	0
Induction Abortion – Other	2
Intact Dilation and Evacuation	0
Method Not Listed, Specify (Artificial Rupture of Membrane, Augmentation with Pitocin After Spontaneous Rupture of Membrane)	2
Not Stated	0

Was an intra-fetal injection used in an attempt to induce fetal demise (such as intra-fetal potassium chloride or digoxin)?	
Total	6,642
Yes	2
No	6,640

INDUCED TERMINATIONS OF PREGNANCY, OCCURRING IN ALABAMA, 2016 (continued)

Information Required for Terminations at 20 weeks or more PPFA

Number at 20 weeks PPFA or more and reason	
Total	3
Severe preeclampsia/eclampsia	0
Severe/life threatening cardiac disease	0
Severe/life threatening pulmonary disease	0
Severe/life threatening liver disease	0
Severe/life threatening chorioamnionitis/sepsis	1
Uncontrolled obstetrical hemorrhage (placental abruption, placenta previa)	2
Advanced malignancy	0
Other	0

Was the method of abortion used one that, in reasonable medical judgment, provided the best opportunity for the unborn child to survive?	
Total	3
Yes	2
No	1

If no, basis of the determination that termination of the pregnancy would pose a greater risk either of the death of the pregnant woman or of the substantial and irreversible physical impairment of a major bodily function	
Total	1
Severe preeclampsia/eclampsia	0
Severe/life threatening cardiac disease	0
Severe/life threatening pulmonary disease	0
Severe/life threatening liver disease	0
Severe/life threatening chorioamnionitis/sepsis	0
Uncontrolled obstetrical hemorrhage (placental abruption, placenta previa)	1
Advanced malignancy	0
Other	0



INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND TERMINATION PROCEDURE, ALABAMA, 2016

Facility	Total	Suction Curettage	Sharp Curettage	Dilation and Evacuation	Hysterotomy	Hysterectomy	Medication Abortion	Manual Vacuum Aspiration	Electrical Vacuum Aspiration	Combined Induction Abortion and Dilation and Evacuation	Induction Abortion with Postaglandins	Induction Abortion with Intra-Amniotic Instillation	Induction Abortion-Other	Intact Dilation and Evacuation	Method Not listed	Unknown
Abortion Clinics																
Planned Parenthood of Alabama	333	0	0	0	0	0	130	0	202	1	0	0	0	0	0	0
All Womens Center for Reproductive Alternatives	1533	1041	1	4	0	0	487	0	0	0	0	0	0	0	0	0
Planned Parenthood (Mobile)	494	2	0	8	0	0	322	0	162	0	0	0	0	0	0	0
Reproductive Health Services, Inc	931	930	1	0	0	0	0	0	0	0	0	0	0	0	0	0
West Alabama Womens Center	3339	2275	7	77	0	0	963	2	2	13	0	0	0	0	0	0
Hospitals																
University Hospital (UAB)	4	0	0	0	0	0	1	0	0	0	1	0	2	0	0	0
Huntsville Hospital	4	0	0	0	0	0	1	0	0	0	1	0	0	0	2	0
USA Children and Woman's Center	3	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Madison Hospital	1	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0
Total	6,642	4,248	9	89	0	0	1,906	2	366	14	4	0	2	0	2	0



INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND PROBABLE POSTFERTILIZATION AGE (PPFA) , ALABAMA, 2016

Facility	Total	1-5 Weeks	6-10 Weeks	11-15 Weeks	16-19 Weeks	20 or More Weeks
Abortion Clinics						
Planned Parenthood of Alabama	333	117	194	21	1	0
All Womens Center for Reproductive Alternatives	1,533	689	535	148	161	0
Planned Parenthood (Mobile)	494	258	215	21	0	0
Reproductive Health Services, Inc	931	7	725	198	1	0
West Alabama Womens Center	3,339	1489	1424	362	64	0
Hospitals						
University Hospital(UAB)	4	0	0	1	3	0
Huntsville Hospital	4	0	0	1	1	2
USA Children and Women's Center	3	0	0	0	2	1
Madison Hospital	1	0	0	0	1	0
Total	6,642	2,560	3,093	752	234	3