

HIV CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS

PRELIMINARY 2020 - 2nd Quarter (January 1 - June 30)

Race/Ethnicity	% of Newly Diagnosed	% of Prevalent Cases
Black	62.0	63.6
White	24.6	27.3
Hispanic	1.7	3.2
Multi-race	1.0	4.9
Other/Unknown	10.8	1.0
Total	100.0	100.0

Age (Years)	% of Newly Diagnosed	% of Prevalent Cases
<13	0.3	0.2
13-19	4.7	0.4
20-24	20.5	3.1
25-29	20.2	8.3
30-39	23.9	21.2
40-49	15.2	21.0
≥50	15.2	45.8
Total	100.0	100.0

Adult/Adolescent Exposure (≥13 years)	% of Newly Diagnosed	% of Prevalent Cases
Men who have Sex with Men (MSM)	21.6	45.7
Heterosexuals	21.6	29.8
Injection Drug Users (IDU)	1.0	5.0
MSM/IDU	1.4	3.2
Hemophilia/Coagulation Disorder	0.0	0.1
Mother with HIV Infection	0.0	0.6
Transfusion/Transplant Recipient	0.0	0.0
Risk Not Reported/Unknown	54.4	15.6
Total (add pediatric cases to total)	100.0	100.0

Gender	% of Newly Diagnosed	% of Prevalent Cases
Male	77.8	73.2
Female	22.2	26.8
Total (unknowns excluded)	100.0	100.0

Pediatric Exposure (<13 years)	Newly Diagnosed		Prevalent Cases	
	Cases	% of Total	Cases	% of Total
Mother with HIV Infection	0	0	17	73.9
Hemophilia/Coagulation Disorder	0	0	0	0.0
Transfusion/Transplant Recipient	0	0	0	0.0
Risk Not Reported/Unknown	1	0	6	26.1
Total	1	0	23	100.0

Public Health District	Newly Diagnosed		Prevalent Cases	
	Cases	% of Total	Cases	% of Total
Northern	31	11.2	1676	11.4
East Central	57	20.5	2899	19.7
West Central	21	7.6	1018	6.9
Jefferson	45	16.2	3916	26.6
Northeastern	19	6.8	1321	9.0
Southeastern	27	9.7	1092	7.4
Southwestern	11	4.0	786	5.3
Mobile	19	6.8	2007	13.6
Unknown	48	17.3	33	0.2
Total	278	100.0	14748	100.0

***Note: Statistics should be interpreted WITH CAUTION as not all reported cases have been entered into the HIV Surveillance database. Effective October 1, 2017, Public Health Areas have been redistributed as eight Public Health Districts. Unknown cases are only accounted for in state total.**
 Newly diagnosed HIV includes newly diagnosed HIV infections during the year of interest.
 Prevalent HIV includes all persons living with HIV as of June 30, 2020. Cumulative HIV includes all diagnosed HIV (living and deceased) as of June 30, 2020.
 Totals include unknown case counts. Females with no risk factor reported are reclassified as heterosexual exposure.
 Age among newly diagnosed and cumulative cases is age at diagnosis. Prevalent age is current age among cases living as of June 30, 2020.
 Public Health District represents residence at diagnosis among newly diagnosed and cumulative cases and current residence among prevalent cases.