

# Selected Health Status Indicators



Alabama Department of Public Health

November 2013

**SELECTED HEALTH STATUS INDICATORS**  
**United States, Alabama, and Public Health Area 2**

<b>Indicators</b>	<b>United States</b>		<b>Alabama</b>		<b>PHA 2</b>	
	<b>Number</b>	<b>Pct. of Total</b>	<b>Number</b>	<b>Pct. of Total</b>	<b>Number</b>	<b>Pct. of Total</b>
<b>2011 Population</b>						
Total	311,591,917	100.0	4,802,740	100.0	807,543	100.0
African American (alone)	40,750,746	13.1	1,271,695	26.5	118,765	14.7
White (alone)	243,470,497	78.1	3,368,118	70.1	650,760	80.6
American Indian (alone)	3,814,772	1.2	33,298	0.7	9,251	1.1
Asian (alone)	15,578,383	5.0	57,155	1.2	11,426	1.4
Hispanic	52,045,277	16.7	193,868	4.0	47,521	5.9
Age 19 Years or Less	82,809,903	26.6	1,265,680	26.4	210,721	26.1
Age 65 Years or More	41,394,141	13.3	672,586	14.0	111,625	13.8
Age 85 Years or More	5,737,173	1.8	77,743	1.6	11,708	1.4
<b>Population Change</b>	<b>Number</b>	<b>Pct. Change</b>	<b>Number</b>	<b>Pct. Change</b>	<b>Number</b>	<b>Pct. Change</b>
1910 – 2010	91,972,266 to 308,745,538	235.7	2,138,093 to 4,779,736	123.6	219,478 to 798,074	263.6
2010 – 2040 Projected	308,745,538 to 380,016,000	23.1	4,779,736 to 5,567,024	16.5	798,074 to 1,030,722	29.2
Age 65+: 2010 – 2040 Projected	40,267,984 to 79,719,000	98.0	657,792 to 1,199,853	82.4	108,375 to 222,723	105.5
Hispanic: 1990 – 2011	22,354,059 to 52,045,277	132.8	24,629 to 193,868	687.2	4,700 to 47,521	911.1
<b>Income Related Indicators</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure<sup>1</sup></b>
Population Below Poverty Level – 2011	48,452,035	15.9%	896,119	19.1%	124,631	15.8%
Children Under 18 Below Poverty Level - 2011	16,386,500	22.5%	307,311	27.6%	44,063	23.5%
Population Under 200% Poverty Level (2007-2011)	97,686,522	32.7%	1,783,196	38.5%	265,907	34.4%
Per Capita Personal Income – 2011	N.A.	\$41,560	N.A.	\$34,880	N.A.	\$35,894
Medicaid Eligible Population – 2011	N.A.	N.A.	1,070,781	22.3%	149,144	18.5%
Medicaid Eligible Children (Under 21) - 2011	N.A.	N.A.	618,137	46.9%	89,492	40.4%
Medicaid Births - 2011	N.A.	N.A.	31,498	53.1%	4,873	49.5%
Average Unemployment and Rates, 2012	12,496,667	8.1%	157,119	7.3%	25,522	6.6%
<b>Access to Health Care Indicators</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure<sup>1</sup></b>
Primary Care Physicians – 2012 (Per 10,000 Population)	208,807	6.8 (2010)	3,056	6.4	553	6.6
Dentists – 2013 (Per 10,000 Pop.)	155,700	5.0 (2010)	2,141	4.4	373	4.6
Psychiatrists – 2012 (Per 10,000 Pop.)	39,738	1.3	326	0.7	45	0.6
General Hospital Authorized Beds – 2013 (Per 10,000 Population)	N.A.	N.A.	16,475	34.3	2,214	27.4

<b>SELECTED HEALTH STATUS INDICATORS - continued</b>						
<b>United States, Alabama, and Public Health Area 2</b>						
<b>Indicators</b>	<b>United States</b>		<b>Alabama</b>		<b>PHA 2</b>	
<b>Access to Health Care Indicators – continued</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure<sup>1</sup></b>
Is there a hospital providing obstetrical service in the county?	N.A.	N.A.	YES in 30 counties NO in 37 counties		YES in 6 counties NO in 1 county	
Households With No Vehicle – 2007-2011	10,264,658	8.9%	117,678	6.4%	15,398	5.0%
Uninsured Population Under 65 Years of Age - 2010	46,556,803	17.7%	681,437	16.9%	114,488	17.0%
Dialysis Patients and Dialysis Patients per Dialysis Station – 2013	N.A	N.A.	7,584	3.2	900	3.4
<b>Cause of Death Indicators (Includes all causes with 950 or more deaths statewide.)</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population<sup>1</sup></b>
<b>All Causes</b>	<b>7,377,582</b>	<b>757.0</b>	<b>143,215</b>	<b>946.5</b>	<b>22,095</b>	<b>912.3</b>
Septicemia	106,378	10.9	2,634	17.3	309	12.5
<b>Cancer</b>	<b>1,707,840</b>	<b>174.2</b>	<b>30,667</b>	<b>195.1</b>	<b>4,823</b>	<b>188.3</b>
Colon, Rectum, and Anus	158,337	16.1	2,802	19.7	437	17.3
Liver and Intrahepatic Bile Ducts	57,870	5.8	956	6.0	151	5.8
Pancreas	107,752	11.0	1,770	11.2	289	11.2
Trachea, Bronchus, and Lung	475,132	48.5	9,608	60.1	1,609	61.3
Breast (female)	122,263	22.3	2,027	23.0	305	21.3
Prostate (male)	85,121	22.3	1,596	27.8	228	24.2
Non-Hodgkin's Lymphoma	61,052	6.3	959	6.3	160	6.4
Leukemia	67,510	7.0	1,142	7.5	166	6.8
Diabetes Mellitus	208,329	21.3	3,947	25.5	551	22.1
Parkinson's Disease	63,080	6.6	1,053	7.2	179	7.7
Alzheimer's Disease	244,932	25.0	4,562	31.6	709	32.1
<b>Major Cardiovascular Diseases</b>	<b>2,365,320</b>	<b>241.1</b>	<b>47,346</b>	<b>313.3</b>	<b>7,439</b>	<b>311.0</b>
<b>Heart Diseases</b>	<b>1,813,930</b>	<b>184.6</b>	<b>36,178</b>	<b>239.0</b>	<b>5,809</b>	<b>242.0</b>
Hypertensive Heart Disease	99,226	10.0	1,238	8.3	146	6.6
Ischemic Heart Diseases	1,171,192	119.1	16,827	110.3	2,675	109.4
Acute Myocardial Infarction	381,493	38.8	7,845	50.9	1,490	59.8
Heart Failure	170,997	17.4	5,617	37.8	940	41.0
Cerebrovascular Diseases (Stroke)	392,466	40.3	8,157	54.4	1,181	50.3
Pneumonia	154,933	15.9	2,728	18.3	427	18.2

<b>SELECTED HEALTH STATUS INDICATORS - continued</b>						
<b>United States, Alabama, and Public Health Area 2</b>						
<b>Indicators</b>	<b>United States</b>		<b>Alabama</b>		<b>PHA 2</b>	
<b>Cause of Death Indicators – continued (Includes all causes with 950 or more deaths statewide.)</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population<sup>1</sup></b>
Chronic Lower Respiratory Diseases	416,523	43.2	8,369	54.6	1,467	59.5
Chronic Liver Disease and Cirrhosis	92,424	9.2	1,481	9.2	251	9.3
<b>Nephritis, Nephrotic Syndrome, and Nephrosis</b>	<b>147,648</b>	<b>15.2</b>	<b>3,471</b>	<b>23.0</b>	<b>581</b>	<b>24.5</b>
Renal Failure	132,137	13.6	3,197	21.1	544	22.9
<b>Accidents</b>	<b>360,782</b>	<b>38.2</b>	<b>7,254</b>	<b>50.4</b>	<b>1,149</b>	<b>48.7</b>
Motor Vehicle Accidents	111,338	11.9	2,949	20.5	486	20.3
Poisoning and Exposure to Noxious Substances	95,915	10.4	1,621	11.6	259	11.1
Intentional Self-Harm (suicide)	111,308	11.8	1,956	13.4	331	13.5
Assault (homicide)	50,884	5.6	1,257	9.0	112	4.7
<b>Causes of Death Groupings of Special Interest</b>						
<b>Cause of Death Indicators</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2008 - 2010</b>	<b>Rate per 100,000 Standard Population<sup>1</sup></b>
Firearm Deaths (intentional self-harm, assault, legal intervention, and undetermined intent)	94,612	10.2	2,432	16.9	357	14.6
Drug-Induced Deaths	118,189	12.7	1,919	13.7	307	13.0
Alcohol-Induced Deaths	74,399	7.5	755	4.7	112	4.2
<b>Cancer Incidence and Rates by Site and County</b>						
<b>Indicators</b>	<b>United States</b>		<b>Alabama</b>		<b>PHA 2</b>	
<b>Cancer Site</b>	<b>Number in 2006 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2006 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2006 - 2010</b>	<b>Rate per 100,000 Standard Population<sup>1</sup></b>
All Sites	N.A.	470.7	122,869	471.0	19,976	466.9
Lung and Bronchus	N.A.	65.7	19,855	75.2	3,340	76.8
Colon and Rectum	N.A.	44.7	12,443	47.9	1,877	44.4
Oral Cavity and Pharynx	N.A.	11.0	3,472	13.1	593	13.5
Melanoma	N.A.	19.4	5,205	20.5	894	21.6

<b>SELECTED HEALTH STATUS INDICATORS - continued</b>						
<b>United States, Alabama, and Public Health Area 2</b>						
<b>Indicators</b>	<b>United States</b>		<b>Alabama</b>		<b>PHA 2</b>	
<b>Cancer Site - continued</b>	<b>Number in 2006 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2006 - 2010</b>	<b>Rate per 100,000 Standard Population</b>	<b>Number in 2006 - 2010</b>	<b>Rate per 100,000 Standard Population<sup>1</sup></b>
Prostate	N.A.	146.6	18,999	158.2	2,874	143.5
Breast (Female, only)	N.A.	122.2	16,684	118.9	2,652	115.5
Cervix	N.A.	8.0	1,061	8.5	164	8.0

<b>Natality Related Indicators</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure<sup>1</sup></b>
Infant Mortality 2010-2012 – (Per 1,000 Births)	74,908	6.2	1,522	8.6	224	7.7
Low Weight Births – 2012 (Percent of All Births)	325,563 (2010)	8.1 %	5,866	10.1 %	860	9.1%
Births to Teens (10-19) – 2012 (Percent of All Births)	372,175 (2010)	9.3 %	6,236	10.7 %	927	9.8%
Births With Less Than Adequate Prenatal Care – 2012 (Percent of All Births)	N.A.	N.A.	14,957	25.9 %	2,867	30.5%
Caesarian Births – 2012 (Percent of All Births)	1,309,182	32.8 %	20,873	35.8 %	3,285	34.7
Tobacco Use During Pregnancy – 2012 (Percent of All Births)	N.A.	N.A.	6,246	10.7 %	1,196	12.7
Births to Undereducated Women – 2012 (Percent of All Births)	N.A.	N.A.	8,238	14.1 %	1,646	17.4%
Births to Unmarried Women – 2012 (Percent of All Births)	1,633,471	40.8% (2010)	24,854	42.6%	3,480	36.8%
Preterm Births – 2010 - 2012 (Percent of All Births)	478,790	12.0% (2010)	27,360	15.4%	4,348	14.9%
Births for Which Diabetes was Reported as a Risk Factor – 2008-2012 (Per 1,000 Live Births)	201,218	50.5 (2010)	13,344	44.0	2,645	53.0
<b>Other Indicators</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure<sup>1</sup></b>
Age 25+ With Less Than High School Education – 2007-2011	29,518,935	14.6 %	567,670	18.1 %	92,392	17.5%
Public School Graduation Rates - 2011	N.A.	78.0 % (2010)	45,221	71.8 %	8,028	75.8%
Receiving Medicare Disability – 2010 (Percent of Total Population)	7,735,377	2.5 %	203,252	4.3 %	27,281	3.4%
Adult Obesity – 2010 (Percent of Total Population Aged 20 Years or More)	56,369,496	25 %	1,153,068	33 %	184,442	32%

<b>SELECTED HEALTH STATUS INDICATORS - continued</b>						
<b>United States, Alabama, and Public Health Area 2</b>						
<b>Indicators</b>	<b>United States</b>		<b>Alabama</b>		<b>PHA 2</b>	
<b>Other Indicators - continued</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure</b>	<b>Number</b>	<b>Measure<sup>1</sup></b>
Adult Smoking - 2010 (Percent of Total Population Aged 18+ Years)	32,838,970	14 %	838,874	23 %	See Individual Counties	
Excessive Drinking - 2010 (Percent of Total Population Aged 18+ Years)	18,765,126	8 %	437,673	12 %	See Individual Counties	
Life Expectancy at Birth - 2011	78.7 years		75.7 years		76.6 years	
Sexually Transmitted Disease Cases Reported – January 2012 through March 2013 (Per 10,000 Pop.)	N.A.	N.A.	47,608	99.1	5,243	64.9
New HIV Cases – 2009 through 2011 (Per 100,000 Population) NOTE: Number of cases is not released in counties where this is less than five.	145,614	15.7	2,093	14.6	192	8.0
Child Abuse and Neglect Cases Reported to Child Protective Services for Investigation– October 2009 through September 2011 (Per 1,000 population Under Age 18)	N.A.	N.A.	39,581	17.5	7,976	21.0
Adults Involved in Reported Abuse and Neglect Cases – October 2010 through September 2012 (Per 10,000 Adults Aged 18+ Years.	N.A.	N.A.	8,729	23.9	1,232	20.3

<sup>1</sup>Rates, percentages, etc based upon fewer than 16 events may not be statistically reliable for specific analyses. “N.A.” is given for such indicators. Numbers of events, as well as measurements, are indicated using “N.A.” for some indicators in accordance with the data owner’s policy of not publishing smaller numbers of events.

### **Sources of Information and Special Notes**

**2011 Population Estimates:** Alabama State Data Center, The University of Alabama, 2011 Population Estimates and Projections, [http://cber.cba.ua.edu/edata/est\\_prj.html](http://cber.cba.ua.edu/edata/est_prj.html) and, 2011 Population Estimates Data, <http://www.census.gov/popest/data/index.html>

**Population Change 1910-2010:** U.S. Census Bureau, County Population Census Counts 1900-90, <http://www.census.gov/population/cencounts/al190090.txt> for 1910 data; U.S. Census Bureau, American FactFinder, Census 2010 Summary File 1 (SF 1) 100-Percent Data for 2010 data.

**Population Change 2000-2040:** U.S. Census Bureau, National Population Projections, Interim Projections 2000-2050 based on Census 2000. <http://www.census.gov/population/www/projections/natproj.html>. Alabama State Data Center, Alabama County Population 2000-2010 and Projections 2015-2040. [http://cber.cba.ua.edu/edata/est\\_prj.html](http://cber.cba.ua.edu/edata/est_prj.html)

**Hispanic Population Change 1990-2011:** U.S. Census Bureau, American FactFinder, Census 1990 Summary File 1 (STF 1) 100-Percent Data for 1990 data and 2011 Population Estimates Data, <http://www.census.gov/popest/data/index.html>.

**Population Below Poverty Level - 2011:** U.S. Census Bureau, Small Area Income and Poverty Estimates, <http://www.census.gov/did/www/saipe/data/statecounty/data/2011.html>

**Children Under 18 Below Poverty Level - 2011:** U.S. Census Bureau, Small Area Income and Poverty Estimates, <http://www.census.gov/did/www/saipe/data/statecounty/data/2011.html>

**Population Under 200% Poverty Level (2007-2011):** American Community Survey, 5-year data for 2007-2011, Table C17002.

**2011 Per Capita Personal Income:** U.S. Bureau of Economic Analysis, Interactive Tables: Local Area Personal Income, Table CA1-3. <http://www.bea.gov/iTable/iTable.cfm?ReqID=70&step=1#reqid=70&step=1&isuri=1>

**Medicaid Eligible Population - 2011:** Alabama Medicaid Agency, 2011 Statistics by County. [http://medicaid.alabama.gov/CONTENT/2.0\\_Newsroom/2.6\\_Statistics.aspx](http://medicaid.alabama.gov/CONTENT/2.0_Newsroom/2.6_Statistics.aspx)

**Medicaid Eligible Children (Under 21) - 2011:** Alabama Medicaid Agency, 2011 Statistics by County. [http://medicaid.alabama.gov/CONTENT/2.0\\_Newsroom/2.6\\_Statistics.aspx](http://medicaid.alabama.gov/CONTENT/2.0_Newsroom/2.6_Statistics.aspx)

**Medicaid Births - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File.

**Average Unemployment and Rates – 2012:** Alabama Department of Labor, Labor Market Information Division, <http://www2.labor.alabama.gov/LAUS/12on12.pdf>

**Primary Care Physicians in 2012:** Medical Licensure Commission, Licensed Physician Data Base – 2012. National data is for 2010 and is obtained from the American Medical Association's 2010 Physician Master File. National data was obtained from the Agency for Healthcare Research and Quality's on-line publication, Primary Care Workforce Facts and Stats #1, at <http://www.ahrq.gov/research/pcwork1.htm>. All data has been adjusted to exclude licensed retirees and include only those actively practicing primary care. (In this publication, primary care physicians include family practitioners, internal medicine specialists, pediatricians, gerontologists, and obstetricians and gynecologists.)

**Dentists in 2013:** Board of Dental Examiners of Alabama, Licensed dentists data base - 2013. National data is for 2010 and is obtained from the Bureau of Labor Statistics at [http://www.bls.gov/emp/ep\\_table\\_102.htm](http://www.bls.gov/emp/ep_table_102.htm).

**Psychiatrists in 2012:** Medical Licensure Commission, Licensed Physician Data Base – 2012. National data is for 2010 and is obtained from the American Medical Association, Physician Characteristics and Distribution in the US 2012, Table 1.2.

**Hospital Beds in 2013:** Alabama Department of Public Health, Division of Provider Services, Healthcare Facilities Directory – Hospital Section. March 21, 2013. <http://www.adph.org/HEALTHCAREFACILITIES/Default.asp?id=5349>.

**Obstetrical Hospitals:** Center for Health Statistics 2013 Birth Master File, special inquiry, February 28, 2013.

**Households With No Vehicle in 2007-2011:** U.S. Census Bureau, American FactFinder, American Community Survey – 2007-2011, Table B08201 – Household Size by Vehicles Available.

**Uninsured Persons Under Age 65 - 2010:** U.S. Census Bureau, Model-based Small Area Health Insurance Estimates (SAHIE) for Counties and States. <http://www.census.gov/did/www/sahie/index.html>

**Dialysis Patients and Dialysis Patients per Dialysis Station – 2013:** Dialysis patients data by county was obtained by special request from Network 8, Inc. (<http://www.esrdnetwork8.org>) dated May 31, 2011. Dialysis stations by county was obtained from the *Healthcare Facilities Directory*, Alabama Department of Public Health ([http://ph.state.al.us/facilitiesdirectory/\(S\(qc1vsw45hfl2iw45vzbwini\)\)/Default.aspx](http://ph.state.al.us/facilitiesdirectory/(S(qc1vsw45hfl2iw45vzbwini))/Default.aspx)).

**Cause of Death Indicators:** Centers for Disease Control and Prevention, CDC Wonder Interactive Program, Detailed Mortality files for 2008, 2009, and 2010 (<http://wonder.cdc.gov/>). (Rates are age-adjusted using the 2000 standard population.)

**Cancer Incidence and Rates by Site** – Alabama Statewide Cancer Registry, 2013. North American Association of Central Cancer Registries, CINA+ Online, 2013 2013 (<http://www.cancer-rates.info/naaccr/>). Rates are for males and females unless otherwise indicated. Rates are age-adjusted using the U.S. 2000 Standard Population. Rates are for malignant cases only except for All Sites which includes bladder cancer in situ. National figures include data from 44 states and the District of Columbia.

**Infant Mortality Rate - 2009-2011;** Alabama Department of Public Health, Center for Health Statistics, [http://www.adph.org/healthstats/assets/Total\\_Inf\\_Mort09\\_11.pdf](http://www.adph.org/healthstats/assets/Total_Inf_Mort09_11.pdf). National Data: CDC WONDER Online Data Inquiry System, 2009 and 2010 Birth and Detailed Mortality data, <http://wonder.cdc.gov/>, National Vital Statistics Reports, Deaths: Preliminary Data for 2011, [http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61\\_06.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_06.pdf) and Recent Trends in Births and Fertility Rates Through December 2011, [http://www.cdc.gov/nchs/data/hestat/births\\_fertility\\_december\\_2011/births\\_fertility\\_december\\_2011.pdf](http://www.cdc.gov/nchs/data/hestat/births_fertility_december_2011/births_fertility_december_2011.pdf).

**Low Weight Births - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and CDC WONDER Online Data Inquiry System, 2010 Births. (Births weighing less than 2,500 grams or 5 pounds and 8 ounces are defined as being of low weight.)

**Births to Teenagers (Age 10-19) - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and CDC WONDER Online Data Inquiry System, 2010 Births.

**Births With Less Than Adequate Prenatal Care - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. (The Kotelchuck Index is used in determining adequacy of prenatal care. This index primarily considers the date when prenatal care was begun and the number of visits in determining adequacy.)

**Caesarian Births - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and CDC WONDER Online Data Inquiry System, 2010 Births.

**Births With Tobacco Use During Pregnancy - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File.

**Births to Undereducated Women - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. (Women are considered to be "undereducated" when their years of education is at least two years less than what would be expected for someone of their age.)

**Births to Unmarried Women - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. National data: National Vital Statistics Reports, Vol. 61, No. 1, August 28, 2012, Final Data for 2010, Supplemental Tables, [http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61\\_01\\_tables/pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_01_tables/pdf)

**Preterm Births – 2009 - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2009-2011 Birth Statistics Files. National data: National Vital Statistics Reports, Vol. 61, No. 1, August 28, 2012, Final Data for 2010, Supplemental Tables, [http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61\\_01\\_tables/pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_01_tables/pdf) Preterm births are those with a calculated gestation of less than 37 full weeks of pregnancy.

**Births for Which Diabetes was Reported as a Risk Factor – 2007- 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2007-2011 Birth Statistics Files. National data: National Vital Statistics Reports, Vol. 61, No. 1, August 28, 2012, Final Data for 2010, Supplemental Tables, [http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61\\_01\\_tables/pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_01_tables/pdf)

**Age 25+ With Less Than High School Education – 2007-2011:** U.S. Census Bureau, American FactFinder, American Community Survey for 2007-2011, Table B15002.



**Public School Graduation Rates – 2011:** Alabama Kids Count Data Book – 2012, pp.31-98. [http://www.alavoices.org/files/12\\_AKC-DataBook.pdf](http://www.alavoices.org/files/12_AKC-DataBook.pdf) National data: National Center for Education Statistics.

The number of students who graduated from public high schools in Alabama in 2011 with regular, advanced, and credit-based diplomas expressed as a percentage of the total number of students who enrolled as first year freshmen four years earlier (or in 2007-2008). While the denominator used in computing the rate includes graduates, completers, students still enrolled, students withdrawn but still enrolled, students who enrolled but failed to attend, dropouts, and “others,” it does not include students in the class of 2007-2008 who were retained from later classes. Data are adjusted for students who transferred into, and out of, the cohort over the four-year period. This method of measuring the graduation rate is referred to as the “four-year cohort graduation rate” and reflects efforts to conform to the National Governor’s Association recommendation in 2005 that states implement a common measure of graduation beginning with the 2010-2011 academic year. However, the methodology used in computing the cohort graduation rate remains subject to variation from one state to another

**Persons Receiving Medicare Disability - 2010:** Centers for Medicare and Medicaid Services, Medicare Aged and Disabled by State and County as of July 1, 2010. <http://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/MedicareEnrpts/Downloads/County2010.pdf>

**Adult Obesity - Percent of Population Aged 20+ in 2010:** County Health Rankings & Roadmaps. The adult obesity measure represents the percent of the adult population (age 20 and older) that has a body mass index (BMI) greater than or equal to 30 kg/m<sup>2</sup>. Estimates of obesity prevalence by county were calculated by the CDC’s National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation, using multiple years of Behavioral Risk Factor Surveillance System (BRFSS) data. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone.

**Adult Smoking - Percent of Population Aged 18+ in 2010:** County Health Rankings & Roadmaps. This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention’s Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. The estimates are based on seven years of data.

**Excessive Drinking - Percent of Population Aged 18+ in 2010:** County Health Rankings & Roadmaps. This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention’s Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. The estimates are based on seven years of data.

**Life Expectancy at Birth - 2011:** Alabama Department of Public Health, Center for Health Statistics, special request and Deaths – Preliminary Data for 2011, Vol. 61, Number 6, October 10, 2012, Table 6.

**Sexually Transmitted Disease Cases – January 2011 through March 2012:** Alabama Department of Public Health, Division of STD Prevention and Control, Statistics, 2011 and 2012. <http://www.adph.org/STD/Default.asp?id=1080>

**New HIV Cases – 2009 through 2011:** Alabama Department of Public Health (ADPH), HIV Surveillance Branch. Any analyses, interpretation or conclusions reached from this data are those of the user and not the HIV Surveillance Branch. National data: HIV Surveillance Report, Diagnosis of HIV Infection in the United States and Dependent Areas, 2011, Vol.23, Table 1a. Note that national data is estimated to account for reporting delays and missing transmission.

**Child Abuse and Neglect Cases Reported to Child Protective Services for Investigation – October 2009 through September 2011:** Alabama Department of Human Resources, Child Protective Services, special request for FY 2010 and FY 2011. Please note that it is possible for there to be more than one report on the same family and the number of reports does not correspond with the number of children since reports can involve more than one child in a family.

**Adults Involved in Reported Abuse and Neglect Cases – October 2010 through September 2012 :** Alabama Department of Human Resources, Adult Protective Services, special request for FY 2011 and FY 2012. Please note that it is possible for there to be more than one report on the same adult.

**PERMISSION IS GRANTED TO DUPLICATE OR OTHERWISE USE ALL OR ANY PORTION OF THIS REPORT**

For additional information please contact Dale Quinney with the Office of Primary Care and Rural Health Development, Alabama Department of Public Health at (334) 206-5437 or by email at [dale.quinney@adph.state.al.us](mailto:dale.quinney@adph.state.al.us).