



COUNTY HEALTH PROFILES
ALABAMA
2002

Montgomery, Alabama • November 2003

ADPH-HS-501D/REV. 11-03

This publication was produced by:
DIVISION OF STATISTICAL ANALYSIS
CENTER FOR HEALTH STATISTICS

Louie Albert Woolbright, Ph.D.
Director, Division of Statistical Analysis

Division Members:
Kathryn L. Chapman, M.A
Shelia C. Davison
Carol Ann Dagostin, B.S
William V. Duncan, B.S
Elizabeth Gordon
Annie L. Green
William G. Jarrell, B.A
David Kemp, M.P.H
Carlisha Lane
Rhonda L. Stephens, M.P.H
Alton D. Stone, B.S

Dorothy S. Harshbarger, M.S., Director, Center for Health Statistics
Donald E. Williamson, M.D., State Health Officer

Alabama Department of Public Health
Center for Health Statistics
Division of Statistical Analysis
Post Office Box 5625
Montgomery, Alabama 36103-5625
(334) 206-5429

Information materials in alternative formats will be made available upon request.

TABLE OF CONTENTS

	Page
Introduction	1
2002 Profile of	
Alabama	2
Autauga County	4
Baldwin County	6
Barbour County	8
Bibb County	10
Blount County	12
Bullock County	14
Butler County	16
Calhoun County	18
Chambers County	20
Cherokee County	22
Chilton County	24
Choctaw County	26
Clarke County	28
Clay County	30
Cleburne County	32
Coffee County	34
Colbert County	36
Conecuh County	38
Coosa County	40
Covington County	42
Crenshaw County	44
Cullman County	46
Dale County	48
Dallas County	50
DeKalb County	52
Elmore County	54
Escambia County	56
Etowah County	58
Fayette County	60
Franklin County	62
Geneva County	64
Greene County	66
Hale County	68
Henry County	70
Houston County	72
Jackson County	74
Jefferson County	76
Lamar County	78
Lauderdale County	80
Lawrence County	82
Lee County	84
Limestone County	86
Lowndes County	88
Macon County	90
Madison County	92
Marengo County	94

2002 Profile of (continued)	
Marion County	96
Marshall County	98
Mobile County	100
Monroe County	102
Montgomery County	104
Morgan County	106
Perry County	108
Pickens County	110
Pike County	112
Randolph County	114
Russell County	116
St. Clair County	118
Shelby County	120
Sumter County	122
Talladega County	124
Tallapoosa County	126
Tuscaloosa County	128
Walker County	130
Washington County	132
Wilcox County	134
Winston County	136
Appendix A - Denominator Population	139
Projected Population by County and Race, Alabama, 2002	140
Projected Population by Race, Sex, and Age Group, Alabama, 2002	141
Appendix B	143
Technical Notes	144
Definitions	148
County Health Profiles Formulas	151
ICD-10 Death Codes	153
Alabama's 2002 Certificate of Live Birth	155
Alabama's 2002 Certificate of Death	156
Alabama's 2002 Report of Fetal Death	157
Alabama's 2002 Certificate of Marriage	158
Alabama's 2002 Certificate of Divorce	159
Alabama's 2002 Report of Induced Termination of Pregnancy	160
Publications Available from the Center for Health Statistics	161

INTRODUCTION

This *County Health Profiles* publication is a revision of Volume IV of *Alabama Vital Events, "County Profiles."* It is retitled to reflect the emphasis on health-related data and has been reformatted to contain the most frequently requested health data by county. The *Alabama Vital Events* publication has also been renamed to *Alabama Vital Statistics*, which contains data from Volumes I - III in one publication.

County Health Profiles and many other reports prepared by the Center for Health Statistics are now available on the Internet at www.adph.org. then click on Fast Find, then Health Statistics. This site has many tables and reports for immediate use.

Data for each county are displayed on two matching pages, left and right. Various footnotes give explanatory details about the different kinds of rates presented in the tables. Additional information may be obtained from the Technical Notes and Definitions in the Appendix B.

ALABAMA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	58,867	169	2,899	5,521	50,278
Rate	---	1.1	29.9	85.5	51.5
White	39,845	47	1,478	3,244	35,076
Rate	---	0.5	24.1	79.3	52.8
Black & Other	19,022	122	1,421	2,277	15,202
Rate	---	2.1	40.0	96.2	48.7

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	44,158
Rate	9.8
Divorces	24,059
Rate	5.3

Rate is per 1,000 population.

2002 POPULATION	
Total	4,526,059
White	3,193,888
Black and Other	1,332,171
Median age	36.3
Life expectancy at birth	74.6
Total fertility rate per 1,000 Women aged 10-49	1876.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	82,368	85.0	12,538	39.3	
Births	58,867	13.0	8,589	26.9	
Abortions	10,648	11.0	2,026	6.3	
Est. fetal losses	12,853	---	1,923	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44.
Rate is per 1,000 women 10-19.

	All women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	20,503	34.8	6,268	73.0
Low weight births	5,844	9.9	1,001	11.7
Multiple births	1,985	3.4	139	1.6
Medicaid births	26,195	44.5	6,994	81.4

Percent is percent of all births.
Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	482
AIDS	210
Syphilis	696
Gonorrhea	10,121
Chlamydia	15,640
Tuberculosis	233

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	538	278	260	103	56	47
Rate per 1,000 births	9.1	7.0	13.7	12.0	11.7	12.3
Postneonatal deaths	193	99	94	37	20	17
Rate per 1,000 births	3.3	2.5	4.9	4.3	4.2	4.5
Neonatal deaths	345	179	166	66	36	30
Rate per 1,000 births	5.9	4.5	8.7	7.7	7.5	7.9

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	4,526,059	2,187,015	2,339,044	3,193,888	1,560,756	1,633,132	1,332,171	626,259	705,912
0-4	300,045	153,245	146,800	191,341	98,255	93,086	108,704	54,990	53,714
5-9	309,076	158,302	150,774	196,934	101,411	95,523	112,142	56,891	55,251
10-14	324,247	166,620	157,627	207,153	106,936	100,217	117,094	59,684	57,410
15-44	1,919,538	950,236	969,302	1,307,746	660,021	647,725	611,792	290,215	321,577
45-64	1,080,235	520,432	559,803	815,968	399,662	416,306	264,267	120,770	143,497
65-84	522,285	219,091	303,194	419,848	179,683	240,165	102,437	39,408	63,029
85+	70,633	19,089	51,544	54,898	14,788	40,110	15,735	4,301	11,434

ALABAMA 2002 HEALTH PROFILE (Continued)

MORTALITY		Total	Male	Female	White	White male	White female	Black & other	Black & oth. male	Black & other female
Deaths		46,017	22,617	23,400	34,690	16,987	17,703	11,327	5,630	5,697
Death rate per 1,000 pop.		10.2	10.3	10.0	10.9	10.9	10.8	8.5	9.0	8.1

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
Heart disease	13,183	291.3	6,302	288.2	6,881	294.2	10,132	317.2	3,051	229.0
Cancer	9,685	214.0	5,285	241.7	4,400	188.1	7,427	232.5	2,258	169.5
Stroke	3,203	70.8	1,241	56.7	1,962	83.9	2,339	73.2	864	64.9
Accidents	2,212	48.9	1,439	65.8	773	33.0	1,732	54.2	480	36.0
CLRD	2,328	51.4	1,247	57.0	1,081	46.2	2,061	64.5	267	20.0
Diabetes	1,485	32.8	635	29.0	850	36.3	901	28.2	584	43.8
Inf. & pneumonia	1,217	26.9	519	23.7	698	29.8	979	30.7	238	17.9
Alzheimer's disease	1,189	26.3	333	15.2	856	36.6	1,031	32.3	158	11.9
Suicide	515	11.4	414	18.9	101	4.3	450	14.1	65	4.9
Homicide	416	9.2	324	14.8	92	3.9	153	4.8	263	19.7
HIV disease	189	4.2	142	6.5	47	2.0	49	1.5	140	10.5

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	2,212	48.9	311	24.6
Motor vehicle	1,109	24.5	201	15.9
Suffocation	146	3.2	23	1.8
Poisoning	207	4.6	12	1.0
Smoke, fire and flames	83	1.8	14	1.1
Falls	155	3.4	4	0.3
Drowning	62	1.4	25	2.0
Firearms	44	1.0	10	0.8
Other accidents	406	---	22	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	46,017	10.2
0 to 14	789	0.8
15 to 44	3,431	1.8
45 to 64	8,855	8.2
65 to 84	21,422	41.0
85+	11,517	163.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female	
				Deaths	Rate	Deaths	Rate
All cancers	19,598	9,685	214.0	5,285	241.7	4,400	188.1
Trachea, bronchus, lung, pleura	3,179	2,987	66.0	1,887	86.3	1,100	47.0
Colorectal	2,269	869	19.2	454	20.8	415	17.7
Breast (female)	3,434	683	15.1	0	0.0	683	29.2
Prostate (male)	2,636	568	12.5	568	26.0	0	0.0
Pancreas	414	489	10.8	261	11.9	228	9.7
Leukemias	394	351	7.8	195	8.9	156	6.7
Non-Hodkins lymphomas	676	363	8.0	196	9.0	167	7.1
Ovary (female)	298	251	5.5	0	0.0	251	10.7
Brain and other nervous system	243	219	4.8	119	5.4	100	4.3
Stomach	290	192	4.2	103	4.7	89	3.8
Uterus & cervix (female)	611	178	3.9	0	0.0	178	7.6
Esophagus	209	187	4.1	148	6.8	39	1.7
Melanoma of skin	800	127	2.8	76	3.5	51	2.2
Other	4,145	2,221	---	1,278	---	943	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

AUTAUGA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	601	1	24	54	522
Rate	---	0.5	23.2	78.5	52.5
White	465	1	13	38	413
Rate	---	0.7	16.6	72.8	52.3
Black & Other	136	0	11	16	109
Rate	---	0.0	44.0	96.4	53.1

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	430
Rate	9.4
Divorces	251
Rate	5.5

Rate is per 1,000 population.

2002 POPULATION	
Total	45,643
White	36,903
Black and Other	8,740
Median age	35.7
Life expectancy at birth	74.7
Total fertility rate per 1,000 women aged 10-49	2071.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	839	84.4	121	33.7	
Births	601	13.2	79	22.0	
Abortions	108	10.9	24	6.7	
Est. fetal losses	130	---	18	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	168	28.0	55	69.6
Low weight births	63	10.5	7	8.9
Multiple births	20	3.3	0	0.0
Medicaid births	218	36.3	63	79.7

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	8
AIDS	2
Syphilis	9
Gonorrhea	54
Chlamydia	74
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	5	4	1	1	1	0
Rate per 1,000 births	8.3	8.6	7.4	12.7	19.2	0.0
Postneonatal deaths	3	3	0	1	1	0
Rate per 1,000 births	5.0	6.5	0.0	12.7	19.2	0.0
Neonatal deaths	2	1	1	0	0	0
Rate per 1,000 births	3.3	2.2	7.4	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	45,643	22,153	23,490	36,903	18,133	18,770	8,740	4,020	4,720
0-4	3,149	1,574	1,575	2,482	1,244	1,238	667	330	337
5-9	3,519	1,796	1,723	2,801	1,430	1,371	718	366	352
10-14	3,904	2,035	1,869	3,073	1,614	1,459	831	421	410
15-44	19,531	9,586	9,945	15,637	7,803	7,834	3,894	1,783	2,111
45-64	10,729	5,177	5,552	8,898	4,350	4,548	1,831	827	1,004
65-84	4,357	1,866	2,491	3,656	1,600	2,056	701	266	435
85+	454	119	335	356	92	264	98	27	71

AUTAUGA 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	387	173	214	306	139	167	81	34	47
Death rate per 1,000 pop.	8.5	7.8	9.1	8.3	7.7	8.9	9.3	8.5	10.0

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	104	227.9	45	203.1	59	251.2	81	219.5	23	263.2
Cancer	92	201.6	44	198.6	48	204.3	72	195.1	20	228.8
Stroke	22	48.2	13	58.7	9	38.3	19	51.5	3	34.3
Accidents	21	46.0	11	49.7	10	42.6	15	40.6	6	68.6
CLRD	26	57.0	11	49.7	15	63.9	25	67.7	1	11.4
Diabetes	17	37.2	6	27.1	11	46.8	12	32.5	5	57.2
Inf. & pneumonia	3	6.6	1	4.5	2	8.5	1	2.7	2	22.9
Alzheimer's disease	6	13.1	0	0.0	6	25.5	5	13.5	1	11.4
Suicide	6	13.1	6	27.1	0	0.0	6	16.3	0	0.0
Homicide	2	4.4	2	9.0	0	0.0	1	2.7	1	11.4
HIV disease	1	2.2	1	4.5	0	0.0	0	0.0	1	11.4

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	21	46.0	5	35.4
Motor vehicle	12	26.3	3	21.2
Suffocation	2	4.4	0	0.0
Poisoning	2	4.4	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	2.2	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	2.2	1	7.1
Other accidents	3	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	387	8.5
0 to 14	11	1.0
15 to 44	45	2.3
45 to 64	71	6.6
65 to 84	168	38.6
85+	92	202.6

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	151	92	201.6	44	198.6	48	204.3
Trachea, bronchus, lung, pleura	24	24	52.6	15	67.7	9	38.3
Colorectal	21	8	17.5	1	4.5	7	29.8
Breast (female)	34	8	17.5	0	0.0	8	34.1
Prostate (male)	17	5	11.0	5	22.6	0	0.0
Pancreas	*	4	8.8	2	9.0	2	8.5
Leukemias	*	7	15.3	4	18.1	3	12.8
Non-Hodkins lymphomas	5	4	8.8	2	9.0	2	8.5
Ovary (female)	*	3	6.6	0	0.0	3	12.8
Brain and other nervous system	*	6	13.1	5	22.6	1	4.3
Stomach	*	4	8.8	4	18.1	0	0.0
Uterus & cervix (female)	*	4	8.8	0	0.0	4	17.0
Esophagus	*	1	2.2	0	0.0	1	4.3
Melanoma of skin	7	1	2.2	1	4.5	0	0.0
Other	27	13	---	5	---	8	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

BALDWIN 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,740	1	68	160	1,511
Rate	---	0.2	22.7	80.2	50.8
White	1,483	0	47	113	1,323
Rate	---	0.0	18.9	68.2	51.5
Black & Other	257	1	21	47	188
Rate	---	1.2	41.6	139.5	46.4

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	2,656
Rate	17.8
Divorces	711
Rate	4.8

Rate is per 1,000 population.

2002 POPULATION	
Total	149,174
White	130,233
Black and Other	18,941
Median age	39.8
Life expectancy at birth	76.5
Total fertility rate per 1,000 women aged 10-49	2013.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	2,262	78.3	311	30.9	
Births	1,740	11.7	229	22.8	
Abortions	158	5.5	33	3.3	
Est. fetal losses	364	---	49	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	449	25.8	150	65.5
Low weight births	145	8.3	21	9.2
Multiple births	69	4.0	4	1.7
Medicaid births	636	36.6	170	74.2

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	18
AIDS	5
Syphilis	3
Gonorrhea	120
Chlamydia	244
Tuberculosis	6

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	15	9	6	2	1	1
Rate per 1,000 births	8.6	6.1	23.3	8.7	6.3	14.5
Postneonatal deaths	5	3	2	2	1	1
Rate per 1,000 births	2.9	2.0	7.8	8.7	6.3	14.5
Neonatal deaths	10	6	4	0	0	0
Rate per 1,000 births	5.7	4.0	15.6	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	149,174	73,173	76,001	130,233	63,754	66,479	18,941	9,419	9,522
0-4	9,067	4,616	4,451	7,560	3,862	3,698	1,507	754	753
5-9	9,558	4,940	4,618	7,926	4,107	3,819	1,632	833	799
10-14	10,517	5,440	5,077	8,786	4,541	4,245	1,731	899	832
15-44	57,656	28,765	28,891	49,060	24,383	24,677	8,596	4,382	4,214
45-64	38,941	18,791	20,150	35,103	16,921	18,182	3,838	1,870	1,968
65-84	21,014	9,850	11,164	19,579	9,240	10,339	1,435	610	825
85+	2,421	771	1,650	2,219	700	1,519	202	71	131

BALDWIN 2002 HEALTH PROFILE (Continued)

MORTALITY	Total	Male	Female	White	White male	White female	Black & other	Black & oth. male	Black & other female
	Deaths	1,449	737	712	1,302	667	635	147	70
Death rate per 1,000 pop.	9.7	10.1	9.4	10.0	10.5	9.6	7.8	7.4	8.1

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
	Heart disease	398	266.8	210	287.0	188	247.4	358	274.9	40
Cancer	345	231.3	190	259.7	155	203.9	317	243.4	28	147.8
Stroke	87	58.3	37	50.6	50	65.8	82	63.0	5	26.4
Accidents	97	65.0	64	87.5	33	43.4	88	67.6	9	47.5
CLRD	57	38.2	27	36.9	30	39.5	53	40.7	4	21.1
Diabetes	45	30.2	21	28.7	24	31.6	33	25.3	12	63.4
Inf. & pneumonia	24	16.1	12	16.4	12	15.8	24	18.4	0	0.0
Alzheimer's disease	34	22.8	11	15.0	23	30.3	32	24.6	2	10.6
Suicide	21	14.1	17	23.2	4	5.3	20	15.4	1	5.3
Homicide	11	7.4	6	8.2	5	6.6	5	3.8	6	31.7
HIV disease	3	2.0	1	1.4	2	2.6	2	1.5	1	5.3

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	97	65.0	11	27.9
Motor vehicle	44	29.5	7	17.8
Suffocation	4	2.7	0	0.0
Poisoning	15	10.1	0	0.0
Smoke, fire and flames	2	1.3	0	0.0
Falls	5	3.4	0	0.0
Drowning	3	2.0	2	5.1
Firearms	0	0.0	0	0.0
Other accidents	24	---	2	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	1,449	9.7
0 to 14	24	0.8
15 to 44	104	1.8
45 to 64	244	6.3
65 to 84	711	33.8
85+	366	151.2

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female		
				Deaths	Rate	Deaths	Rate
All cancers	710	345	231.3	190	259.7	155	203.9
Trachea, bronchus, lung, pleura	116	112	75.1	70	95.7	42	55.3
Colorectal	80	21	14.1	9	12.3	12	15.8
Breast (female)	140	25	16.8	0	0.0	25	32.9
Prostate (male)	80	23	15.4	23	31.4	0	0.0
Pancreas	11	22	14.7	10	13.7	12	15.8
Leukemias	17	8	5.4	6	8.2	2	2.6
Non-Hodkins lymphomas	31	18	12.1	10	13.7	8	10.5
Ovary (female)	10	6	4.0	0	0.0	6	7.9
Brain and other nervous system	13	9	6.0	6	8.2	3	3.9
Stomach	7	3	2.0	1	1.4	2	2.6
Uterus & cervix (female)	20	16	10.7	0	0.0	16	21.1
Esophagus	9	6	4.0	6	8.2	0	0.0
Melanoma of skin	25	3	2.0	3	4.1	0	0.0
Other	151	73	---	46	---	27	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

BARBOUR 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	361	3	25	42	291
Rate	---	2.8	39.9	100.7	53.8
White	176	0	7	12	157
Rate	---	0.0	26.1	67.4	60.6
Black & Other	185	3	18	30	134
Rate	---	4.9	50.3	125.5	47.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	270
Rate	9.1
Divorces	128
Rate	4.3

Rate is per 1,000 population.

2002 POPULATION	
Total	29,615
White	14,965
Black and Other	14,650
Median age	36.5
Life expectancy at birth	74.3
Total fertility rate per 1,000 women aged 10-49	2132.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	497	91.0	95	45.2	
Births	361	12.2	70	33.3	
Abortions	56	10.3	10	4.8	
Est. fetal losses	80	---	15	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	184	51.0	58	82.9
Low weight births	46	12.7	15	21.4
Multiple births	10	2.8	2	2.9
Medicaid births	124	34.3	34	48.6

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	4
AIDS	5
Syphilis	1
Gonorrhea	90
Chlamydia	114
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	0	2	2	0	2
Rate per 1,000 births	5.5	0.0	10.8	28.6	0.0	39.2
Postneonatal deaths	1	0	1	1	0	1
Rate per 1,000 births	2.8	0.0	5.4	14.3	0.0	19.6
Neonatal deaths	1	0	1	1	0	1
Rate per 1,000 births	2.8	0.0	5.4	14.3	0.0	19.6

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	29,615	15,429	14,186	14,965	7,831	7,134	14,650	7,598	7,052
0-4	1,805	939	866	744	405	339	1,061	534	527
5-9	1,959	1,021	938	818	444	374	1,141	577	564
10-14	2,156	1,095	1,061	905	457	448	1,251	638	613
15-44	12,778	7,315	5,463	5,895	3,372	2,523	6,883	3,943	2,940
45-64	7,017	3,554	3,463	4,113	2,127	1,986	2,904	1,427	1,477
65-84	3,385	1,381	2,004	2,210	967	1,243	1,175	414	761
85+	515	124	391	280	59	221	235	65	170

BARBOUR 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	323	149	174	194	87	107	129	62	67
Death rate per 1,000 pop.	10.9	9.7	12.3	13.0	11.1	15.0	8.8	8.2	9.5

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	104	351.2	47	304.6	57	401.8	64	427.7	40	273.0
Cancer	66	222.9	37	239.8	29	204.4	43	287.3	23	157.0
Stroke	25	84.4	9	58.3	16	112.8	13	86.9	12	81.9
Accidents	19	64.2	9	58.3	10	70.5	12	80.2	7	47.8
CLRD	16	54.0	8	51.9	8	56.4	14	93.6	2	13.7
Diabetes	4	13.5	1	6.5	3	21.1	0	0.0	4	27.3
Inf. & pneumonia	5	16.9	3	19.4	2	14.1	3	20.0	2	13.7
Alzheimer's disease	8	27.0	3	19.4	5	35.2	4	26.7	4	27.3
Suicide	5	16.9	4	25.9	1	7.0	3	20.0	2	13.7
Homicide	4	13.5	3	19.4	1	7.0	1	6.7	3	20.5
HIV disease	1	3.4	1	6.5	0	0.0	0	0.0	1	6.8

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	19	64.2	1	12.4
Motor vehicle	8	27.0	0	0.0
Suffocation	1	3.4	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	2	6.8	0	0.0
Falls	2	6.8	0	0.0
Drowning	1	3.4	1	12.4
Firearms	1	3.4	0	0.0
Other accidents	4	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	323	10.9
0 to 14	3	0.5
15 to 44	28	2.2
45 to 64	58	8.3
65 to 84	148	43.7
85+	86	167.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		115	66	222.9	37	239.8	29	204.4
Trachea, bronchus, lung, pleura		23	21	70.9	15	97.2	6	42.3
Colorectal		13	12	40.5	5	32.4	7	49.3
Breast (female)		15	2	6.8	0	0.0	2	14.1
Prostate (male)		13	5	16.9	5	32.4	0	0.0
Pancreas		*	4	13.5	2	13.0	2	14.1
Leukemias		*	3	10.1	1	6.5	2	14.1
Non-Hodkins lymphomas		*	1	3.4	1	6.5	0	0.0
Ovary (female)		*	3	10.1	0	0.0	3	21.1
Brain and other nervous system		*	2	6.8	1	6.5	1	7.0
Stomach		*	0	0.0	0	0.0	0	0.0
Uterus & cervix (female)		*	1	3.4	0	0.0	1	7.0
Esophagus		*	1	3.4	1	6.5	0	0.0
Melanoma of skin		*	0	0.0	0	0.0	0	0.0
Other		31	11	---	6	---	5	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

BIBB 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	276	0	12	32	232
Rate	---	0.0	28.6	114.7	54.3
White	229	0	10	23	196
Rate	---	0.0	32.2	111.1	58.5
Black & Other	47	0	2	9	36
Rate	---	0.0	18.3	125.0	39.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	186
Rate	8.6
Divorces	100
Rate	4.6

Rate is per 1,000 population.

2002 POPULATION	
Total	21,622
White	16,522
Black and Other	5,100
Median age	35.4
Life expectancy at birth	73.7
Total fertility rate per 1,000 women aged 10-49	2024.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	359	83.8	59	39.7	
Births	276	12.8	44	29.6	
Abortions	25	5.8	6	4.0	
Est. fetal losses	58	---	9	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	68	24.6	22	50.0
Low weight births	22	8.0	5	11.4
Multiple births	4	1.4	0	0.0
Medicaid births	123	44.6	35	79.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	1
Syphilis	0
Gonorrhea	30
Chlamydia	62
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	21,622	11,202	10,420	16,522	8,306	8,216	5,100	2,896	2,204
0-4	1,479	786	693	1,125	590	535	354	196	158
5-9	1,547	795	752	1,118	577	541	429	218	211
10-14	1,536	747	789	1,096	530	566	440	217	223
15-44	9,417	5,135	4,282	6,906	3,586	3,320	2,511	1,549	962
45-64	5,114	2,676	2,438	4,149	2,122	2,027	965	554	411
65-84	2,207	965	1,242	1,877	828	1,049	330	137	193
85+	322	98	224	251	73	178	71	25	46

BIBB 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	217	112	105	177	87	90	40	25	15
Death rate per 1,000 pop.	10.0	10.0	10.1	10.7	10.5	11.0	7.8	8.6	6.8

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other rate
		rate	rate	rate	rate	rate	rate	other		
Heart disease	56	259.0	33	294.6	23	220.7	47	284.5	9	176.5
Cancer	42	194.2	27	241.0	15	144.0	32	193.7	10	196.1
Stroke	28	129.5	8	71.4	20	191.9	22	133.2	6	117.6
Accidents	17	78.6	12	107.1	5	48.0	12	72.6	5	98.0
CLRD	15	69.4	7	62.5	8	76.8	15	90.8	0	0.0
Diabetes	6	27.7	3	26.8	3	28.8	4	24.2	2	39.2
Inf. & pneumonia	3	13.9	1	8.9	2	19.2	2	12.1	1	19.6
Alzheimer's disease	2	9.2	0	0.0	2	19.2	2	12.1	0	0.0
Suicide	3	13.9	3	26.8	0	0.0	3	18.2	0	0.0
Homicide	1	4.6	1	8.9	0	0.0	0	0.0	1	19.6
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	17	78.6	1	16.7
Motor vehicle	8	37.0	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	2	9.2	0	0.0
Falls	0	0.0	0	0.0
Drowning	2	9.2	0	0.0
Firearms	1	4.6	1	16.7
Other accidents	4	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	217	10.0
0 to 14	1	0.2
15 to 44	21	2.2
45 to 64	51	10.0
65 to 84	84	38.1
85+	60	186.3

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	94	42	194.2	27	241.0	15	144.0
Trachea, bronchus, lung, pleura	15	16	74.0	10	89.3	6	57.6
Colorectal	10	3	13.9	2	17.9	1	9.6
Breast (female)	18	4	18.5	0	0.0	4	38.4
Prostate (male)	14	4	18.5	4	35.7	0	0.0
Pancreas	*	1	4.6	0	0.0	1	9.6
Leukemias	*	1	4.6	0	0.0	1	9.6
Non-Hodkins lymphomas	5	4	18.5	4	35.7	0	0.0
Ovary (female)	*	0	0.0	0	0.0	0	0.0
Brain and other nervous system	*	2	9.2	1	8.9	1	9.6
Stomach	*	0	0.0	0	0.0	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	2	9.2	2	17.9	0	0.0
Melanoma of skin	6	0	0.0	0	0.0	0	0.0
Other	14	5	---	4	---	1	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

BLOUNT 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	668	4	27	57	580
Rate	---	2.2	25.4	80.6	53.8
White	656	4	26	56	570
Rate	---	2.3	26.5	85.6	56.0
Black & Other	12	0	1	1	10
Rate	---	0.0	12.5	18.9	16.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	374
Rate	7.0
Divorces	61
Rate	1.1

Rate is per 1,000 population.

2002 POPULATION	
Total	53,545
White	50,585
Black and Other	2,960
Median age	36.8
Life expectancy at birth	75.8
Total fertility rate per 1,000 women aged 10-49	1995.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	854	79.7	112	30.9	
Births	668	12.5	88	24.3	
Abortions	47	4.4	6	1.7	
Est. fetal losses	139	---	18	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	130	19.5	40	45.5
Low weight births	38	5.7	6	6.8
Multiple births	12	1.8	0	0.0
Medicaid births	233	34.9	65	73.9

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	2
Gonorrhea	7
Chlamydia	38
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	8	7	1	3	3	0
Rate per 1,000 births	12.0	10.7	83.3	34.1	34.9	0.0
Postneonatal deaths	1	1	0	1	1	0
Rate per 1,000 births	1.5	1.5	0.0	11.4	11.6	0.0
Neonatal deaths	7	6	1	2	2	0
Rate per 1,000 births	10.5	9.1	83.3	22.7	23.3	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	53,545	26,829	26,716	50,585	25,271	25,314	2,960	1,558	1,402
0-4	3,626	1,887	1,739	3,374	1,752	1,622	252	135	117
5-9	3,783	1,983	1,800	3,467	1,819	1,648	316	164	152
10-14	3,857	2,005	1,852	3,588	1,870	1,718	269	135	134
15-44	22,083	11,374	10,709	20,645	10,578	10,067	1,438	796	642
45-64	13,241	6,587	6,654	12,756	6,346	6,410	485	241	244
65-84	6,206	2,754	3,452	6,033	2,678	3,355	173	76	97
85+	749	239	510	722	228	494	27	11	16

BLOUNT 2002 HEALTH PROFILE (Continued)

MORTALITY	Total	Male	Female	White	White male	White female	Black & other	Black & oth. male	Black & other female
	Deaths	533	280	253	526	277	249	7	3
Death rate per 1,000 pop.	10.0	10.4	9.5	10.4	11.0	9.8	2.4	1.9	2.9

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
	Heart disease	164	306.3	79	294.5	85	318.2	162	320.3	2
Cancer	107	199.8	65	242.3	42	157.2	106	209.5	1	33.8
Stroke	20	37.4	5	18.6	15	56.1	20	39.5	0	0.0
Accidents	29	54.2	20	74.5	9	33.7	28	55.4	1	33.8
CLRD	28	52.3	17	63.4	11	41.2	28	55.4	0	0.0
Diabetes	12	22.4	6	22.4	6	22.5	12	23.7	0	0.0
Inf. & pneumonia	27	50.4	15	55.9	12	44.9	27	53.4	0	0.0
Alzheimer's disease	17	31.7	4	14.9	13	48.7	17	33.6	0	0.0
Suicide	6	11.2	4	14.9	2	7.5	6	11.9	0	0.0
Homicide	2	3.7	2	7.5	0	0.0	2	4.0	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	29	54.2	6	40.2
Motor vehicle	11	20.5	4	26.8
Suffocation	3	5.6	0	0.0
Poisoning	3	5.6	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	1.9	1	6.7
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	11	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	533	10.0
0 to 14	12	1.1
15 to 44	38	1.7
45 to 64	90	6.8
65 to 84	263	42.4
85+	130	173.6

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	169	107	199.8	65	242.3	42	157.2
Trachea, bronchus, lung, pleura	32	36	67.2	25	93.2	11	41.2
Colorectal	19	10	18.7	7	26.1	3	11.2
Breast (female)	26	5	9.3	0	0.0	5	18.7
Prostate (male)	23	3	5.6	3	11.2	0	0.0
Pancreas	*	6	11.2	1	3.7	5	18.7
Leukemias	*	7	13.1	5	18.6	2	7.5
Non-Hodkins lymphomas	6	6	11.2	3	11.2	3	11.2
Ovary (female)	*	3	5.6	0	0.0	3	11.2
Brain and other nervous system	*	3	5.6	2	7.5	1	3.7
Stomach	*	1	1.9	0	0.0	1	3.7
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	2	3.7	2	7.5	0	0.0
Melanoma of skin	11	2	3.7	2	7.5	0	0.0
Other	38	23	---	15	---	8	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

BULLOCK 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	141	0	16	15	110
Rate	---	0.0	61.5	86.2	52.2
White	38	0	2	4	32
Rate	---	0.0	58.8	173.9	77.9
Black & Other	103	0	14	11	78
Rate	---	0.0	61.9	72.8	46.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	71
Rate	6.0
Divorces	25
Rate	2.1

Rate is per 1,000 population.

2002 POPULATION	
Total	11,798
White	2,922
Black and Other	8,876
Median age	35.5
Life expectancy at birth	71.9
Total fertility rate per 1,000 women aged 10-49	1986.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	207	95.6	48	55.6	
Births	141	12.0	31	35.9	
Abortions	34	15.7	10	11.6	
Est. fetal losses	32	---	7	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	99	70.2	27	87.1
Low weight births	22	15.6	3	9.7
Multiple births	10	7.1	2	6.5
Medicaid births	94	66.7	25	80.6

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	3
AIDS	3
Syphilis	1
Gonorrhea	44
Chlamydia	66
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	11,798	6,257	5,541	2,922	1,703	1,219	8,876	4,554	4,322
0-4	743	379	364	122	62	60	621	317	304
5-9	817	430	387	111	62	49	706	368	338
10-14	862	433	429	109	53	56	753	380	373
15-44	5,171	3,006	2,165	1,184	804	380	3,987	2,202	1,785
45-64	2,678	1,418	1,260	814	473	341	1,864	945	919
65-84	1,247	504	743	481	216	265	766	288	478
85+	280	87	193	101	33	68	179	54	125

BULLOCK 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	138	67	71	41	16	25	97	51	46	
Death rate per 1,000 pop.	11.7	10.7	12.8	14.0	9.4	20.5	10.9	11.2	10.6	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	45	381.4	15	239.7	30	541.4	16	547.6	29	326.7
Cancer	26	220.4	19	303.7	7	126.3	6	205.3	20	225.3
Stroke	5	42.4	3	47.9	2	36.1	1	34.2	4	45.1
Accidents	14	118.7	9	143.8	5	90.2	3	102.7	11	123.9
CLRD	2	17.0	1	16.0	1	18.0	1	34.2	1	11.3
Diabetes	8	67.8	1	16.0	7	126.3	1	34.2	7	78.9
Inf. & pneumonia	2	17.0	1	16.0	1	18.0	0	0.0	2	22.5
Alzheimer's disease	6	50.9	3	47.9	3	54.1	6	205.3	0	0.0
Suicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Homicide	2	17.0	1	16.0	1	18.0	0	0.0	2	22.5
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	14	118.7	1	30.3
Motor vehicle	10	84.8	1	30.3
Suffocation	0	0.0	0	0.0
Poisoning	1	8.5	0	0.0
Smoke, fire and flames	1	8.5	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	8.5	0	0.0
Other accidents	1	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	138	11.7
0 to 14	2	0.8
15 to 44	9	1.7
45 to 64	23	8.6
65 to 84	59	47.3
85+	45	160.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	47	26	220.4	19	303.7	7	126.3
Trachea, bronchus, lung, pleura	8	7	59.3	6	95.9	1	18.0
Colorectal	*	2	17.0	1	16.0	1	18.0
Breast (female)	11	2	17.0	0	0.0	2	36.1
Prostate (male)	10	6	50.9	6	95.9	0	0.0
Pancreas	*	0	0.0	0	0.0	0	0.0
Leukemias	*	1	8.5	1	16.0	0	0.0
Non-Hodkins lymphomas	*	0	0.0	0	0.0	0	0.0
Ovary (female)	*	2	17.0	0	0.0	2	36.1
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0
Stomach	*	1	8.5	1	16.0	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	1	8.5	1	16.0	0	0.0
Melanoma of skin	*	1	8.5	1	16.0	0	0.0
Other	8	3	---	2	---	1	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

BUTLER 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	249	2	19	31	197
Rate	---	2.6	36.3	88.8	46.2
White	101	0	6	11	84
Rate	---	0.0	23.5	64.7	37.1
Black & Other	148	2	13	20	113
Rate	---	5.0	48.5	111.7	56.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	215
Rate	10.1
Divorces	78
Rate	3.7

Rate is per 1,000 population.

2002 POPULATION	
Total	21,261
White	12,368
Black and Other	8,893
Median age	38.4
Life expectancy at birth	73.3
Total fertility rate per 1,000 women aged 10-49	1817.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	340	78.8	73	44.2	
Births	249	11.7	52	31.5	
Abortions	38	8.8	10	6.1	
Est. fetal losses	53	---	11	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	139	55.8	41	78.8
Low weight births	32	12.9	4	7.7
Multiple births	8	3.2	0	0.0
Medicaid births	165	66.3	46	88.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	2
Gonorrhea	105
Chlamydia	100
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	0	2	1	0	1
Rate per 1,000 births	8.0	0.0	13.5	19.2	0.0	28.6
Postneonatal deaths	2	0	2	1	0	1
Rate per 1,000 births	8.0	0.0	13.5	19.2	0.0	28.6
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	21,261	9,946	11,315	12,368	5,918	6,450	8,893	4,028	4,865
0-4	1,357	681	676	647	315	332	710	366	344
5-9	1,479	772	707	713	370	343	766	402	364
10-14	1,639	860	779	795	416	379	844	444	400
15-44	8,113	3,798	4,315	4,452	2,219	2,233	3,661	1,579	2,082
45-64	5,197	2,513	2,684	3,304	1,647	1,657	1,893	866	1,027
65-84	2,942	1,176	1,766	2,082	852	1,230	860	324	536
85+	534	146	388	375	99	276	159	47	112

BUTLER 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	294	134	160	176	86	90	118	48	70
Death rate per 1,000 pop.	13.8	13.5	14.1	14.2	14.5	14.0	13.3	11.9	14.4

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	129	606.7	52	522.8	77	680.5	78	630.7	51	573.5
Cancer	43	202.2	24	241.3	19	167.9	25	202.1	18	202.4
Stroke	24	112.9	11	110.6	13	114.9	13	105.1	11	123.7
Accidents	8	37.6	5	50.3	3	26.5	5	40.4	3	33.7
CLRD	8	37.6	5	50.3	3	26.5	5	40.4	3	33.7
Diabetes	6	28.2	3	30.2	3	26.5	3	24.3	3	33.7
Inf. & pneumonia	9	42.3	3	30.2	6	53.0	7	56.6	2	22.5
Alzheimer's disease	8	37.6	3	30.2	5	44.2	7	56.6	1	11.2
Suicide	2	9.4	1	10.1	1	8.8	2	16.2	0	0.0
Homicide	4	18.8	4	40.2	0	0.0	2	16.2	2	22.5
HIV disease	1	4.7	0	0.0	1	8.8	0	0.0	1	11.2

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	8	37.6	2	32.2
Motor vehicle	7	32.9	1	16.1
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	1	4.7	1	16.1
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	0	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	294	13.8
0 to 14	3	0.7
15 to 44	17	2.1
45 to 64	59	11.4
65 to 84	130	44.2
85+	85	159.2

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers		127	43	24	241.3	19	167.9
Trachea, bronchus, lung, pleura		15	10	6	60.3	4	35.4
Colorectal		22	4	3	30.2	1	8.8
Breast (female)		18	0	0	0.0	0	0.0
Prostate (male)		23	2	2	20.1	0	0.0
Pancreas		*	2	1	10.1	1	8.8
Leukemias		*	0	0	0.0	0	0.0
Non-Hodkins lymphomas		*	3	2	20.1	1	8.8
Ovary (female)		*	1	0	0.0	1	8.8
Brain and other nervous system		*	0	0	0.0	0	0.0
Stomach		*	0	0	0.0	0	0.0
Uterus & cervix (female)		6	2	0	0.0	2	17.7
Esophagus		*	3	3	30.2	0	0.0
Melanoma of skin		6	2	1	10.1	1	8.8
Other		20	14	6	---	8	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CALHOUN 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,456	5	62	150	1,239
Rate	---	1.4	26.7	97.0	51.7
White	1,096	0	37	106	953
Rate	---	0.0	22.0	94.3	52.1
Black & Other	360	5	25	44	286
Rate	---	5.0	39.4	104.0	50.4

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	1,171
Rate	10.4
Divorces	805
Rate	7.2

Rate is per 1,000 population.

2002 POPULATION	
Total	112,171
White	88,105
Black and Other	24,066
Median age	37.7
Life expectancy at birth	73.3
Total fertility rate per 1,000 women aged 10-49	1884.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,986	84.5	302	40.3	
Births	1,456	13.0	217	28.9	
Abortions	217	9.2	38	5.1	
Est. fetal losses	313	---	47	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	370	25.4	107	49.3
Low weight births	114	7.8	27	12.4
Multiple births	35	2.4	2	0.9
Medicaid births	770	52.9	181	83.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	5
AIDS	6
Syphilis	12
Gonorrhea	323
Chlamydia	357
Tuberculosis	9

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	14	10	4	3	2	1
Rate per 1,000 births	9.6	9.1	11.1	13.8	14.0	13.5
Postneonatal deaths	3	3	0	1	1	0
Rate per 1,000 births	2.1	2.7	0.0	4.6	7.0	0.0
Neonatal deaths	11	7	4	2	1	1
Rate per 1,000 births	7.6	6.4	11.1	9.2	7.0	13.5

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	112,171	53,650	58,521	88,105	42,535	45,570	24,066	11,115	12,951
0-4	6,930	3,473	3,457	5,050	2,558	2,492	1,880	915	965
5-9	7,131	3,596	3,535	5,143	2,614	2,529	1,988	982	1,006
10-14	7,439	3,804	3,635	5,432	2,789	2,643	2,007	1,015	992
15-44	46,596	23,082	23,514	35,624	17,893	17,731	10,972	5,189	5,783
45-64	28,045	13,489	14,556	23,090	11,263	11,827	4,955	2,226	2,729
65-84	14,299	5,738	8,561	12,314	5,027	7,287	1,985	711	1,274
85+	1,731	468	1,263	1,452	391	1,061	279	77	202

CALHOUN 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	1,234	599	635	1,038	509	529	196	90	106
Death rate per 1,000 pop.	11.0	11.2	10.9	11.8	12.0	11.6	8.1	8.1	8.2

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	379	337.9	184	343.0	195	333.2	319	362.1	60	249.3
Cancer	246	219.3	123	229.3	123	210.2	206	233.8	40	166.2
Stroke	94	83.8	35	65.2	59	100.8	72	81.7	22	91.4
Accidents	46	41.0	32	59.6	14	23.9	42	47.7	4	16.6
CLRD	69	61.5	32	59.6	37	63.2	62	70.4	7	29.1
Diabetes	27	24.1	15	28.0	12	20.5	18	20.4	9	37.4
Inf. & pneumonia	30	26.7	15	28.0	15	25.6	28	31.8	2	8.3
Alzheimer's disease	29	25.9	8	14.9	21	35.9	28	31.8	1	4.2
Suicide	14	12.5	10	18.6	4	6.8	14	15.9	0	0.0
Homicide	9	8.0	8	14.9	1	1.7	5	5.7	4	16.6
HIV disease	2	1.8	2	3.7	0	0.0	2	2.3	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	46	41.0	5	17.0
Motor vehicle	23	20.5	3	10.2
Suffocation	3	2.7	0	0.0
Poisoning	1	0.9	0	0.0
Smoke, fire and flames	3	2.7	1	3.4
Falls	3	2.7	0	0.0
Drowning	1	0.9	0	0.0
Firearms	2	1.8	0	0.0
Other accidents	10	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	1,234	11.0
0 to 14	17	0.8
15 to 44	82	1.8
45 to 64	225	8.0
65 to 84	616	43.1
85+	294	169.8

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	488	246	219.3	123	229.3	123	210.2
Trachea, bronchus, lung, pleura	109	81	72.2	46	85.7	35	59.8
Colorectal	56	20	17.8	10	18.6	10	17.1
Breast (female)	69	26	23.2	0	0.0	26	44.4
Prostate (male)	49	11	9.8	11	20.5	0	0.0
Pancreas	9	12	10.7	8	14.9	4	6.8
Leukemias	13	12	10.7	8	14.9	4	6.8
Non-Hodkins lymphomas	16	5	4.5	2	3.7	3	5.1
Ovary (female)	6	4	3.6	0	0.0	4	6.8
Brain and other nervous system	*	3	2.7	3	5.6	0	0.0
Stomach	9	3	2.7	1	1.9	2	3.4
Uterus & cervix (female)	17	1	0.9	0	0.0	1	1.7
Esophagus	6	3	2.7	2	3.7	1	1.7
Melanoma of skin	16	5	4.5	2	3.7	3	5.1
Other	112	60	---	30	---	30	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CHAMBERS 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	438	4	31	42	361
Rate	---	3.2	43.2	88.1	49.2
White	256	0	9	24	223
Rate	---	0.0	25.7	103.0	54.3
Black & Other	182	4	22	18	138
Rate	---	6.3	59.9	73.8	42.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	526
Rate	14.4
Divorces	217
Rate	5.9

Rate is per 1,000 population.

2002 POPULATION	
Total	36,506
White	22,013
Black and Other	14,493
Median age	38.3
Life expectancy at birth	74.0
Total fertility rate per 1,000 women aged 10-49	1878.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	611	84.6	116	47.3	
Births	438	12.0	77	31.4	
Abortions	78	10.8	21	8.6	
Est. fetal losses	95	---	18	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	207	47.3	65	84.4
Low weight births	39	8.9	7	9.1
Multiple births	16	3.7	0	0.0
Medicaid births	253	57.8	66	85.7

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	6
AIDS	1
Syphilis	4
Gonorrhea	71
Chlamydia	175
Tuberculosis	6

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	2	1	1	0	1
Rate per 1,000 births	6.8	7.8	5.5	13.0	0.0	22.7
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	2.3	3.9	0.0	0.0	0.0	0.0
Neonatal deaths	2	1	1	1	0	1
Rate per 1,000 births	4.6	3.9	5.5	13.0	0.0	22.7

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	36,506	17,260	19,246	22,013	10,623	11,390	14,493	6,637	7,856
0-4	2,391	1,225	1,166	1,286	667	619	1,105	558	547
5-9	2,512	1,263	1,249	1,310	678	632	1,202	585	617
10-14	2,526	1,268	1,258	1,289	662	627	1,237	606	631
15-44	14,218	7,000	7,218	8,019	4,098	3,921	6,199	2,902	3,297
45-64	8,979	4,284	4,695	5,782	2,832	2,950	3,197	1,452	1,745
65-84	5,045	2,003	3,042	3,727	1,534	2,193	1,318	469	849
85+	835	217	618	600	152	448	235	65	170

CHAMBERS 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	478	230	248	347	164	183	131	66	65
Death rate per 1,000 pop.	13.1	13.3	12.9	15.8	15.4	16.1	9.0	9.9	8.3

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	155	424.6	82	475.1	73	379.3	116	527.0	39	269.1
Cancer	99	271.2	49	283.9	50	259.8	63	286.2	36	248.4
Stroke	38	104.1	13	75.3	25	129.9	26	118.1	12	82.8
Accidents	10	27.4	6	34.8	4	20.8	6	27.3	4	27.6
CLRD	24	65.7	13	75.3	11	57.2	20	90.9	4	27.6
Diabetes	15	41.1	6	34.8	9	46.8	11	50.0	4	27.6
Inf. & pneumonia	10	27.4	6	34.8	4	20.8	8	36.3	2	13.8
Alzheimer's disease	17	46.6	7	40.6	10	52.0	14	63.6	3	20.7
Suicide	4	11.0	3	17.4	1	5.2	4	18.2	0	0.0
Homicide	2	5.5	2	11.6	0	0.0	1	4.5	1	6.9
HIV disease	3	8.2	3	17.4	0	0.0	1	4.5	2	13.8

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	10	27.4	2	20.2
Motor vehicle	3	8.2	2	20.2
Suffocation	1	2.7	0	0.0
Poisoning	1	2.7	0	0.0
Smoke, fire and flames	1	2.7	0	0.0
Falls	2	5.5	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	2	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	478	13.1
0 to 14	4	0.5
15 to 44	23	1.6
45 to 64	83	9.2
65 to 84	227	45.0
85+	141	168.9

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	150	99	271.2	49	283.9	50	259.8
Trachea, bronchus, lung, pleura	24	28	76.7	15	86.9	13	67.5
Colorectal	19	8	21.9	5	29.0	3	15.6
Breast (female)	25	8	21.9	0	0.0	8	41.6
Prostate (male)	16	9	24.7	9	52.1	0	0.0
Pancreas	*	2	5.5	0	0.0	2	10.4
Leukemias	*	6	16.4	3	17.4	3	15.6
Non-Hodkins lymphomas	6	0	0.0	0	0.0	0	0.0
Ovary (female)	*	3	8.2	0	0.0	3	15.6
Brain and other nervous system	*	1	2.7	0	0.0	1	5.2
Stomach	*	2	5.5	1	5.8	1	5.2
Uterus & cervix (female)	5	2	5.5	0	0.0	2	10.4
Esophagus	*	1	2.7	0	0.0	1	5.2
Melanoma of skin	7	4	11.0	2	11.6	2	10.4
Other	34	25	---	14	---	11	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CHEROKEE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	269	0	16	30	223
Rate	---	0.0	36.7	103.1	46.0
White	247	0	15	29	203
Rate	---	0.0	37.5	108.6	45.4
Black & Other	22	0	1	1	20
Rate	---	0.0	27.8	41.7	53.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	413
Rate	16.6
Divorces	180
Rate	7.2

Rate is per 1,000 population.

2002 POPULATION	
Total	24,863
White	23,079
Black and Other	1,784
Median age	40.7
Life expectancy at birth	75.5
Total fertility rate per 1,000 women aged 10-49	1866.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	349	74.5	59	40.2	
Births	269	10.8	46	31.4	
Abortions	24	5.1	3	2.0	
Est. fetal losses	56	---	10	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	79	29.4	31	67.4
Low weight births	23	8.6	6	13.0
Multiple births	8	3.0	4	8.7
Medicaid births	137	50.9	38	82.6

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	1
Gonorrhea	8
Chlamydia	16
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	1	1	0	0	0	0
Rate per 1,000 births	3.7	4.0	0.0	0.0	0.0	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	3.7	4.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	24,863	12,225	12,638	23,079	11,355	11,724	1,784	870	914
0-4	1,440	762	678	1,311	697	614	129	65	64
5-9	1,548	811	737	1,409	736	673	139	75	64
10-14	1,576	837	739	1,443	763	680	133	74	59
15-44	9,412	4,730	4,682	8,689	4,368	4,321	723	362	361
45-64	6,805	3,331	3,474	6,345	3,107	3,238	460	224	236
65-84	3,663	1,632	2,031	3,492	1,570	1,922	171	62	109
85+	419	122	297	390	114	276	29	8	21

CHEROKEE 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	282	143	139	269	137	132	13	6	7	
Death rate per 1,000 pop.	11.3	11.7	11.0	11.7	12.1	11.3	7.3	6.9	7.7	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	95	382.1	54	441.7	41	324.4	91	394.3	4	224.2
Cancer	61	245.3	36	294.5	25	197.8	60	260.0	1	56.1
Stroke	16	64.4	8	65.4	8	63.3	14	60.7	2	112.1
Accidents	13	52.3	9	73.6	4	31.7	13	56.3	0	0.0
CLRD	13	52.3	5	40.9	8	63.3	13	56.3	0	0.0
Diabetes	2	8.0	0	0.0	2	15.8	2	8.7	0	0.0
Inf. & pneumonia	12	48.3	3	24.5	9	71.2	12	52.0	0	0.0
Alzheimer's disease	11	44.2	2	16.4	9	71.2	10	43.3	1	56.1
Suicide	6	24.1	5	40.9	1	7.9	6	26.0	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	13	52.3	0	0.0
Motor vehicle	3	12.1	0	0.0
Suffocation	2	8.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	2	8.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	6	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	282	11.3
0 to 14	2	0.4
15 to 44	26	2.8
45 to 64	42	6.2
65 to 84	150	41.0
85+	62	148.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	75	61	245.3	36	294.5	25	197.8
Trachea, bronchus, lung, pleura	10	25	100.6	16	130.9	9	71.2
Colorectal	9	4	16.1	3	24.5	1	7.9
Breast (female)	13	4	16.1	0	0.0	4	31.7
Prostate (male)	16	4	16.1	4	32.7	0	0.0
Pancreas	*	0	0.0	0	0.0	0	0.0
Leukemias	*	4	16.1	1	8.2	3	23.7
Non-Hodkins lymphomas	*	3	12.1	1	8.2	2	15.8
Ovary (female)	*	1	4.0	0	0.0	1	7.9
Brain and other nervous system	*	3	12.1	1	8.2	2	15.8
Stomach	*	2	8.0	2	16.4	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	0	0.0	0	0.0	0	0.0
Melanoma of skin	*	1	4.0	1	8.2	0	0.0
Other	12	10	---	7	---	3	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CHILTON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	528	2	18	55	453
Rate	---	1.4	22.0	100.7	53.0
White	469	0	16	47	406
Rate	---	0.0	23.7	104.7	55.1
Black & Other	59	2	2	8	47
Rate	---	8.1	13.7	82.5	39.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	379
Rate	9.2
Divorces	247
Rate	6.0

Rate is per 1,000 population.

2002 POPULATION	
Total	41,137
White	35,547
Black and Other	5,590
Median age	36.3
Life expectancy at birth	74.1
Total fertility rate per 1,000 women aged 10-49	1933.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	700	82.7	99	35.2	
Births	528	12.8	75	26.7	
Abortions	59	7.0	8	2.8	
Est. fetal losses	113	---	16	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	131	24.8	40	53.3
Low weight births	51	9.7	10	13.3
Multiple births	19	3.6	2	2.7
Medicaid births	220	41.7	52	69.3

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	3
Gonorrhea	19
Chlamydia	73
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	2	0	0	0	0
Rate per 1,000 births	3.8	4.3	0.0	0.0	0.0	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	1.9	2.1	0.0	0.0	0.0	0.0
Neonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	1.9	2.1	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	41,137	20,401	20,736	35,547	17,564	17,983	5,590	2,837	2,753
0-4	2,805	1,481	1,324	2,355	1,247	1,108	450	234	216
5-9	2,904	1,547	1,357	2,426	1,285	1,141	478	262	216
10-14	3,001	1,555	1,446	2,474	1,274	1,200	527	281	246
15-44	17,160	8,691	8,469	14,598	7,372	7,226	2,562	1,319	1,243
45-64	9,957	4,915	5,042	8,901	4,396	4,505	1,056	519	537
65-84	4,732	2,057	2,675	4,284	1,857	2,427	448	200	248
85+	578	155	423	509	133	376	69	22	47

CHILTON 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	413	197	216	376	183	193	37	14	23
Death rate per 1,000 pop.	10.0	9.7	10.4	10.6	10.4	10.7	6.6	4.9	8.4

Selected causes	Total	Total	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		rate								
Heart disease	126	306.3	63	308.8	63	303.8	116	326.3	10	178.9
Cancer	81	196.9	40	196.1	41	197.7	72	202.5	9	161.0
Stroke	24	58.3	13	63.7	11	53.0	21	59.1	3	53.7
Accidents	30	72.9	18	88.2	12	57.9	26	73.1	4	71.6
CLRD	23	55.9	13	63.7	10	48.2	23	64.7	0	0.0
Diabetes	11	26.7	3	14.7	8	38.6	11	30.9	0	0.0
Inf. & pneumonia	15	36.5	4	19.6	11	53.0	14	39.4	1	17.9
Alzheimer's disease	8	19.4	2	9.8	6	28.9	7	19.7	1	17.9
Suicide	5	12.2	4	19.6	1	4.8	5	14.1	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV disease	1	2.4	0	0.0	1	4.8	0	0.0	1	17.9

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	30	72.9	9	77.8
Motor vehicle	18	43.8	6	51.9
Suffocation	1	2.4	0	0.0
Poisoning	2	4.9	1	8.6
Smoke, fire and flames	0	0.0	0	0.0
Falls	2	4.9	0	0.0
Drowning	1	2.4	0	0.0
Firearms	1	2.4	1	8.6
Other accidents	5	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	413	10.0
0 to 14	8	0.9
15 to 44	30	1.7
45 to 64	84	8.4
65 to 84	196	41.4
85+	95	164.4

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		120	81	196.9	40	196.1	41	197.7
Trachea, bronchus, lung, pleura		20	23	55.9	17	83.3	6	28.9
Colorectal		13	6	14.6	2	9.8	4	19.3
Breast (female)		22	2	4.9	0	0.0	2	9.6
Prostate (male)		13	5	12.2	5	24.5	0	0.0
Pancreas	*	3	7.3	1	4.9	2	9.6	
Leukemias	*	3	7.3	2	9.8	1	4.8	
Non-Hodkins lymphomas	*	1	2.4	1	4.9	0	0.0	
Ovary (female)	*	2	4.9	0	0.0	2	9.6	
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0	
Stomach	*	0	0.0	0	0.0	0	0.0	
Uterus & cervix (female)		5	1	2.4	0	0.0	1	4.8
Esophagus	*	0	0.0	0	0.0	0	0.0	
Melanoma of skin		6	1	2.4	0	0.0	1	4.8
Other		29	34	---	12	---	22	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CHOCTAW 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	199	2	9	23	165
Rate	---	3.4	25.3	97.0	51.7
White	103	0	4	6	93
Rate	---	0.0	24.4	55.0	56.6
Black & Other	96	2	5	17	72
Rate	---	6.0	26.0	132.8	46.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	184
Rate	11.6
Divorces	82
Rate	5.2

Rate is per 1,000 population.

2002 POPULATION	
Total	15,897
White	8,768
Black and Other	7,129
Median age	38.8
Life expectancy at birth	75.2
Total fertility rate per 1,000 women aged 10-49	1998.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	265	83.1	51	43.4	
Births	199	12.5	34	28.9	
Abortions	23	7.2	9	7.7	
Est. fetal losses	43	---	8	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	97	48.7	32	94.1
Low weight births	19	9.5	3	8.8
Multiple births	5	2.5	0	0.0
Medicaid births	16	8.0	3	8.8

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	0
Syphilis	0
Gonorrhea	23
Chlamydia	34
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	0	3	0	0	0
Rate per 1,000 births	15.1	0.0	31.3	0.0	0.0	0.0
Postneonatal deaths	2	0	2	0	0	0
Rate per 1,000 births	10.1	0.0	20.8	0.0	0.0	0.0
Neonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	5.0	0.0	10.4	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	15,897	7,465	8,432	8,768	4,221	4,547	7,129	3,244	3,885
0-4	1,078	540	538	554	281	273	524	259	265
5-9	1,079	547	532	513	264	249	566	283	283
10-14	1,159	576	583	515	264	251	644	312	332
15-44	6,012	2,822	3,190	3,182	1,571	1,611	2,830	1,251	1,579
45-64	4,165	2,008	2,157	2,468	1,209	1,259	1,697	799	898
65-84	2,084	865	1,219	1,368	577	791	716	288	428
85+	320	107	213	168	55	113	152	52	100

CHOCTAW 2002 HEALTH PROFILE (Continued)

MORTALITY				White	White	Black &	Black &	Black & other	
	Total	Male	Female	White	male	female	oth. male	female	
Deaths	174	89	85	96	44	52	78	45	33
Death rate per 1,000 pop.	10.9	11.9	10.1	10.9	10.4	11.4	10.9	13.9	8.5

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	66	415.2	34	455.5	32	379.5	37	422.0
Cancer	32	201.3	20	267.9	12	142.3	14	159.7	18	252.5
Stroke	16	100.6	5	67.0	11	130.5	11	125.5	5	70.1
Accidents	7	44.0	6	80.4	1	11.9	5	57.0	2	28.1
CLRD	8	50.3	6	80.4	2	23.7	5	57.0	3	42.1
Diabetes	2	12.6	2	26.8	0	0.0	1	11.4	1	14.0
Inf. & pneumonia	4	25.2	1	13.4	3	35.6	4	45.6	0	0.0
Alzheimer's disease	6	37.7	2	26.8	4	47.4	4	45.6	2	28.1
Suicide	1	6.3	1	13.4	0	0.0	1	11.4	0	0.0
Homicide	2	12.6	2	26.8	0	0.0	1	11.4	1	14.0
HIV disease	1	6.3	0	0.0	1	11.9	0	0.0	1	14.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	7	44.0	1	22.3
Motor vehicle	5	31.5	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	6.3	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	6.3	1	22.3
Other accidents	0	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	174	10.9
0 to 14	4	1.2
15 to 44	9	1.5
45 to 64	41	9.8
65 to 84	77	36.9
85+	43	134.4

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female			
				Deaths	Rate	Deaths	Rate	
All cancers		26	32	201.3	20	267.9	12	142.3
Trachea, bronchus, lung, pleura	*	11	69.2	8	107.2	3	35.6	
Colorectal	*	2	12.6	1	13.4	1	11.9	
Breast (female)	5	2	12.6	0	0.0	2	23.7	
Prostate (male)	5	2	12.6	2	26.8	0	0.0	
Pancreas	*	4	25.2	3	40.2	1	11.9	
Leukemias	*	0	0.0	0	0.0	0	0.0	
Non-Hodkins lymphomas	*	2	12.6	1	13.4	1	11.9	
Ovary (female)	*	1	6.3	0	0.0	1	11.9	
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0	
Stomach	*	0	0.0	0	0.0	0	0.0	
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0	
Esophagus	*	1	6.3	0	0.0	1	11.9	
Melanoma of skin	*	1	6.3	1	13.4	0	0.0	
Other	5	6	---	4	---	2	---	

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CLARKE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	338	2	15	33	288
Rate	---	1.9	23.9	78.8	49.7
White	168	0	6	12	150
Rate	---	0.0	20.3	60.9	50.5
Black & Other	170	2	9	21	138
Rate	---	3.5	27.1	94.6	48.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	261
Rate	9.3
Divorces	125
Rate	4.5

Rate is per 1,000 population.

2002 POPULATION	
Total	27,974
White	15,589
Black and Other	12,385
Median age	36.2
Life expectancy at birth	74.6
Total fertility rate per 1,000 women aged 10-49	1856.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	451	76.9	67	31.5	
Births	338	12.1	50	23.5	
Abortions	43	7.3	6	2.8	
Est. fetal losses	70	---	11	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	141	41.7	38	76.0
Low weight births	29	8.6	7	14.0
Multiple births	11	3.3	0	0.0
Medicaid births	175	51.8	42	84.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	1
Syphilis	4
Gonorrhea	66
Chlamydia	171
Tuberculosis	4

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	1	1	0	0	0	0
Rate per 1,000 births	3.0	6.0	0.0	0.0	0.0	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	3.0	6.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	27,974	13,203	14,771	15,589	7,529	8,060	12,385	5,674	6,711
0-4	2,064	1,023	1,041	962	474	488	1,102	549	553
5-9	2,142	1,068	1,074	1,022	518	504	1,120	550	570
10-14	2,227	1,146	1,081	1,087	582	505	1,140	564	576
15-44	11,130	5,267	5,863	5,797	2,880	2,917	5,333	2,387	2,946
45-64	6,540	3,164	3,376	4,130	2,044	2,086	2,410	1,120	1,290
65-84	3,357	1,396	1,961	2,255	949	1,306	1,102	447	655
85+	514	139	375	336	82	254	178	57	121

CLARKE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	270	133	137	159	74	85	111	59	52
Death rate per 1,000 pop.	9.7	10.1	9.3	10.2	9.8	10.5	9.0	10.4	7.7

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	66	235.9	28	212.1	38	257.3	38	243.8
Cancer	48	171.6	28	212.1	20	135.4	27	173.2	21	169.6
Stroke	21	75.1	7	53.0	14	94.8	12	77.0	9	72.7
Accidents	20	71.5	14	106.0	6	40.6	11	70.6	9	72.7
CLRD	18	64.3	10	75.7	8	54.2	17	109.1	1	8.1
Diabetes	10	35.7	5	37.9	5	33.9	3	19.2	7	56.5
Inf. & pneumonia	12	42.9	4	30.3	8	54.2	9	57.7	3	24.2
Alzheimer's disease	8	28.6	5	37.9	3	20.3	7	44.9	1	8.1
Suicide	3	10.7	3	22.7	0	0.0	3	19.2	0	0.0
Homicide	3	10.7	2	15.1	1	6.8	1	6.4	2	16.1
HIV disease	2	7.1	2	15.1	0	0.0	0	0.0	2	16.1

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	20	71.5	1	11.6
Motor vehicle	9	32.2	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	1	3.6	0	0.0
Falls	2	7.1	0	0.0
Drowning	1	3.6	1	11.6
Firearms	0	0.0	0	0.0
Other accidents	7	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	270	9.7
0 to 14	1	0.2
15 to 44	23	2.1
45 to 64	54	8.3
65 to 84	120	35.7
85+	72	140.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female		
				Deaths	Rate	Deaths	Rate	
All cancers		128	48	171.6	28	212.1	20	135.4
Trachea, bronchus, lung, pleura		16	17	60.8	10	75.7	7	47.4
Colorectal		19	5	17.9	2	15.1	3	20.3
Breast (female)		19	1	3.6	0	0.0	1	6.8
Prostate (male)		25	2	7.1	2	15.1	0	0.0
Pancreas	*	3	10.7	1	7.6	2	13.5	
Leukemias	*	3	10.7	1	7.6	2	13.5	
Non-Hodkins lymphomas		5	0	0.0	0	0.0	0	0.0
Ovary (female)	*	0	0.0	0	0.0	0	0.0	
Brain and other nervous system	*	2	7.1	2	15.1	0	0.0	
Stomach	*	6	21.4	4	30.3	2	13.5	
Uterus & cervix (female)		6	1	3.6	0	0.0	1	6.8
Esophagus	*	1	3.6	1	7.6	0	0.0	
Melanoma of skin		8	0	0.0	0	0.0	0	0.0
Other		20	7	---	5	---	2	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CLAY 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	148	0	8	15	125
Rate	---	0.0	28.9	81.1	44.6
White	127	0	7	10	110
Rate	---	0.0	34.0	73.0	48.7
Black & Other	21	0	1	5	15
Rate	---	0.0	14.1	104.2	27.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	143
Rate	9.9
Divorces	65
Rate	4.5

Rate is per 1,000 population.

2002 POPULATION	
Total	14,463
White	11,932
Black and Other	2,531
Median age	39.3
Life expectancy at birth	74.5
Total fertility rate per 1,000 women aged 10-49	1768.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	198	71.7	36	37.7	
Births	148	10.2	23	24.1	
Abortions	19	6.9	8	8.4	
Est. fetal losses	31	---	5	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	46	31.1	15	65.2
Low weight births	10	6.8	3	13.0
Multiple births	0	0.0	0	0.0
Medicaid births	79	53.4	20	87.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	0
Gonorrhoea	24
Chlamydia	56
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,463	7,074	7,389	11,932	5,859	6,073	2,531	1,215	1,316
0-4	889	472	417	711	373	338	178	99	79
5-9	918	478	440	721	375	346	197	103	94
10-14	983	489	494	765	385	380	218	104	114
15-44	5,641	2,880	2,761	4,520	2,331	2,189	1,121	549	572
45-64	3,606	1,758	1,848	3,049	1,505	1,544	557	253	304
65-84	2,070	890	1,180	1,850	799	1,051	220	91	129
85+	356	107	249	316	91	225	40	16	24

CLAY 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	172	76	96	147	64	83	25	12	13
Death rate per 1,000 pop.	11.9	10.7	13.0	12.3	10.9	13.7	9.9	9.9	9.9

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other rate
		rate	rate	rate	rate	rate	rate	other		
Heart disease	58	401.0	24	339.3	34	460.1	48	402.3	10	395.1
Cancer	32	221.3	20	282.7	12	162.4	30	251.4	2	79.0
Stroke	13	89.9	4	56.5	9	121.8	10	83.8	3	118.5
Accidents	5	34.6	0	0.0	5	67.7	4	33.5	1	39.5
CLRD	6	41.5	4	56.5	2	27.1	6	50.3	0	0.0
Diabetes	10	69.1	3	42.4	7	94.7	8	67.0	2	79.0
Inf. & pneumonia	7	48.4	2	28.3	5	67.7	7	58.7	0	0.0
Alzheimer's disease	5	34.6	2	28.3	3	40.6	5	41.9	0	0.0
Suicide	3	20.7	2	28.3	1	13.5	2	16.8	1	39.5
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS					
	Total	Rate	Children Under 20	Rate	
All accidents	5	34.6	1	26.4	
Motor vehicle	3	20.7	1	26.4	
Suffocation	0	0.0	0	0.0	
Poisoning	0	0.0	0	0.0	
Smoke, fire and flames	0	0.0	0	0.0	
Falls	1	6.9	0	0.0	
Drowning	0	0.0	0	0.0	
Firearms	0	0.0	0	0.0	
Other accidents	1	---	0	---	

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	172	11.9
0 to 14	1	0.4
15 to 44	11	2.0
45 to 64	31	8.6
65 to 84	73	35.3
85+	56	157.3

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female		
				Deaths	Rate	Deaths	Rate	
All cancers		52	32	221.3	20	282.7	12	162.4
Trachea, bronchus, lung, pleura		13	12	83.0	10	141.4	2	27.1
Colorectal	*	3	20.7	2	28.3	1	13.5	
Breast (female)		8	3	20.7	0	0.0	3	40.6
Prostate (male)		8	2	13.8	2	28.3	0	0.0
Pancreas	*	0	0.0	0	0.0	0	0.0	
Leukemias	*	2	13.8	1	14.1	1	13.5	
Non-Hodkins lymphomas	*	0	0.0	0	0.0	0	0.0	
Ovary (female)	*	2	13.8	0	0.0	2	27.1	
Brain and other nervous system	*	1	6.9	0	0.0	1	13.5	
Stomach	*	1	6.9	1	14.1	0	0.0	
Uterus & cervix (female)	*	1	6.9	0	0.0	1	13.5	
Esophagus	*	0	0.0	0	0.0	0	0.0	
Melanoma of skin	*	0	0.0	0	0.0	0	0.0	
Other		12	5	---	4	---	1	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CLEBURNE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	153	0	11	25	117
Rate	---	0.0	39.3	134.4	41.0
White	148	0	11	25	112
Rate	---	0.0	41.8	142.9	41.5
Black & Other	5	0	0	0	5
Rate	---	0.0	0.0	0.0	32.7

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	386
Rate	26.8
Divorces	98
Rate	6.8

Rate is per 1,000 population.

2002 POPULATION	
Total	14,383
White	13,616
Black and Other	767
Median age	38.2
Life expectancy at birth	73.9
Total fertility rate per 1,000 women aged 10-49	1739.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	198	70.2	47	49.9	
Births	153	10.6	36	38.3	
Abortions	14	5.0	3	3.2	
Est. fetal losses	31	---	8	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	20	13.1	5	13.9
Low weight births	18	11.8	5	13.9
Multiple births	6	3.9	0	0.0
Medicaid births	88	57.5	31	86.1

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	2
Syphilis	1
Gonorrhea	8
Chlamydia	18
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	2	1	0	0	0
Rate per 1,000 births	19.6	13.5	200.0	0.0	0.0	#DIV/0!
Postneonatal deaths	2	1	1	0	0	0
Rate per 1,000 births	13.1	6.8	200.0	0.0	0.0	#DIV/0!
Neonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	6.5	6.8	0.0	0.0	0.0	#DIV/0!

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,383	7,181	7,202	13,616	6,806	6,810	767	375	392
0-4	862	470	392	817	453	364	45	17	28
5-9	978	499	479	920	473	447	58	26	32
10-14	1,007	532	475	939	492	447	68	40	28
15-44	5,780	2,960	2,820	5,457	2,794	2,663	323	166	157
45-64	3,754	1,880	1,874	3,572	1,792	1,780	182	88	94
65-84	1,784	778	1,006	1,706	745	961	78	33	45
85+	218	62	156	205	57	148	13	5	8

CLEBURNE 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	197	99	98	185	90	95	12	9	3	
Death rate per 1,000 pop.	13.7	13.8	13.6	13.6	13.2	14.0	15.6	24.0	7.7	

Selected causes	Total	Total	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		rate								
Heart disease	66	458.9	29	403.8	37	513.7	62	455.3	4	521.5
Cancer	49	340.7	26	362.1	23	319.4	48	352.5	1	130.4
Stroke	7	48.7	2	27.9	5	69.4	7	51.4	0	0.0
Accidents	5	34.8	3	41.8	2	27.8	4	29.4	1	130.4
CLRD	6	41.7	3	41.8	3	41.7	5	36.7	1	130.4
Diabetes	1	7.0	0	0.0	1	13.9	1	7.3	0	0.0
Inf. & pneumonia	4	27.8	4	55.7	0	0.0	3	22.0	1	130.4
Alzheimer's disease	1	7.0	0	0.0	1	13.9	1	7.3	0	0.0
Suicide	2	13.9	2	27.9	0	0.0	2	14.7	0	0.0
Homicide	4	27.8	2	27.9	2	27.8	4	29.4	0	0.0
HIV disease	1	7.0	1	13.9	0	0.0	1	7.3	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	5	34.8	1	26.1
Motor vehicle	4	27.8	1	26.1
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	7.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	0	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	197	13.7
0 to 14	4	1.4
15 to 44	17	2.9
45 to 64	45	12.0
65 to 84	89	49.9
85+	42	192.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female	
				Deaths	Rate	Deaths	Rate
All cancers		41	49	26	340.7	23	319.4
Trachea, bronchus, lung, pleura		7	16	11	111.2	5	69.4
Colorectal		6	3	1	20.9	2	27.8
Breast (female)	*	1	7.0	0	0.0	1	13.9
Prostate (male)		6	2	2	13.9	0	0.0
Pancreas	*	4	27.8	1	13.9	3	41.7
Leukemias	*	1	7.0	1	13.9	0	0.0
Non-Hodkins lymphomas	*	1	7.0	1	13.9	0	0.0
Ovary (female)	*	2	13.9	0	0.0	2	27.8
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0
Stomach	*	0	0.0	0	0.0	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	1	7.0	1	13.9	0	0.0
Melanoma of skin	*	1	7.0	1	13.9	0	0.0
Other		8	17	7	---	10	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

COFFEE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	549	0	22	53	474
Rate	---	0.0	23.4	84.4	52.8
White	418	0	14	29	375
Rate	---	0.0	20.9	64.7	56.5
Black & Other	131	0	8	24	99
Rate	---	0.0	29.7	133.3	42.5

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	528
Rate	11.9
Divorces	239
Rate	5.4

Rate is per 1,000 population.

2002 POPULATION	
Total	44,211
White	33,676
Black and Other	10,535
Median age	37.8
Life expectancy at birth	76.1
Total fertility rate per 1,000 women aged 10-49	1991.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	735	82.9	107	34.7	
Births	549	12.4	75	24.3	
Abortions	70	7.9	15	4.9	
Est. fetal losses	116	---	17	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	156	28.4	48	64.0
Low weight births	47	8.6	9	12.0
Multiple births	12	2.2	0	0.0
Medicaid births	212	38.6	57	76.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	2
Syphilis	0
Gonorrhea	89
Chlamydia	143
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	2	1	0	0	0
Rate per 1,000 births	5.5	4.8	7.6	0.0	0.0	0.0
Postneonatal deaths	2	1	1	0	0	0
Rate per 1,000 births	3.6	2.4	7.6	0.0	0.0	0.0
Neonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	1.8	2.4	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	44,211	21,599	22,612	33,676	16,543	17,133	10,535	5,056	5,479
0-4	2,737	1,399	1,338	1,900	974	926	837	425	412
5-9	2,860	1,468	1,392	1,955	1,007	948	905	461	444
10-14	3,168	1,649	1,519	2,246	1,160	1,086	922	489	433
15-44	18,044	9,183	8,861	13,333	6,830	6,503	4,711	2,353	2,358
45-64	11,048	5,314	5,734	8,793	4,312	4,481	2,255	1,002	1,253
65-84	5,573	2,397	3,176	4,805	2,102	2,703	768	295	473
85+	781	189	592	644	158	486	137	31	106

COFFEE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	476	222	254	385	183	202	91	39	52
Death rate per 1,000 pop.	10.8	10.3	11.2	11.4	11.1	11.8	8.6	7.7	9.5

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	148	334.8	68	314.8	80	353.8	125	371.2	23	218.3
Cancer	109	246.5	63	291.7	46	203.4	83	246.5	26	246.8
Stroke	28	63.3	8	37.0	20	88.4	26	77.2	2	19.0
Accidents	15	33.9	10	46.3	5	22.1	10	29.7	5	47.5
CLRD	27	61.1	14	64.8	13	57.5	23	68.3	4	38.0
Diabetes	16	36.2	5	23.1	11	48.6	14	41.6	2	19.0
Inf. & pneumonia	14	31.7	5	23.1	9	39.8	13	38.6	1	9.5
Alzheimer's disease	9	20.4	2	9.3	7	31.0	7	20.8	2	19.0
Suicide	6	13.6	6	27.8	0	0.0	6	17.8	0	0.0
Homicide	1	2.3	0	0.0	1	4.4	0	0.0	1	9.5
HIV disease	1	2.3	1	4.6	0	0.0	1	3.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	15	33.9	0	0.0
Motor vehicle	6	13.6	0	0.0
Suffocation	1	2.3	0	0.0
Poisoning	4	9.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	2.3	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	3	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	476	10.8
0 to 14	3	0.3
15 to 44	29	1.6
45 to 64	81	7.3
65 to 84	225	40.4
85+	138	176.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	182	109	246.5	63	291.7	46	203.4
Trachea, bronchus, lung, pleura	18	37	83.7	24	111.1	13	57.5
Colorectal	17	9	20.4	5	23.1	4	17.7
Breast (female)	23	6	13.6	0	0.0	6	26.5
Prostate (male)	24	6	13.6	6	27.8	0	0.0
Pancreas	5	7	15.8	3	13.9	4	17.7
Leukemias	*	3	6.8	2	9.3	1	4.4
Non-Hodkins lymphomas	10	4	9.0	1	4.6	3	13.3
Ovary (female)	*	2	4.5	0	0.0	2	8.8
Brain and other nervous system	*	4	9.0	3	13.9	1	4.4
Stomach	6	2	4.5	0	0.0	2	8.8
Uterus & cervix (female)	7	1	2.3	0	0.0	1	4.4
Esophagus	*	1	2.3	0	0.0	1	4.4
Melanoma of skin	17	2	4.5	1	4.6	1	4.4
Other	46	25	---	18	---	7	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

COLBERT 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	629	0	29	71	529
Rate	---	0.0	26.4	97.0	46.6
White	510	0	19	58	433
Rate	---	0.0	23.0	105.3	47.5
Black & Other	119	0	10	13	96
Rate	---	0.0	36.8	71.8	42.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	502
Rate	9.0
Divorces	325
Rate	5.9

Rate is per 1,000 population.

2002 POPULATION	
Total	55,490
White	45,111
Black and Other	10,379
Median age	39.2
Life expectancy at birth	75.2
Total fertility rate per 1,000 women aged 10-49	1818.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	814	73.4	133	36.2	
Births	629	11.3	100	27.2	
Abortions	54	4.9	12	3.3	
Est. fetal losses	131	---	21	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	183	29.1	59	59.0
Low weight births	63	10.0	13	13.0
Multiple births	31	4.9	4	4.0
Medicaid births	289	45.9	81	81.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	1
Syphilis	3
Gonorrhea	78
Chlamydia	118
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	3	0	1	1	0
Rate per 1,000 births	4.8	5.9	0.0	10.0	13.0	0.0
Postneonatal deaths	2	2	0	0	0	0
Rate per 1,000 births	3.2	3.9	0.0	0.0	0.0	0.0
Neonatal deaths	1	1	0	1	1	0
Rate per 1,000 births	1.6	2.0	0.0	10.0	13.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	55,490	26,540	28,950	45,111	21,775	23,336	10,379	4,765	5,614
0-4	3,380	1,741	1,639	2,628	1,357	1,271	752	384	368
5-9	3,635	1,842	1,793	2,784	1,433	1,351	851	409	442
10-14	3,783	1,936	1,847	2,883	1,501	1,382	900	435	465
15-44	21,778	10,695	11,083	17,471	8,674	8,797	4,307	2,021	2,286
45-64	14,296	6,794	7,502	11,926	5,737	6,189	2,370	1,057	1,313
65-84	7,593	3,249	4,344	6,546	2,833	3,713	1,047	416	631
85+	1,025	283	742	873	240	633	152	43	109

COLBERT 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	652	317	335	545	274	271	107	43	64	
Death rate per 1,000 pop.	11.7	11.9	11.6	12.1	12.6	11.6	10.3	9.0	11.4	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	181	326.2	87	327.8	94	324.7	151	334.7	30	289.0
Cancer	137	246.9	77	290.1	60	207.3	116	257.1	21	202.3
Stroke	52	93.7	18	67.8	34	117.4	46	102.0	6	57.8
Accidents	39	70.3	22	82.9	17	58.7	34	75.4	5	48.2
CLRD	40	72.1	26	98.0	14	48.4	34	75.4	6	57.8
Diabetes	24	43.3	11	41.4	13	44.9	16	35.5	8	77.1
Inf. & pneumonia	24	43.3	12	45.2	12	41.5	22	48.8	2	19.3
Alzheimer's disease	21	37.8	7	26.4	14	48.4	20	44.3	1	9.6
Suicide	2	3.6	2	7.5	0	0.0	2	4.4	0	0.0
Homicide	3	5.4	2	7.5	1	3.5	2	4.4	1	9.6
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	39	70.3	9	62.0
Motor vehicle	19	34.2	8	55.1
Suffocation	4	7.2	1	6.9
Poisoning	2	3.6	0	0.0
Smoke, fire and flames	1	1.8	0	0.0
Falls	2	3.6	0	0.0
Drowning	1	1.8	0	0.0
Firearms	1	1.8	0	0.0
Other accidents	9	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	652	11.7
0 to 14	10	0.9
15 to 44	40	1.8
45 to 64	103	7.2
65 to 84	326	42.9
85+	173	168.8

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		215	137	246.9	77	290.1	60	207.3
Trachea, bronchus, lung, pleura		49	39	70.3	26	98.0	13	44.9
Colorectal		26	20	36.0	10	37.7	10	34.5
Breast (female)		37	10	18.0	0	0.0	10	34.5
Prostate (male)		17	10	18.0	10	37.7	0	0.0
Pancreas		6	4	7.2	1	3.8	3	10.4
Leukemias		5	3	5.4	3	11.3	0	0.0
Non-Hodkins lymphomas		*	6	10.8	3	11.3	3	10.4
Ovary (female)		*	2	3.6	0	0.0	2	6.9
Brain and other nervous system		*	6	10.8	2	7.5	4	13.8
Stomach		*	2	3.6	1	3.8	1	3.5
Uterus & cervix (female)		6	1	1.8	0	0.0	1	3.5
Esophagus		*	3	5.4	1	3.8	2	6.9
Melanoma of skin		10	1	1.8	1	3.8	0	0.0
Other		47	30	---	19	---	11	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CONECUH 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	174	1	9	23	141
Rate	---	1.9	30.6	117.3	49.4
White	81	0	1	9	71
Rate	---	0.0	7.6	102.3	50.9
Black & Other	93	1	8	14	70
Rate	---	3.4	49.4	129.6	48.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	108
Rate	7.7
Divorces	72
Rate	5.1

Rate is per 1,000 population.

2002 POPULATION	
Total	14,093
White	7,754
Black and Other	6,339
Median age	38.7
Life expectancy at birth	72.9
Total fertility rate per 1,000 women aged 10-49	1996.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	223	79.9	44	43.5	
Births	174	12.3	33	32.6	
Abortions	13	4.7	4	4.0	
Est. fetal losses	36	---	7	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	90	51.7	29	87.9
Low weight births	19	10.9	3	9.1
Multiple births	0	0.0	0	0.0
Medicaid births	113	64.9	32	97.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	1
Syphilis	1
Gonorrhea	36
Chlamydia	28
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	0	2	0	0	0
Rate per 1,000 births	11.5	0.0	21.5	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	2	0	2	0	0	0
Rate per 1,000 births	11.5	0.0	21.5	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,093	6,654	7,439	7,754	3,807	3,947	6,339	2,847	3,492
0-4	888	458	430	399	209	190	489	249	240
5-9	986	510	476	439	221	218	547	289	258
10-14	1,067	545	522	451	225	226	616	320	296
15-44	5,339	2,549	2,790	2,732	1,407	1,325	2,607	1,142	1,465
45-64	3,604	1,686	1,918	2,236	1,109	1,127	1,368	577	791
65-84	1,923	829	1,094	1,327	593	734	596	236	360
85+	286	77	209	170	43	127	116	34	82

CONECUH 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	172	89	83	105	54	51	67	35	32	
Death rate per 1,000 pop.	12.2	13.4	11.2	13.5	14.2	12.9	10.6	12.3	9.2	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	54	383.2	29	435.8	25	336.1	33	425.6	21	331.3
Cancer	30	212.9	17	255.5	13	174.8	19	245.0	11	173.5
Stroke	17	120.6	4	60.1	13	174.8	7	90.3	10	157.8
Accidents	11	78.1	6	90.2	5	67.2	8	103.2	3	47.3
CLRD	8	56.8	6	90.2	2	26.9	6	77.4	2	31.6
Diabetes	8	56.8	5	75.1	3	40.3	3	38.7	5	78.9
Inf. & pneumonia	3	21.3	2	30.1	1	13.4	3	38.7	0	0.0
Alzheimer's disease	9	63.9	4	60.1	5	67.2	8	103.2	1	15.8
Suicide	1	7.1	1	15.0	0	0.0	1	12.9	0	0.0
Homicide	2	14.2	2	30.1	0	0.0	2	25.8	0	0.0
HIV disease	3	21.3	3	45.1	0	0.0	0	0.0	3	47.3

Rate is per 100,000 population.

ACCIDENTAL DEATHS

	Total	Rate	Children Under 20	Rate
All accidents	11	78.1	3	75.8
Motor vehicle	7	49.7	2	50.5
Suffocation	1	7.1	0	0.0
Poisoning	1	7.1	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	7.1	0	0.0
Drowning	1	7.1	1	25.3
Firearms	0	0.0	0	0.0
Other accidents	0	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP

Age group	Total	Rate
Total	172	12.2
0 to 14	4	1.4
15 to 44	12	2.2
45 to 64	33	9.2
65 to 84	80	41.6
85+	43	150.3

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		61	30	212.9	17	255.5	13	174.8
Trachea, bronchus, lung, pleura		10	6	42.6	4	60.1	2	26.9
Colorectal		7	1	7.1	0	0.0	1	13.4
Breast (female)		9	0	0.0	0	0.0	0	0.0
Prostate (male)		9	3	21.3	3	45.1	0	0.0
Pancreas		*	0	0.0	0	0.0	0	0.0
Leukemias		*	1	7.1	0	0.0	1	13.4
Non-Hodkins lymphomas		*	2	14.2	1	15.0	1	13.4
Ovary (female)		*	0	0.0	0	0.0	0	0.0
Brain and other nervous system		*	1	7.1	0	0.0	1	13.4
Stomach		*	2	14.2	1	15.0	1	13.4
Uterus & cervix (female)		*	1	7.1	0	0.0	1	13.4
Esophagus		*	0	0.0	0	0.0	0	0.0
Melanoma of skin		6	0	0.0	0	0.0	0	0.0
Other		11	13	---	8	---	5	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

COOSA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	128	0	7	19	102
Rate	---	0.0	28.9	118.0	43.1
White	77	0	3	8	66
Rate	---	0.0	22.6	89.9	45.2
Black & Other	51	0	4	11	36
Rate	---	0.0	36.7	152.8	39.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	106
Rate	8.5
Divorces	36
Rate	2.9

Rate is per 1,000 population.

2002 POPULATION	
Total	12,399
White	7,892
Black and Other	4,507
Median age	38.6
Life expectancy at birth	75.6
Total fertility rate per 1,000 women aged 10-49	1781.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	167	71.6	35	45.2	
Births	128	10.3	26	33.5	
Abortions	11	4.7	3	3.9	
Est. fetal losses	28	---	6	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	71	55.5	21	80.8
Low weight births	15	11.7	2	7.7
Multiple births	8	6.3	0	0.0
Medicaid births	85	66.4	26	100.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	0
Gonorrhea	13
Chlamydia	31
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	12,399	6,373	6,026	7,892	4,044	3,848	4,507	2,329	2,178
0-4	720	359	361	445	228	217	275	131	144
5-9	806	429	377	492	270	222	314	159	155
10-14	834	462	372	469	261	208	365	201	164
15-44	5,077	2,746	2,331	3,016	1,608	1,408	2,061	1,138	923
45-64	3,166	1,588	1,578	2,159	1,078	1,081	1,007	510	497
65-84	1,606	728	878	1,186	559	627	420	169	251
85+	190	61	129	125	40	85	65	21	44

COOSA 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	119	68	51	82	49	33	37	19	18	
Death rate per 1,000 pop.	9.6	10.7	8.5	10.4	12.1	8.6	8.2	8.2	8.3	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other rate
		rate	rate	rate	rate	rate	rate	other		
Heart disease	33	266.2	17	266.8	16	265.5	26	329.4	7	155.3
Cancer	34	274.2	16	251.1	18	298.7	24	304.1	10	221.9
Stroke	8	64.5	5	78.5	3	49.8	5	63.4	3	66.6
Accidents	9	72.6	7	109.8	2	33.2	6	76.0	3	66.6
CLRD	5	40.3	3	47.1	2	33.2	4	50.7	1	22.2
Diabetes	4	32.3	3	47.1	1	16.6	2	25.3	2	44.4
Inf. & pneumonia	1	8.1	0	0.0	1	16.6	0	0.0	1	22.2
Alzheimer's disease	1	8.1	1	15.7	0	0.0	0	0.0	1	22.2
Suicide	1	8.1	1	15.7	0	0.0	1	12.7	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV disease	1	8.1	1	15.7	0	0.0	0	0.0	1	22.2

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	9	72.6	1	31.3
Motor vehicle	5	40.3	0	0.0
Suffocation	1	8.1	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	8.1	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	2	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	119	9.6
0 to 14	0	0.0
15 to 44	9	1.8
45 to 64	21	6.6
65 to 84	63	39.2
85+	26	136.8

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		61	34	274.2	16	251.1	18	298.7
Trachea, bronchus, lung, pleura		11	13	104.8	5	78.5	8	132.8
Colorectal		*	0	0.0	0	0.0	0	0.0
Breast (female)		9	3	24.2	0	0.0	3	49.8
Prostate (male)		12	4	32.3	4	62.8	0	0.0
Pancreas		*	1	8.1	0	0.0	1	16.6
Leukemias		*	1	8.1	1	15.7	0	0.0
Non-Hodkins lymphomas		*	1	8.1	1	15.7	0	0.0
Ovary (female)		*	0	0.0	0	0.0	0	0.0
Brain and other nervous system		*	0	0.0	0	0.0	0	0.0
Stomach		*	1	8.1	1	15.7	0	0.0
Uterus & cervix (female)		*	1	8.1	0	0.0	1	16.6
Esophagus		*	0	0.0	0	0.0	0	0.0
Melanoma of skin		*	0	0.0	0	0.0	0	0.0
Other		11	9	---	4	---	5	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

COVINGTON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	444	1	21	51	371
Rate	---	0.8	27.3	99.8	51.4
White	375	0	16	44	315
Rate	---	0.0	25.2	104.3	51.5
Black & Other	69	1	5	7	56
Rate	---	4.7	37.3	78.7	50.3

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	475
Rate	12.6
Divorces	129
Rate	3.4

Rate is per 1,000 population.

2002 POPULATION	
Total	37,757
White	32,515
Black and Other	5,242
Median age	40.5
Life expectancy at birth	74.7
Total fertility rate per 1,000 women aged 10-49	2012.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	551	77.3	92	36.2	
Births	444	11.8	73	28.8	
Abortions	16	2.2	4	1.6	
Est. fetal losses	91	---	15	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	126	28.4	50	68.5
Low weight births	41	9.2	10	13.7
Multiple births	12	2.7	0	0.0
Medicaid births	239	53.8	65	89.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	1
Syphilis	1
Gonorrhea	28
Chlamydia	83
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	4	0	1	1	0
Rate per 1,000 births	9.0	10.7	0.0	13.7	16.7	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	4	4	0	1	1	0
Rate per 1,000 births	9.0	10.7	0.0	13.7	16.7	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	37,757	18,083	19,674	32,515	15,684	16,831	5,242	2,399	2,843
0-4	2,242	1,149	1,093	1,784	925	859	458	224	234
5-9	2,369	1,214	1,155	1,905	983	922	464	231	233
10-14	2,576	1,316	1,260	2,132	1,087	1,045	444	229	215
15-44	14,210	7,083	7,127	12,091	6,106	5,985	2,119	977	1,142
45-64	9,549	4,598	4,951	8,428	4,103	4,325	1,121	495	626
65-84	5,895	2,492	3,403	5,338	2,276	3,062	557	216	341
85+	916	231	685	837	204	633	79	27	52

COVINGTON 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	488	236	252	437	208	229	51	28	23
Death rate per 1,000 pop.	12.9	13.1	12.8	13.4	13.3	13.6	9.7	11.7	8.1

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	144	381.4	72	398.2	72	366.0	125	384.4
Cancer	114	301.9	64	353.9	50	254.1	97	298.3	17	324.3
Stroke	49	129.8	17	94.0	32	162.7	46	141.5	3	57.2
Accidents	20	53.0	12	66.4	8	40.7	19	58.4	1	19.1
CLRD	21	55.6	11	60.8	10	50.8	20	61.5	1	19.1
Diabetes	10	26.5	4	22.1	6	30.5	7	21.5	3	57.2
Inf. & pneumonia	15	39.7	5	27.7	10	50.8	15	46.1	0	0.0
Alzheimer's disease	18	47.7	2	11.1	16	81.3	17	52.3	1	19.1
Suicide	5	13.2	5	27.7	0	0.0	5	15.4	0	0.0
Homicide	6	15.9	3	16.6	3	15.2	5	15.4	1	19.1
HIV disease	2	5.3	1	5.5	1	5.1	0	0.0	2	38.2

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	20	53.0	5	51.2
Motor vehicle	13	34.4	4	40.9
Suffocation	2	5.3	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	2	5.3	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	2.6	1	10.2
Firearms	0	0.0	0	0.0
Other accidents	2	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	488	12.9
0 to 14	6	0.8
15 to 44	28	2.0
45 to 64	78	8.2
65 to 84	226	38.3
85+	150	163.8

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	207	114	301.9	64	353.9	50	254.1
Trachea, bronchus, lung, pleura	35	44	116.5	27	149.3	17	86.4
Colorectal	22	9	23.8	2	11.1	7	35.6
Breast (female)	34	8	21.2	0	0.0	8	40.7
Prostate (male)	26	8	21.2	8	44.2	0	0.0
Pancreas	*	4	10.6	2	11.1	2	10.2
Leukemias	5	4	10.6	3	16.6	1	5.1
Non-Hodkins lymphomas	12	2	5.3	1	5.5	1	5.1
Ovary (female)	*	1	2.6	0	0.0	1	5.1
Brain and other nervous system	*	2	5.3	1	5.5	1	5.1
Stomach	6	1	2.6	0	0.0	1	5.1
Uterus & cervix (female)	*	2	5.3	0	0.0	2	10.2
Esophagus	6	4	10.6	4	22.1	0	0.0
Melanoma of skin	8	2	5.3	1	5.5	1	5.1
Other	43	23	---	15	---	8	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CRENSHAW 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	182	1	10	23	148
Rate	---	2.2	36.6	126.4	54.1
White	141	1	5	16	119
Rate	---	3.1	26.6	128.0	61.2
Black & Other	41	0	5	7	29
Rate	---	0.0	58.8	122.8	36.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	128
Rate	9.4
Divorces	64
Rate	4.7

Rate is per 1,000 population.

2002 POPULATION	
Total	13,672
White	10,107
Black and Other	3,565
Median age	39.5
Life expectancy at birth	73.1
Total fertility rate per 1,000 women aged 10-49	2190.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	242	89.8	43	46.9	
Births	182	13.3	34	37.1	
Abortions	22	8.2	2	2.2	
Est. fetal losses	38	---	7	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	66	36.3	21	61.8
Low weight births	18	9.9	2	5.9
Multiple births	4	2.2	0	0.0
Medicaid births	91	50.0	27	79.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	1
Gonorrhoea	11
Chlamydia	37
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	2	2	0	0	0
Rate per 1,000 births	22.0	14.2	48.8	0.0	0.0	0.0
Postneonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	5.5	0.0	24.4	0.0	0.0	0.0
Neonatal deaths	3	2	1	0	0	0
Rate per 1,000 births	16.5	14.2	24.4	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	13,672	6,466	7,206	10,107	4,860	5,247	3,565	1,606	1,959
0-4	810	417	393	565	287	278	245	130	115
5-9	920	480	440	632	329	303	288	151	137
10-14	991	529	462	702	375	327	289	154	135
15-44	5,209	2,515	2,694	3,819	1,920	1,899	1,390	595	795
45-64	3,428	1,628	1,800	2,606	1,254	1,352	822	374	448
65-84	2,000	810	1,190	1,567	640	927	433	170	263
85+	314	87	227	216	55	161	98	32	66

CRENSHAW 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	195	94	101	140	66	74	55	28	27
Death rate per 1,000 pop.	14.3	14.5	14.0	13.9	13.6	14.1	15.4	17.4	13.8

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	54	395.0	27	417.6	27	374.7	38	376.0
Cancer	37	270.6	19	293.8	18	249.8	29	286.9	8	224.4
Stroke	11	80.5	4	61.9	7	97.1	6	59.4	5	140.3
Accidents	5	36.6	4	61.9	1	13.9	3	29.7	2	56.1
CLRD	19	139.0	11	170.1	8	111.0	17	168.2	2	56.1
Diabetes	8	58.5	1	15.5	7	97.1	3	29.7	5	140.3
Inf. & pneumonia	7	51.2	4	61.9	3	41.6	7	69.3	0	0.0
Alzheimer's disease	5	36.6	1	15.5	4	55.5	5	49.5	0	0.0
Suicide	2	14.6	1	15.5	1	13.9	2	19.8	0	0.0
Homicide	7	51.2	4	61.9	3	41.6	1	9.9	6	168.3
HIV disease	2	14.6	1	15.5	1	13.9	0	0.0	2	56.1

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	5	36.6	0	0.0
Motor vehicle	5	36.6	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	0	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	195	14.3
0 to 14	5	1.8
15 to 44	19	3.6
45 to 64	37	10.8
65 to 84	90	45.0
85+	44	140.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female			
				Deaths	Rate	Deaths	Rate	
All cancers		69	37	270.6	19	293.8	18	249.8
Trachea, bronchus, lung, pleura		13	10	73.1	6	92.8	4	55.5
Colorectal		7	5	36.6	4	61.9	1	13.9
Breast (female)		5	0	0.0	0	0.0	0	0.0
Prostate (male)		7	3	21.9	3	46.4	0	0.0
Pancreas	*	5	36.6	3	46.4	2	27.8	
Leukemias	*	2	14.6	0	0.0	2	27.8	
Non-Hodkins lymphomas	*	1	7.3	0	0.0	1	13.9	
Ovary (female)	*	3	21.9	0	0.0	3	41.6	
Brain and other nervous system	*	1	7.3	1	15.5	0	0.0	
Stomach	*	1	7.3	0	0.0	1	13.9	
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0	
Esophagus	*	0	0.0	0	0.0	0	0.0	
Melanoma of skin	*	0	0.0	0	0.0	0	0.0	
Other		24	6	---	2	---	4	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

CULLMAN 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	949	1	37	113	798
Rate	---	0.4	23.2	106.3	50.1
White	939	1	36	111	791
Rate	---	0.4	23.5	108.7	51.5
Black & Other	10	0	1	2	7
Rate	---	0.0	15.9	47.6	12.5

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	771
Rate	9.7
Divorces	525
Rate	6.6

Rate is per 1,000 population.

2002 POPULATION	
Total	79,424
White	76,564
Black and Other	2,860
Median age	37.9
Life expectancy at birth	75.1
Total fertility rate per 1,000 women aged 10-49	1899.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,219	77.4	189	35.8	
Births	949	11.9	151	28.6	
Abortions	73	4.6	7	1.3	
Est. fetal losses	197	---	31	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	227	23.9	89	58.9
Low weight births	92	9.7	12	7.9
Multiple births	20	2.1	0	0.0
Medicaid births	394	41.5	111	73.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	0
Syphilis	1
Gonorrhea	20
Chlamydia	108
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	9	9	0	0	0	0
Rate per 1,000 births	9.5	9.6	0.0	0.0	0.0	0.0
Postneonatal deaths	3	3	0	0	0	0
Rate per 1,000 births	3.2	3.2	0.0	0.0	0.0	0.0
Neonatal deaths	6	6	0	0	0	0
Rate per 1,000 births	6.3	6.4	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	79,424	39,278	40,146	76,564	37,738	38,826	2,860	1,540	1,320
0-4	4,977	2,579	2,398	4,772	2,475	2,297	205	104	101
5-9	5,228	2,710	2,518	5,001	2,595	2,406	227	115	112
10-14	5,426	2,805	2,621	5,225	2,706	2,519	201	99	102
15-44	32,444	16,688	15,756	31,018	15,845	15,173	1,426	843	583
45-64	19,651	9,659	9,992	19,085	9,377	9,708	566	282	284
65-84	10,362	4,463	5,899	10,157	4,378	5,779	205	85	120
85+	1,336	374	962	1,306	362	944	30	12	18

CULLMAN 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	926	459	467	923	459	464	3	0	3
Death rate per 1,000 pop.	11.7	11.7	11.6	12.1	12.2	12.0	1.0	0.0	2.3

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	301	379.0	147	374.3	154	383.6	299	390.5	2	69.9
Cancer	177	222.9	103	262.2	74	184.3	177	231.2	0	0.0
Stroke	72	90.7	31	78.9	41	102.1	72	94.0	0	0.0
Accidents	47	59.2	27	68.7	20	49.8	47	61.4	0	0.0
CLRD	70	88.1	41	104.4	29	72.2	70	91.4	0	0.0
Diabetes	15	18.9	6	15.3	9	22.4	14	18.3	1	35.0
Inf. & pneumonia	32	40.3	16	40.7	16	39.9	32	41.8	0	0.0
Alzheimer's disease	22	27.7	4	10.2	18	44.8	22	28.7	0	0.0
Suicide	10	12.6	9	22.9	1	2.5	10	13.1	0	0.0
Homicide	1	1.3	0	0.0	1	2.5	1	1.3	0	0.0
HIV disease	1	1.3	1	2.5	0	0.0	1	1.3	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	47	59.2	4	18.9
Motor vehicle	25	31.5	4	18.9
Suffocation	6	7.6	0	0.0
Poisoning	3	3.8	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	4	5.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	1.3	0	0.0
Other accidents	8	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	926	11.7
0 to 14	11	0.7
15 to 44	64	2.0
45 to 64	154	7.8
65 to 84	435	42.0
85+	262	196.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	385	177	222.9	103	262.2	74	184.3
Trachea, bronchus, lung, pleura	87	70	88.1	48	122.2	22	54.8
Colorectal	46	15	18.9	9	22.9	6	14.9
Breast (female)	54	8	10.1	0	0.0	8	19.9
Prostate (male)	36	6	7.6	6	15.3	0	0.0
Pancreas	8	1	1.3	1	2.5	0	0.0
Leukemias	9	10	12.6	3	7.6	7	17.4
Non-Hodkins lymphomas	12	7	8.8	2	5.1	5	12.5
Ovary (female)	9	6	7.6	0	0.0	6	14.9
Brain and other nervous system	5	7	8.8	5	12.7	2	5.0
Stomach	*	1	1.3	1	2.5	0	0.0
Uterus & cervix (female)	5	1	1.3	0	0.0	1	2.5
Esophagus	*	3	3.8	2	5.1	1	2.5
Melanoma of skin	20	3	3.8	1	2.5	2	5.0
Other	86	39	---	25	---	14	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

DALE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	752	1	33	71	647
Rate	---	0.6	31.7	102.5	61.8
White	559	1	24	49	485
Rate	---	1.0	35.6	109.1	66.0
Black & Other	193	0	9	22	162
Rate	---	0.0	24.5	90.2	51.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	584
Rate	11.8
Divorces	365
Rate	7.4

Rate is per 1,000 population.

2002 POPULATION	
Total	49,404
White	36,160
Black and Other	13,244
Median age	34.9
Life expectancy at birth	75.3
Total fertility rate per 1,000 women aged 10-49	2202.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	995	94.7	143	42.7	
Births	752	15.2	105	31.4	
Abortions	84	8.0	15	4.5	
Est. fetal losses	159	---	23	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	208	27.7	67	63.8
Low weight births	78	10.4	15	14.3
Multiple births	34	4.5	4	3.8
Medicaid births	294	39.1	85	81.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	1
Syphilis	2
Gonorrhea	94
Chlamydia	118
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	8	5	3	3	3	0
Rate per 1,000 births	10.6	8.9	15.5	28.6	40.5	0.0
Postneonatal deaths	3	2	1	1	1	0
Rate per 1,000 births	4.0	3.6	5.2	9.5	13.5	0.0
Neonatal deaths	5	3	2	2	2	0
Rate per 1,000 births	6.6	5.4	10.4	19.0	27.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	49,404	24,465	24,939	36,160	18,212	17,948	13,244	6,253	6,991
0-4	3,654	1,867	1,787	2,374	1,218	1,156	1,280	649	631
5-9	3,642	1,926	1,716	2,340	1,236	1,104	1,302	690	612
10-14	3,445	1,832	1,613	2,231	1,194	1,037	1,214	638	576
15-44	21,334	10,826	10,508	15,155	7,924	7,231	6,179	2,902	3,277
45-64	11,236	5,475	5,761	8,893	4,404	4,489	2,343	1,071	1,272
65-84	5,407	2,373	3,034	4,617	2,094	2,523	790	279	511
85+	686	166	520	550	142	408	136	24	112

DALE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	479	227	252	379	176	203	100	51	49
Death rate per 1,000 pop.	9.7	9.3	10.1	10.5	9.7	11.3	7.6	8.2	7.0

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	141	285.4	67	273.9	74	296.7	119	329.1	22	166.1
Cancer	101	204.4	54	220.7	47	188.5	77	212.9	24	181.2
Stroke	33	66.8	12	49.0	21	84.2	27	74.7	6	45.3
Accidents	18	36.4	12	49.0	6	24.1	12	33.2	6	45.3
CLRD	31	62.7	12	49.0	19	76.2	27	74.7	4	30.2
Diabetes	21	42.5	9	36.8	12	48.1	14	38.7	7	52.9
Inf. & pneumonia	15	30.4	3	12.3	12	48.1	12	33.2	3	22.7
Alzheimer's disease	12	24.3	3	12.3	9	36.1	10	27.7	2	15.1
Suicide	6	12.1	5	20.4	1	4.0	6	16.6	0	0.0
Homicide	3	6.1	3	12.3	0	0.0	1	2.8	2	15.1
HIV disease	1	2.0	1	4.1	0	0.0	1	2.8	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	18	36.4	0	0.0
Motor vehicle	6	12.1	0	0.0
Suffocation	3	6.1	0	0.0
Poisoning	4	8.1	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	2.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	4	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	479	9.7
0 to 14	10	0.9
15 to 44	25	1.2
45 to 64	97	8.6
65 to 84	216	39.9
85+	131	191.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	199	101	204.4	54	220.7	47	188.5
Trachea, bronchus, lung, pleura	49	38	76.9	19	77.7	19	76.2
Colorectal	16	9	18.2	6	24.5	3	12.0
Breast (female)	22	4	8.1	0	0.0	4	16.0
Prostate (male)	14	4	8.1	4	16.3	0	0.0
Pancreas	8	7	14.2	3	12.3	4	16.0
Leukemias	*	2	4.0	2	8.2	0	0.0
Non-Hodkins lymphomas	9	1	2.0	1	4.1	0	0.0
Ovary (female)	5	7	14.2	0	0.0	7	28.1
Brain and other nervous system	*	2	4.0	2	8.2	0	0.0
Stomach	*	3	6.1	2	8.2	1	4.0
Uterus & cervix (female)	*	4	8.1	0	0.0	4	16.0
Esophagus	*	4	8.1	4	16.3	0	0.0
Melanoma of skin	18	0	0.0	0	0.0	0	0.0
Other	41	16	---	11	---	5	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

DALLAS 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	706	2	58	78	568
Rate	---	1.1	49.7	100.5	57.4
White	158	0	7	15	136
Rate	---	0.0	24.5	78.9	46.5
Black & Other	548	2	51	63	432
Rate	---	1.4	58.0	107.5	62.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	391
Rate	8.5
Divorces	187
Rate	4.1

Rate is per 1,000 population.

2002 POPULATION	
Total	46,063
White	15,852
Black and Other	30,211
Median age	35.8
Life expectancy at birth	72.3
Total fertility rate per 1,000 women aged 10-49	2189.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	953	94.7	190	50.0	
Births	706	15.3	138	36.3	
Abortions	96	9.5	22	5.8	
Est. fetal losses	151	---	30	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	478	67.7	131	94.9
Low weight births	73	10.3	19	13.8
Multiple births	15	2.1	1	0.7
Medicaid births	487	69.0	117	84.8

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	8
AIDS	3
Syphilis	4
Gonorrhea	234
Chlamydia	472
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	0	2	1	0	1
Rate per 1,000 births	2.8	0.0	3.6	7.2	0.0	8.6
Postneonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	1.4	0.0	1.8	0.0	0.0	0.0
Neonatal deaths	1	0	1	1	0	1
Rate per 1,000 births	1.4	0.0	1.8	7.2	0.0	8.6

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	46,063	20,906	25,157	15,852	7,547	8,305	30,211	13,359	16,852
0-4	3,451	1,717	1,734	768	373	395	2,683	1,344	1,339
5-9	3,440	1,709	1,731	811	391	420	2,629	1,318	1,311
10-14	3,717	1,859	1,858	939	480	459	2,778	1,379	1,399
15-44	18,388	8,329	10,059	5,508	2,753	2,755	12,880	5,576	7,304
45-64	10,644	4,906	5,738	4,573	2,238	2,335	6,071	2,668	3,403
65-84	5,618	2,189	3,429	2,869	1,216	1,653	2,749	973	1,776
85+	805	197	608	384	96	288	421	101	320

DALLAS 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	554	245	309	223	109	114	331	136	195
Death rate per 1,000 pop.	12.0	11.7	12.3	14.1	14.4	13.7	11.0	10.2	11.6

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	166	360.4	69	330.0	97	385.6	60	378.5	106	350.9
Cancer	121	262.7	56	267.9	65	258.4	53	334.3	68	225.1
Stroke	47	102.0	21	100.4	26	103.4	15	94.6	32	105.9
Accidents	27	58.6	21	100.4	6	23.9	10	63.1	17	56.3
CLRD	24	52.1	11	52.6	13	51.7	18	113.6	6	19.9
Diabetes	29	63.0	10	47.8	19	75.5	10	63.1	19	62.9
Inf. & pneumonia	9	19.5	4	19.1	5	19.9	2	12.6	7	23.2
Alzheimer's disease	14	30.4	3	14.3	11	43.7	9	56.8	5	16.6
Suicide	2	4.3	2	9.6	0	0.0	1	6.3	1	3.3
Homicide	1	2.2	0	0.0	1	4.0	0	0.0	1	3.3
HIV disease	3	6.5	3	14.3	0	0.0	0	0.0	3	9.9

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	27	58.6	5	34.5
Motor vehicle	14	30.4	4	27.6
Suffocation	2	4.3	0	0.0
Poisoning	1	2.2	0	0.0
Smoke, fire and flames	4	8.7	1	6.9
Falls	1	2.2	0	0.0
Drowning	0	0.0	0	0.0
Firearms	3	6.5	0	0.0
Other accidents	2	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	554	12.0
0 to 14	6	0.6
15 to 44	41	2.2
45 to 64	113	10.6
65 to 84	262	46.6
85+	132	164.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	187	121	262.7	56	267.9	65	258.4
Trachea, bronchus, lung, pleura	29	35	76.0	22	105.2	13	51.7
Colorectal	25	11	23.9	6	28.7	5	19.9
Breast (female)	41	12	26.1	0	0.0	12	47.7
Prostate (male)	28	8	17.4	8	38.3	0	0.0
Pancreas	*	3	6.5	0	0.0	3	11.9
Leukemias	*	4	8.7	1	4.8	3	11.9
Non-Hodkins lymphomas	5	3	6.5	1	4.8	2	8.0
Ovary (female)	*	2	4.3	0	0.0	2	8.0
Brain and other nervous system	*	4	8.7	2	9.6	2	8.0
Stomach	*	2	4.3	1	4.8	1	4.0
Uterus & cervix (female)	5	3	6.5	0	0.0	3	11.9
Esophagus	*	3	6.5	2	9.6	1	4.0
Melanoma of skin	6	0	0.0	0	0.0	0	0.0
Other	38	31	---	13	---	18	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

DEKALB 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	886	3	49	96	738
Rate	---	1.4	37.6	110.5	53.6
White	847	3	46	93	705
Rate	---	1.5	39.5	119.8	56.3
Black & Other	39	0	3	3	33
Rate	---	0.0	21.6	32.3	26.5

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	486
Rate	7.3
Divorces	276
Rate	4.1

Rate is per 1,000 population.

2002 POPULATION	
Total	66,607
White	60,937
Black and Other	5,670
Median age	36.6
Life expectancy at birth	75.3
Total fertility rate per 1,000 women aged 10-49	2042.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,137	83.4	195	44.7	
Births	886	13.3	148	33.9	
Abortions	66	4.8	16	3.7	
Est. fetal losses	185	---	31	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	246	27.8	77	52.0
Low weight births	80	9.0	14	9.5
Multiple births	18	2.0	2	1.4
Medicaid births	406	45.8	106	71.6

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	1
Syphilis	6
Gonorrhea	21
Chlamydia	70
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	6	6	0	1	1	0
Rate per 1,000 births	6.8	7.1	0.0	6.8	7.0	0.0
Postneonatal deaths	3	3	0	1	1	0
Rate per 1,000 births	3.4	3.5	0.0	6.8	7.0	0.0
Neonatal deaths	3	3	0	0	0	0
Rate per 1,000 births	3.4	3.5	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	66,607	32,642	33,965	60,937	29,668	31,269	5,670	2,974	2,696
0-4	4,537	2,306	2,231	3,952	2,019	1,933	585	287	298
5-9	4,653	2,401	2,252	4,137	2,139	1,998	516	262	254
10-14	4,570	2,375	2,195	4,109	2,134	1,975	461	241	220
15-44	27,801	14,171	13,630	24,834	12,508	12,326	2,967	1,663	1,304
45-64	15,949	7,746	8,203	15,066	7,335	7,731	883	411	472
65-84	7,977	3,370	4,607	7,748	3,265	4,483	229	105	124
85+	1,120	273	847	1,091	268	823	29	5	24

DEKALB 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	675	319	356	662	311	351	13	8	5
Death rate per 1,000 pop.	10.1	9.8	10.5	10.9	10.5	11.2	2.3	2.7	1.9

Selected causes	Total	Total	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		rate								
Heart disease	247	370.8	109	333.9	138	406.3	241	395.5	6	105.8
Cancer	119	178.7	59	180.7	60	176.7	117	192.0	2	35.3
Stroke	40	60.1	19	58.2	21	61.8	40	65.6	0	0.0
Accidents	40	60.1	19	58.2	21	61.8	39	64.0	1	17.6
CLRD	38	57.1	23	70.5	15	44.2	38	62.4	0	0.0
Diabetes	10	15.0	6	18.4	4	11.8	10	16.4	0	0.0
Inf. & pneumonia	16	24.0	6	18.4	10	29.4	16	26.3	0	0.0
Alzheimer's disease	22	33.0	5	15.3	17	50.1	22	36.1	0	0.0
Suicide	7	10.5	7	21.4	0	0.0	6	9.8	1	17.6
Homicide	2	3.0	2	6.1	0	0.0	1	1.6	1	17.6
HIV disease	1	1.5	1	3.1	0	0.0	1	1.6	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS					
	Total	Rate	Children Under 20	Rate	
All accidents	40	60.1	5	27.4	
Motor vehicle	25	37.5	5	27.4	
Suffocation	2	3.0	0	0.0	
Poisoning	2	3.0	0	0.0	
Smoke, fire and flames	0	0.0	0	0.0	
Falls	3	4.5	0	0.0	
Drowning	1	1.5	0	0.0	
Firearms	1	1.5	0	0.0	
Other accidents	6	---	0	---	

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	675	10.1
0 to 14	8	0.6
15 to 44	61	2.2
45 to 64	118	7.4
65 to 84	310	38.9
85+	178	158.9

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female		
				Deaths	Rate	Deaths	Rate	
All cancers		216	119	178.7	59	180.7	60	176.7
Trachea, bronchus, lung, pleura		32	35	52.5	25	76.6	10	29.4
Colorectal		29	10	15.0	3	9.2	7	20.6
Breast (female)		36	13	19.5	0	0.0	13	38.3
Prostate (male)		21	3	4.5	3	9.2	0	0.0
Pancreas		7	7	10.5	4	12.3	3	8.8
Leukemias	*	1	1	1.5	0	0.0	1	2.9
Non-Hodkins lymphomas		8	8	12.0	4	12.3	4	11.8
Ovary (female)		5	2	3.0	0	0.0	2	5.9
Brain and other nervous system		7	2	3.0	1	3.1	1	2.9
Stomach	*	2	2	3.0	1	3.1	1	2.9
Uterus & cervix (female)		13	0	0.0	0	0.0	0	0.0
Esophagus	*	1	1	1.5	1	3.1	0	0.0
Melanoma of skin		11	0	0.0	0	0.0	0	0.0
Other		43	35	---	17	---	18	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

ELMORE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	920	2	47	82	789
Rate	---	0.8	34.0	88.9	53.3
White	677	1	31	53	592
Rate	---	0.5	30.3	77.8	52.4
Black & Other	243	1	16	29	197
Rate	---	1.6	44.2	120.3	56.3

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	717
Rate	10.4
Divorces	421
Rate	6.1

Rate is per 1,000 population.

2002 POPULATION	
Total	69,081
White	53,287
Black and Other	15,794
Median age	35.7
Life expectancy at birth	75.7
Total fertility rate per 1,000 women aged 10-49	2074.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,267	87.1	196	40.7	
Births	920	13.3	131	27.2	
Abortions	148	10.2	35	7.3	
Est. fetal losses	199	---	30	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	299	32.5	92	70.2
Low weight births	92	10.0	16	12.2
Multiple births	42	4.6	4	3.1
Medicaid births	370	40.2	109	83.2

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	3
AIDS	2
Syphilis	10
Gonorrhea	71
Chlamydia	152
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	2	2	0	0	0
Rate per 1,000 births	4.3	3.0	8.2	0.0	0.0	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	1.1	1.5	0.0	0.0	0.0	0.0
Neonatal deaths	3	1	2	0	0	0
Rate per 1,000 births	3.3	1.5	8.2	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	69,081	34,979	34,102	53,287	26,479	26,808	15,794	8,500	7,294
0-4	4,505	2,298	2,207	3,395	1,749	1,646	1,110	549	561
5-9	4,771	2,431	2,340	3,583	1,836	1,747	1,188	595	593
10-14	5,151	2,644	2,507	3,864	1,988	1,876	1,287	656	631
15-44	30,688	16,141	14,547	22,190	11,222	10,968	8,498	4,919	3,579
45-64	16,519	8,356	8,163	13,745	6,912	6,833	2,774	1,444	1,330
65-84	6,541	2,891	3,650	5,729	2,584	3,145	812	307	505
85+	906	218	688	781	188	593	125	30	95

ELMORE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	539	262	277	432	213	219	107	49	58
Death rate per 1,000 pop.	7.8	7.5	8.1	8.1	8.0	8.2	6.8	5.8	8.0

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	135	195.4	54	154.4	81	237.5	111	208.3	24	152.0
Cancer	134	194.0	70	200.1	64	187.7	112	210.2	22	139.3
Stroke	33	47.8	15	42.9	18	52.8	23	43.2	10	63.3
Accidents	26	37.6	18	51.5	8	23.5	17	31.9	9	57.0
CLRD	29	42.0	15	42.9	14	41.1	27	50.7	2	12.7
Diabetes	12	17.4	3	8.6	9	26.4	9	16.9	3	19.0
Inf. & pneumonia	14	20.3	9	25.7	5	14.7	14	26.3	0	0.0
Alzheimer's disease	8	11.6	4	11.4	4	11.7	6	11.3	2	12.7
Suicide	6	8.7	5	14.3	1	2.9	6	11.3	0	0.0
Homicide	6	8.7	4	11.4	2	5.9	4	7.5	2	12.7
HIV disease	4	5.8	4	11.4	0	0.0	2	3.8	2	12.7

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	26	37.6	4	20.7
Motor vehicle	11	15.9	2	10.4
Suffocation	0	0.0	0	0.0
Poisoning	5	7.2	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	1.4	0	0.0
Drowning	3	4.3	2	10.4
Firearms	0	0.0	0	0.0
Other accidents	6	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	539	7.8
0 to 14	6	0.4
15 to 44	41	1.3
45 to 64	116	7.0
65 to 84	255	39.0
85+	121	133.6

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	277	134	194.0	70	200.1	64	187.7
Trachea, bronchus, lung, pleura	43	46	66.6	29	82.9	17	49.9
Colorectal	30	16	23.2	7	20.0	9	26.4
Breast (female)	55	9	13.0	0	0.0	9	26.4
Prostate (male)	36	6	8.7	6	17.2	0	0.0
Pancreas	*	8	11.6	7	20.0	1	2.9
Leukemias	6	5	7.2	2	5.7	3	8.8
Non-Hodkins lymphomas	11	3	4.3	1	2.9	2	5.9
Ovary (female)	6	2	2.9	0	0.0	2	5.9
Brain and other nervous system	*	4	5.8	1	2.9	3	8.8
Stomach	*	2	2.9	2	5.7	0	0.0
Uterus & cervix (female)	15	5	7.2	0	0.0	5	14.7
Esophagus	*	2	2.9	2	5.7	0	0.0
Melanoma of skin	8	1	1.4	0	0.0	1	2.9
Other	53	25	---	13	---	12	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

ESCAMBIA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	510	1	18	61	430
Rate	---	0.8	22.5	114.4	58.3
White	325	0	10	42	273
Rate	---	0.0	21.3	133.8	58.6
Black & Other	185	1	8	19	157
Rate	---	1.8	24.3	86.8	57.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	569
Rate	14.6
Divorces	171
Rate	4.4

Rate is per 1,000 population.

2002 POPULATION	
Total	38,871
White	24,750
Black and Other	14,121
Median age	37.4
Life expectancy at birth	73.5
Total fertility rate per 1,000 women aged 10-49	2181.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	647	88.1	99	37.6	
Births	510	13.1	80	30.4	
Abortions	32	4.4	3	1.1	
Est. fetal losses	105	---	16	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	211	41.4	55	68.8
Low weight births	63	12.4	7	8.8
Multiple births	24	4.7	0	0.0
Medicaid births	283	55.5	69	86.3

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	2
Syphilis	4
Gonorrhea	54
Chlamydia	118
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	6	4	2	1	1	0
Rate per 1,000 births	11.8	12.3	10.8	12.5	19.2	0.0
Postneonatal deaths	2	0	2	0	0	0
Rate per 1,000 births	3.9	0.0	10.8	0.0	0.0	0.0
Neonatal deaths	4	4	0	1	1	0
Rate per 1,000 births	7.8	12.3	0.0	12.5	19.2	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	38,871	19,761	19,110	24,750	12,328	12,422	14,121	7,433	6,688
0-4	2,375	1,182	1,193	1,340	668	672	1,035	514	521
5-9	2,579	1,315	1,264	1,472	763	709	1,107	552	555
10-14	2,678	1,379	1,299	1,562	819	743	1,116	560	556
15-44	16,274	8,934	7,340	9,620	5,082	4,538	6,654	3,852	2,802
45-64	9,617	4,822	4,795	6,725	3,351	3,374	2,892	1,471	1,421
65-84	4,665	1,927	2,738	3,575	1,507	2,068	1,090	420	670
85+	683	202	481	456	138	318	227	64	163

ESCAMBIA 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	417	209	208	298	153	145	119	56	63
Death rate per 1,000 pop.	10.7	10.6	10.9	12.0	12.4	11.7	8.4	7.5	9.4

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	122	313.9	58	293.5	64	334.9	85	343.4	37	262.0
Cancer	80	205.8	41	207.5	39	204.1	55	222.2	25	177.0
Stroke	20	51.5	9	45.5	11	57.6	14	56.6	6	42.5
Accidents	29	74.6	20	101.2	9	47.1	24	97.0	5	35.4
CLRD	16	41.2	10	50.6	6	31.4	12	48.5	4	28.3
Diabetes	16	41.2	7	35.4	9	47.1	10	40.4	6	42.5
Inf. & pneumonia	8	20.6	5	25.3	3	15.7	7	28.3	1	7.1
Alzheimer's disease	22	56.6	5	25.3	17	89.0	17	68.7	5	35.4
Suicide	3	7.7	3	15.2	0	0.0	2	8.1	1	7.1
Homicide	1	2.6	1	5.1	0	0.0	1	4.0	0	0.0
HIV disease	1	2.6	0	0.0	1	5.2	0	0.0	1	7.1

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	29	74.6	4	38.6
Motor vehicle	16	41.2	4	38.6
Suffocation	2	5.1	0	0.0
Poisoning	5	12.9	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	2	5.1	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	4	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	417	10.7
0 to 14	10	1.3
15 to 44	31	1.9
45 to 64	77	8.0
65 to 84	191	40.9
85+	108	158.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	209	80	205.8	41	207.5	39	204.1
Trachea, bronchus, lung, pleura	40	23	59.2	12	60.7	11	57.6
Colorectal	17	5	12.9	2	10.1	3	15.7
Breast (female)	33	8	20.6	0	0.0	8	41.9
Prostate (male)	23	1	2.6	1	5.1	0	0.0
Pancreas	*	9	23.2	7	35.4	2	10.5
Leukemias	*	3	7.7	2	10.1	1	5.2
Non-Hodkins lymphomas	12	5	12.9	3	15.2	2	10.5
Ovary (female)	*	3	7.7	0	0.0	3	15.7
Brain and other nervous system	6	2	5.1	1	5.1	1	5.2
Stomach	*	1	2.6	1	5.1	0	0.0
Uterus & cervix (female)	9	4	10.3	0	0.0	4	20.9
Esophagus	*	2	5.1	2	10.1	0	0.0
Melanoma of skin	6	1	2.6	0	0.0	1	5.2
Other	48	13	---	10	---	3	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

ETOWAH 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,261	3	68	127	1,063
Rate	---	0.9	32.5	91.0	50.1
White	1,037	0	46	100	891
Rate	---	0.0	28.9	94.2	52.2
Black & Other	224	3	22	27	172
Rate	---	3.6	43.9	80.8	41.7

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	1,029
Rate	9.9
Divorces	706
Rate	6.8

Rate is per 1,000 population.

2002 POPULATION	
Total	103,985
White	85,589
Black and Other	18,396
Median age	38.6
Life expectancy at birth	73.9
Total fertility rate per 1,000 women aged 10-49	1900.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,735	83.4	279	40.6	
Births	1,261	12.1	198	28.8	
Abortions	201	9.7	38	5.5	
Est. fetal losses	273	---	43	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	367	29.1	129	65.2
Low weight births	90	7.1	15	7.6
Multiple births	28	2.2	4	2.0
Medicaid births	645	51.1	179	90.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	9
AIDS	1
Syphilis	24
Gonorrhea	135
Chlamydia	196
Tuberculosis	5

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	5	4	1	0	0	0
Rate per 1,000 births	4.0	3.9	4.5	0.0	0.0	0.0
Postneonatal deaths	2	1	1	0	0	0
Rate per 1,000 births	1.6	1.0	4.5	0.0	0.0	0.0
Neonatal deaths	3	3	0	0	0	0
Rate per 1,000 births	2.4	2.9	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	103,985	49,842	54,143	85,589	41,265	44,324	18,396	8,577	9,819
0-4	6,553	3,349	3,204	5,014	2,581	2,433	1,539	768	771
5-9	6,720	3,458	3,262	5,070	2,631	2,439	1,650	827	823
10-14	6,991	3,614	3,377	5,331	2,786	2,545	1,660	828	832
15-44	41,235	20,427	20,808	32,992	16,466	16,526	8,243	3,961	4,282
45-64	25,972	12,514	13,458	22,408	10,903	11,505	3,564	1,611	1,953
65-84	14,643	5,978	8,665	13,092	5,441	7,651	1,551	537	1,014
85+	1,871	502	1,369	1,682	457	1,225	189	45	144

ETOWAH 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	1,318	641	677	1,148	561	587	170	80	90
Death rate per 1,000 pop.	12.7	12.9	12.5	13.4	13.6	13.2	9.2	9.3	9.2

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	405	389.5	211	423.3	194	358.3	357	417.1
Cancer	269	258.7	141	282.9	128	236.4	237	276.9	32	174.0
Stroke	91	87.5	42	84.3	49	90.5	78	91.1	13	70.7
Accidents	42	40.4	26	52.2	16	29.6	38	44.4	4	21.7
CLRD	93	89.4	53	106.3	40	73.9	85	99.3	8	43.5
Diabetes	29	27.9	8	16.1	21	38.8	16	18.7	13	70.7
Inf. & pneumonia	41	39.4	13	26.1	28	51.7	37	43.2	4	21.7
Alzheimer's disease	46	44.2	18	36.1	28	51.7	41	47.9	5	27.2
Suicide	13	12.5	9	18.1	4	7.4	12	14.0	1	5.4
Homicide	11	10.6	10	20.1	1	1.8	6	7.0	5	27.2
HIV disease	1	1.0	1	2.0	0	0.0	1	1.2	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	42	40.4	13	47.4
Motor vehicle	21	20.2	5	18.2
Suffocation	4	3.8	2	7.3
Poisoning	5	4.8	1	3.6
Smoke, fire and flames	0	0.0	0	0.0
Falls	3	2.9	0	0.0
Drowning	2	1.9	2	7.3
Firearms	1	1.0	1	3.6
Other accidents	6	---	2	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	1,318	12.7
0 to 14	13	0.6
15 to 44	73	1.8
45 to 64	234	9.0
65 to 84	643	43.9
85+	355	189.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	478	269	258.7	141	282.9	128	236.4
Trachea, bronchus, lung, pleura	86	87	83.7	54	108.3	33	60.9
Colorectal	58	25	24.0	15	30.1	10	18.5
Breast (female)	83	21	20.2	0	0.0	21	38.8
Prostate (male)	66	16	15.4	16	32.1	0	0.0
Pancreas	6	11	10.6	8	16.1	3	5.5
Leukemias	5	9	8.7	3	6.0	6	11.1
Non-Hodkins lymphomas	16	15	14.4	7	14.0	8	14.8
Ovary (female)	7	8	7.7	0	0.0	8	14.8
Brain and other nervous system	*	9	8.7	3	6.0	6	11.1
Stomach	*	2	1.9	0	0.0	2	3.7
Uterus & cervix (female)	16	4	3.8	0	0.0	4	7.4
Esophagus	7	7	6.7	6	12.0	1	1.8
Melanoma of skin	15	3	2.9	0	0.0	3	5.5
Other	106	52	---	29	---	23	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

FAYETTE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	194	0	12	24	158
Rate	---	0.0	31.9	95.6	43.8
White	167	0	10	22	135
Rate	---	0.0	31.9	105.3	43.7
Black & Other	27	0	2	2	23
Rate	---	0.0	31.7	47.6	44.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	164
Rate	8.8
Divorces	111
Rate	6.0

Rate is per 1,000 population.

2002 POPULATION	
Total	18,563
White	16,112
Black and Other	2,451
Median age	39.6
Life expectancy at birth	74.7
Total fertility rate per 1,000 women aged 10-49	1739.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	262	73.6	52	41.9	
Births	194	10.5	36	29.0	
Abortions	26	7.3	8	6.4	
Est. fetal losses	42	---	8	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	35	18.0	14	38.9
Low weight births	15	7.7	2	5.6
Multiple births	6	3.1	0	0.0
Medicaid births	92	47.4	30	83.3

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	1
Syphilis	0
Gonorrhea	10
Chlamydia	36
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	1	1	0	0	0	0
Rate per 1,000 births	5.2	6.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	5.2	6.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	18,563	8,990	9,573	16,112	7,862	8,250	2,451	1,128	1,323
0-4	1,099	572	527	922	482	440	177	90	87
5-9	1,177	607	570	992	516	476	185	91	94
10-14	1,266	652	614	1,055	551	504	211	101	110
15-44	7,155	3,596	3,559	6,151	3,124	3,027	1,004	472	532
45-64	4,829	2,384	2,445	4,279	2,122	2,157	550	262	288
65-84	2,607	1,074	1,533	2,328	972	1,356	279	102	177
85+	430	105	325	385	95	290	45	10	35

FAYETTE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	222	111	111	198	95	103	24	16	8
Death rate per 1,000 pop.	12.0	12.3	11.6	12.3	12.1	12.5	9.8	14.2	6.0

Selected causes	Total	Total	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		rate								
Heart disease	65	350.2	33	367.1	32	334.3	60	372.4	5	204.0
Cancer	49	264.0	24	267.0	25	261.2	43	266.9	6	244.8
Stroke	15	80.8	5	55.6	10	104.5	15	93.1	0	0.0
Accidents	12	64.6	8	89.0	4	41.8	10	62.1	2	81.6
CLRD	11	59.3	6	66.7	5	52.2	11	68.3	0	0.0
Diabetes	5	26.9	3	33.4	2	20.9	4	24.8	1	40.8
Inf. & pneumonia	10	53.9	9	100.1	1	10.4	9	55.9	1	40.8
Alzheimer's disease	5	26.9	2	22.2	3	31.3	4	24.8	1	40.8
Suicide	1	5.4	1	11.1	0	0.0	1	6.2	0	0.0
Homicide	2	10.8	2	22.2	0	0.0	1	6.2	1	40.8
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	12	64.6	1	20.6
Motor vehicle	7	37.7	1	20.6
Suffocation	0	0.0	0	0.0
Poisoning	1	5.4	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	5.4	0	0.0
Other accidents	3	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	222	12.0
0 to 14	3	0.8
15 to 44	9	1.3
45 to 64	39	8.1
65 to 84	124	47.6
85+	47	109.3

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female	
				Deaths	Rate	Deaths	Rate
All cancers		73	49	24	267.0	25	261.2
Trachea, bronchus, lung, pleura		13	22	12	133.5	10	104.5
Colorectal		8	2	1	11.1	1	10.4
Breast (female)		13	2	0	0.0	2	20.9
Prostate (male)		14	5	5	55.6	0	0.0
Pancreas	*	2	10.8	1	11.1	1	10.4
Leukemias	*	0	0.0	0	0.0	0	0.0
Non-Hodkins lymphomas	*	2	10.8	0	0.0	2	20.9
Ovary (female)	*	2	10.8	0	0.0	2	20.9
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0
Stomach	*	1	5.4	0	0.0	1	10.4
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	0	0.0	0	0.0	0	0.0
Melanoma of skin	*	1	5.4	0	0.0	1	10.4
Other		15	10	5	---	5	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

FRANKLIN 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	453	1	26	52	374
Rate	---	0.9	41.8	125.6	58.7
White	430	1	25	42	362
Rate	---	1.1	46.2	116.7	63.7
Black & Other	23	0	1	10	12
Rate	---	0.0	12.3	185.2	17.5

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	307
Rate	9.6
Divorces	196
Rate	6.1

Rate is per 1,000 population.

2002 POPULATION	
Total	31,892
White	28,240
Black and Other	3,652
Median age	36.9
Life expectancy at birth	73.4
Total fertility rate per 1,000 women aged 10-49	2242.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	565	89.8	98	46.8	
Births	453	14.2	79	37.7	
Abortions	19	3.0	3	1.4	
Est. fetal losses	93	---	16	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	110	24.3	43	54.4
Low weight births	39	8.6	15	19.0
Multiple births	12	2.6	2	2.5
Medicaid births	181	40.0	48	60.8

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	0
Gonorrhea	18
Chlamydia	62
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	7	7	0	1	1	0
Rate per 1,000 births	15.5	16.3	0.0	12.7	14.7	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	7	7	0	1	1	0
Rate per 1,000 births	15.5	16.3	0.0	12.7	14.7	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	31,892	15,728	16,164	28,240	13,712	14,528	3,652	2,016	1,636
0-4	1,996	1,006	990	1,676	844	832	320	162	158
5-9	2,153	1,092	1,061	1,770	911	859	383	181	202
10-14	2,237	1,177	1,060	1,917	1,011	906	320	166	154
15-44	13,197	6,907	6,290	11,316	5,761	5,555	1,881	1,146	735
45-64	7,586	3,645	3,941	7,069	3,375	3,694	517	270	247
65-84	4,172	1,754	2,418	3,978	1,674	2,304	194	80	114
85+	551	147	404	514	136	378	37	11	26

FRANKLIN 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	397	195	202	378	186	192	19	9	10
Death rate per 1,000 pop.	12.4	12.4	12.5	13.4	13.6	13.2	5.2	4.5	6.1

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	127	398.2	66	419.6	61	377.4	123	435.6	4	109.5
Cancer	80	250.8	45	286.1	35	216.5	74	262.0	6	164.3
Stroke	34	106.6	10	63.6	24	148.5	33	116.9	1	27.4
Accidents	21	65.8	14	89.0	7	43.3	21	74.4	0	0.0
CLRD	19	59.6	7	44.5	12	74.2	18	63.7	1	27.4
Diabetes	18	56.4	6	38.1	12	74.2	17	60.2	1	27.4
Inf. & pneumonia	12	37.6	6	38.1	6	37.1	12	42.5	0	0.0
Alzheimer's disease	3	9.4	2	12.7	1	6.2	3	10.6	0	0.0
Suicide	6	18.8	4	25.4	2	12.4	6	21.2	0	0.0
Homicide	1	3.1	1	6.4	0	0.0	1	3.5	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	21	65.8	1	11.6
Motor vehicle	9	28.2	0	0.0
Suffocation	1	3.1	0	0.0
Poisoning	1	3.1	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	3.1	0	0.0
Drowning	1	3.1	0	0.0
Firearms	2	6.3	1	11.6
Other accidents	6	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	397	12.4
0 to 14	10	1.6
15 to 44	24	1.8
45 to 64	77	10.2
65 to 84	192	46.0
85+	94	170.6

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	143	80	250.8	45	286.1	35	216.5
Trachea, bronchus, lung, pleura	32	22	69.0	11	69.9	11	68.1
Colorectal	25	10	31.4	7	44.5	3	18.6
Breast (female)	23	4	12.5	0	0.0	4	24.7
Prostate (male)	13	4	12.5	4	25.4	0	0.0
Pancreas	6	5	15.7	2	12.7	3	18.6
Leukemias	*	4	12.5	3	19.1	1	6.2
Non-Hodkins lymphomas	5	4	12.5	2	12.7	2	12.4
Ovary (female)	*	2	6.3	0	0.0	2	12.4
Brain and other nervous system	*	2	6.3	0	0.0	2	12.4
Stomach	*	1	3.1	1	6.4	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	2	6.3	2	12.7	0	0.0
Melanoma of skin	9	0	0.0	0	0.0	0	0.0
Other	18	20	---	13	---	7	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

GENEVA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	303	0	13	33	257
Rate	---	0.0	24.6	93.8	50.8
White	271	0	9	32	230
Rate	---	0.0	20.3	108.5	53.0
Black & Other	32	0	4	1	27
Rate	---	0.0	46.5	17.5	37.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	233
Rate	8.9
Divorces	150
Rate	5.7

Rate is per 1,000 population.

2002 POPULATION	
Total	26,117
White	22,734
Black and Other	3,383
Median age	40.0
Life expectancy at birth	75.1
Total fertility rate per 1,000 women aged 10-49	2039.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	379	76.1	61	34.6	
Births	303	11.6	46	26.1	
Abortions	14	2.8	5	2.8	
Est. fetal losses	62	---	10	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	96	31.7	25	54.3
Low weight births	24	7.9	4	8.7
Multiple births	11	3.6	0	0.0
Medicaid births	150	49.5	35	76.1

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	2
Syphilis	0
Gonorrhea	23
Chlamydia	37
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	26,117	12,722	13,395	22,734	11,103	11,631	3,383	1,619	1,764
0-4	1,465	755	710	1,231	638	593	234	117	117
5-9	1,590	843	747	1,319	701	618	271	142	129
10-14	1,891	1,010	881	1,556	825	731	335	185	150
15-44	10,042	5,064	4,978	8,577	4,341	4,236	1,465	723	742
45-64	6,836	3,316	3,520	6,129	2,999	3,130	707	317	390
65-84	3,734	1,604	2,130	3,417	1,483	1,934	317	121	196
85+	559	130	429	505	116	389	54	14	40

GENEVA 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	270	141	129	243	126	117	27	15	12	
Death rate per 1,000 pop.	10.3	11.1	9.6	10.7	11.3	10.1	8.0	9.3	6.8	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	93	356.1	45	353.7	48	358.3	84	369.5	9	266.0
Cancer	50	191.4	28	220.1	22	164.2	44	193.5	6	177.4
Stroke	23	88.1	9	70.7	14	104.5	21	92.4	2	59.1
Accidents	8	30.6	3	23.6	5	37.3	8	35.2	0	0.0
CLRD	15	57.4	9	70.7	6	44.8	13	57.2	2	59.1
Diabetes	11	42.1	6	47.2	5	37.3	11	48.4	0	0.0
Inf. & pneumonia	5	19.1	2	15.7	3	22.4	5	22.0	0	0.0
Alzheimer's disease	6	23.0	3	23.6	3	22.4	6	26.4	0	0.0
Suicide	4	15.3	4	31.4	0	0.0	4	17.6	0	0.0
Homicide	2	7.7	2	15.7	0	0.0	2	8.8	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	8	30.6	2	29.3
Motor vehicle	4	15.3	1	14.7
Suffocation	1	3.8	1	14.7
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	2	7.7	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	1	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	270	10.3
0 to 14	2	0.4
15 to 44	13	1.3
45 to 64	45	6.6
65 to 84	130	34.8
85+	80	143.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	139	50	191.4	28	220.1	22	164.2
Trachea, bronchus, lung, pleura	26	14	53.6	11	86.5	3	22.4
Colorectal	24	2	7.7	0	0.0	2	14.9
Breast (female)	24	3	11.5	0	0.0	3	22.4
Prostate (male)	11	1	3.8	1	7.9	0	0.0
Pancreas	6	2	7.7	2	15.7	0	0.0
Leukemias	*	5	19.1	3	23.6	2	14.9
Non-Hodkins lymphomas	*	2	7.7	0	0.0	2	14.9
Ovary (female)	*	0	0.0	0	0.0	0	0.0
Brain and other nervous system	*	1	3.8	0	0.0	1	7.5
Stomach	*	0	0.0	0	0.0	0	0.0
Uterus & cervix (female)	8	1	3.8	0	0.0	1	7.5
Esophagus	*	1	3.8	1	7.9	0	0.0
Melanoma of skin	9	2	7.7	2	15.7	0	0.0
Other	20	16	---	8	---	8	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

GREENE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	147	2	9	27	109
Rate	---	5.6	39.0	175.3	53.1
White	11	0	0	0	11
Rate	---	0.0	0.0	0.0	32.6
Black & Other	136	2	9	27	98
Rate	---	6.4	43.5	195.7	57.1

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	74
Rate	7.5
Divorces	20
Rate	2.0

Rate is per 1,000 population.

2002 POPULATION	
Total	9,905
White	1,897
Black and Other	8,008
Median age	36.9
Life expectancy at birth	73.0
Total fertility rate per 1,000 women aged 10-49	2328.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	220	108.2	51	68.7	
Births	147	14.8	38	51.2	
Abortions	39	19.2	5	6.7	
Est. fetal losses	34	---	8	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	105	71.4	37	97.4
Low weight births	26	17.7	9	23.7
Multiple births	2	1.4	2	5.3
Medicaid births	120	81.6	35	92.1

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	5
Gonorrhea	42
Chlamydia	80
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	0	3	0	0	0
Rate per 1,000 births	20.4	0.0	22.1	0.0	#DIV/0!	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	#DIV/0!	0.0
Neonatal deaths	3	0	3	0	0	0
Rate per 1,000 births	20.4	0.0	22.1	0.0	#DIV/0!	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	9,905	4,653	5,252	1,897	951	946	8,008	3,702	4,306
0-4	754	396	358	89	52	37	665	344	321
5-9	793	420	373	80	43	37	713	377	336
10-14	796	439	357	87	43	44	709	396	313
15-44	3,723	1,690	2,033	615	317	298	3,108	1,373	1,735
45-64	2,375	1,110	1,265	592	305	287	1,783	805	978
65-84	1,227	534	693	385	178	207	842	356	486
85+	237	64	173	49	13	36	188	51	137

GREENE 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	124	69	55	35	20	15	89	49	40	
Death rate per 1,000 pop.	12.5	14.8	10.5	18.5	21.0	15.9	11.1	13.2	9.3	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	55	555.3	28	601.8	27	514.1	13	685.3	42	524.5
Cancer	25	252.4	20	429.8	5	95.2	8	421.7	17	212.3
Stroke	4	40.4	1	21.5	3	57.1	0	0.0	4	50.0
Accidents	4	40.4	2	43.0	2	38.1	3	158.1	1	12.5
CLRD	3	30.3	2	43.0	1	19.0	3	158.1	0	0.0
Diabetes	1	10.1	1	21.5	0	0.0	1	52.7	0	0.0
Inf. & pneumonia	4	40.4	1	21.5	3	57.1	0	0.0	4	50.0
Alzheimer's disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Homicide	1	10.1	1	21.5	0	0.0	0	0.0	1	12.5
HIV disease	1	10.1	0	0.0	1	19.0	0	0.0	1	12.5

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	4	40.4	0	0.0
Motor vehicle	3	30.3	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	1	10.1	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	0	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	124	12.5
0 to 14	4	1.7
15 to 44	5	1.3
45 to 64	21	8.8
65 to 84	59	48.1
85+	35	147.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	55	25	252.4	20	429.8	5	95.2
Trachea, bronchus, lung, pleura	8	11	111.1	10	214.9	1	19.0
Colorectal	*	1	10.1	1	21.5	0	0.0
Breast (female)	6	0	0.0	0	0.0	0	0.0
Prostate (male)	13	5	50.5	5	107.5	0	0.0
Pancreas	*	1	10.1	1	21.5	0	0.0
Leukemias	*	0	0.0	0	0.0	0	0.0
Non-Hodkins lymphomas	*	0	0.0	0	0.0	0	0.0
Ovary (female)	*	0	0.0	0	0.0	0	0.0
Brain and other nervous system	*	1	10.1	1	21.5	0	0.0
Stomach	*	0	0.0	0	0.0	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	0	0.0	0	0.0	0	0.0
Melanoma of skin	*	1	10.1	0	0.0	1	19.0
Other	15	5	---	2	---	3	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

HALE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	227	2	19	25	181
Rate	---	2.9	46.0	90.6	49.4
White	71	0	2	3	66
Rate	---	0.0	17.1	38.5	51.5
Black & Other	156	2	17	22	115
Rate	---	4.0	57.4	111.1	48.3

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	135
Rate	7.7
Divorces	48
Rate	2.7

Rate is per 1,000 population.

2002 POPULATION	
Total	17,534
White	6,960
Black and Other	10,574
Median age	34.9
Life expectancy at birth	72.8
Total fertility rate per 1,000 women aged 10-49	1926.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	310	83.4	64	46.0	
Births	227	12.9	46	33.1	
Abortions	34	9.1	8	5.8	
Est. fetal losses	49	---	10	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	115	50.7	41	89.1
Low weight births	19	8.4	4	8.7
Multiple births	12	5.3	0	0.0
Medicaid births	148	65.2	45	97.8

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	0
Gonorrhea	62
Chlamydia	139
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	0	3	1	0	1
Rate per 1,000 births	13.2	0.0	19.2	21.7	0.0	24.4
Postneonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	4.4	0.0	6.4	0.0	0.0	0.0
Neonatal deaths	2	0	2	1	0	1
Rate per 1,000 births	8.8	0.0	12.8	21.7	0.0	24.4

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	17,534	8,281	9,253	6,960	3,433	3,527	10,574	4,848	5,726
0-4	1,404	699	705	431	207	224	973	492	481
5-9	1,412	717	695	444	225	219	968	492	476
10-14	1,456	755	701	460	254	206	996	501	495
15-44	7,010	3,291	3,719	2,568	1,327	1,241	4,442	1,964	2,478
45-64	3,933	1,896	2,037	1,874	942	932	2,059	954	1,105
65-84	1,981	837	1,144	1,020	442	578	961	395	566
85+	338	86	252	163	36	127	175	50	125

HALE 2002 HEALTH PROFILE (Continued)

MORTALITY				White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	oth. male	female
Deaths	181	83	98	73	32	41	108	57
Death rate per 1,000 pop.	10.3	10.0	10.6	10.5	9.3	11.6	10.2	10.0

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	48	273.8	22	265.7	26	281.0	22	316.1	26	245.9
Cancer	30	171.1	15	181.1	15	162.1	13	186.8	17	160.8
Stroke	14	79.8	4	48.3	10	108.1	6	86.2	8	75.7
Accidents	7	39.9	5	60.4	2	21.6	3	43.1	4	37.8
CLRD	5	28.5	3	36.2	2	21.6	4	57.5	1	9.5
Diabetes	12	68.4	8	96.6	4	43.2	4	57.5	8	75.7
Inf. & pneumonia	5	28.5	1	12.1	4	43.2	1	14.4	4	37.8
Alzheimer's disease	6	34.2	3	36.2	3	32.4	5	71.8	1	9.5
Suicide	1	5.7	1	12.1	0	0.0	1	14.4	0	0.0
Homicide	2	11.4	2	24.2	0	0.0	0	0.0	2	18.9
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	7	39.9	0	0.0
Motor vehicle	3	17.1	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	4	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	181	10.3
0 to 14	4	0.9
15 to 44	13	1.9
45 to 64	36	9.2
65 to 84	73	36.9
85+	55	162.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers		99	30	171.1	15	181.1	15
Trachea, bronchus, lung, pleura		17	4	22.8	2	24.2	2
Colorectal		12	4	22.8	2	24.2	2
Breast (female)		15	5	28.5	0	0.0	5
Prostate (male)		17	4	22.8	4	48.3	0
Pancreas		*	2	11.4	1	12.1	1
Leukemias		*	1	5.7	0	0.0	1
Non-Hodkins lymphomas		5	2	11.4	1	12.1	1
Ovary (female)		*	0	0.0	0	0.0	0
Brain and other nervous system		*	1	5.7	0	0.0	1
Stomach		*	0	0.0	0	0.0	0
Uterus & cervix (female)		*	0	0.0	0	0.0	0
Esophagus		*	1	5.7	1	12.1	0
Melanoma of skin		*	0	0.0	0	0.0	0
Other		24	6	---	4	---	2

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

HENRY 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	227	2	16	20	189
Rate	---	3.7	47.6	89.7	58.9
White	148	0	6	13	129
Rate	---	0.0	32.4	105.7	64.4
Black & Other	79	2	10	7	60
Rate	---	8.2	66.2	70.0	49.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	137
Rate	8.3
Divorces	62
Rate	3.8

Rate is per 1,000 population.

2002 POPULATION	
Total	16,446
White	10,846
Black and Other	5,600
Median age	39.9
Life expectancy at birth	75.3
Total fertility rate per 1,000 women aged 10-49	2300.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	290	92.7	47	42.5	
Births	227	13.8	38	34.4	
Abortions	16	5.1	1	0.9	
Est. fetal losses	47	---	8	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	90	39.6	36	94.7
Low weight births	18	7.9	4	10.5
Multiple births	4	1.8	0	0.0
Medicaid births	92	40.5	34	89.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	0
Gonorrhea	22
Chlamydia	36
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	16,446	7,827	8,619	10,846	5,284	5,562	5,600	2,543	3,057
0-4	1,020	536	484	624	338	286	396	198	198
5-9	1,047	526	521	598	313	285	449	213	236
10-14	1,099	553	546	615	314	301	484	239	245
15-44	6,210	3,082	3,128	3,910	2,008	1,902	2,300	1,074	1,226
45-64	4,381	2,083	2,298	3,091	1,496	1,595	1,290	587	703
65-84	2,302	950	1,352	1,723	742	981	579	208	371
85+	387	97	290	285	73	212	102	24	78

HENRY 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	204	107	97	138	68	70	66	39	27
Death rate per 1,000 pop.	12.4	13.7	11.3	12.7	12.9	12.6	11.8	15.3	8.8

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	52	316.2	29	370.5	23	266.9	30	276.6	22	392.9
Cancer	43	261.5	18	230.0	25	290.1	31	285.8	12	214.3
Stroke	20	121.6	12	153.3	8	92.8	11	101.4	9	160.7
Accidents	9	54.7	7	89.4	2	23.2	9	83.0	0	0.0
CLRD	11	66.9	6	76.7	5	58.0	8	73.8	3	53.6
Diabetes	13	79.0	7	89.4	6	69.6	7	64.5	6	107.1
Inf. & pneumonia	2	12.2	1	12.8	1	11.6	1	9.2	1	17.9
Alzheimer's disease	9	54.7	3	38.3	6	69.6	7	64.5	2	35.7
Suicide	3	18.2	2	25.6	1	11.6	3	27.7	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	9	54.7	1	23.1
Motor vehicle	5	30.4	1	23.1
Suffocation	2	12.2	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	6.1	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	1	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	204	12.4
0 to 14	0	0.0
15 to 44	7	1.1
45 to 64	43	9.8
65 to 84	91	39.5
85+	63	162.8

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	100	43	261.5	18	230.0	25	290.1
Trachea, bronchus, lung, pleura	15	13	79.0	6	76.7	7	81.2
Colorectal	9	2	12.2	0	0.0	2	23.2
Breast (female)	13	2	12.2	0	0.0	2	23.2
Prostate (male)	9	4	24.3	4	51.1	0	0.0
Pancreas	*	5	30.4	1	12.8	4	46.4
Leukemias	*	2	12.2	1	12.8	1	11.6
Non-Hodkins lymphomas	*	4	24.3	2	25.6	2	23.2
Ovary (female)	*	1	6.1	0	0.0	1	11.6
Brain and other nervous system	*	1	6.1	0	0.0	1	11.6
Stomach	5	1	6.1	1	12.8	0	0.0
Uterus & cervix (female)	*	1	6.1	0	0.0	1	11.6
Esophagus	*	2	12.2	2	25.6	0	0.0
Melanoma of skin	12	0	0.0	0	0.0	0	0.0
Other	25	5	---	1	---	4	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

HOUSTON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,242	4	62	135	1,041
Rate	---	1.2	33.0	107.9	53.9
White	820	2	28	75	715
Rate	---	0.9	22.5	90.5	53.3
Black & Other	422	2	34	60	326
Rate	---	1.8	53.7	142.2	55.4

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	836
Rate	9.3
Divorces	657
Rate	7.3

Rate is per 1,000 population.

2002 POPULATION	
Total	89,945
White	65,203
Black and Other	24,742
Median age	37.3
Life expectancy at birth	76.1
Total fertility rate per 1,000 women aged 10-49	2096.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,656	87.5	268	42.1	
Births	1,242	13.8	201	31.6	
Abortions	151	8.0	24	3.8	
Est. fetal losses	263	---	43	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	480	38.6	166	82.6
Low weight births	112	9.0	23	11.4
Multiple births	37	3.0	2	1.0
Medicaid births	584	47.0	172	85.6

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	9
AIDS	6
Syphilis	2
Gonorrhea	187
Chlamydia	335
Tuberculosis	5

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	14	10	4	4	3	1
Rate per 1,000 births	11.3	12.2	9.5	19.9	28.6	10.4
Postneonatal deaths	6	5	1	1	1	0
Rate per 1,000 births	4.8	6.1	2.4	5.0	9.5	0.0
Neonatal deaths	8	5	3	3	2	1
Rate per 1,000 births	6.4	6.1	7.1	14.9	19.0	10.4

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	89,945	42,710	47,235	65,203	31,276	33,927	24,742	11,434	13,308
0-4	6,057	3,095	2,962	3,873	1,989	1,884	2,184	1,106	1,078
5-9	6,222	3,173	3,049	3,998	2,047	1,951	2,224	1,126	1,098
10-14	6,621	3,383	3,238	4,328	2,205	2,123	2,293	1,178	1,115
15-44	36,566	17,631	18,935	25,551	12,634	12,917	11,015	4,997	6,018
45-64	22,035	10,518	11,517	17,181	8,325	8,856	4,854	2,193	2,661
65-84	10,864	4,500	6,364	8,957	3,747	5,210	1,907	753	1,154
85+	1,580	410	1,170	1,315	329	986	265	81	184

HOUSTON 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	847	427	420	668	336	332	179	91	88
Death rate per 1,000 pop.	9.4	10.0	8.9	10.2	10.7	9.8	7.2	8.0	6.6

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	204	226.8	101	236.5	103	218.1	168	257.7
Cancer	201	223.5	113	264.6	88	186.3	161	246.9	40	161.7
Stroke	48	53.4	19	44.5	29	61.4	40	61.3	8	32.3
Accidents	35	38.9	24	56.2	11	23.3	25	38.3	10	40.4
CLRD	47	52.3	24	56.2	23	48.7	46	70.5	1	4.0
Diabetes	20	22.2	6	14.0	14	29.6	9	13.8	11	44.5
Inf. & pneumonia	19	21.1	8	18.7	11	23.3	16	24.5	3	12.1
Alzheimer's disease	34	37.8	13	30.4	21	44.5	28	42.9	6	24.3
Suicide	7	7.8	5	11.7	2	4.2	7	10.7	0	0.0
Homicide	1	1.1	1	2.3	0	0.0	0	0.0	1	4.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	35	38.9	3	11.9
Motor vehicle	15	16.7	2	7.9
Suffocation	1	1.1	0	0.0
Poisoning	4	4.4	0	0.0
Smoke, fire and flames	1	1.1	0	0.0
Falls	2	2.2	0	0.0
Drowning	1	1.1	1	4.0
Firearms	0	0.0	0	0.0
Other accidents	11	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	847	9.4
0 to 14	19	1.0
15 to 44	38	1.0
45 to 64	151	6.9
65 to 84	417	38.4
85+	222	140.5

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	483	201	223.5	113	264.6	88	186.3
Trachea, bronchus, lung, pleura	70	64	71.2	40	93.7	24	50.8
Colorectal	55	16	17.8	11	25.8	5	10.6
Breast (female)	82	15	16.7	0	0.0	15	31.8
Prostate (male)	69	5	5.6	5	11.7	0	0.0
Pancreas	15	19	21.1	9	21.1	10	21.2
Leukemias	5	7	7.8	4	9.4	3	6.4
Non-Hodkins lymphomas	18	4	4.4	1	2.3	3	6.4
Ovary (female)	5	5	5.6	0	0.0	5	10.6
Brain and other nervous system	5	7	7.8	3	7.0	4	8.5
Stomach	6	6	6.7	5	11.7	1	2.1
Uterus & cervix (female)	20	3	3.3	0	0.0	3	6.4
Esophagus	*	2	2.2	2	4.7	0	0.0
Melanoma of skin	36	4	4.4	4	9.4	0	0.0
Other	95	44	---	29	---	15	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

JACKSON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	619	0	23	73	523
Rate	---	0.0	21.0	100.1	45.8
White	597	0	23	72	502
Rate	---	0.0	23.8	111.8	48.4
Black & Other	22	0	0	1	21
Rate	---	0.0	0.0	11.8	20.2

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	703
Rate	12.8
Divorces	283
Rate	5.1

Rate is per 1,000 population.

2002 POPULATION	
Total	55,017
White	50,385
Black and Other	4,632
Median age	38.1
Life expectancy at birth	74.8
Total fertility rate per 1,000 women aged 10-49	1771.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	815	72.9	126	34.5	
Births	619	11.3	96	26.3	
Abortions	66	5.9	10	2.7	
Est. fetal losses	130	---	20	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	157	25.4	48	50.0
Low weight births	47	7.6	7	7.3
Multiple births	12	1.9	0	0.0
Medicaid births	311	50.2	78	81.3

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	1
Syphilis	5
Gonorrhea	28
Chlamydia	61
Tuberculosis	4

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	3	0	0	0	0
Rate per 1,000 births	4.8	5.0	0.0	0.0	0.0	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	1.6	1.7	0.0	0.0	0.0	0.0
Neonatal deaths	2	2	0	0	0	0
Rate per 1,000 births	3.2	3.4	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	55,017	26,856	28,161	50,385	24,572	25,813	4,632	2,284	2,348
0-4	3,421	1,756	1,665	3,081	1,585	1,496	340	171	169
5-9	3,609	1,851	1,758	3,226	1,653	1,573	383	198	185
10-14	3,758	1,930	1,828	3,359	1,725	1,634	399	205	194
15-44	22,338	11,164	11,174	20,246	10,132	10,114	2,092	1,032	1,060
45-64	14,359	6,999	7,360	13,317	6,487	6,830	1,042	512	530
65-84	6,743	2,936	3,807	6,407	2,787	3,620	336	149	187
85+	789	220	569	749	203	546	40	17	23

JACKSON 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	627	318	309	606	310	296	21	8	13
Death rate per 1,000 pop.	11.4	11.8	11.0	12.0	12.6	11.5	4.5	3.5	5.5

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	216	392.6	112	417.0	104	369.3	209	414.8	7	151.1
Cancer	143	259.9	77	286.7	66	234.4	139	275.9	4	86.4
Stroke	38	69.1	15	55.9	23	81.7	36	71.4	2	43.2
Accidents	34	61.8	22	81.9	12	42.6	33	65.5	1	21.6
CLRD	30	54.5	18	67.0	12	42.6	28	55.6	2	43.2
Diabetes	18	32.7	6	22.3	12	42.6	18	35.7	0	0.0
Inf. & pneumonia	17	30.9	9	33.5	8	28.4	16	31.8	1	21.6
Alzheimer's disease	24	43.6	9	33.5	15	53.3	24	47.6	0	0.0
Suicide	4	7.3	3	11.2	1	3.6	4	7.9	0	0.0
Homicide	1	1.8	0	0.0	1	3.6	1	2.0	0	0.0
HIV disease	1	1.8	0	0.0	1	3.6	1	2.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	34	61.8	2	13.8
Motor vehicle	19	34.5	1	6.9
Suffocation	2	3.6	0	0.0
Poisoning	4	7.3	0	0.0
Smoke, fire and flames	1	1.8	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	2	3.6	1	6.9
Other accidents	6	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	627	11.4
0 to 14	5	0.5
15 to 44	37	1.7
45 to 64	140	9.7
65 to 84	314	46.6
85+	131	166.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	168	143	259.9	77	286.7	66	234.4
Trachea, bronchus, lung, pleura	25	42	76.3	25	93.1	17	60.4
Colorectal	36	14	25.4	10	37.2	4	14.2
Breast (female)	30	11	20.0	0	0.0	11	39.1
Prostate (male)	*	8	14.5	8	29.8	0	0.0
Pancreas	*	8	14.5	6	22.3	2	7.1
Leukemias	*	9	16.4	7	26.1	2	7.1
Non-Hodkins lymphomas	9	6	10.9	2	7.4	4	14.2
Ovary (female)	*	4	7.3	0	0.0	4	14.2
Brain and other nervous system	*	7	12.7	3	11.2	4	14.2
Stomach	*	2	3.6	0	0.0	2	7.1
Uterus & cervix (female)	6	1	1.8	0	0.0	1	3.6
Esophagus	*	2	3.6	2	7.4	0	0.0
Melanoma of skin	7	0	0.0	0	0.0	0	0.0
Other	36	29	---	14	---	15	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

JEFFERSON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	8,928	20	396	703	7,809
Rate	---	0.9	28.6	76.1	51.7
White	4,612	2	107	249	4,254
Rate	---	0.2	15.8	55.1	52.8
Black & Other	4,316	18	289	454	3,555
Rate	---	1.5	40.8	96.1	50.5

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	5,709
Rate	8.6
Divorces	3,508
Rate	5.3

Rate is per 1,000 population.

2002 POPULATION	
Total	664,031
White	377,370
Black and Other	286,661
Median age	36.2
Life expectancy at birth	73.7
Total fertility rate per 1,000 women aged 10-49	1858.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	13,691	92.9	1,863	40.6	
Births	8,928	13.4	1,119	24.4	
Abortions	2,706	18.4	473	10.3	
Est. fetal losses	2,057	---	271	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	3,634	40.7	948	84.7
Low weight births	1,006	11.3	138	12.3
Multiple births	361	4.0	26	2.3
Medicaid births	3,761	42.1	925	82.7

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	139
AIDS	41
Syphilis	126
Gonorrhea	2,489
Chlamydia	3,658
Tuberculosis	36

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	96	29	67	18	5	13
Rate per 1,000 births	10.8	6.3	15.5	16.1	14.0	17.1
Postneonatal deaths	35	9	26	9	1	8
Rate per 1,000 births	3.9	2.0	6.0	8.0	2.8	10.5
Neonatal deaths	61	20	41	9	4	5
Rate per 1,000 births	6.8	4.3	9.5	8.0	11.2	6.6

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	664,031	313,459	350,572	377,370	181,327	196,043	286,661	132,132	154,529
0-4	43,529	22,282	21,247	20,892	10,759	10,133	22,637	11,523	11,114
5-9	44,407	22,756	21,651	21,090	10,851	10,239	23,317	11,905	11,412
10-14	46,885	24,091	22,794	22,360	11,538	10,822	24,525	12,553	11,972
15-44	285,426	138,040	147,386	154,927	77,920	77,007	130,499	60,120	70,379
45-64	154,977	72,585	82,392	95,884	46,164	49,720	59,093	26,421	32,672
65-84	77,036	30,660	46,376	54,002	21,927	32,075	23,034	8,733	14,301
85+	11,771	3,045	8,726	8,215	2,168	6,047	3,556	877	2,679

JEFFERSON 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	7,356	3,489	3,867	4,571	2,115	2,456	2,785	1,374	1,411	
Death rate per 1,000 pop.	11.1	11.1	11.0	12.1	11.7	12.5	9.7	10.4	9.1	

Selected causes							White	White	Black &	Black & other rate
	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	other	
Heart disease	1,849	278.5	846	269.9	1,003	286.1	1,187	314.5	662	230.9
Cancer	1,428	215.1	756	241.2	672	191.7	909	240.9	519	181.1
Stroke	615	92.6	222	70.8	393	112.1	398	105.5	217	75.7
Accidents	312	47.0	194	61.9	118	33.7	214	56.7	98	34.2
CLRD	339	51.1	180	57.4	159	45.4	267	70.8	72	25.1
Diabetes	246	37.0	96	30.6	150	42.8	116	30.7	130	45.3
Inf. & pneumonia	203	30.6	79	25.2	124	35.4	141	37.4	62	21.6
Alzheimer's disease	188	28.3	39	12.4	149	42.5	150	39.7	38	13.3
Suicide	80	12.0	64	20.4	16	4.6	60	15.9	20	7.0
Homicide	107	16.1	92	29.3	15	4.3	23	6.1	84	29.3
HIV disease	44	6.6	35	11.2	9	2.6	11	2.9	33	11.5

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	312	47.0	40	22.1
Motor vehicle	122	18.4	22	12.1
Suffocation	31	4.7	5	2.8
Poisoning	46	6.9	4	2.2
Smoke, fire and flames	18	2.7	3	1.7
Falls	38	5.7	1	0.6
Drowning	6	0.9	4	2.2
Firearms	2	0.3	0	0.0
Other accidents	49	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	7,356	11.1
0 to 14	125	0.9
15 to 44	540	1.9
45 to 64	1,398	9.0
65 to 84	3,360	43.6
85+	1,931	164.0

Rate is per 1,000 population in age group.

Selected Cancer Site				Male	Female		
	New Cases	Deaths	Rate	Deaths	Rate	Deaths	Rate
All cancers	3,496	1,428	215.1	756	241.2	672	191.7
Trachea, bronchus, lung, pleura	523	418	62.9	237	75.6	181	51.6
Colorectal	421	160	24.1	93	29.7	67	19.1
Breast (female)	635	93	14.0	0	0.0	93	26.5
Prostate (male)	476	86	13.0	86	27.4	0	0.0
Pancreas	84	78	11.7	42	13.4	36	10.3
Leukemias	68	53	8.0	31	9.9	22	6.3
Non-Hodkins lymphomas	132	39	5.9	16	5.1	23	6.6
Ovary (female)	63	42	6.3	0	0.0	42	12.0
Brain and other nervous system	50	30	4.5	19	6.1	11	3.1
Stomach	49	35	5.3	22	7.0	13	3.7
Uterus & cervix (female)	121	24	3.6	0	0.0	24	6.8
Esophagus	33	33	5.0	22	7.0	11	3.1
Melanoma of skin	80	20	3.0	11	3.5	9	2.6
Other	761	317	---	177	---	140	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

LAMAR 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	173	1	7	20	145
Rate	---	1.9	21.7	92.6	45.8
White	154	1	4	18	131
Rate	---	2.4	14.9	100.0	48.5
Black & Other	19	0	3	2	14
Rate	---	0.0	55.6	55.6	30.2

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	378
Rate	23.7
Divorces	103
Rate	6.5

Rate is per 1,000 population.

2002 POPULATION	
Total	15,948
White	13,821
Black and Other	2,127
Median age	38.9
Life expectancy at birth	73.4
Total fertility rate per 1,000 women aged 10-49	1748.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	235	74.4	39	36.9	
Births	173	10.8	28	26.5	
Abortions	24	7.6	5	4.7	
Est. fetal losses	38	---	6	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	28	16.2	9	32.1
Low weight births	20	11.6	3	10.7
Multiple births	6	3.5	0	0.0
Medicaid births	90	52.0	25	89.3

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	0
Gonorrhea	10
Chlamydia	33
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	2	1	0	0	0
Rate per 1,000 births	17.3	13.0	52.6	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	3	2	1	0	0	0
Rate per 1,000 births	17.3	13.0	52.6	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	15,948	7,709	8,239	13,821	6,718	7,103	2,127	991	1,136
0-4	933	464	469	776	392	384	157	72	85
5-9	997	470	527	818	390	428	179	80	99
10-14	1,079	561	518	888	468	420	191	93	98
15-44	6,413	3,254	3,159	5,470	2,785	2,685	943	469	474
45-64	3,948	1,919	2,029	3,514	1,729	1,785	434	190	244
65-84	2,230	931	1,299	2,039	850	1,189	191	81	110
85+	348	110	238	316	104	212	32	6	26

LAMAR 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	210	106	104	187	99	88	23	7	16
Death rate per 1,000 pop.	13.2	13.8	12.6	13.5	14.7	12.4	10.8	7.1	14.1

Selected causes							White	White	Black &	Black & other rate
	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	other	
Heart disease	63	395.0	33	428.1	30	364.1	55	397.9	8	376.1
Cancer	49	307.2	23	298.4	26	315.6	46	332.8	3	141.0
Stroke	17	106.6	6	77.8	11	133.5	14	101.3	3	141.0
Accidents	15	94.1	10	129.7	5	60.7	15	108.5	0	0.0
CLRD	19	119.1	11	142.7	8	97.1	19	137.5	0	0.0
Diabetes	5	31.4	2	25.9	3	36.4	4	28.9	1	47.0
Inf. & pneumonia	7	43.9	5	64.9	2	24.3	7	50.6	0	0.0
Alzheimer's disease	1	6.3	1	13.0	0	0.0	1	7.2	0	0.0
Suicide	3	18.8	2	25.9	1	12.1	3	21.7	0	0.0
Homicide	1	6.3	1	13.0	0	0.0	0	0.0	1	47.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	15	94.1	4	96.3
Motor vehicle	8	50.2	2	48.1
Suffocation	2	12.5	0	0.0
Poisoning	1	6.3	1	24.1
Smoke, fire and flames	1	6.3	0	0.0
Falls	1	6.3	1	24.1
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	2	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	210	13.2
0 to 14	4	1.3
15 to 44	19	3.0
45 to 64	42	10.6
65 to 84	79	35.4
85+	66	189.7

Rate is per 1,000 population in age group.

Selected Cancer Site					Male	Female		
	New Cases	Deaths	Rate	Deaths	Rate	Deaths	Rate	
All cancers		36	49	307.2	23	298.4	26	315.6
Trachea, bronchus, lung, pleura	5	20	125.4	15	194.6	5	60.7	
Colorectal	*	5	31.4	4	51.9	1	12.1	
Breast (female)	*	4	25.1	0	0.0	4	48.5	
Prostate (male)	7	1	6.3	1	13.0	0	0.0	
Pancreas	*	0	0.0	0	0.0	0	0.0	
Leukemias	*	1	6.3	0	0.0	1	12.1	
Non-Hodkins lymphomas	*	1	6.3	1	13.0	0	0.0	
Ovary (female)	*	4	25.1	0	0.0	4	48.5	
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0	
Stomach	*	0	0.0	0	0.0	0	0.0	
Uterus & cervix (female)	*	2	12.5	0	0.0	2	24.3	
Esophagus	*	0	0.0	0	0.0	0	0.0	
Melanoma of skin	*	1	6.3	0	0.0	1	12.1	
Other	5	10	---	2	---	8	---	

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

LAUDERDALE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	919	0	31	71	817
Rate	---	0.0	16.7	57.5	42.8
White	792	0	22	60	710
Rate	---	0.0	14.1	57.5	42.9
Black & Other	127	0	9	11	107
Rate	---	0.0	31.4	57.6	42.2

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	749
Rate	8.4
Divorces	427
Rate	4.8

Rate is per 1,000 population.

2002 POPULATION	
Total	89,435
White	78,763
Black and Other	10,672
Median age	38.1
Life expectancy at birth	76.7
Total fertility rate per 1,000 women aged 10-49	1511.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,203	63.9	142	23.7	
Births	919	10.3	102	17.0	
Abortions	90	4.8	18	3.0	
Est. fetal losses	194	---	22	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	232	25.2	70	68.6
Low weight births	76	8.3	6	5.9
Multiple births	32	3.5	2	2.0
Medicaid births	362	39.4	81	79.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	1
Syphilis	0
Gonorrhea	91
Chlamydia	241
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	2	2	1	1	0
Rate per 1,000 births	4.4	2.5	15.7	9.8	12.2	0.0
Postneonatal deaths	2	0	2	0	0	0
Rate per 1,000 births	2.2	0.0	15.7	0.0	0.0	0.0
Neonatal deaths	2	2	0	1	1	0
Rate per 1,000 births	2.2	2.5	0.0	9.8	12.2	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	89,435	42,798	46,637	78,763	37,878	40,885	10,672	4,920	5,752
0-4	5,303	2,700	2,603	4,478	2,281	2,197	825	419	406
5-9	5,507	2,771	2,736	4,628	2,329	2,299	879	442	437
10-14	5,929	3,012	2,917	5,024	2,563	2,461	905	449	456
15-44	36,977	18,159	18,818	32,039	15,858	16,181	4,938	2,301	2,637
45-64	22,149	10,657	11,492	20,050	9,704	10,346	2,099	953	1,146
65-84	12,003	5,060	6,943	11,119	4,739	6,380	884	321	563
85+	1,567	439	1,128	1,425	404	1,021	142	35	107

LAUDERDALE 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	910	448	462	818	407	411	92	41	51	
Death rate per 1,000 pop.	10.2	10.5	9.9	10.4	10.7	10.1	8.6	8.3	8.9	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other rate
		rate	rate	rate	rate	rate	rate	other		
Heart disease	259	289.6	114	266.4	145	310.9	230	292.0	29	271.7
Cancer	205	229.2	107	250.0	98	210.1	181	229.8	24	224.9
Stroke	73	81.6	23	53.7	50	107.2	61	77.4	12	112.4
Accidents	43	48.1	36	84.1	7	15.0	40	50.8	3	28.1
CLRD	50	55.9	36	84.1	14	30.0	47	59.7	3	28.1
Diabetes	24	26.8	15	35.0	9	19.3	21	26.7	3	28.1
Inf. & pneumonia	33	36.9	13	30.4	20	42.9	32	40.6	1	9.4
Alzheimer's disease	37	41.4	6	14.0	31	66.5	34	43.2	3	28.1
Suicide	8	8.9	6	14.0	2	4.3	8	10.2	0	0.0
Homicide	1	1.1	1	2.3	0	0.0	1	1.3	0	0.0
HIV disease	1	1.1	1	2.3	0	0.0	1	1.3	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	43	48.1	7	30.4
Motor vehicle	28	31.3	5	21.7
Suffocation	2	2.2	1	4.3
Poisoning	3	3.4	0	0.0
Smoke, fire and flames	1	1.1	0	0.0
Falls	5	5.6	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	4	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	910	10.2
0 to 14	7	0.4
15 to 44	61	1.6
45 to 64	143	6.5
65 to 84	442	36.8
85+	257	164.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female	
				Deaths	Rate	Deaths	Rate
All cancers	490	205	229.2	107	250.0	98	210.1
Trachea, bronchus, lung, pleura	72	63	70.4	41	95.8	22	47.2
Colorectal	69	17	19.0	7	16.4	10	21.4
Breast (female)	93	17	19.0	0	0.0	17	36.5
Prostate (male)	68	8	8.9	8	18.7	0	0.0
Pancreas	13	16	17.9	9	21.0	7	15.0
Leukemias	5	7	7.8	3	7.0	4	8.6
Non-Hodkins lymphomas	18	9	10.1	8	18.7	1	2.1
Ovary (female)	*	4	4.5	0	0.0	4	8.6
Brain and other nervous system	5	3	3.4	2	4.7	1	2.1
Stomach	8	5	5.6	2	4.7	3	6.4
Uterus & cervix (female)	14	5	5.6	0	0.0	5	10.7
Esophagus	*	2	2.2	1	2.3	1	2.1
Melanoma of skin	20	3	3.4	2	4.7	1	2.1
Other	98	46	---	24	---	22	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

LAWRENCE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	364	0	20	41	303
Rate	---	0.0	27.4	84.4	40.1
White	317	0	20	32	265
Rate	---	0.0	40.0	96.1	46.0
Black & Other	47	0	0	9	38
Rate	---	0.0	0.0	58.8	21.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	315
Rate	8.9
Divorces	192
Rate	5.4

Rate is per 1,000 population.

2002 POPULATION	
Total	35,353
White	27,535
Black and Other	7,818
Median age	36.8
Life expectancy at birth	74.5
Total fertility rate per 1,000 women aged 10-49	1599.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	487	64.9	77	31.0	
Births	364	10.3	61	24.6	
Abortions	45	6.0	3	1.2	
Est. fetal losses	78	---	13	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	100	27.5	39	63.9
Low weight births	28	7.7	10	16.4
Multiple births	10	2.7	2	3.3
Medicaid births	138	37.9	46	75.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	1
Syphilis	3
Gonorrhea	29
Chlamydia	48
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	35,353	17,325	18,028	27,535	13,600	13,935	7,818	3,725	4,093
0-4	2,224	1,148	1,076	1,750	907	843	474	241	233
5-9	2,442	1,260	1,182	1,779	924	855	663	336	327
10-14	2,646	1,379	1,267	1,874	985	889	772	394	378
15-44	14,964	7,463	7,501	11,375	5,735	5,640	3,589	1,728	1,861
45-64	8,733	4,284	4,449	6,985	3,478	3,507	1,748	806	942
65-84	3,884	1,672	2,212	3,370	1,468	1,902	514	204	310
85+	460	119	341	402	103	299	58	16	42

LAWRENCE 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	336	174	162	289	152	137	47	22	25	
Death rate per 1,000 pop.	9.5	10.0	9.0	10.5	11.2	9.8	6.0	5.9	6.1	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other rate
		rate	rate	rate	rate	rate	rate	other		
Heart disease	105	297.0	55	317.5	50	277.3	87	316.0	18	230.2
Cancer	67	189.5	33	190.5	34	188.6	57	207.0	10	127.9
Stroke	26	73.5	11	63.5	15	83.2	20	72.6	6	76.7
Accidents	22	62.2	17	98.1	5	27.7	21	76.3	1	12.8
CLRD	21	59.4	15	86.6	6	33.3	20	72.6	1	12.8
Diabetes	8	22.6	4	23.1	4	22.2	7	25.4	1	12.8
Inf. & pneumonia	7	19.8	3	17.3	4	22.2	7	25.4	0	0.0
Alzheimer's disease	2	5.7	0	0.0	2	11.1	2	7.3	0	0.0
Suicide	3	8.5	3	17.3	0	0.0	3	10.9	0	0.0
Homicide	4	11.3	3	17.3	1	5.5	3	10.9	1	12.8
HIV disease	1	2.8	1	5.8	0	0.0	0	0.0	1	12.8

Rate is per 100,000 population.

ACCIDENTAL DEATHS					
	Total	Rate	Children Under 20	Rate	
All accidents	22	62.2	5	50.6	
Motor vehicle	14	39.6	4	40.5	
Suffocation	0	0.0	0	0.0	
Poisoning	1	2.8	0	0.0	
Smoke, fire and flames	0	0.0	0	0.0	
Falls	0	0.0	0	0.0	
Drowning	1	2.8	1	10.1	
Firearms	2	5.7	0	0.0	
Other accidents	4	---	0	---	

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	336	9.5
0 to 14	2	0.3
15 to 44	33	2.2
45 to 64	74	8.5
65 to 84	159	40.9
85+	68	147.8

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female		
				Deaths	Rate	Deaths	Rate	
All cancers		135	67	189.5	33	190.5	34	188.6
Trachea, bronchus, lung, pleura		33	18	50.9	13	75.0	5	27.7
Colorectal		12	4	11.3	0	0.0	4	22.2
Breast (female)		20	7	19.8	0	0.0	7	38.8
Prostate (male)		9	2	5.7	2	11.5	0	0.0
Pancreas	*	2	5.7	1	5.8	1	5.5	
Leukemias		5	2	5.7	2	11.5	0	0.0
Non-Hodkins lymphomas		5	3	8.5	0	0.0	3	16.6
Ovary (female)	*	2	5.7	0	0.0	2	11.1	
Brain and other nervous system	*	3	8.5	2	11.5	1	5.5	
Stomach	*	2	5.7	2	11.5	0	0.0	
Uterus & cervix (female)	*	1	2.8	0	0.0	1	5.5	
Esophagus	*	1	2.8	0	0.0	1	5.5	
Melanoma of skin	*	1	2.8	0	0.0	1	5.5	
Other		36	19	---	11	---	8	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

LEE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,360	3	68	93	1,196
Rate	---	0.8	18.2	37.3	40.1
White	945	1	35	50	859
Rate	---	0.4	12.2	26.1	39.3
Black & Other	415	2	33	43	337
Rate	---	1.5	38.0	74.3	42.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	1,095
Rate	9.1
Divorces	474
Rate	3.9

Rate is per 1,000 population.

2002 POPULATION	
Total	120,284
White	88,704
Black and Other	31,580
Median age	28.1
Life expectancy at birth	75.7
Total fertility rate per 1,000 women aged 10-49	1290.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	2,012	62.3	299	29.4	
Births	1,360	11.3	164	16.1	
Abortions	344	10.7	93	9.2	
Est. fetal losses	308	---	42	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	318	23.4	103	62.8
Low weight births	96	7.1	14	8.5
Multiple births	40	2.9	0	0.0
Medicaid births	444	32.6	122	74.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	13
AIDS	4
Syphilis	3
Gonorrhea	161
Chlamydia	410
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	5	2	3	0	0	0
Rate per 1,000 births	3.7	2.1	7.2	0.0	0.0	0.0
Postneonatal deaths	3	1	2	0	0	0
Rate per 1,000 births	2.2	1.1	4.8	0.0	0.0	0.0
Neonatal deaths	2	1	1	0	0	0
Rate per 1,000 births	1.5	1.1	2.4	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	120,284	59,123	61,161	88,704	44,396	44,308	31,580	14,727	16,853
0-4	7,324	3,650	3,674	4,793	2,410	2,383	2,531	1,240	1,291
5-9	7,686	3,886	3,800	5,091	2,594	2,497	2,595	1,292	1,303
10-14	8,061	4,133	3,928	5,302	2,728	2,574	2,759	1,405	1,354
15-44	64,778	32,504	32,274	49,054	25,097	23,957	15,724	7,407	8,317
45-64	22,661	11,019	11,642	16,859	8,362	8,497	5,802	2,657	3,145
65-84	8,678	3,664	5,014	6,765	2,993	3,772	1,913	671	1,242
85+	1,096	267	829	840	212	628	256	55	201

LEE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	732	330	402	523	238	285	209	92	117
Death rate per 1,000 pop.	6.1	5.6	6.6	5.9	5.4	6.4	6.6	6.2	6.9

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	200	166.3	106	179.3	94	153.7	138	155.6
Cancer	182	151.3	85	143.8	97	158.6	133	149.9	49	155.2
Stroke	62	51.5	18	30.4	44	71.9	39	44.0	23	72.8
Accidents	34	28.3	20	33.8	14	22.9	26	29.3	8	25.3
CLRD	29	24.1	14	23.7	15	24.5	27	30.4	2	6.3
Diabetes	8	6.7	1	1.7	7	11.4	3	3.4	5	15.8
Inf. & pneumonia	17	14.1	7	11.8	10	16.4	13	14.7	4	12.7
Alzheimer's disease	24	20.0	7	11.8	17	27.8	20	22.5	4	12.7
Suicide	10	8.3	7	11.8	3	4.9	10	11.3	0	0.0
Homicide	7	5.8	6	10.1	1	1.6	4	4.5	3	9.5
HIV disease	5	4.2	5	8.5	0	0.0	1	1.1	4	12.7

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	34	28.3	4	11.4
Motor vehicle	25	20.8	3	8.5
Suffocation	1	0.8	0	0.0
Poisoning	3	2.5	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	0.8	0	0.0
Drowning	1	0.8	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	3	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	732	6.1
0 to 14	10	0.4
15 to 44	62	1.0
45 to 64	162	7.1
65 to 84	338	38.9
85+	160	146.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	259	182	151.3	85	143.8	97	158.6
Trachea, bronchus, lung, pleura	34	47	39.1	25	42.3	22	36.0
Colorectal	23	11	9.1	6	10.1	5	8.2
Breast (female)	51	17	14.1	0	0.0	17	27.8
Prostate (male)	53	9	7.5	9	15.2	0	0.0
Pancreas	5	9	7.5	4	6.8	5	8.2
Leukemias	5	8	6.7	1	1.7	7	11.4
Non-Hodkins lymphomas	6	11	9.1	6	10.1	5	8.2
Ovary (female)	*	8	6.7	0	0.0	8	13.1
Brain and other nervous system	6	4	3.3	2	3.4	2	3.3
Stomach	*	6	5.0	2	3.4	4	6.5
Uterus & cervix (female)	10	8	6.7	0	0.0	8	13.1
Esophagus	*	4	3.3	3	5.1	1	1.6
Melanoma of skin	10	3	2.5	2	3.4	1	1.6
Other	50	37	---	25	---	12	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

LIMESTONE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	833	2	46	105	680
Rate	---	0.9	35.3	120.7	47.5
White	750	2	39	89	620
Rate	---	1.0	36.4	124.6	51.7
Black & Other	83	0	7	16	60
Rate	---	0.0	30.0	102.6	25.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	502
Rate	7.4
Divorces	169
Rate	2.5

Rate is per 1,000 population.

2002 POPULATION	
Total	67,900
White	56,615
Black and Other	11,285
Median age	36.3
Life expectancy at birth	75.4
Total fertility rate per 1,000 women aged 10-49	1934.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,065	76.0	200	44.5	
Births	833	12.3	153	34.0	
Abortions	60	4.3	15	3.3	
Est. fetal losses	172	---	32	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	246	29.5	103	67.3
Low weight births	85	10.2	19	12.4
Multiple births	24	2.9	4	2.6
Medicaid births	330	39.6	105	68.6

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	6
Syphilis	5
Gonorrhea	71
Chlamydia	85
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	8	7	1	1	1	0
Rate per 1,000 births	9.6	9.3	12.0	6.5	7.7	0.0
Postneonatal deaths	3	2	1	1	1	0
Rate per 1,000 births	3.6	2.7	12.0	6.5	7.7	0.0
Neonatal deaths	5	5	0	0	0	0
Rate per 1,000 births	6.0	6.7	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	67,900	34,479	33,421	56,615	28,248	28,367	11,285	6,231	5,054
0-4	4,407	2,274	2,133	3,623	1,851	1,772	784	423	361
5-9	4,652	2,371	2,281	3,793	1,927	1,866	859	444	415
10-14	4,809	2,485	2,324	3,983	2,055	1,928	826	430	396
15-44	30,013	15,999	14,014	24,194	12,515	11,679	5,819	3,484	2,335
45-64	16,434	8,197	8,237	14,224	7,071	7,153	2,210	1,126	1,084
65-84	6,813	2,962	3,851	6,115	2,666	3,449	698	296	402
85+	772	191	581	683	163	520	89	28	61

LIMESTONE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	604	293	311	522	248	274	82	45	37
Death rate per 1,000 pop.	8.9	8.5	9.3	9.2	8.8	9.7	7.3	7.2	7.3

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	200	294.6	80	232.0	120	359.1	176	310.9	24	212.7
Cancer	118	173.8	65	188.5	53	158.6	104	183.7	14	124.1
Stroke	35	51.5	13	37.7	22	65.8	30	53.0	5	44.3
Accidents	44	64.8	27	78.3	17	50.9	38	67.1	6	53.2
CLRD	15	22.1	7	20.3	8	23.9	14	24.7	1	8.9
Diabetes	18	26.5	6	17.4	12	35.9	16	28.3	2	17.7
Inf. & pneumonia	13	19.1	8	23.2	5	15.0	12	21.2	1	8.9
Alzheimer's disease	9	13.3	4	11.6	5	15.0	8	14.1	1	8.9
Suicide	10	14.7	7	20.3	3	9.0	8	14.1	2	17.7
Homicide	4	5.9	3	8.7	1	3.0	2	3.5	2	17.7
HIV disease	7	10.3	7	20.3	0	0.0	2	3.5	5	44.3

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	44	64.8	6	32.6
Motor vehicle	25	36.8	5	27.1
Suffocation	1	1.5	0	0.0
Poisoning	2	2.9	0	0.0
Smoke, fire and flames	1	1.5	0	0.0
Falls	0	0.0	0	0.0
Drowning	2	2.9	1	5.4
Firearms	3	4.4	0	0.0
Other accidents	10	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	604	8.9
0 to 14	10	0.7
15 to 44	64	2.1
45 to 64	119	7.2
65 to 84	272	39.9
85+	139	180.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		230	118	173.8	65	188.5	53	158.6
Trachea, bronchus, lung, pleura		41	31	45.7	21	60.9	10	29.9
Colorectal		34	12	17.7	6	17.4	6	18.0
Breast (female)		39	12	17.7	0	0.0	12	35.9
Prostate (male)		39	9	13.3	9	26.1	0	0.0
Pancreas		*	6	8.8	4	11.6	2	6.0
Leukemias		*	5	7.4	4	11.6	1	3.0
Non-Hodkins lymphomas		5	4	5.9	2	5.8	2	6.0
Ovary (female)		*	3	4.4	0	0.0	3	9.0
Brain and other nervous system		5	2	2.9	1	2.9	1	3.0
Stomach		*	1	1.5	0	0.0	1	3.0
Uterus & cervix (female)		*	3	4.4	0	0.0	3	9.0
Esophagus		*	3	4.4	1	2.9	2	6.0
Melanoma of skin		10	0	0.0	0	0.0	0	0.0
Other		47	27	---	17	---	10	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

LOWNDES 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	200	1	16	22	161
Rate	---	1.7	45.1	93.2	55.9
White	34	0	1	2	31
Rate	---	0.0	19.6	58.8	47.0
Black & Other	166	1	15	20	130
Rate	---	2.0	49.3	99.0	58.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	80
Rate	5.9
Divorces	42
Rate	3.1

Rate is per 1,000 population.

2002 POPULATION	
Total	13,594
White	3,532
Black and Other	10,062
Median age	35.2
Life expectancy at birth	69.2
Total fertility rate per 1,000 women aged 10-49	2197.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	279	93.7	52	44.6	
Births	200	14.7	39	33.4	
Abortions	35	11.8	5	4.3	
Est. fetal losses	44	---	8	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	127	63.5	37	94.9
Low weight births	24	12.0	7	17.9
Multiple births	10	5.0	2	5.1
Medicaid births	128	64.0	38	97.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	2
Gonorrhea	59
Chlamydia	95
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	0	4	2	0	2
Rate per 1,000 births	20.0	0.0	24.1	51.3	0.0	55.6
Postneonatal deaths	3	0	3	1	0	1
Rate per 1,000 births	15.0	0.0	18.1	25.6	0.0	27.8
Neonatal deaths	1	0	1	1	0	1
Rate per 1,000 births	5.0	0.0	6.0	25.6	0.0	27.8

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	13,594	6,355	7,239	3,532	1,770	1,762	10,062	4,585	5,477
0-4	1,004	470	534	211	98	113	793	372	421
5-9	1,021	499	522	208	95	113	813	404	409
10-14	1,189	613	576	177	99	78	1,012	514	498
15-44	5,560	2,583	2,977	1,233	616	617	4,327	1,967	2,360
45-64	3,113	1,457	1,656	1,038	527	511	2,075	930	1,145
65-84	1,492	661	831	604	317	287	888	344	544
85+	215	72	143	61	18	43	154	54	100

LOWNDES 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	130	66	64	41	19	22	89	47	42	
Death rate per 1,000 pop.	9.6	10.4	8.8	11.6	10.7	12.5	8.8	10.3	7.7	

Selected causes	Total	Total	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		rate								
Heart disease	38	279.5	14	220.3	24	331.5	11	311.4	27	268.3
Cancer	27	198.6	16	251.8	11	152.0	9	254.8	18	178.9
Stroke	8	58.8	3	47.2	5	69.1	3	84.9	5	49.7
Accidents	11	80.9	8	125.9	3	41.4	3	84.9	8	79.5
CLRD	1	7.4	0	0.0	1	13.8	1	28.3	0	0.0
Diabetes	9	66.2	3	47.2	6	82.9	2	56.6	7	69.6
Inf. & pneumonia	6	44.1	3	47.2	3	41.4	3	84.9	3	29.8
Alzheimer's disease	1	7.4	1	15.7	0	0.0	1	28.3	0	0.0
Suicide	1	7.4	1	15.7	0	0.0	0	0.0	1	9.9
Homicide	6	44.1	4	62.9	2	27.6	1	28.3	5	49.7
HIV disease	2	14.7	2	31.5	0	0.0	0	0.0	2	19.9

Rate is per 100,000 population.

ACCIDENTAL DEATHS					
	Total	Rate	Children Under 20	Rate	
All accidents	11	80.9	3	67.7	
Motor vehicle	9	66.2	3	67.7	
Suffocation	0	0.0	0	0.0	
Poisoning	0	0.0	0	0.0	
Smoke, fire and flames	1	7.4	0	0.0	
Falls	0	0.0	0	0.0	
Drowning	0	0.0	0	0.0	
Firearms	0	0.0	0	0.0	
Other accidents	1	---	0	---	

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	130	9.6
0 to 14	4	1.2
15 to 44	19	3.4
45 to 64	27	8.7
65 to 84	47	31.5
85+	33	153.5

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female		
				Deaths	Rate	Deaths	Rate	
All cancers		38	27	198.6	16	251.8	11	152.0
Trachea, bronchus, lung, pleura		8	3	22.1	3	47.2	0	0.0
Colorectal	*	1	7.4	0	0.0	1	13.8	
Breast (female)		5	1	7.4	0	0.0	1	13.8
Prostate (male)		10	3	22.1	3	47.2	0	0.0
Pancreas	*	0	0.0	0	0.0	0	0.0	
Leukemias	*	1	7.4	0	0.0	1	13.8	
Non-Hodkins lymphomas	*	1	7.4	1	15.7	0	0.0	
Ovary (female)	*	0	0.0	0	0.0	0	0.0	
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0	
Stomach	*	0	0.0	0	0.0	0	0.0	
Uterus & cervix (female)	*	2	14.7	0	0.0	2	27.6	
Esophagus	*	0	0.0	0	0.0	0	0.0	
Melanoma of skin	*	0	0.0	0	0.0	0	0.0	
Other		8	15	---	9	---	6	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MACON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	238	2	17	21	198
Rate	---	2.2	22.4	41.4	37.8
White	38	0	1	4	33
Rate	---	0.0	21.3	129.0	50.4
Black & Other	200	2	16	17	165
Rate	---	2.5	22.4	35.7	36.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	140
Rate	5.8
Divorces	72
Rate	3.0

Rate is per 1,000 population.

2002 POPULATION	
Total	23,944
White	3,365
Black and Other	20,579
Median age	32.5
Life expectancy at birth	72.6
Total fertility rate per 1,000 women aged 10-49	1228.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	449	79.4	82	38.0	
Births	238	9.9	40	18.5	
Abortions	148	26.2	31	14.4	
Est. fetal losses	63	---	11	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	119	50.0	37	92.5
Low weight births	28	11.8	4	10.0
Multiple births	7	2.9	0	0.0
Medicaid births	153	64.3	30	75.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	4
AIDS	2
Syphilis	10
Gonorrhea	82
Chlamydia	174
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	1	0	1	0	0	0
Rate per 1,000 births	4.2	0.0	5.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	4.2	0.0	5.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	23,944	10,988	12,956	3,365	1,744	1,621	20,579	9,244	11,335
0-4	1,532	766	766	184	89	95	1,348	677	671
5-9	1,614	831	783	166	98	68	1,448	733	715
10-14	1,759	869	890	176	97	79	1,583	772	811
15-44	10,384	4,730	5,654	1,250	647	603	9,134	4,083	5,051
45-64	5,340	2,456	2,884	1,014	528	486	4,326	1,928	2,398
65-84	2,852	1,188	1,664	515	264	251	2,337	924	1,413
85+	463	148	315	60	21	39	403	127	276

MACON 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	267	138	129	36	19	17	231	119	112
Death rate per 1,000 pop.	11.2	12.6	10.0	10.7	10.9	10.5	11.2	12.9	9.9

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other rate
		rate	rate	rate	rate	rate	rate	other		
Heart disease	98	409.3	45	409.5	53	409.1	14	416.0	84	408.2
Cancer	63	263.1	39	354.9	24	185.2	9	267.5	54	262.4
Stroke	15	62.6	8	72.8	7	54.0	2	59.4	13	63.2
Accidents	6	25.1	5	45.5	1	7.7	1	29.7	5	24.3
CLRD	5	20.9	4	36.4	1	7.7	2	59.4	3	14.6
Diabetes	6	25.1	2	18.2	4	30.9	0	0.0	6	29.2
Inf. & pneumonia	6	25.1	4	36.4	2	15.4	1	29.7	5	24.3
Alzheimer's disease	6	25.1	1	9.1	5	38.6	2	59.4	4	19.4
Suicide	2	8.4	2	18.2	0	0.0	0	0.0	2	9.7
Homicide	2	8.4	0	0.0	2	15.4	0	0.0	2	9.7
HIV disease	1	4.2	1	9.1	0	0.0	0	0.0	1	4.9

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	6	25.1	0	0.0
Motor vehicle	1	4.2	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	1	4.2	0	0.0
Smoke, fire and flames	1	4.2	0	0.0
Falls	1	4.2	0	0.0
Drowning	1	4.2	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	1	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	267	11.2
0 to 14	3	0.6
15 to 44	12	1.2
45 to 64	65	12.2
65 to 84	112	39.3
85+	75	162.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		91	63	263.1	39	354.9	24	185.2
Trachea, bronchus, lung, pleura		8	11	45.9	7	63.7	4	30.9
Colorectal		17	9	37.6	4	36.4	5	38.6
Breast (female)		12	4	16.7	0	0.0	4	30.9
Prostate (male)		16	7	29.2	7	63.7	0	0.0
Pancreas	*	3	12.5	2	18.2	1	7.7	
Leukemias		5	3	12.5	2	18.2	1	7.7
Non-Hodkins lymphomas	*	0	0.0	0	0.0	0	0.0	
Ovary (female)	*	0	0.0	0	0.0	0	0.0	
Brain and other nervous system	*	3	12.5	2	18.2	1	7.7	
Stomach	*	3	12.5	2	18.2	1	7.7	
Uterus & cervix (female)	*	3	12.5	0	0.0	3	23.2	
Esophagus	*	3	12.5	2	18.2	1	7.7	
Melanoma of skin	*	0	0.0	0	0.0	0	0.0	
Other		20	14	---	11	---	3	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MADISON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	3,519	7	128	221	3,163
Rate	---	0.7	20.9	54.1	49.4
White	2,519	3	73	122	2,321
Rate	---	0.4	20.0	50.2	54.0
Black & Other	1,000	4	55	99	842
Rate	---	1.2	22.2	60.0	39.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	2,357
Rate	8.3
Divorces	1,513
Rate	5.3

Rate is per 1,000 population.

2002 POPULATION	
Total	283,534
White	201,292
Black and Other	82,242
Median age	36.2
Life expectancy at birth	76.2
Total fertility rate per 1,000 women aged 10-49	1790.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	5,027	79.5	550	27.1	
Births	3,519	12.4	356	17.5	
Abortions	731	11.6	112	5.5	
Est. fetal losses	777	---	82	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	1,002	28.5	296	83.1
Low weight births	321	9.1	44	12.4
Multiple births	120	3.4	6	1.7
Medicaid births	1,186	33.7	313	87.9

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	24
AIDS	15
Syphilis	23
Gonorrhea	616
Chlamydia	716
Tuberculosis	16

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	32	20	12	8	5	3
Rate per 1,000 births	9.1	7.9	12.0	22.5	25.3	19.0
Postneonatal deaths	13	10	3	4	3	1
Rate per 1,000 births	3.7	4.0	3.0	11.2	15.2	6.3
Neonatal deaths	19	10	9	4	2	2
Rate per 1,000 births	5.4	4.0	9.0	11.2	10.1	12.7

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	283,534	138,143	145,391	201,292	99,161	102,131	82,242	38,982	43,260
0-4	18,982	9,697	9,285	12,453	6,356	6,097	6,529	3,341	3,188
5-9	19,703	10,115	9,588	13,050	6,719	6,331	6,653	3,396	3,257
10-14	20,788	10,698	10,090	13,867	7,138	6,729	6,921	3,560	3,361
15-44	124,645	61,427	63,218	82,680	41,665	41,015	41,965	19,762	22,203
45-64	67,705	32,832	34,873	52,276	25,820	26,456	15,429	7,012	8,417
65-84	28,696	12,516	16,180	24,451	10,758	13,693	4,245	1,758	2,487
85+	3,015	858	2,157	2,515	705	1,810	500	153	347

MADISON 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	2,156	1,069	1,087	1,757	865	892	399	204	195
Death rate per 1,000 pop.	7.6	7.7	7.5	8.7	8.7	8.7	4.9	5.2	4.5

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	579	204.2	280	202.7	299	205.7	487	241.9	92	111.9
Cancer	488	172.1	265	191.8	223	153.4	393	195.2	95	115.5
Stroke	128	45.1	51	36.9	77	53.0	101	50.2	27	32.8
Accidents	112	39.5	77	55.7	35	24.1	97	48.2	15	18.2
CLRD	124	43.7	48	34.7	76	52.3	113	56.1	11	13.4
Diabetes	83	29.3	42	30.4	41	28.2	51	25.3	32	38.9
Inf. & pneumonia	51	18.0	19	13.8	32	22.0	45	22.4	6	7.3
Alzheimer's disease	37	13.0	12	8.7	25	17.2	33	16.4	4	4.9
Suicide	25	8.8	18	13.0	7	4.8	24	11.9	1	1.2
Homicide	15	5.3	9	6.5	6	4.1	10	5.0	5	6.1
HIV disease	6	2.1	4	2.9	2	1.4	1	0.5	5	6.1

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	112	39.5	19	23.7
Motor vehicle	58	20.5	14	17.4
Suffocation	7	2.5	1	1.2
Poisoning	5	1.8	1	1.2
Smoke, fire and flames	7	2.5	2	2.5
Falls	10	3.5	0	0.0
Drowning	2	0.7	0	0.0
Firearms	2	0.7	0	0.0
Other accidents	21	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	2,156	7.6
0 to 14	50	0.8
15 to 44	173	1.4
45 to 64	437	6.5
65 to 84	989	34.5
85+	507	168.2

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	1,254	488	172.1	265	191.8	223	153.4
Trachea, bronchus, lung, pleura	184	142	50.1	89	64.4	53	36.5
Colorectal	133	37	13.0	21	15.2	16	11.0
Breast (female)	254	46	16.2	0	0.0	46	31.6
Prostate (male)	191	28	9.9	28	20.3	0	0.0
Pancreas	21	19	6.7	8	5.8	11	7.6
Leukemias	35	16	5.6	11	8.0	5	3.4
Non-Hodkins lymphomas	57	28	9.9	15	10.9	13	8.9
Ovary (female)	24	14	4.9	0	0.0	14	9.6
Brain and other nervous system	16	10	3.5	7	5.1	3	2.1
Stomach	10	11	3.9	3	2.2	8	5.5
Uterus & cervix (female)	30	10	3.5	0	0.0	10	6.9
Esophagus	10	9	3.2	6	4.3	3	2.1
Melanoma of skin	67	6	2.1	4	2.9	2	1.4
Other	222	112	---	73	---	39	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MARENGO 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	292	1	12	25	254
Rate	---	1.1	22.8	71.2	55.8
White	123	0	2	10	111
Rate	---	0.0	10.5	79.4	55.3
Black & Other	169	1	10	15	143
Rate	---	1.7	29.7	66.7	56.3

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	189
Rate	8.4
Divorces	105
Rate	4.7

Rate is per 1,000 population.

2002 POPULATION	
Total	22,383
White	10,514
Black and Other	11,869
Median age	37.0
Life expectancy at birth	73.9
Total fertility rate per 1,000 women aged 10-49	2115.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	412	89.7	63	35.5	
Births	292	13.0	38	21.4	
Abortions	56	12.2	16	9.0	
Est. fetal losses	64	---	9	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	142	48.6	31	81.6
Low weight births	40	13.7	5	13.2
Multiple births	10	3.4	0	0.0
Medicaid births	172	58.9	35	92.1

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	0
Syphilis	1
Gonorrhea	37
Chlamydia	109
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	6	2	4	1	1	0
Rate per 1,000 births	20.5	16.3	23.7	26.3	83.3	0.0
Postneonatal deaths	2	0	2	0	0	0
Rate per 1,000 births	6.8	0.0	11.8	0.0	0.0	0.0
Neonatal deaths	4	2	2	1	1	0
Rate per 1,000 births	13.7	16.3	11.8	26.3	83.3	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	22,383	10,472	11,911	10,514	5,158	5,356	11,869	5,314	6,555
0-4	1,525	775	750	609	316	293	916	459	457
5-9	1,707	869	838	642	345	297	1,065	524	541
10-14	1,900	1,005	895	665	362	303	1,235	643	592
15-44	8,583	3,991	4,592	3,837	1,901	1,936	4,746	2,090	2,656
45-64	5,369	2,535	2,834	2,880	1,437	1,443	2,489	1,098	1,391
65-84	2,850	1,176	1,674	1,652	731	921	1,198	445	753
85+	449	121	328	229	66	163	220	55	165

MARENGO 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	248	118	130	132	60	72	116	58	58
Death rate per 1,000 pop.	11.1	11.3	10.9	12.6	11.6	13.4	9.8	10.9	8.8

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	79	352.9	34	324.7	45	377.8	43	409.0	36	303.3
Cancer	54	241.3	24	229.2	30	251.9	35	332.9	19	160.1
Stroke	13	58.1	3	28.6	10	84.0	6	57.1	7	59.0
Accidents	14	62.5	11	105.0	3	25.2	6	57.1	8	67.4
CLRD	11	49.1	6	57.3	5	42.0	9	85.6	2	16.9
Diabetes	11	49.1	5	47.7	6	50.4	1	9.5	10	84.3
Inf. & pneumonia	7	31.3	3	28.6	4	33.6	4	38.0	3	25.3
Alzheimer's disease	4	17.9	1	9.5	3	25.2	2	19.0	2	16.9
Suicide	1	4.5	1	9.5	0	0.0	1	9.5	0	0.0
Homicide	1	4.5	1	9.5	0	0.0	1	9.5	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	14	62.5	2	28.9
Motor vehicle	5	22.3	1	14.4
Suffocation	1	4.5	0	0.0
Poisoning	2	8.9	0	0.0
Smoke, fire and flames	1	4.5	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	4.5	0	0.0
Firearms	1	4.5	0	0.0
Other accidents	3	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	248	11.1
0 to 14	7	1.4
15 to 44	17	2.0
45 to 64	54	10.1
65 to 84	97	34.0
85+	73	162.6

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	70	54	241.3	24	229.2	30	251.9
Trachea, bronchus, lung, pleura	7	16	71.5	6	57.3	10	84.0
Colorectal	5	6	26.8	1	9.5	5	42.0
Breast (female)	11	6	26.8	0	0.0	6	50.4
Prostate (male)	8	4	17.9	4	38.2	0	0.0
Pancreas	5	2	8.9	2	19.1	0	0.0
Leukemias	*	5	22.3	3	28.6	2	16.8
Non-Hodkins lymphomas	*	1	4.5	1	9.5	0	0.0
Ovary (female)	*	0	0.0	0	0.0	0	0.0
Brain and other nervous system	*	2	8.9	0	0.0	2	16.8
Stomach	*	1	4.5	0	0.0	1	8.4
Uterus & cervix (female)	*	1	4.5	0	0.0	1	8.4
Esophagus	*	1	4.5	1	9.5	0	0.0
Melanoma of skin	*	0	0.0	0	0.0	0	0.0
Other	19	9	---	6	---	3	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MARION 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	361	0	19	38	304
Rate	---	0.0	32.0	96.2	50.1
White	350	0	18	38	294
Rate	---	0.0	32.0	101.6	51.1
Black & Other	11	0	1	0	10
Rate	---	0.0	31.3	0.0	32.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	543
Rate	17.3
Divorces	181
Rate	5.8

Rate is per 1,000 population.

2002 POPULATION	
Total	31,454
White	29,702
Black and Other	1,752
Median age	39.6
Life expectancy at birth	74.5
Total fertility rate per 1,000 women aged 10-49	1942.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	460	76.8	78	39.4	
Births	361	11.5	57	28.8	
Abortions	25	4.2	9	4.5	
Est. fetal losses	74	---	12	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	66	18.3	20	35.1
Low weight births	39	10.8	6	10.5
Multiple births	13	3.6	0	0.0
Medicaid births	180	49.9	51	89.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	2
AIDS	1
Syphilis	1
Gonorrhea	12
Chlamydia	49
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	3	1	0	0	0
Rate per 1,000 births	11.1	8.6	90.9	0.0	0.0	0.0
Postneonatal deaths	3	3	0	0	0	0
Rate per 1,000 births	8.3	8.6	0.0	0.0	0.0	0.0
Neonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	2.8	0.0	90.9	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	31,454	15,616	15,838	29,702	14,581	15,121	1,752	1,035	717
0-4	1,847	996	851	1,728	925	803	119	71	48
5-9	1,921	1,008	913	1,809	950	859	112	58	54
10-14	2,025	1,033	992	1,917	979	938	108	54	54
15-44	12,447	6,454	5,993	11,610	5,922	5,688	837	532	305
45-64	8,135	4,085	4,050	7,739	3,847	3,892	396	238	158
65-84	4,427	1,859	2,568	4,270	1,786	2,484	157	73	84
85+	652	181	471	629	172	457	23	9	14

MARION 2002 HEALTH PROFILE (Continued)

MORTALITY	Total	Male	Female	White	White male	White female	Black & other	Black & oth. male	Black & other female
	Deaths	373	178	195	361	171	190	12	7
Death rate per 1,000 pop.	11.9	11.4	12.3	12.2	11.7	12.6	6.8	6.8	7.0

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
	Heart disease	118	375.2	53	339.4	65	410.4	115	387.2	3
Cancer	80	254.3	50	320.2	30	189.4	77	259.2	3	171.2
Stroke	41	130.3	15	96.1	26	164.2	38	127.9	3	171.2
Accidents	21	66.8	14	89.7	7	44.2	21	70.7	0	0.0
CLRD	19	60.4	13	83.2	6	37.9	19	64.0	0	0.0
Diabetes	8	25.4	2	12.8	6	37.9	8	26.9	0	0.0
Inf. & pneumonia	9	28.6	4	25.6	5	31.6	9	30.3	0	0.0
Alzheimer's disease	6	19.1	1	6.4	5	31.6	6	20.2	0	0.0
Suicide	4	12.7	4	25.6	0	0.0	4	13.5	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	21	66.8	4	51.1
Motor vehicle	5	15.9	0	0.0
Suffocation	1	3.2	1	12.8
Poisoning	2	6.4	1	12.8
Smoke, fire and flames	2	6.4	2	25.6
Falls	3	9.5	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	3.2	0	0.0
Other accidents	7	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	373	11.9
0 to 14	6	1.0
15 to 44	15	1.2
45 to 64	66	8.1
65 to 84	175	39.5
85+	111	170.2

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		124	80	254.3	50	320.2	30	189.4
Trachea, bronchus, lung, pleura		25	31	98.6	23	147.3	8	50.5
Colorectal		14	8	25.4	3	19.2	5	31.6
Breast (female)		21	3	9.5	0	0.0	3	18.9
Prostate (male)		8	3	9.5	3	19.2	0	0.0
Pancreas		*	2	6.4	2	12.8	0	0.0
Leukemias		*	0	0.0	0	0.0	0	0.0
Non-Hodkins lymphomas		*	1	3.2	1	6.4	0	0.0
Ovary (female)		*	0	0.0	0	0.0	0	0.0
Brain and other nervous system		*	2	6.4	1	6.4	1	6.3
Stomach		*	3	9.5	1	6.4	2	12.6
Uterus & cervix (female)		7	0	0.0	0	0.0	0	0.0
Esophagus		*	1	3.2	1	6.4	0	0.0
Melanoma of skin		9	2	6.4	2	12.8	0	0.0
Other		26	24	---	13	---	11	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MARSHALL 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,299	1	83	159	1,056
Rate	---	0.3	49.8	143.0	60.7
White	1,254	1	80	155	1,018
Rate	---	0.4	52.4	152.3	63.3
Black & Other	45	0	3	4	38
Rate	---	0.0	21.1	42.6	28.7

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	671
Rate	7.9
Divorces	598
Rate	7.1

Rate is per 1,000 population.

2002 POPULATION	
Total	84,639
White	78,129
Black and Other	6,510
Median age	37.2
Life expectancy at birth	74.0
Total fertility rate per 1,000 women aged 10-49	2402.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,685	97.9	315	55.8	
Births	1,299	15.3	243	43.0	
Abortions	114	6.6	21	3.7	
Est. fetal losses	272	---	51	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	349	26.9	128	52.7
Low weight births	116	8.9	23	9.5
Multiple births	32	2.5	2	0.8
Medicaid births	694	53.4	207	85.2

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	7
AIDS	7
Syphilis	9
Gonorrhea	28
Chlamydia	101
Tuberculosis	11

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	3	1	1	1	0
Rate per 1,000 births	3.1	2.4	22.2	4.1	4.2	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	0.8	0.8	0.0	0.0	0.0	0.0
Neonatal deaths	3	2	1	1	1	0
Rate per 1,000 births	2.3	1.6	22.2	4.1	4.2	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	84,639	41,311	43,328	78,129	37,724	40,405	6,510	3,587	2,923
0-4	5,635	2,873	2,762	4,943	2,523	2,420	692	350	342
5-9	5,877	3,040	2,837	5,133	2,651	2,482	744	389	355
10-14	5,927	3,061	2,866	5,379	2,768	2,611	548	293	255
15-44	34,832	17,625	17,207	31,362	15,584	15,778	3,470	2,041	1,429
45-64	20,300	9,797	10,503	19,490	9,377	10,113	810	420	390
65-84	10,730	4,544	6,186	10,506	4,460	6,046	224	84	140
85+	1,338	371	967	1,316	361	955	22	10	12

MARSHALL 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	914	446	468	900	443	457	14	3	11
Death rate per 1,000 pop.	10.8	10.8	10.8	11.5	11.7	11.3	2.2	0.8	3.8

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	289	341.5	135	326.8	154	355.4	286	366.1	3	46.1
Cancer	221	261.1	130	314.7	91	210.0	216	276.5	5	76.8
Stroke	60	70.9	19	46.0	41	94.6	58	74.2	2	30.7
Accidents	46	54.3	31	75.0	15	34.6	46	58.9	0	0.0
CLRD	58	68.5	31	75.0	27	62.3	57	73.0	1	15.4
Diabetes	16	18.9	7	16.9	9	20.8	16	20.5	0	0.0
Inf. & pneumonia	20	23.6	9	21.8	11	25.4	20	25.6	0	0.0
Alzheimer's disease	26	30.7	6	14.5	20	46.2	26	33.3	0	0.0
Suicide	14	16.5	12	29.0	2	4.6	14	17.9	0	0.0
Homicide	3	3.5	3	7.3	0	0.0	3	3.8	0	0.0
HIV disease	2	2.4	2	4.8	0	0.0	2	2.6	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	46	54.3	5	21.6
Motor vehicle	24	28.4	5	21.6
Suffocation	2	2.4	0	0.0
Poisoning	6	7.1	0	0.0
Smoke, fire and flames	2	2.4	0	0.0
Falls	2	2.4	0	0.0
Drowning	1	1.2	0	0.0
Firearms	3	3.5	0	0.0
Other accidents	6	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	914	10.8
0 to 14	7	0.4
15 to 44	66	1.9
45 to 64	166	8.2
65 to 84	476	44.4
85+	199	148.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	408	221	261.1	130	314.7	91	210.0
Trachea, bronchus, lung, pleura	77	84	99.2	54	130.7	30	69.2
Colorectal	38	15	17.7	6	14.5	9	20.8
Breast (female)	72	9	10.6	0	0.0	9	20.8
Prostate (male)	46	13	15.4	13	31.5	0	0.0
Pancreas	5	15	17.7	8	19.4	7	16.2
Leukemias	6	6	7.1	4	9.7	2	4.6
Non-Hodkins lymphomas	19	7	8.3	5	12.1	2	4.6
Ovary (female)	5	9	10.6	0	0.0	9	20.8
Brain and other nervous system	*	3	3.5	3	7.3	0	0.0
Stomach	7	2	2.4	1	2.4	1	2.3
Uterus & cervix (female)	13	3	3.5	0	0.0	3	6.9
Esophagus	5	4	4.7	3	7.3	1	2.3
Melanoma of skin	28	3	3.5	2	4.8	1	2.3
Other	83	48	---	31	---	17	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MOBILE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	5,830	23	348	576	4,883
Rate	---	1.5	37.8	93.8	55.3
White	3,312	10	130	241	2,931
Rate	---	1.2	25.8	71.7	54.8
Black & Other	2,518	13	218	335	1,952
Rate	---	1.8	52.3	120.5	56.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	3,889
Rate	9.6
Divorces	2,307
Rate	5.7

Rate is per 1,000 population.

2002 POPULATION	
Total	403,399
White	250,887
Black and Other	152,512
Median age	34.7
Life expectancy at birth	73.7
Total fertility rate per 1,000 women aged 10-49	2005.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	8,078	91.0	1,342	43.8	
Births	5,830	14.5	947	30.9	
Abortions	984	11.1	187	6.1	
Est. fetal losses	1,264	---	208	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	2,403	41.2	773	81.6
Low weight births	669	11.5	138	14.6
Multiple births	249	4.3	33	3.5
Medicaid births	3,052	52.3	828	87.4

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	83
AIDS	28
Syphilis	46
Gonorrhea	1,285
Chlamydia	1,756
Tuberculosis	19

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	60	26	34	14	8	6
Rate per 1,000 births	10.3	7.9	13.5	14.8	21.0	10.6
Postneonatal deaths	23	8	15	3	1	2
Rate per 1,000 births	3.9	2.4	6.0	3.2	2.6	3.5
Neonatal deaths	37	18	19	11	7	4
Rate per 1,000 births	6.3	5.4	7.5	11.6	18.4	7.1

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	403,399	192,934	210,465	250,887	122,272	128,615	152,512	70,662	81,850
0-4	29,665	15,248	14,417	15,971	8,260	7,711	13,694	6,988	6,706
5-9	30,182	15,448	14,734	16,073	8,258	7,815	14,109	7,190	6,919
10-14	31,180	15,862	15,318	16,616	8,451	8,165	14,564	7,411	7,153
15-44	171,611	82,806	88,805	105,048	52,373	52,675	66,563	30,433	36,130
45-64	92,365	44,197	48,168	62,213	30,577	31,636	30,152	13,620	16,532
65-84	42,845	17,788	25,057	31,007	13,219	17,788	11,838	4,569	7,269
85+	5,551	1,585	3,966	3,959	1,134	2,825	1,592	451	1,141

MOBILE 2002 HEALTH PROFILE (Continued)

MORTALITY				White	White	Black &	Black &	Black & other	
	Total	Male	Female	White	male	female	oth. male	female	
Deaths	3,929	1,997	1,932	2,640	1,329	1,311	1,289	668	621
Death rate per 1,000 pop.	9.7	10.4	9.2	10.5	10.9	10.2	8.5	9.5	7.6

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	1,112	275.7	542	280.9	570	270.8	761	303.3	351	230.1
Cancer	865	214.4	487	252.4	378	179.6	613	244.3	252	165.2
Stroke	236	58.5	92	47.7	144	68.4	138	55.0	98	64.3
Accidents	205	50.8	132	68.4	73	34.7	145	57.8	60	39.3
CLRD	157	38.9	88	45.6	69	32.8	132	52.6	25	16.4
Diabetes	142	35.2	62	32.1	80	38.0	85	33.9	57	37.4
Inf. & pneumonia	91	22.6	33	17.1	58	27.6	64	25.5	27	17.7
Alzheimer's disease	91	22.6	31	16.1	60	28.5	75	29.9	16	10.5
Suicide	44	10.9	31	16.1	13	6.2	40	15.9	4	2.6
Homicide	63	15.6	47	24.4	16	7.6	19	7.6	44	28.9
HIV disease	32	7.9	18	9.3	14	6.7	5	2.0	27	17.7

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	205	50.8	33	27.1
Motor vehicle	101	25.0	18	14.8
Suffocation	16	4.0	6	4.9
Poisoning	28	6.9	3	2.5
Smoke, fire and flames	4	1.0	1	0.8
Falls	12	3.0	0	0.0
Drowning	6	1.5	3	2.5
Firearms	1	0.2	0	0.0
Other accidents	37	---	2	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	3,929	9.7
0 to 14	90	1.0
15 to 44	339	2.0
45 to 64	801	8.7
65 to 84	1,821	42.5
85+	878	158.2

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	1,924	865	214.4	487	252.4	378	179.6
Trachea, bronchus, lung, pleura	299	261	64.7	177	91.7	84	39.9
Colorectal	228	72	17.8	30	15.5	42	20.0
Breast (female)	327	60	14.9	0	0.0	60	28.5
Prostate (male)	273	55	13.6	55	28.5	0	0.0
Pancreas	34	41	10.2	25	13.0	16	7.6
Leukemias	37	23	5.7	15	7.8	8	3.8
Non-Hodkins lymphomas	47	37	9.2	25	13.0	12	5.7
Ovary (female)	27	16	4.0	0	0.0	16	7.6
Brain and other nervous system	14	17	4.2	7	3.6	10	4.8
Stomach	38	19	4.7	10	5.2	9	4.3
Uterus & cervix (female)	65	18	4.5	0	0.0	18	8.6
Esophagus	24	19	4.7	14	7.3	5	2.4
Melanoma of skin	75	12	3.0	6	3.1	6	2.9
Other	436	215	---	123	---	92	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MONROE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	306	0	21	38	247
Rate	---	0.0	37.1	101.1	49.7
White	154	0	11	9	134
Rate	---	0.0	40.1	49.5	49.5
Black & Other	152	0	10	29	113
Rate	---	0.0	34.2	149.5	49.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	208
Rate	8.5
Divorces	123
Rate	5.1

Rate is per 1,000 population.

2002 POPULATION	
Total	24,343
White	13,964
Black and Other	10,379
Median age	36.1
Life expectancy at birth	74.9
Total fertility rate per 1,000 women aged 10-49	1933.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	387	77.5	75	39.6	
Births	306	12.6	59	31.2	
Abortions	18	3.6	4	2.1	
Est. fetal losses	63	---	12	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	141	46.1	48	81.4
Low weight births	46	15.0	15	25.4
Multiple births	12	3.9	2	3.4
Medicaid births	180	58.8	54	91.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	8
Gonorrhea	55
Chlamydia	94
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	1	1	0	0	0
Rate per 1,000 births	6.5	6.5	6.6	0.0	0.0	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	3.3	6.5	0.0	0.0	0.0	0.0
Neonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	3.3	0.0	6.6	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	24,343	11,542	12,801	13,964	6,757	7,207	10,379	4,785	5,594
0-4	1,811	910	901	908	465	443	903	445	458
5-9	1,866	951	915	919	468	451	947	483	464
10-14	1,916	966	950	934	466	468	982	500	482
15-44	9,593	4,600	4,993	5,299	2,656	2,643	4,294	1,944	2,350
45-64	5,747	2,739	3,008	3,638	1,779	1,859	2,109	960	1,149
65-84	2,921	1,244	1,677	1,953	843	1,110	968	401	567
85+	489	132	357	313	80	233	176	52	124

MONROE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	243	116	127	158	77	81	85	39	46
Death rate per 1,000 pop.	10.0	10.1	9.9	11.3	11.4	11.2	8.2	8.2	8.2

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	63	258.8	23	199.3	40	312.5	34	243.5	29	279.4
Cancer	47	193.1	31	268.6	16	125.0	34	243.5	13	125.3
Stroke	16	65.7	6	52.0	10	78.1	9	64.5	7	67.4
Accidents	5	20.5	4	34.7	1	7.8	5	35.8	0	0.0
CLRD	14	57.5	6	52.0	8	62.5	12	85.9	2	19.3
Diabetes	11	45.2	5	43.3	6	46.9	6	43.0	5	48.2
Inf. & pneumonia	12	49.3	7	60.6	5	39.1	5	35.8	7	67.4
Alzheimer's disease	5	20.5	1	8.7	4	31.2	4	28.6	1	9.6
Suicide	3	12.3	3	26.0	0	0.0	3	21.5	0	0.0
Homicide	3	12.3	2	17.3	1	7.8	0	0.0	3	28.9
HIV disease	1	4.1	1	8.7	0	0.0	0	0.0	1	9.6

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	5	20.5	0	0.0
Motor vehicle	1	4.1	0	0.0
Suffocation	1	4.1	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	4.1	0	0.0
Drowning	1	4.1	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	1	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	243	10.0
0 to 14	3	0.5
15 to 44	14	1.5
45 to 64	39	6.8
65 to 84	117	40.1
85+	70	143.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	105	47	193.1	31	268.6	16	125.0
Trachea, bronchus, lung, pleura	16	11	45.2	9	78.0	2	15.6
Colorectal	14	3	12.3	2	17.3	1	7.8
Breast (female)	14	2	8.2	0	0.0	2	15.6
Prostate (male)	15	3	12.3	3	26.0	0	0.0
Pancreas	*	4	16.4	1	8.7	3	23.4
Leukemias	*	2	8.2	2	17.3	0	0.0
Non-Hodkins lymphomas	7	1	4.1	1	8.7	0	0.0
Ovary (female)	*	1	4.1	0	0.0	1	7.8
Brain and other nervous system	*	1	4.1	1	8.7	0	0.0
Stomach	*	1	4.1	1	8.7	0	0.0
Uterus & cervix (female)	*	1	4.1	0	0.0	1	7.8
Esophagus	*	3	12.3	3	26.0	0	0.0
Melanoma of skin	7	3	12.3	2	17.3	1	7.8
Other	20	11	---	6	---	5	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MONTGOMERY 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	3,338	18	178	308	2,834
Rate	---	2.3	35.5	92.2	54.5
White	1,329	0	37	70	1,222
Rate	---	0.0	21.2	60.2	55.4
Black & Other	2,009	18	141	238	1,612
Rate	---	3.5	43.2	109.3	53.8

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	1,971
Rate	8.7
Divorces	1,260
Rate	5.6

Rate is per 1,000 population.

2002 POPULATION	
Total	226,189
White	107,008
Black and Other	119,181
Median age	33.8
Life expectancy at birth	74.5
Total fertility rate per 1,000 women aged 10-49	1916.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	5,135	98.9	806	49.4	
Births	3,338	14.8	504	30.9	
Abortions	1,026	19.8	183	11.2	
Est. fetal losses	771	---	119	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	1,649	49.4	460	91.3
Low weight births	364	10.9	56	11.1
Multiple births	93	2.8	5	1.0
Medicaid births	1,649	49.4	449	89.1

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	65
AIDS	24
Syphilis	261
Gonorrhea	1,293
Chlamydia	1,412
Tuberculosis	23

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	39	8	31	9	3	6
Rate per 1,000 births	11.7	6.0	15.4	17.9	28.0	15.1
Postneonatal deaths	8	1	7	2	1	1
Rate per 1,000 births	2.4	0.8	3.5	4.0	9.3	2.5
Neonatal deaths	31	7	24	7	2	5
Rate per 1,000 births	9.3	5.3	11.9	13.9	18.7	12.6

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	226,189	107,812	118,377	107,008	52,199	54,809	119,181	55,613	63,568
0-4	15,906	8,043	7,863	5,899	3,024	2,875	10,007	5,019	4,988
5-9	15,717	7,905	7,812	5,827	2,948	2,879	9,890	4,957	4,933
10-14	16,343	8,371	7,972	5,965	3,079	2,886	10,378	5,292	5,086
15-44	102,353	50,430	51,923	43,755	22,926	20,829	58,598	27,504	31,094
45-64	49,466	23,065	26,401	27,999	13,453	14,546	21,467	9,612	11,855
65-84	23,019	9,175	13,844	15,272	6,211	9,061	7,747	2,964	4,783
85+	3,385	823	2,562	2,291	558	1,733	1,094	265	829

MONTGOMERY 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	2,124	1,021	1,103	1,202	548	654	922	473	449
Death rate per 1,000 pop.	9.4	9.5	9.3	11.2	10.5	11.9	7.7	8.5	7.1

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	562	248.5	257	238.4	305	257.7	340	317.7	222	186.3
Cancer	459	202.9	250	231.9	209	176.6	279	260.7	180	151.0
Stroke	109	48.2	45	41.7	64	54.1	56	52.3	53	44.5
Accidents	72	31.8	39	36.2	33	27.9	42	39.2	30	25.2
CLRD	94	41.6	39	36.2	55	46.5	74	69.2	20	16.8
Diabetes	139	61.5	59	54.7	80	67.6	52	48.6	87	73.0
Inf. & pneumonia	58	25.6	30	27.8	28	23.7	33	30.8	25	21.0
Alzheimer's disease	70	30.9	15	13.9	55	46.5	51	47.7	19	15.9
Suicide	26	11.5	21	19.5	5	4.2	19	17.8	7	5.9
Homicide	36	15.9	29	26.9	7	5.9	5	4.7	31	26.0
HIV disease	23	10.2	14	13.0	9	7.6	3	2.8	20	16.8

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	72	31.8	13	19.9
Motor vehicle	38	16.8	6	9.2
Suffocation	3	1.3	1	1.5
Poisoning	5	2.2	0	0.0
Smoke, fire and flames	3	1.3	1	1.5
Falls	5	2.2	1	1.5
Drowning	5	2.2	3	4.6
Firearms	0	0.0	0	0.0
Other accidents	13	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	2,124	9.4
0 to 14	58	1.2
15 to 44	196	1.9
45 to 64	389	7.9
65 to 84	928	40.3
85+	553	163.4

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	801	459	202.9	250	231.9	209	176.6
Trachea, bronchus, lung, pleura	118	111	49.1	71	65.9	40	33.8
Colorectal	87	42	18.6	23	21.3	19	16.1
Breast (female)	169	26	11.5	0	0.0	26	22.0
Prostate (male)	137	35	15.5	35	32.5	0	0.0
Pancreas	14	19	8.4	8	7.4	11	9.3
Leukemias	17	19	8.4	8	7.4	11	9.3
Non-Hodkins lymphomas	17	13	5.7	6	5.6	7	5.9
Ovary (female)	13	13	5.7	0	0.0	13	11.0
Brain and other nervous system	9	9	4.0	4	3.7	5	4.2
Stomach	12	11	4.9	5	4.6	6	5.1
Uterus & cervix (female)	23	8	3.5	0	0.0	8	6.8
Esophagus	*	5	2.2	5	4.6	0	0.0
Melanoma of skin	25	6	2.7	4	3.7	2	1.7
Other	157	142	---	81	---	61	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

MORGAN 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,503	5	79	145	1,274
Rate	---	1.2	35.1	96.7	53.2
White	1,298	2	64	120	1,112
Rate	---	0.6	35.1	98.8	56.1
Black & Other	205	3	15	25	162
Rate	---	3.6	35.0	87.7	39.3

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	964
Rate	8.5
Divorces	718
Rate	6.4

Rate is per 1,000 population.

2002 POPULATION	
Total	113,014
White	95,153
Black and Other	17,861
Median age	37.0
Life expectancy at birth	75.2
Total fertility rate per 1,000 women aged 10-49	2084.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	2,005	85.5	330	42.3	
Births	1,503	13.3	229	29.4	
Abortions	182	7.8	50	6.4	
Est. fetal losses	320	---	51	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	442	29.4	148	64.6
Low weight births	135	9.0	26	11.4
Multiple births	53	3.5	8	3.5
Medicaid births	522	34.7	140	61.1

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	3
AIDS	2
Syphilis	9
Gonorrhea	243
Chlamydia	289
Tuberculosis	7

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	10	7	3	2	1	1
Rate per 1,000 births	6.7	5.4	14.6	8.7	5.4	23.3
Postneonatal deaths	4	3	1	1	1	0
Rate per 1,000 births	2.7	2.3	4.9	4.4	5.4	0.0
Neonatal deaths	6	4	2	1	0	1
Rate per 1,000 births	4.0	3.1	9.8	4.4	0.0	23.3

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	113,014	55,467	57,547	95,153	46,730	48,423	17,861	8,737	9,124
0-4	7,328	3,692	3,636	5,762	2,943	2,819	1,566	749	817
5-9	7,831	4,008	3,823	6,121	3,146	2,975	1,710	862	848
10-14	8,278	4,230	4,048	6,582	3,364	3,218	1,696	866	830
15-44	47,512	24,066	23,446	39,005	19,794	19,211	8,507	4,272	4,235
45-64	27,996	13,787	14,209	24,756	12,241	12,515	3,240	1,546	1,694
65-84	12,563	5,285	7,278	11,575	4,886	6,689	988	399	589
85+	1,506	399	1,107	1,352	356	996	154	43	111

MORGAN 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	1,057	529	528	950	474	476	107	55	52
Death rate per 1,000 pop.	9.4	9.5	9.2	10.0	10.1	9.8	6.0	6.3	5.7

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	303	268.1	153	275.8	150	260.7	277	291.1	26	145.6
Cancer	235	207.9	144	259.6	91	158.1	213	223.9	22	123.2
Stroke	71	62.8	25	45.1	46	79.9	58	61.0	13	72.8
Accidents	45	39.8	26	46.9	19	33.0	40	42.0	5	28.0
CLRD	68	60.2	30	54.1	38	66.0	66	69.4	2	11.2
Diabetes	32	28.3	14	25.2	18	31.3	29	30.5	3	16.8
Inf. & pneumonia	31	27.4	12	21.6	19	33.0	31	32.6	0	0.0
Alzheimer's disease	21	18.6	7	12.6	14	24.3	21	22.1	0	0.0
Suicide	16	14.2	13	23.4	3	5.2	13	13.7	3	16.8
Homicide	6	5.3	4	7.2	2	3.5	5	5.3	1	5.6
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	45	39.8	6	19.2
Motor vehicle	21	18.6	5	16.0
Suffocation	5	4.4	1	3.2
Poisoning	3	2.7	0	0.0
Smoke, fire and flames	2	1.8	0	0.0
Falls	6	5.3	0	0.0
Drowning	1	0.9	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	7	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	1,057	9.4
0 to 14	15	0.6
15 to 44	81	1.7
45 to 64	225	8.0
65 to 84	487	38.8
85+	249	165.3

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	613	235	207.9	144	259.6	91	158.1
Trachea, bronchus, lung, pleura	96	73	64.6	54	97.4	19	33.0
Colorectal	60	24	21.2	14	25.2	10	17.4
Breast (female)	104	14	12.4	0	0.0	14	24.3
Prostate (male)	89	16	14.2	16	28.8	0	0.0
Pancreas	15	10	8.8	6	10.8	4	7.0
Leukemias	15	14	12.4	9	16.2	5	8.7
Non-Hodkins lymphomas	23	13	11.5	7	12.6	6	10.4
Ovary (female)	14	7	6.2	0	0.0	7	12.2
Brain and other nervous system	5	3	2.7	1	1.8	2	3.5
Stomach	7	7	6.2	3	5.4	4	7.0
Uterus & cervix (female)	17	3	2.7	0	0.0	3	5.2
Esophagus	*	1	0.9	1	1.8	0	0.0
Melanoma of skin	29	1	0.9	1	1.8	0	0.0
Other	136	49	---	32	---	17	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

PERRY 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	191	0	9	13	169
Rate	---	0.0	26.9	58.3	72.2
White	39	0	1	2	36
Rate	---	0.0	10.5	31.7	62.3
Black & Other	152	0	8	11	133
Rate	---	0.0	33.3	68.8	75.4

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	73
Rate	6.2
Divorces	31
Rate	2.6

Rate is per 1,000 population.

2002 POPULATION	
Total	11,721
White	3,535
Black and Other	8,186
Median age	33.8
Life expectancy at birth	71.7
Total fertility rate per 1,000 women aged 10-49	2264.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	256	101.5	33	30.6	
Births	191	16.3	22	20.4	
Abortions	25	9.9	6	5.6	
Est. fetal losses	40	---	5	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	127	66.5	22	100.0
Low weight births	28	14.7	3	13.6
Multiple births	15	7.9	0	0.0
Medicaid births	131	68.6	18	81.8

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	2
Gonorrhea	15
Chlamydia	54
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	1	0	1	0	0	0
Rate per 1,000 births	5.2	0.0	6.6	0.0	0.0	0.0
Postneonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	5.2	0.0	6.6	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	11,721	5,316	6,405	3,535	1,673	1,862	8,186	3,643	4,543
0-4	906	445	461	160	73	87	746	372	374
5-9	942	456	486	169	73	96	773	383	390
10-14	986	466	520	171	74	97	815	392	423
15-44	4,619	2,096	2,523	1,293	664	629	3,326	1,432	1,894
45-64	2,512	1,152	1,360	935	456	479	1,577	696	881
65-84	1,483	618	865	688	297	391	795	321	474
85+	273	83	190	119	36	83	154	47	107

PERRY 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	183	94	89	63	33	30	120	61	59
Death rate per 1,000 pop.	15.6	17.7	13.9	17.8	19.7	16.1	14.7	16.7	13.0

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	40	341.3	16	301.0	24	374.7	13	367.8	27	329.8
Cancer	34	290.1	18	338.6	16	249.8	12	339.5	22	268.8
Stroke	23	196.2	9	169.3	14	218.6	7	198.0	16	195.5
Accidents	11	93.8	9	169.3	2	31.2	1	28.3	10	122.2
CLRD	6	51.2	3	56.4	3	46.8	4	113.2	2	24.4
Diabetes	6	51.2	2	37.6	4	62.5	2	56.6	4	48.9
Inf. & pneumonia	3	25.6	2	37.6	1	15.6	1	28.3	2	24.4
Alzheimer's disease	3	25.6	3	56.4	0	0.0	2	56.6	1	12.2
Suicide	1	8.5	1	18.8	0	0.0	0	0.0	1	12.2
Homicide	3	25.6	3	56.4	0	0.0	3	84.9	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	11	93.8	0	0.0
Motor vehicle	7	59.7	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	1	8.5	0	0.0
Falls	2	17.1	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	1	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	183	15.6
0 to 14	2	0.7
15 to 44	17	3.7
45 to 64	34	13.5
65 to 84	81	54.6
85+	49	179.5

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		53	34	290.1	18	338.6	16	249.8
Trachea, bronchus, lung, pleura		7	10	85.3	5	94.1	5	78.1
Colorectal		7	4	34.1	1	18.8	3	46.8
Breast (female)		10	1	8.5	0	0.0	1	15.6
Prostate (male)		6	5	42.7	5	94.1	0	0.0
Pancreas		*	0	0.0	0	0.0	0	0.0
Leukemias		*	1	8.5	1	18.8	0	0.0
Non-Hodkins lymphomas		*	0	0.0	0	0.0	0	0.0
Ovary (female)		*	1	8.5	0	0.0	1	15.6
Brain and other nervous system		*	1	8.5	0	0.0	1	15.6
Stomach		*	1	8.5	0	0.0	1	15.6
Uterus & cervix (female)		*	0	0.0	0	0.0	0	0.0
Esophagus		*	2	17.1	1	18.8	1	15.6
Melanoma of skin		*	1	8.5	0	0.0	1	15.6
Other		15	7	---	5	---	2	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

PICKENS 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	252	0	13	28	211
Rate	---	0.0	25.8	83.3	50.5
White	141	0	4	11	126
Rate	---	0.0	19.2	79.1	58.7
Black & Other	111	0	9	17	85
Rate	---	0.0	30.5	86.3	41.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	238
Rate	11.3
Divorces	49
Rate	2.3

Rate is per 1,000 population.

2002 POPULATION	
Total	21,006
White	11,669
Black and Other	9,337
Median age	37.5
Life expectancy at birth	73.8
Total fertility rate per 1,000 women aged 10-49	1892.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	370	86.7	71	42.7	
Births	252	12.0	41	24.7	
Abortions	62	14.5	20	12.0	
Est. fetal losses	56	---	10	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	103	40.9	32	78.0
Low weight births	26	10.3	5	12.2
Multiple births	6	2.4	0	0.0
Medicaid births	136	54.0	34	82.9

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	2
Syphilis	1
Gonorrhea	29
Chlamydia	87
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	1	0	1	0	0	0
Rate per 1,000 births	4.0	0.0	9.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	4.0	0.0	9.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	21,006	9,838	11,168	11,669	5,640	6,029	9,337	4,198	5,139
0-4	1,436	747	689	640	337	303	796	410	386
5-9	1,517	760	757	703	340	363	814	420	394
10-14	1,645	821	824	738	357	381	907	464	443
15-44	8,111	3,844	4,267	4,256	2,171	2,085	3,855	1,673	2,182
45-64	4,996	2,359	2,637	3,121	1,527	1,594	1,875	832	1,043
65-84	2,858	1,190	1,668	1,954	837	1,117	904	353	551
85+	443	117	326	257	71	186	186	46	140

PICKENS 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	282	132	150	174	80	94	108	52	56	
Death rate per 1,000 pop.	13.4	13.4	13.4	14.9	14.2	15.6	11.6	12.4	10.9	

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	89	423.7	47	477.7	42	376.1	60	514.2	29	310.6
Cancer	60	285.6	35	355.8	25	223.9	35	299.9	25	267.8
Stroke	15	71.4	5	50.8	10	89.5	9	77.1	6	64.3
Accidents	15	71.4	7	71.2	8	71.6	10	85.7	5	53.6
CLRD	7	33.3	4	40.7	3	26.9	5	42.8	2	21.4
Diabetes	8	38.1	3	30.5	5	44.8	4	34.3	4	42.8
Inf. & pneumonia	12	57.1	3	30.5	9	80.6	9	77.1	3	32.1
Alzheimer's disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suicide	5	23.8	2	20.3	3	26.9	4	34.3	1	10.7
Homicide	5	23.8	5	50.8	0	0.0	2	17.1	3	32.1
HIV disease	1	4.8	0	0.0	1	9.0	0	0.0	1	10.7

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	15	71.4	1	16.0
Motor vehicle	9	42.8	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	3	14.3	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	1	4.8	0	0.0
Drowning	1	4.8	1	16.0
Firearms	0	0.0	0	0.0
Other accidents	1	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	282	13.4
0 to 14	2	0.4
15 to 44	26	3.2
45 to 64	46	9.2
65 to 84	137	47.9
85+	71	160.3

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	93	60	285.6	35	355.8	25	223.9
Trachea, bronchus, lung, pleura	18	13	61.9	7	71.2	6	53.7
Colorectal	*	5	23.8	4	40.7	1	9.0
Breast (female)	12	5	23.8	0	0.0	5	44.8
Prostate (male)	16	4	19.0	4	40.7	0	0.0
Pancreas	*	3	14.3	3	30.5	0	0.0
Leukemias	*	0	0.0	0	0.0	0	0.0
Non-Hodkins lymphomas	*	3	14.3	1	10.2	2	17.9
Ovary (female)	*	0	0.0	0	0.0	0	0.0
Brain and other nervous system	*	3	14.3	2	20.3	1	9.0
Stomach	*	1	4.8	1	10.2	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	1	4.8	1	10.2	0	0.0
Melanoma of skin	7	0	0.0	0	0.0	0	0.0
Other	26	22	---	12	---	10	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

PIKE 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	388	4	27	36	321
Rate	---	4.0	32.2	64.4	47.5
White	204	1	7	20	176
Rate	---	2.1	14.9	64.1	45.6
Black & Other	184	3	20	16	145
Rate	---	5.9	54.1	64.8	50.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	232
Rate	7.7
Divorces	139
Rate	4.6

Rate is per 1,000 population.

2002 POPULATION	
Total	30,053
White	18,040
Black and Other	12,013
Median age	33.1
Life expectancy at birth	74.1
Total fertility rate per 1,000 women aged 10-49	1531.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	562	78.5	95	39.7	
Births	388	12.9	67	28.0	
Abortions	87	12.2	13	5.4	
Est. fetal losses	87	---	15	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	202	52.1	60	89.6
Low weight births	47	12.1	13	19.4
Multiple births	12	3.1	2	3.0
Medicaid births	241	62.1	62	92.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	8
AIDS	5
Syphilis	3
Gonorrhea	66
Chlamydia	136
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	0	4	2	0	2
Rate per 1,000 births	10.3	0.0	21.7	29.9	0.0	51.3
Postneonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	2.6	0.0	5.4	0.0	0.0	0.0
Neonatal deaths	3	0	3	2	0	2
Rate per 1,000 births	7.7	0.0	16.3	29.9	0.0	51.3

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	30,053	14,217	15,836	18,040	8,728	9,312	12,013	5,489	6,524
0-4	1,946	976	970	976	481	495	970	495	475
5-9	1,887	975	912	962	508	454	925	467	458
10-14	2,066	1,072	994	1,022	540	482	1,044	532	512
15-44	13,701	6,541	7,160	7,992	3,930	4,062	5,709	2,611	3,098
45-64	6,681	3,158	3,523	4,418	2,172	2,246	2,263	986	1,277
65-84	3,305	1,371	1,934	2,345	1,005	1,340	960	366	594
85+	467	124	343	325	92	233	142	32	110

PIKE 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	330	153	177	210	90	120	120	63	57
Death rate per 1,000 pop.	11.0	10.8	11.2	11.6	10.3	12.9	10.0	11.5	8.7

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	126	419.3	42	295.4	84	530.4	89	493.3	37	308.0
Cancer	55	183.0	31	218.0	24	151.6	33	182.9	22	183.1
Stroke	15	49.9	8	56.3	7	44.2	7	38.8	8	66.6
Accidents	16	53.2	12	84.4	4	25.3	12	66.5	4	33.3
CLRD	13	43.3	9	63.3	4	25.3	11	61.0	2	16.6
Diabetes	9	29.9	5	35.2	4	25.3	3	16.6	6	49.9
Inf. & pneumonia	8	26.6	5	35.2	3	18.9	6	33.3	2	16.6
Alzheimer's disease	8	26.6	3	21.1	5	31.6	7	38.8	1	8.3
Suicide	4	13.3	3	21.1	1	6.3	2	11.1	2	16.6
Homicide	1	3.3	1	7.0	0	0.0	0	0.0	1	8.3
HIV disease	4	13.3	4	28.1	0	0.0	0	0.0	4	33.3

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	16	53.2	2	23.3
Motor vehicle	10	33.3	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	2	6.7	0	0.0
Drowning	1	3.3	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	3	---	2	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	330	11.0
0 to 14	4	0.7
15 to 44	27	2.0
45 to 64	59	8.8
65 to 84	137	41.5
85+	103	220.6

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	118	55	183.0	31	218.0	24	151.6
Trachea, bronchus, lung, pleura	14	16	53.2	10	70.3	6	37.9
Colorectal	15	9	29.9	4	28.1	5	31.6
Breast (female)	22	3	10.0	0	0.0	3	18.9
Prostate (male)	14	6	20.0	6	42.2	0	0.0
Pancreas	*	1	3.3	1	7.0	0	0.0
Leukemias	*	5	16.6	3	21.1	2	12.6
Non-Hodkins lymphomas	*	2	6.7	2	14.1	0	0.0
Ovary (female)	*	2	6.7	0	0.0	2	12.6
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0
Stomach	*	1	3.3	0	0.0	1	6.3
Uterus & cervix (female)	6	1	3.3	0	0.0	1	6.3
Esophagus	*	0	0.0	0	0.0	0	0.0
Melanoma of skin	7	0	0.0	0	0.0	0	0.0
Other	25	9	---	5	---	4	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

RANDOLPH 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	272	0	16	37	219
Rate	---	0.0	34.1	118.2	49.1
White	179	0	10	18	151
Rate	---	0.0	30.9	83.3	45.9
Black & Other	93	0	6	19	68
Rate	---	0.0	41.4	195.9	58.2

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	304
Rate	13.3
Divorces	149
Rate	6.5

Rate is per 1,000 population.

2002 POPULATION	
Total	22,865
White	17,478
Black and Other	5,387
Median age	38.1
Life expectancy at birth	74.2
Total fertility rate per 1,000 women aged 10-49	1932.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	363	81.5	71	45.0	
Births	272	11.9	53	33.6	
Abortions	33	7.4	7	4.4	
Est. fetal losses	58	---	11	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	97	35.7	35	66.0
Low weight births	28	10.3	6	11.3
Multiple births	2	0.7	0	0.0
Medicaid births	146	53.7	46	86.8

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	2
Gonorrhea	28
Chlamydia	53
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	4	1	3	0	0	0
Rate per 1,000 births	14.7	5.6	32.3	0.0	0.0	0.0
Postneonatal deaths	3	0	3	0	0	0
Rate per 1,000 births	11.0	0.0	32.3	0.0	0.0	0.0
Neonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	3.7	5.6	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	22,865	11,043	11,822	17,478	8,466	9,012	5,387	2,577	2,810
0-4	1,515	765	750	1,073	530	543	442	235	207
5-9	1,597	788	809	1,106	533	573	491	255	236
10-14	1,649	852	797	1,164	599	565	485	253	232
15-44	8,886	4,433	4,453	6,575	3,340	3,235	2,311	1,093	1,218
45-64	5,593	2,757	2,836	4,465	2,232	2,233	1,128	525	603
65-84	3,150	1,318	1,832	2,690	1,126	1,564	460	192	268
85+	475	130	345	405	106	299	70	24	46

RANDOLPH 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	271	132	139	219	107	112	52	25	27
Death rate per 1,000 pop.	11.9	12.0	11.8	12.5	12.6	12.4	9.7	9.7	9.6

Selected causes	Total	Total	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		rate								
Heart disease	76	332.4	36	326.0	40	338.4	70	400.5	6	111.4
Cancer	66	288.7	35	316.9	31	262.2	52	297.5	14	259.9
Stroke	21	91.8	7	63.4	14	118.4	15	85.8	6	111.4
Accidents	19	83.1	14	126.8	5	42.3	16	91.5	3	55.7
CLRD	12	52.5	9	81.5	3	25.4	9	51.5	3	55.7
Diabetes	7	30.6	2	18.1	5	42.3	4	22.9	3	55.7
Inf. & pneumonia	6	26.2	2	18.1	4	33.8	5	28.6	1	18.6
Alzheimer's disease	5	21.9	0	0.0	5	42.3	4	22.9	1	18.6
Suicide	4	17.5	4	36.2	0	0.0	2	11.4	2	37.1
Homicide	2	8.7	1	9.1	1	8.5	2	11.4	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	19	83.1	1	15.7
Motor vehicle	12	52.5	1	15.7
Suffocation	0	0.0	0	0.0
Poisoning	3	13.1	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	2	8.7	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	2	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	271	11.9
0 to 14	5	1.1
15 to 44	18	2.0
45 to 64	56	10.0
65 to 84	121	38.4
85+	71	149.5

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	69	66	288.7	35	316.9	31	262.2
Trachea, bronchus, lung, pleura	11	15	65.6	7	63.4	8	67.7
Colorectal	7	7	30.6	4	36.2	3	25.4
Breast (female)	9	6	26.2	0	0.0	6	50.8
Prostate (male)	7	4	17.5	4	36.2	0	0.0
Pancreas	*	4	17.5	2	18.1	2	16.9
Leukemias	*	1	4.4	1	9.1	0	0.0
Non-Hodkins lymphomas	*	1	4.4	1	9.1	0	0.0
Ovary (female)	*	4	17.5	0	0.0	4	33.8
Brain and other nervous system	*	2	8.7	1	9.1	1	8.5
Stomach	*	0	0.0	0	0.0	0	0.0
Uterus & cervix (female)	*	2	8.7	0	0.0	2	16.9
Esophagus	*	1	4.4	1	9.1	0	0.0
Melanoma of skin	*	1	4.4	1	9.1	0	0.0
Other	19	18	---	13	---	5	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

RUSSELL 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	602	6	37	67	492
Rate	---	3.4	35.2	95.6	45.3
White	377	2	22	41	312
Rate	---	2.5	44.1	123.5	54.6
Black & Other	225	4	15	26	180
Rate	---	4.0	27.1	70.5	34.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	1,337
Rate	26.6
Divorces	362
Rate	7.2

Rate is per 1,000 population.

2002 POPULATION	
Total	50,219
White	28,019
Black and Other	22,200
Median age	35.7
Life expectancy at birth	72.0
Total fertility rate per 1,000 women aged 10-49	1724.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	917	85.2	168	47.4	
Births	602	12.0	110	31.0	
Abortions	176	16.3	33	9.3	
Est. fetal losses	139	---	25	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	283	47.0	89	80.9
Low weight births	62	10.3	9	8.2
Multiple births	16	2.7	0	0.0
Medicaid births	79	13.1	28	25.5

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	7
AIDS	4
Syphilis	3
Gonorrhea	126
Chlamydia	220
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	9	3	6	2	2	0
Rate per 1,000 births	15.0	8.0	26.7	18.2	30.8	0.0
Postneonatal deaths	4	1	3	1	1	0
Rate per 1,000 births	6.6	2.7	13.3	9.1	15.4	0.0
Neonatal deaths	5	2	3	1	1	0
Rate per 1,000 births	8.3	5.3	13.3	9.1	15.4	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	50,219	23,900	26,319	28,019	13,687	14,332	22,200	10,213	11,987
0-4	3,471	1,762	1,709	1,756	881	875	1,715	881	834
5-9	3,726	1,918	1,808	1,769	909	860	1,957	1,009	948
10-14	3,741	1,951	1,790	1,736	940	796	2,005	1,011	994
15-44	21,008	10,241	10,767	11,333	5,809	5,524	9,675	4,432	5,243
45-64	11,671	5,449	6,222	7,053	3,396	3,657	4,618	2,053	2,565
65-84	5,901	2,411	3,490	3,927	1,644	2,283	1,974	767	1,207
85+	701	168	533	445	108	337	256	60	196

RUSSELL 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	578	298	280	375	189	186	203	109	94
Death rate per 1,000 pop.	11.5	12.5	10.6	13.4	13.8	13.0	9.1	10.7	7.8

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	112	223.0	43	179.9	69	262.2	82	292.7
Cancer	133	264.8	78	326.4	55	209.0	87	310.5	46	207.2
Stroke	33	65.7	16	66.9	17	64.6	16	57.1	17	76.6
Accidents	32	63.7	27	113.0	5	19.0	23	82.1	9	40.5
CLRD	23	45.8	14	58.6	9	34.2	19	67.8	4	18.0
Diabetes	25	49.8	14	58.6	11	41.8	13	46.4	12	54.1
Inf. & pneumonia	17	33.9	8	33.5	9	34.2	10	35.7	7	31.5
Alzheimer's disease	8	15.9	1	4.2	7	26.6	8	28.6	0	0.0
Suicide	3	6.0	2	8.4	1	3.8	3	10.7	0	0.0
Homicide	7	13.9	7	29.3	0	0.0	2	7.1	5	22.5
HIV disease	4	8.0	4	16.7	0	0.0	3	10.7	1	4.5

Rate is per 100,000 population.

ACCIDENTAL DEATHS					
	Total	Rate	Children Under 20	Rate	
All accidents	32	63.7	6	41.2	
Motor vehicle	17	33.9	4	27.5	
Suffocation	0	0.0	0	0.0	
Poisoning	3	6.0	0	0.0	
Smoke, fire and flames	2	4.0	1	6.9	
Falls	4	8.0	0	0.0	
Drowning	1	2.0	0	0.0	
Firearms	1	2.0	1	6.9	
Other accidents	4	---	0	---	

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	578	11.5
0 to 14	14	1.3
15 to 44	47	2.2
45 to 64	131	11.2
65 to 84	259	43.9
85+	127	181.2

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		46	133	264.8	78	326.4	55	209.0
Trachea, bronchus, lung, pleura		8	43	85.6	27	113.0	16	60.8
Colorectal		11	15	29.9	9	37.7	6	22.8
Breast (female)		5	13	25.9	0	0.0	13	49.4
Prostate (male)		*	10	19.9	10	41.8	0	0.0
Pancreas		*	5	10.0	2	8.4	3	11.4
Leukemias		*	3	6.0	2	8.4	1	3.8
Non-Hodkins lymphomas		*	3	6.0	2	8.4	1	3.8
Ovary (female)		*	4	8.0	0	0.0	4	15.2
Brain and other nervous system		*	3	6.0	2	8.4	1	3.8
Stomach		*	3	6.0	2	8.4	1	3.8
Uterus & cervix (female)		*	1	2.0	0	0.0	1	3.8
Esophagus		*	4	8.0	4	16.7	0	0.0
Melanoma of skin		*	1	2.0	1	4.2	0	0.0
Other		5	25	---	17	---	8	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

ST. CLAIR 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	813	2	40	89	682
Rate	---	0.9	30.5	101.8	48.4
White	758	1	35	83	639
Rate	---	0.5	30.2	107.5	50.0
Black & Other	55	1	5	6	43
Rate	---	4.0	32.9	58.8	32.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	688
Rate	10.2
Divorces	379
Rate	5.6

Rate is per 1,000 population.

2002 POPULATION	
Total	67,781
White	61,002
Black and Other	6,779
Median age	37.1
Life expectancy at birth	74.6
Total fertility rate per 1,000 women aged 10-49	1948.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,094	79.4	186	41.0	
Births	813	12.0	131	28.9	
Abortions	107	7.8	26	5.7	
Est. fetal losses	174	---	29	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	199	24.5	81	61.8
Low weight births	63	7.7	8	6.1
Multiple births	19	2.3	2	1.5
Medicaid births	329	40.5	109	83.2

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	3
AIDS	2
Syphilis	5
Gonorrhea	20
Chlamydia	71
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	8	8	0	2	2	0
Rate per 1,000 births	9.8	10.6	0.0	15.3	16.8	0.0
Postneonatal deaths	4	4	0	1	1	0
Rate per 1,000 births	4.9	5.3	0.0	7.6	8.4	0.0
Neonatal deaths	4	4	0	1	1	0
Rate per 1,000 births	4.9	5.3	0.0	7.6	8.4	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	67,781	34,163	33,618	61,002	30,438	30,564	6,779	3,725	3,054
0-4	4,410	2,322	2,088	3,969	2,084	1,885	441	238	203
5-9	4,593	2,407	2,186	4,122	2,166	1,956	471	241	230
10-14	4,970	2,619	2,351	4,447	2,347	2,100	523	272	251
15-44	28,581	14,808	13,773	25,205	12,769	12,436	3,376	2,039	1,337
45-64	17,192	8,596	8,596	15,772	7,876	7,896	1,420	720	700
65-84	7,289	3,230	4,059	6,805	3,033	3,772	484	197	287
85+	746	181	565	682	163	519	64	18	46

ST. CLAIR 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	667	350	317	630	331	299	37	19	18
Death rate per 1,000 pop.	9.8	10.2	9.4	10.3	10.9	9.8	5.5	5.1	5.9

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	199	293.6	104	304.4	95	282.6	189	309.8
Cancer	141	208.0	87	254.7	54	160.6	134	219.7	7	103.3
Stroke	54	79.7	23	67.3	31	92.2	51	83.6	3	44.3
Accidents	20	29.5	14	41.0	6	17.8	18	29.5	2	29.5
CLRD	52	76.7	27	79.0	25	74.4	52	85.2	0	0.0
Diabetes	11	16.2	6	17.6	5	14.9	9	14.8	2	29.5
Inf. & pneumonia	15	22.1	6	17.6	9	26.8	15	24.6	0	0.0
Alzheimer's disease	21	31.0	5	14.6	16	47.6	21	34.4	0	0.0
Suicide	7	10.3	6	17.6	1	3.0	7	11.5	0	0.0
Homicide	1	1.5	0	0.0	1	3.0	0	0.0	1	14.8
HIV disease	2	3.0	2	5.9	0	0.0	1	1.6	1	14.8

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	20	29.5	4	21.5
Motor vehicle	9	13.3	3	16.1
Suffocation	2	3.0	1	5.4
Poisoning	2	3.0	0	0.0
Smoke, fire and flames	1	1.5	0	0.0
Falls	1	1.5	0	0.0
Drowning	1	1.5	0	0.0
Firearms	1	1.5	0	0.0
Other accidents	3	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	667	9.8
0 to 14	14	1.0
15 to 44	40	1.4
45 to 64	158	9.2
65 to 84	308	42.3
85+	147	197.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		220	141	208.0	87	254.7	54	160.6
Trachea, bronchus, lung, pleura		34	48	70.8	36	105.4	12	35.7
Colorectal		27	11	16.2	5	14.6	6	17.8
Breast (female)		34	7	10.3	0	0.0	7	20.8
Prostate (male)		29	6	8.9	6	17.6	0	0.0
Pancreas	*	5	7.4	2	5.9	3	8.9	
Leukemias	*	2	3.0	1	2.9	1	3.0	
Non-Hodkins lymphomas		8	9	13.3	5	14.6	4	11.9
Ovary (female)	*	2	3.0	0	0.0	2	5.9	
Brain and other nervous system	*	3	4.4	3	8.8	0	0.0	
Stomach	*	4	5.9	4	11.7	0	0.0	
Uterus & cervix (female)	*	4	5.9	0	0.0	4	11.9	
Esophagus	*	6	8.9	6	17.6	0	0.0	
Melanoma of skin		6	1	1.5	1	2.9	0	0.0
Other		59	33	---	18	---	15	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

SHELBY 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	2,375	3	49	91	2,232
Rate	---	0.6	16.7	46.5	61.6
White	2,132	1	35	75	2,021
Rate	---	0.2	13.8	44.4	63.0
Black & Other	243	2	14	16	211
Rate	---	3.1	35.0	60.2	50.9

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	913
Rate	6.0
Divorces	684
Rate	4.5

Rate is per 1,000 population.

2002 POPULATION	
Total	152,780
White	136,667
Black and Other	16,113
Median age	35.7
Life expectancy at birth	77.1
Total fertility rate per 1,000 women aged 10-49	2147.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	3,123	90.2	217	21.3	
Births	2,375	15.5	143	14.0	
Abortions	248	7.2	41	4.0	
Est. fetal losses	500	---	33	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	307	12.9	90	62.9
Low weight births	186	7.8	19	13.3
Multiple births	100	4.2	2	1.4
Medicaid births	440	18.5	103	72.0

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	4
AIDS	6
Syphilis	8
Gonorrhea	58
Chlamydia	124
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	15	13	2	2	2	0
Rate per 1,000 births	6.3	6.1	8.2	14.0	18.0	0.0
Postneonatal deaths	5	5	0	1	1	0
Rate per 1,000 births	2.1	2.3	0.0	7.0	9.0	0.0
Neonatal deaths	10	8	2	1	1	0
Rate per 1,000 births	4.2	3.8	8.2	7.0	9.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	152,780	74,886	77,894	136,667	67,014	69,653	16,113	7,872	8,241
0-4	10,937	5,603	5,334	9,701	4,972	4,729	1,236	631	605
5-9	11,081	5,706	5,375	9,792	5,056	4,736	1,289	650	639
10-14	10,987	5,679	5,308	9,653	4,991	4,662	1,334	688	646
15-44	68,134	33,506	34,628	59,949	29,480	30,469	8,185	4,026	4,159
45-64	38,192	18,613	19,579	34,980	17,092	17,888	3,212	1,521	1,691
65-84	12,288	5,452	6,836	11,514	5,124	6,390	774	328	446
85+	1,161	327	834	1,078	299	779	83	28	55

SHELBY 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	920	447	473	841	410	431	79	37	42
Death rate per 1,000 pop.	6.0	6.0	6.1	6.2	6.1	6.2	4.9	4.7	5.1

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	252	164.9	122	162.9	130	166.9	236	172.7	16	99.3
Cancer	177	115.9	83	110.8	94	120.7	155	113.4	22	136.5
Stroke	52	34.0	22	29.4	30	38.5	47	34.4	5	31.0
Accidents	54	35.3	39	52.1	15	19.3	51	37.3	3	18.6
CLRD	51	33.4	28	37.4	23	29.5	49	35.9	2	12.4
Diabetes	35	22.9	18	24.0	17	21.8	31	22.7	4	24.8
Inf. & pneumonia	21	13.7	9	12.0	12	15.4	20	14.6	1	6.2
Alzheimer's disease	33	21.6	13	17.4	20	25.7	33	24.1	0	0.0
Suicide	15	9.8	12	16.0	3	3.9	15	11.0	0	0.0
Homicide	2	1.3	2	2.7	0	0.0	2	1.5	0	0.0
HIV disease	4	2.6	3	4.0	1	1.3	2	1.5	2	12.4

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	54	35.3	7	16.2
Motor vehicle	32	20.9	6	13.9
Suffocation	5	3.3	1	2.3
Poisoning	5	3.3	0	0.0
Smoke, fire and flames	2	1.3	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	10	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	920	6.0
0 to 14	17	0.5
15 to 44	68	1.0
45 to 64	186	4.9
65 to 84	433	35.2
85+	216	186.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		415	177	115.9	83	110.8	94	120.7
Trachea, bronchus, lung, pleura		66	62	40.6	37	49.4	25	32.1
Colorectal		48	13	8.5	3	4.0	10	12.8
Breast (female)		80	17	11.1	0	0.0	17	21.8
Prostate (male)		52	4	2.6	4	5.3	0	0.0
Pancreas		8	5	3.3	3	4.0	2	2.6
Leukemias		11	8	5.2	6	8.0	2	2.6
Non-Hodkins lymphomas		11	6	3.9	3	4.0	3	3.9
Ovary (female)		8	4	2.6	0	0.0	4	5.1
Brain and other nervous system		9	3	2.0	1	1.3	2	2.6
Stomach		*	7	4.6	4	5.3	3	3.9
Uterus & cervix (female)		11	2	1.3	0	0.0	2	2.6
Esophagus		*	4	2.6	3	4.0	1	1.3
Melanoma of skin		15	6	3.9	4	5.3	2	2.6
Other		90	36	---	15	---	21	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

SUMTER 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	184	1	16	18	149
Rate	---	1.6	41.1	69.2	46.3
White	35	0	1	0	34
Rate	---	0.0	12.8	0.0	45.0
Black & Other	149	1	15	18	115
Rate	---	1.9	48.2	86.5	46.7

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	231
Rate	15.8
Divorces	45
Rate	3.1

Rate is per 1,000 population.

2002 POPULATION	
Total	14,583
White	3,692
Black and Other	10,891
Median age	32.8
Life expectancy at birth	72.5
Total fertility rate per 1,000 women aged 10-49	1634.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	283	85.5	50	39.5	
Births	184	12.6	35	27.7	
Abortions	56	16.9	7	5.5	
Est. fetal losses	43	---	8	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	119	64.7	35	100.0
Low weight births	23	12.5	5	14.3
Multiple births	6	3.3	0	0.0
Medicaid births	67	36.4	20	57.1

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	5
Gonorrhea	62
Chlamydia	75
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	5	0	5	0	0	0
Rate per 1,000 births	27.2	0.0	33.6	0.0	0.0	0.0
Postneonatal deaths	1	0	1	0	0	0
Rate per 1,000 births	5.4	0.0	6.7	0.0	0.0	0.0
Neonatal deaths	4	0	4	0	0	0
Rate per 1,000 births	21.7	0.0	26.8	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,583	6,685	7,898	3,692	1,792	1,900	10,891	4,893	5,998
0-4	1,036	529	507	170	93	77	866	436	430
5-9	1,150	608	542	174	98	76	976	510	466
10-14	1,236	620	616	166	79	87	1,070	541	529
15-44	6,078	2,769	3,309	1,541	779	762	4,537	1,990	2,547
45-64	3,063	1,421	1,642	911	453	458	2,152	968	1,184
65-84	1,669	632	1,037	604	256	348	1,065	376	689
85+	351	106	245	126	34	92	225	72	153

SUMTER 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	147	78	69	40	21	19	107	57	50
Death rate per 1,000 pop.	10.1	11.7	8.7	10.8	11.7	10.0	9.8	11.6	8.3

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
		Heart disease	52	356.6	30	448.8	22	278.6	13	352.1
Cancer	25	171.4	16	239.3	9	114.0	9	243.8	16	146.9
Stroke	9	61.7	3	44.9	6	76.0	1	27.1	8	73.5
Accidents	9	61.7	5	74.8	4	50.6	1	27.1	8	73.5
CLRD	4	27.4	3	44.9	1	12.7	2	54.2	2	18.4
Diabetes	2	13.7	1	15.0	1	12.7	0	0.0	2	18.4
Inf. & pneumonia	5	34.3	1	15.0	4	50.6	3	81.3	2	18.4
Alzheimer's disease	1	6.9	0	0.0	1	12.7	1	27.1	0	0.0
Suicide	1	6.9	1	15.0	0	0.0	0	0.0	1	9.2
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS					
	Total	Rate	Children Under 20	Rate	
All accidents	9	61.7	0	0.0	
Motor vehicle	8	54.9	0	0.0	
Suffocation	0	0.0	0	0.0	
Poisoning	0	0.0	0	0.0	
Smoke, fire and flames	0	0.0	0	0.0	
Falls	0	0.0	0	0.0	
Drowning	0	0.0	0	0.0	
Firearms	0	0.0	0	0.0	
Other accidents	1	---	0	---	

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	147	10.1
0 to 14	6	1.8
15 to 44	14	2.3
45 to 64	24	7.8
65 to 84	57	34.2
85+	46	131.1

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female		
				Deaths	Rate	Deaths	Rate	
All cancers		24	25	171.4	16	239.3	9	114.0
Trachea, bronchus, lung, pleura	*	11	75.4	8	119.7	3	38.0	
Colorectal	*	3	20.6	3	44.9	0	0.0	
Breast (female)	*	2	13.7	0	0.0	2	25.3	
Prostate (male)	*	1	6.9	1	15.0	0	0.0	
Pancreas	*	2	13.7	0	0.0	2	25.3	
Leukemias	*	0	0.0	0	0.0	0	0.0	
Non-Hodkins lymphomas	*	0	0.0	0	0.0	0	0.0	
Ovary (female)	*	1	6.9	0	0.0	1	12.7	
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0	
Stomach	*	0	0.0	0	0.0	0	0.0	
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0	
Esophagus	*	1	6.9	1	15.0	0	0.0	
Melanoma of skin	*	0	0.0	0	0.0	0	0.0	
Other		5	4	---	3	---	1	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

TALLADEGA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	1,028	6	72	126	824
Rate	---	2.1	40.7	106.7	49.3
White	662	2	32	71	557
Rate	---	1.2	31.2	103.8	52.2
Black & Other	366	4	40	55	267
Rate	---	3.5	53.7	110.7	44.2

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	760
Rate	9.3
Divorces	628
Rate	7.7

Rate is per 1,000 population.

2002 POPULATION	
Total	81,441
White	54,233
Black and Other	27,208
Median age	37.3
Life expectancy at birth	73.5
Total fertility rate per 1,000 women aged 10-49	1952.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,413	85.0	286	49.3	
Births	1,028	12.6	204	35.2	
Abortions	163	9.8	37	6.4	
Est. fetal losses	222	---	45	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	442	43.0	155	76.0
Low weight births	109	10.6	24	11.8
Multiple births	18	1.8	0	0.0
Medicaid births	570	55.4	176	86.3

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	5
AIDS	0
Syphilis	20
Gonorrhea	188
Chlamydia	285
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	10	8	2	1	1	0
Rate per 1,000 births	9.7	12.1	5.5	4.9	9.5	0.0
Postneonatal deaths	4	3	1	1	1	0
Rate per 1,000 births	3.9	4.5	2.7	4.9	9.5	0.0
Neonatal deaths	6	5	1	0	0	0
Rate per 1,000 births	5.8	7.6	2.7	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	81,441	39,931	41,510	54,233	26,550	27,683	27,208	13,381	13,827
0-4	5,114	2,583	2,531	3,114	1,574	1,540	2,000	1,009	991
5-9	5,380	2,737	2,643	3,262	1,667	1,595	2,118	1,070	1,048
10-14	5,834	2,987	2,847	3,517	1,809	1,708	2,317	1,178	1,139
15-44	33,874	17,250	16,624	20,964	10,627	10,337	12,910	6,623	6,287
45-64	20,388	10,079	10,309	14,860	7,441	7,419	5,528	2,638	2,890
65-84	9,673	3,950	5,723	7,613	3,171	4,442	2,060	779	1,281
85+	1,178	345	833	903	261	642	275	84	191

TALLADEGA 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	921	454	467	690	341	349	231	113	118
Death rate per 1,000 pop.	11.3	11.4	11.3	12.7	12.8	12.6	8.5	8.4	8.5

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	286	351.2	143	358.1	143	344.5	204	376.2	82	301.4
Cancer	184	225.9	104	260.4	80	192.7	146	269.2	38	139.7
Stroke	75	92.1	33	82.6	42	101.2	56	103.3	19	69.8
Accidents	41	50.3	27	67.6	14	33.7	25	46.1	16	58.8
CLRD	48	58.9	26	65.1	22	53.0	42	77.4	6	22.1
Diabetes	31	38.1	10	25.0	21	50.6	19	35.0	12	44.1
Inf. & pneumonia	21	25.8	9	22.5	12	28.9	17	31.3	4	14.7
Alzheimer's disease	30	36.8	7	17.5	23	55.4	28	51.6	2	7.4
Suicide	7	8.6	5	12.5	2	4.8	6	11.1	1	3.7
Homicide	9	11.1	7	17.5	2	4.8	6	11.1	3	11.0
HIV disease	3	3.7	3	7.5	0	0.0	1	1.8	2	7.4

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	41	50.3	6	27.0
Motor vehicle	19	23.3	4	18.0
Suffocation	3	3.7	1	4.5
Poisoning	1	1.2	0	0.0
Smoke, fire and flames	3	3.7	0	0.0
Falls	2	2.5	0	0.0
Drowning	2	2.5	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	11	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	921	11.3
0 to 14	13	0.8
15 to 44	70	2.1
45 to 64	184	9.0
65 to 84	439	45.4
85+	214	181.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate	
				Deaths	Rate			
All cancers		328	184	225.9	104	260.4	80	192.7
Trachea, bronchus, lung, pleura		51	63	77.4	43	107.7	20	48.2
Colorectal		37	17	20.9	12	30.1	5	12.0
Breast (female)		69	12	14.7	0	0.0	12	28.9
Prostate (male)		42	12	14.7	12	30.1	0	0.0
Pancreas		6	10	12.3	7	17.5	3	7.2
Leukemias		9	7	8.6	3	7.5	4	9.6
Non-Hodkins lymphomas		14	6	7.4	5	12.5	1	2.4
Ovary (female)	*	8	9.8	0	0.0	8	19.3	
Brain and other nervous system	*	2	2.5	1	2.5	1	2.4	
Stomach	*	1	1.2	0	0.0	1	2.4	
Uterus & cervix (female)		7	1	1.2	0	0.0	1	2.4
Esophagus	*	2	2.5	2	5.0	0	0.0	
Melanoma of skin		10	2	2.5	1	2.5	1	2.4
Other		71	41	---	18	---	23	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

TALLAPOOSA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	472	2	32	54	384
Rate	---	1.4	38.4	97.1	46.5
White	315	1	15	32	267
Rate	---	1.1	27.0	86.3	46.5
Black & Other	157	1	17	22	117
Rate	---	2.0	61.4	118.9	46.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	356
Rate	8.5
Divorces	272
Rate	6.5

Rate is per 1,000 population.

2002 POPULATION	
Total	41,855
White	30,734
Black and Other	11,121
Median age	40.0
Life expectancy at birth	74.1
Total fertility rate per 1,000 women aged 10-49	1901.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	667	82.2	133	47.1	
Births	472	11.3	88	31.2	
Abortions	91	11.2	25	8.8	
Est. fetal losses	104	---	20	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	190	40.3	69	78.4
Low weight births	44	9.3	8	9.1
Multiple births	14	3.0	0	0.0
Medicaid births	239	50.6	83	94.3

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	1
Syphilis	1
Gonorrhea	84
Chlamydia	125
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	2	0	0	0	0
Rate per 1,000 births	4.2	6.3	0.0	0.0	0.0	0.0
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal deaths	2	2	0	0	0	0
Rate per 1,000 births	4.2	6.3	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	41,855	19,907	21,948	30,734	14,881	15,853	11,121	5,026	6,095
0-4	2,596	1,350	1,246	1,658	866	792	938	484	454
5-9	2,725	1,417	1,308	1,723	921	802	1,002	496	506
10-14	2,936	1,500	1,436	1,940	1,015	925	996	485	511
15-44	15,750	7,638	8,112	11,109	5,562	5,547	4,641	2,076	2,565
45-64	10,927	5,271	5,656	8,529	4,193	4,336	2,398	1,078	1,320
65-84	5,983	2,474	3,509	5,005	2,115	2,890	978	359	619
85+	938	257	681	770	209	561	168	48	120

TALLAPOOSA 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	582	291	291	446	215	231	136	76	60
Death rate per 1,000 pop.	13.9	14.6	13.3	14.5	14.4	14.6	12.2	15.1	9.8

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	150	358.4	72	361.7	78	355.4	122	397.0	28	251.8
Cancer	122	291.5	64	321.5	58	264.3	95	309.1	27	242.8
Stroke	52	124.2	23	115.5	29	132.1	33	107.4	19	170.8
Accidents	21	50.2	16	80.4	5	22.8	13	42.3	8	71.9
CLRD	37	88.4	22	110.5	15	68.3	37	120.4	0	0.0
Diabetes	24	57.3	13	65.3	11	50.1	13	42.3	11	98.9
Inf. & pneumonia	11	26.3	6	30.1	5	22.8	10	32.5	1	9.0
Alzheimer's disease	18	43.0	3	15.1	15	68.3	15	48.8	3	27.0
Suicide	6	14.3	6	30.1	0	0.0	4	13.0	2	18.0
Homicide	6	14.3	6	30.1	0	0.0	1	3.3	5	45.0
HIV disease	2	4.8	2	10.0	0	0.0	0	0.0	2	18.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	21	50.2	3	27.1
Motor vehicle	9	21.5	3	27.1
Suffocation	3	7.2	0	0.0
Poisoning	2	4.8	0	0.0
Smoke, fire and flames	1	2.4	0	0.0
Falls	2	4.8	0	0.0
Drowning	2	4.8	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	2	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	582	13.9
0 to 14	5	0.6
15 to 44	27	1.7
45 to 64	98	9.0
65 to 84	288	48.1
85+	164	174.8

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	234	122	291.5	64	321.5	58	264.3
Trachea, bronchus, lung, pleura	36	41	98.0	28	140.7	13	59.2
Colorectal	22	13	31.1	6	30.1	7	31.9
Breast (female)	31	13	31.1	0	0.0	13	59.2
Prostate (male)	53	6	14.3	6	30.1	0	0.0
Pancreas	*	6	14.3	2	10.0	4	18.2
Leukemias	*	5	11.9	3	15.1	2	9.1
Non-Hodkins lymphomas	5	1	2.4	0	0.0	1	4.6
Ovary (female)	*	2	4.8	0	0.0	2	9.1
Brain and other nervous system	*	3	7.2	2	10.0	1	4.6
Stomach	6	1	2.4	0	0.0	1	4.6
Uterus & cervix (female)	8	1	2.4	0	0.0	1	4.6
Esophagus	*	3	7.2	3	15.1	0	0.0
Melanoma of skin	7	0	0.0	0	0.0	0	0.0
Other	55	27	---	14	---	13	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

TUSCALOOSA 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	2,146	7	81	184	1,874
Rate	---	1.3	17.9	61.1	47.4
White	1,307	2	28	89	1,188
Rate	---	0.6	10.4	49.6	46.2
Black & Other	839	5	53	95	686
Rate	---	2.3	29.0	78.1	49.6

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	1,261
Rate	7.5
Divorces	501
Rate	3.0

Rate is per 1,000 population.

2002 POPULATION	
Total	167,027
White	112,409
Black and Other	54,618
Median age	32.4
Life expectancy at birth	74.6
Total fertility rate per 1,000 women aged 10-49	1556.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	3,289	80.3	455	35.3	
Births	2,146	12.8	272	21.1	
Abortions	649	15.9	117	9.1	
Est. fetal losses	494	---	66	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	731	34.1	200	73.5
Low weight births	248	11.6	29	10.7
Multiple births	78	3.6	0	0.0
Medicaid births	928	43.2	222	81.6

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	9
AIDS	5
Syphilis	23
Gonorrhea	494
Chlamydia	774
Tuberculosis	21

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	29	10	19	6	2	4
Rate per 1,000 births	13.5	7.7	22.6	22.1	16.8	26.1
Postneonatal deaths	5	2	3	1	0	1
Rate per 1,000 births	2.3	1.5	3.6	3.7	0.0	6.5
Neonatal deaths	24	8	16	5	2	3
Rate per 1,000 births	11.2	6.1	19.1	18.4	16.8	19.6

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	167,027	80,368	86,659	112,409	55,345	57,064	54,618	25,023	29,595
0-4	10,409	5,318	5,091	5,993	3,098	2,895	4,416	2,220	2,196
5-9	10,772	5,499	5,273	6,278	3,213	3,065	4,494	2,286	2,208
10-14	10,930	5,584	5,346	6,479	3,309	3,170	4,451	2,275	2,176
15-44	79,775	38,831	40,944	52,680	26,608	26,072	27,095	12,223	14,872
45-64	36,480	17,584	18,896	26,581	13,129	13,452	9,899	4,455	5,444
65-84	16,544	6,939	9,605	12,839	5,529	7,310	3,705	1,410	2,295
85+	2,117	613	1,504	1,559	459	1,100	558	154	404

TUSCALOOSA 2002 HEALTH PROFILE (Continued)

MORTALITY	Total	Male	Female	White	White male	White female	Black & other	Black & oth. male	Black & other female
	Deaths	1,500	770	730	1,081	560	521	419	210
Death rate per 1,000 pop.	9.0	9.6	8.4	9.6	10.1	9.1	7.7	8.4	7.1

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
	Heart disease	381	228.1	202	251.3	179	206.6	266	236.6	115
Cancer	339	203.0	177	220.2	162	186.9	254	226.0	85	155.6
Stroke	105	62.9	45	56.0	60	69.2	81	72.1	24	43.9
Accidents	69	41.3	49	61.0	20	23.1	59	52.5	10	18.3
CLRD	72	43.1	46	57.2	26	30.0	57	50.7	15	27.5
Diabetes	37	22.2	16	19.9	21	24.2	24	21.4	13	23.8
Inf. & pneumonia	56	33.5	19	23.6	37	42.7	38	33.8	18	33.0
Alzheimer's disease	29	17.4	8	10.0	21	24.2	26	23.1	3	5.5
Suicide	22	13.2	18	22.4	4	4.6	16	14.2	6	11.0
Homicide	9	5.4	5	6.2	4	4.6	1	0.9	8	14.6
HIV disease	4	2.4	3	3.7	1	1.2	1	0.9	3	5.5

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	69	41.3	11	23.7
Motor vehicle	33	19.8	8	17.2
Suffocation	4	2.4	0	0.0
Poisoning	7	4.2	0	0.0
Smoke, fire and flames	6	3.6	1	2.2
Falls	1	0.6	0	0.0
Drowning	1	0.6	0	0.0
Firearms	3	1.8	1	2.2
Other accidents	14	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	1,500	9.0
0 to 14	38	1.2
15 to 44	128	1.6
45 to 64	307	8.4
65 to 84	684	41.3
85+	343	162.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	755	339	203.0	177	220.2	162	186.9
Trachea, bronchus, lung, pleura	110	94	56.3	61	75.9	33	38.1
Colorectal	79	27	16.2	16	19.9	11	12.7
Breast (female)	142	26	15.6	0	0.0	26	30.0
Prostate (male)	108	8	4.8	8	10.0	0	0.0
Pancreas	20	23	13.8	13	16.2	10	11.5
Leukemias	13	14	8.4	4	5.0	10	11.5
Non-Hodkins lymphomas	25	21	12.6	12	14.9	9	10.4
Ovary (female)	11	10	6.0	0	0.0	10	11.5
Brain and other nervous system	7	6	3.6	2	2.5	4	4.6
Stomach	13	4	2.4	2	2.5	2	2.3
Uterus & cervix (female)	23	8	4.8	0	0.0	8	9.2
Esophagus	11	8	4.8	7	8.7	1	1.2
Melanoma of skin	37	9	5.4	5	6.2	4	4.6
Other	156	81	---	47	---	34	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

WALKER 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	901	0	49	101	751
Rate	---	0.0	35.2	108.6	52.0
White	839	0	46	90	703
Rate	---	0.0	36.5	107.1	53.1
Black & Other	62	0	3	11	48
Rate	---	0.0	22.4	122.2	40.1

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	658
Rate	9.2
Divorces	482
Rate	6.8

Rate is per 1,000 population.

2002 POPULATION	
Total	71,211
White	65,483
Black and Other	5,728
Median age	38.8
Life expectancy at birth	71.8
Total fertility rate per 1,000 women aged 10-49	2015.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	1,200	84.9	208	45.2	
Births	901	12.7	150	32.6	
Abortions	108	7.6	25	5.4	
Est. fetal losses	191	---	33	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	178	19.8	67	44.7
Low weight births	89	9.9	16	10.7
Multiple births	30	3.3	0	0.0
Medicaid births	497	55.2	133	88.7

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	1
Syphilis	2
Gonorrhea	69
Chlamydia	159
Tuberculosis	2

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	18	16	2	3	2	1
Rate per 1,000 births	20.0	19.1	32.3	20.0	14.7	71.4
Postneonatal deaths	10	10	0	1	1	0
Rate per 1,000 births	11.1	11.9	0.0	6.7	7.4	0.0
Neonatal deaths	8	6	2	2	1	1
Rate per 1,000 births	8.9	7.2	32.3	13.3	7.4	71.4

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	71,211	34,373	36,838	65,483	31,580	33,903	5,728	2,793	2,935
0-4	4,502	2,296	2,206	4,037	2,067	1,970	465	229	236
5-9	4,570	2,367	2,203	4,085	2,117	1,968	485	250	235
10-14	4,725	2,449	2,276	4,261	2,197	2,064	464	252	212
15-44	28,337	14,204	14,133	25,878	12,955	12,923	2,459	1,249	1,210
45-64	18,401	8,816	9,585	17,167	8,230	8,937	1,234	586	648
65-84	9,481	3,951	5,530	8,948	3,753	5,195	533	198	335
85+	1,195	290	905	1,107	261	846	88	29	59

WALKER 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	932	484	448	886	460	426	46	24	22
Death rate per 1,000 pop.	13.1	14.1	12.2	13.5	14.6	12.6	8.0	8.6	7.5

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	282	396.0	134	389.8	148	401.8	269	410.8	13	227.0
Cancer	180	252.8	106	308.4	74	200.9	175	267.2	5	87.3
Stroke	44	61.8	17	49.5	27	73.3	43	65.7	1	17.5
Accidents	66	92.7	41	119.3	25	67.9	64	97.7	2	34.9
CLRD	57	80.0	35	101.8	22	59.7	55	84.0	2	34.9
Diabetes	26	36.5	14	40.7	12	32.6	24	36.7	2	34.9
Inf. & pneumonia	20	28.1	7	20.4	13	35.3	18	27.5	2	34.9
Alzheimer's disease	19	26.7	4	11.6	15	40.7	18	27.5	1	17.5
Suicide	12	16.9	11	32.0	1	2.7	12	18.3	0	0.0
Homicide	3	4.2	2	5.8	1	2.7	2	3.1	1	17.5
HIV disease	1	1.4	1	2.9	0	0.0	1	1.5	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	66	92.7	9	48.6
Motor vehicle	33	46.3	6	32.4
Suffocation	3	4.2	0	0.0
Poisoning	5	7.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	2	2.8	0	0.0
Drowning	2	2.8	1	5.4
Firearms	4	5.6	1	5.4
Other accidents	17	---	1	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	932	13.1
0 to 14	20	1.4
15 to 44	91	3.2
45 to 64	198	10.8
65 to 84	423	44.6
85+	200	167.4

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	452	180	252.8	106	308.4	74	200.9
Trachea, bronchus, lung, pleura	92	73	102.5	47	136.7	26	70.6
Colorectal	52	13	18.3	5	14.5	8	21.7
Breast (female)	79	13	18.3	0	0.0	13	35.3
Prostate (male)	41	12	16.9	12	34.9	0	0.0
Pancreas	9	11	15.4	7	20.4	4	10.9
Leukemias	26	4	5.6	1	2.9	3	8.1
Non-Hodkins lymphomas	18	9	12.6	5	14.5	4	10.9
Ovary (female)	8	3	4.2	0	0.0	3	8.1
Brain and other nervous system	6	4	5.6	2	5.8	2	5.4
Stomach	5	4	5.6	2	5.8	2	5.4
Uterus & cervix (female)	11	2	2.8	0	0.0	2	5.4
Esophagus	*	0	0.0	0	0.0	0	0.0
Melanoma of skin	15	1	1.4	1	2.9	0	0.0
Other	88	31	---	24	---	7	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

WASHINGTON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	244	0	9	17	218
Rate	---	0.0	21.1	60.1	58.4
White	160	0	5	10	145
Rate	---	0.0	20.2	60.6	61.3
Black & Other	84	0	4	7	73
Rate	---	0.0	22.5	59.3	53.3

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	409
Rate	22.3
Divorces	96
Rate	5.2

Rate is per 1,000 population.

2002 POPULATION	
Total	18,323
White	11,881
Black and Other	6,442
Median age	35.5
Life expectancy at birth	75.0
Total fertility rate per 1,000 women aged 10-49	2127.0

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	309	82.0	37	25.6	
Births	244	13.3	26	18.0	
Abortions	15	4.0	5	3.5	
Est. fetal losses	50	---	6	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	78	32.0	18	69.2
Low weight births	18	7.4	0	0.0
Multiple births	12	4.9	0	0.0
Medicaid births	115	47.1	21	80.8

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	1
Syphilis	0
Gonorrhea	18
Chlamydia	56
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	2	1	0	0	0
Rate per 1,000 births	12.3	12.5	11.9	0.0	0.0	0.0
Postneonatal deaths	1	1	0	0	0	0
Rate per 1,000 births	4.1	6.3	0.0	0.0	0.0	0.0
Neonatal deaths	2	1	1	0	0	0
Rate per 1,000 births	8.2	6.3	11.9	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	18,323	8,985	9,338	11,881	5,917	5,964	6,442	3,068	3,374
0-4	1,312	687	625	783	420	363	529	267	262
5-9	1,435	753	682	815	432	383	620	321	299
10-14	1,527	790	737	867	454	413	660	336	324
15-44	7,361	3,594	3,767	4,710	2,369	2,341	2,651	1,225	1,426
45-64	4,381	2,165	2,216	3,034	1,505	1,529	1,347	660	687
65-84	2,039	916	1,123	1,486	678	808	553	238	315
85+	268	80	188	186	59	127	82	21	61

WASHINGTON 2002 HEALTH PROFILE (Continued)

MORTALITY					White	White	Black &	Black &	Black & other
	Total	Male	Female	White	male	female	other	oth. male	female
Deaths	171	85	86	120	57	63	51	28	23
Death rate per 1,000 pop.	9.3	9.5	9.2	10.1	9.6	10.6	7.9	9.1	6.8

Selected causes	Total	Total	Male	Male	Female	Female	White	White	Black &	Black & other
		rate	rate	rate	rate	rate	rate	other	rate	
Heart disease	53	289.3	27	300.5	26	278.4	38	319.8	15	232.8
Cancer	31	169.2	13	144.7	18	192.8	21	176.8	10	155.2
Stroke	17	92.8	6	66.8	11	117.8	14	117.8	3	46.6
Accidents	8	43.7	5	55.6	3	32.1	5	42.1	3	46.6
CLRD	9	49.1	4	44.5	5	53.5	7	58.9	2	31.0
Diabetes	7	38.2	5	55.6	2	21.4	6	50.5	1	15.5
Inf. & pneumonia	1	5.5	0	0.0	1	10.7	1	8.4	0	0.0
Alzheimer's disease	3	16.4	0	0.0	3	32.1	3	25.3	0	0.0
Suicide	2	10.9	2	22.3	0	0.0	2	16.8	0	0.0
Homicide	6	32.7	3	33.4	3	32.1	2	16.8	4	62.1
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	8	43.7	0	0.0
Motor vehicle	6	32.7	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	2	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	171	9.3
0 to 14	6	1.4
15 to 44	13	1.8
45 to 64	40	9.1
65 to 84	77	37.8
85+	35	130.6

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	61	31	169.2	13	144.7	18	192.8
Trachea, bronchus, lung, pleura	12	14	76.4	6	66.8	8	85.7
Colorectal	7	2	10.9	2	22.3	0	0.0
Breast (female)	10	1	5.5	0	0.0	1	10.7
Prostate (male)	11	3	16.4	3	33.4	0	0.0
Pancreas	5	2	10.9	1	11.1	1	10.7
Leukemias	*	1	5.5	0	0.0	1	10.7
Non-Hodkins lymphomas	*	0	0.0	0	0.0	0	0.0
Ovary (female)	*	0	0.0	0	0.0	0	0.0
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0
Stomach	*	0	0.0	0	0.0	0	0.0
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	0	0.0	0	0.0	0	0.0
Melanoma of skin	*	0	0.0	0	0.0	0	0.0
Other	6	8	---	1	---	7	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

WILCOX 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	216	1	17	26	172
Rate	---	1.7	50.4	116.1	65.0
White	43	0	2	4	37
Rate	---	0.0	39.2	117.6	64.9
Black & Other	173	1	15	22	135
Rate	---	2.0	52.4	115.8	65.0

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	79
Rate	6.0
Divorces	34
Rate	2.6

Rate is per 1,000 population.

2002 POPULATION	
Total	13,121
White	3,533
Black and Other	9,588
Median age	34.4
Life expectancy at birth	71.5
Total fertility rate per 1,000 women aged 10-49	2488.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	280	102.8	54	47.4	
Births	216	16.5	44	38.6	
Abortions	19	7.0	1	0.9	
Est. fetal losses	45	---	9	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	149	69.0	40	90.9
Low weight births	20	9.3	3	6.8
Multiple births	4	1.9	0	0.0
Medicaid births	165	76.4	41	93.2

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	1
AIDS	0
Syphilis	1
Gonorrhea	28
Chlamydia	72
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	2	0	2	0	0	0
Rate per 1,000 births	9.3	0.0	11.6	0.0	0.0	0.0
Postneonatal deaths	2	0	2	0	0	0
Rate per 1,000 births	9.3	0.0	11.6	0.0	0.0	0.0
Neonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	0.0

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	13,121	6,104	7,017	3,533	1,716	1,817	9,588	4,388	5,200
0-4	1,061	559	502	204	112	92	857	447	410
5-9	1,078	549	529	206	105	101	872	444	428
10-14	1,128	550	578	178	93	85	950	457	493
15-44	5,147	2,422	2,725	1,101	566	535	4,046	1,856	2,190
45-64	2,912	1,345	1,567	1,054	533	521	1,858	812	1,046
65-84	1,531	601	930	688	282	406	843	319	524
85+	264	78	186	102	25	77	162	53	109

WILCOX 2002 HEALTH PROFILE (Continued)

MORTALITY	Total	Male	Female	White	White male	White female	Black & other	Black & oth. male	Black & other female
	Deaths	166	95	71	57	37	20	109	58
Death rate per 1,000 pop.	12.7	15.6	10.1	16.1	21.6	11.0	11.4	13.2	9.8

Selected causes	Total	Total rate	Male	Male rate	Female	Female rate	White	White rate	Black & other	Black & other rate
	Heart disease	53	403.9	27	442.3	26	370.5	15	424.6	38
Cancer	30	228.6	22	360.4	8	114.0	13	368.0	17	177.3
Stroke	11	83.8	7	114.7	4	57.0	3	84.9	8	83.4
Accidents	6	45.7	3	49.1	3	42.8	2	56.6	4	41.7
CLRD	9	68.6	5	81.9	4	57.0	6	169.8	3	31.3
Diabetes	6	45.7	3	49.1	3	42.8	4	113.2	2	20.9
Inf. & pneumonia	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Alzheimer's disease	6	45.7	3	49.1	3	42.8	4	113.2	2	20.9
Suicide	1	7.6	1	16.4	0	0.0	0	0.0	1	10.4
Homicide	2	15.2	1	16.4	1	14.3	0	0.0	2	20.9
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	6	45.7	0	0.0
Motor vehicle	6	45.7	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	0	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	166	12.7
0 to 14	3	0.9
15 to 44	14	2.7
45 to 64	40	13.7
65 to 84	76	49.6
85+	33	125.0

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male	Female	Deaths	Rate
				Deaths	Rate		
All cancers	42	30	228.6	22	360.4	8	114.0
Trachea, bronchus, lung, pleura	*	8	61.0	7	114.7	1	14.3
Colorectal	*	2	15.2	2	32.8	0	0.0
Breast (female)	11	3	22.9	0	0.0	3	42.8
Prostate (male)	5	2	15.2	2	32.8	0	0.0
Pancreas	*	4	30.5	2	32.8	2	28.5
Leukemias	*	0	0.0	0	0.0	0	0.0
Non-Hodkins lymphomas	*	0	0.0	0	0.0	0	0.0
Ovary (female)	*	0	0.0	0	0.0	0	0.0
Brain and other nervous system	*	0	0.0	0	0.0	0	0.0
Stomach	*	1	7.6	0	0.0	1	14.3
Uterus & cervix (female)	*	0	0.0	0	0.0	0	0.0
Esophagus	*	1	7.6	1	16.4	0	0.0
Melanoma of skin	*	0	0.0	0	0.0	0	0.0
Other	13	9	---	8	---	1	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

WINSTON 2002 HEALTH PROFILE



BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20 plus
All births	253	0	14	27	212
Rate	---	0.0	29.4	84.9	41.8
White	252	0	14	27	211
Rate	---	0.0	30.1	87.1	42.8
Black & Other	1	0	0	0	1
Rate	---	0.0	0.0	0.0	7.1

Rates for age group are per 1,000 females in specified age group (age-specific birth rate).
Births with unknown age of mother counted with the age group "20 plus".

Marriages	211
Rate	8.3
Divorces	200
Rate	7.9

Rate is per 1,000 population.

2002 POPULATION	
Total	25,399
White	24,587
Black and Other	812
Median age	38.6
Life expectancy at birth	73.3
Total fertility rate per 1,000 women aged 10-49	1668.5

NATALITY					
	All Women		Women 10-19		
	Total	Rate	Total	Rate	
Est. pregnancies	334	66.8	53	32.6	
Births	253	10.0	41	25.2	
Abortions	27	5.4	3	1.8	
Est. fetal losses	54	---	9	---	

Birth rate is per 1,000 population.
Pregnancy and abortion rates are per 1,000 females 15-44. Rate is per 1,000 women 10-19.

	All Women		Women 10 to 19	
	Total	Percent	Total	Percent
Births to unmarried women	56	22.1	21	51.2
Low weight births	18	7.1	5	12.2
Multiple births	4	1.6	0	0.0
Medicaid births	154	60.9	37	90.2

Percent is percent of all births. Percent is percent of all births to women 10-19.

SELECTED NOTIFIABLE DISEASES	
New Cases	
HIV	0
AIDS	0
Syphilis	1
Gonorrhea	7
Chlamydia	21
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black & Other	Total	White	Black & Other
Infant deaths	3	3	0	1	1	0
Rate per 1,000 births	11.9	11.9	0.0	24.4	24.4	#DIV/0!
Postneonatal deaths	0	0	0	0	0	0
Rate per 1,000 births	0.0	0.0	0.0	0.0	0.0	#DIV/0!
Neonatal deaths	3	3	0	1	1	0
Rate per 1,000 births	11.9	11.9	0.0	24.4	24.4	#DIV/0!

2002 POPULATIONS BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	25,399	12,457	12,942	24,587	11,991	12,596	812	466	346
0-4	1,558	783	775	1,475	740	735	83	43	40
5-9	1,656	832	824	1,584	792	792	72	40	32
10-14	1,722	889	833	1,674	862	812	48	27	21
15-44	10,198	5,199	4,999	9,801	4,936	4,865	397	263	134
45-64	6,602	3,250	3,352	6,441	3,178	3,263	161	72	89
65-84	3,260	1,404	1,856	3,216	1,386	1,830	44	18	26
85+	403	100	303	396	97	299	7	3	4

WINSTON 2002 HEALTH PROFILE (Continued)

MORTALITY						White	White	Black &	Black &	Black & other
	Total	Male	Female	White	White	male	female	other	oth. male	female
Deaths	335	179	156	334	179	155	1	0	1	
Death rate per 1,000 pop.	13.2	14.4	12.1	13.6	14.9	12.3	1.2	0.0	2.9	

Selected causes	Total	Total	Male	Male rate	Female	Female rate	White	White rate	Black &	Black & other rate
		rate						other		
Heart disease	113	444.9	57	457.6	56	432.7	113	459.6	0	0.0
Cancer	68	267.7	43	345.2	25	193.2	68	276.6	0	0.0
Stroke	15	59.1	4	32.1	11	85.0	15	61.0	0	0.0
Accidents	19	74.8	13	104.4	6	46.4	19	77.3	0	0.0
CLRD	23	90.6	11	88.3	12	92.7	23	93.5	0	0.0
Diabetes	9	35.4	2	16.1	7	54.1	9	36.6	0	0.0
Inf. & pneumonia	10	39.4	7	56.2	3	23.2	10	40.7	0	0.0
Alzheimer's disease	15	59.1	4	32.1	11	85.0	15	61.0	0	0.0
Suicide	4	15.7	4	32.1	0	0.0	4	16.3	0	0.0
Homicide	1	3.9	1	8.0	0	0.0	1	4.1	0	0.0
HIV disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Rate is per 100,000 population.

ACCIDENTAL DEATHS				
	Total	Rate	Children Under 20	Rate
All accidents	19	74.8	0	0.0
Motor vehicle	8	31.5	0	0.0
Suffocation	1	3.9	0	0.0
Poisoning	1	3.9	0	0.0
Smoke, fire and flames	0	0.0	0	0.0
Falls	5	19.7	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other accidents	4	---	0	---

Total rate is per 100,000 population. Child rate is per 100,000 children aged 0 to 19.

DEATHS BY AGE GROUP		
Age group	Total	Rate
Total	335	13.2
0 to 14	3	0.6
15 to 44	18	1.8
45 to 64	72	10.9
65 to 84	170	52.1
85+	72	178.7

Rate is per 1,000 population in age group.

Selected Cancer Site	New Cases	Deaths	Rate	Male		Female	
				Deaths	Rate	Deaths	Rate
All cancers	115	68	267.7	43	345.2	25	193.2
Trachea, bronchus, lung, pleura	22	22	86.6	15	120.4	7	54.1
Colorectal	12	5	19.7	3	24.1	2	15.5
Breast (female)	17	3	11.8	0	0.0	3	23.2
Prostate (male)	15	4	15.7	4	32.1	0	0.0
Pancreas	*	4	15.7	2	16.1	2	15.5
Leukemias	*	1	3.9	1	8.0	0	0.0
Non-Hodkins lymphomas	*	3	11.8	3	24.1	0	0.0
Ovary (female)	*	2	7.9	0	0.0	2	15.5
Brain and other nervous system	*	1	3.9	1	8.0	0	0.0
Stomach	*	1	3.9	1	8.0	0	0.0
Uterus & cervix (female)	5	2	7.9	0	0.0	2	15.5
Esophagus	*	2	7.9	2	16.1	0	0.0
Melanoma of skin	7	1	3.9	1	8.0	0	0.0
Other	22	17	---	10	---	7	---

Rate is per 100,000 population. New cancer cases are for 2001. Asterisk indicates fewer than 5 new cancer cases.

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are shaded. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the intervals, ie 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population projections are provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama.

APPENDIX A

The populations used in this volume were produced using data from Population Projections for Alabama Counties published by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama. They were derived by using the cohort-survival method.

PROJECTED POPULATION BY COUNTY AND RACE¹
ALABAMA, 2002

COUNTY	TOTAL	WHITE	BLACK AND OTHER
TOTAL	4,526,059	3,193,888	1,332,171
Autauga	45,643	36,903	8,740
Baldwin	149,174	130,233	18,941
Barbour	29,615	14,965	14,650
Bibb	21,622	16,522	5,100
Blount	53,545	50,585	2,960
Bullock	11,798	2,922	8,876
Butler	21,261	12,368	8,893
Calhoun	112,171	88,105	24,066
Chambers	36,506	22,013	14,493
Cherokee	24,863	23,079	1,784
Chilton	41,137	35,547	5,590
Choctaw	15,897	8,768	7,129
Clarke	27,974	15,589	12,385
Clay	14,463	11,932	2,531
Cleburne	14,383	13,616	767
Coffee	44,211	33,676	10,535
Colbert	55,490	45,111	10,379
Conecuh	14,093	7,754	6,339
Coosa	12,399	7,892	4,507
Covington	37,757	32,515	5,242
Crenshaw	13,672	10,107	3,565
Cullman	79,424	76,564	2,860
Dale	49,404	36,160	13,244
Dallas	46,063	15,852	30,211
Dekalb	66,607	60,937	5,670
Elmore	69,081	53,287	15,794
Escambia	38,871	24,750	14,121
Etowah	103,985	85,589	18,396
Fayette	18,563	16,112	2,451
Franklin	31,892	28,240	3,652
Geneva	26,117	22,734	3,383
Greene	9,905	1,897	8,008
Hale	17,534	6,960	10,574
Henry	16,446	10,846	5,600
Houston	89,945	65,203	24,742
Jackson	55,017	50,385	4,632
Jefferson	664,031	377,370	286,661
Lamar	15,948	13,821	2,127
Lauderdale	89,435	78,763	10,672
Lawrence	35,353	27,535	7,818
Lee	120,284	88,704	31,580
Limestone	67,900	56,615	11,285
Lowndes	13,594	3,532	10,062
Macon	23,944	3,365	20,579
Madison	283,534	201,292	82,242
Marengo	22,383	10,514	11,869
Marion	31,454	29,702	1,752
Marshall	84,639	78,129	6,510
Mobile	403,399	250,887	152,512
Monroe	24,343	13,964	10,379
Montgomery	226,189	107,008	119,181
Morgan	113,014	95,153	17,861
Perry	11,721	3,535	8,186
Pickens	21,006	11,669	9,337
Pike	30,053	18,040	12,013
Randolph	22,865	17,478	5,387
Russell	50,219	28,019	22,200
St Clair	67,781	61,002	6,779
Shelby	152,780	136,667	16,113
Sumter	14,583	3,692	10,891
Talladega	81,441	54,233	27,208
Tallapoosa	41,855	30,734	11,121
Tuscaloosa	167,027	112,409	54,618
Walker	71,211	65,483	5,728
Washington	18,323	11,881	6,442
Wilcox	13,121	3,533	9,588
Winston	25,399	24,587	812

¹The population figures are from the Center for Business and Economic Research, Tuscaloosa, Alabama and are projected from the Census 2000.

PROJECTED POPULATION¹
BY RACE, SEX AND AGE GROUP
ALABAMA, 2002

AGE GROUP	TOTAL POPULATION	WHITE			BLACK AND OTHER		
		TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	4,526,059	3,193,888	1,560,756	1,633,132	1,332,171	626,259	705,912
0-4	300,045	191,341	98,255	93,086	108,704	54,990	53,714
5-9	309,076	196,934	101,411	95,523	112,142	56,891	55,251
10-14	324,247	207,153	106,936	100,217	117,094	59,684	57,410
15-19	328,686	209,948	107,620	102,328	118,738	59,572	59,166
20-24	315,427	203,559	102,556	101,003	111,868	54,063	57,805
25-29	299,585	202,413	101,909	100,504	97,172	45,726	51,446
30-34	300,719	210,233	106,172	104,061	90,486	42,166	48,320
35-39	328,516	234,157	117,741	116,416	94,359	43,322	51,037
40-44	346,605	247,436	124,023	123,413	99,169	45,366	53,803
45-49	329,833	237,344	118,008	119,336	92,489	42,467	50,022
50-54	298,999	223,172	110,226	112,946	75,827	34,993	40,834
55-59	249,236	194,580	94,703	99,877	54,656	25,002	29,654
60-64	202,167	160,872	76,725	84,147	41,295	18,308	22,987
65-69	172,472	137,706	64,081	73,625	34,766	14,611	20,155
70-74	148,986	119,693	52,955	66,738	29,293	11,400	17,893
75-79	119,648	96,751	39,172	57,579	22,897	8,233	14,664
80-84	81,179	65,698	23,475	42,223	15,481	5,164	10,317
85+	70,633	54,898	14,788	40,110	15,735	4,301	11,434

¹The population figures are from the Center for Business and Economic Research, Tuscaloosa, Alabama and are projected from the Census 2000.

APPENDIX B

TECHNICAL NOTES

COUNTY HEALTH PROFILE FORMULAS

ICD-10 DEATH CODES

ALABAMA'S CERTIFICATE OF LIVE BIRTH

ALABAMA'S CERTIFICATE OF DEATH

ALABAMA'S CERTIFICATE OF FETAL DEATH

ALABAMA'S CERTIFICATE OF MARRIAGE

ALABAMA'S CERTIFICATE OF DIVORCE

ALABAMA'S CERTIFICATE OF INDUCED
TERMINATION OF PREGNANCY

TECHNICAL NOTES

Sources and Completeness of Data

Data in this publication are from certificates and reports filed with the Center for Health Statistics (CHS) in the Alabama Department of Public Health according to Alabama Vital Statistics Laws. The State Registrar of Vital Records enforces the laws and administers the system of vital statistics. Birth, death, marriage and divorce certificates and fetal death and induced termination of pregnancy reports provide most of the information included in this publication. The statewide data for Alabama are also sent to the National Center for Health Statistics (NCHS) for inclusion in national reports and tabulations.

BIRTHS. If a birth occurs in a hospital, the birth certificate is filed by that institution with the CHS. Information on a birth certificate is obtained from a parent and from medical files for the mother and infant. Nearly 99 percent of the hospitals in Alabama use a birth certificate software package provided by the CHS to prepare birth certificates and electronically transmit data to CHS. If a birth occurs outside of a facility, the birth certificate is filed by the parent or someone else aware of the facts of birth. Formal testing of completeness of birth has not been done since 1950 when birth registration completeness for births occurring in hospitals was 99.6 percent. Since that time, additional checks have been added to ensure that all births are filed. Also, since the legal requirements for certified copies of births have increased, nearly 100 percent of all births are filed with CHS.

DEATHS. Mortality data are obtained from death certificates filed with CHS. In Alabama, the funeral director who first takes custody of the body is responsible for obtaining the demographic data from the next of kin and filing the death certificate. The medical certification is completed by the physician in charge of the care of the decedent for the illness or condition that resulted in death or by the county medical examiner or coroner. Registration of deaths is thought to be nearly 100 percent complete since the death certificate is needed by the next of kin for legal purposes. In addition, listings of deaths, which are independently prepared by funeral directors, coroners, hospitals, nursing homes and other institutions where deaths occur, are compared to certificates received to ensure that all deaths are filed.

MARRIAGES. The judge of probate in each county in Alabama issues a marriage license containing information obtained from the parties who intend to be married. After the marriage ceremony has taken place, the person who performs the marriage certifies the fact of marriage and returns the record to the judge of probate who forwards it to the CHS. Marriage data are believed to be nearly 100 percent complete since a license is needed prior to the ceremony being performed.

DIVORCES. Divorce certificates are prepared by the petitioner or his or her legal representative and presented to the clerk of a court where divorces are granted. The clerk of the court completes the information certifying the divorce and forwards the certificate to the CHS. While the law does require the divorce certificate to be filed before a divorce is granted, the filing of these records may not be as complete as other vital records since court procedures vary.

FETAL DEATHS. Reports of fetal death are required to be sent to the CHS if the fetus has advanced to or beyond the twentieth week of uterogestation. If the fetal death occurs in an institution, the person in charge of the institution or his or her representative is responsible for filing the report. If the fetal death occurs outside of an institution, the physician in attendance is responsible for filing the report. Since not all fetal deaths are medically attended, it is likely that there is some under reporting of these events. Evidence indicates that reporting may be better in metropolitan counties.

INDUCED TERMINATIONS OF PREGNANCY. Since 1993, reports of induced termination of pregnancy have been required for all events occurring in Alabama. If the induced termination of pregnancy occurs in an institution, the person in charge of the institution is required to file the report. If the induced termination of pregnancy occurs outside of an institution, the physician in attendance is required to file the report. From September 1987 to December 1992, the only reporting requirement for induced terminations of pregnancy was for events to women under 18 years of age as part of the Parental Consent Act. The degree of completeness for these reports is not known. However, if the CHS learns of institutions that are not aware of the reporting requirements, they are contacted and reporting is immediately initiated.

OUT OF STATE EVENTS. To have complete data for state residents, offices of vital statistics in all states have entered into an agreement to share data for statistical purposes. When a report or certificate is filed for a vital event that occurred in Alabama to a resident of another state or Canada, Alabama notifies that government.

Likewise, Alabama receives information and reports about events happening to Alabama residents in other states or in Canada. Data from these out of state events are included in the tabulations of resident data presented in this publication.

Most states send reports of out of state events to CHS on an ongoing basis, and these reports are believed to be quite complete since laws and procedures in other states are quite similar to Alabama's. The exception is reports of induced termination of pregnancy which have different reporting requirements in other states. Florida, a neighboring state, does not have a procedure for reporting Alabama resident induced terminations of pregnancy to CHS. Since it is unknown how many Alabama residents might have these events in neighboring states, the number of reported induced terminations of pregnancy for Alabama residents might be somewhat low.

Quality of Data

After reports and certificates are received at CHS, they are reviewed for all necessary information and signatures. Records that are incomplete or improperly completed are returned to the provider to be redone. If the information is accurate and consistent, the record is accepted into the official vital record files for Alabama.

Data for 99 percent of the births are keyed at the hospital into software containing edits and consistency checks and are electronically transmitted to CHS. Data for deaths, fetal deaths, induced terminations of pregnancy, marriages and divorces are coded and keyed into a computer database by CHS staff. Numerous edits and consistency checks are performed on all computer files to insure that the data are as accurate as possible. If data are inconsistent or missing, the provider is queried to try to verify information provided or to obtain the correct data. Additional procedures cross-check that all births and deaths are accounted for, particularly for infant deaths.

Residence Data

Unless specifically noted otherwise, data from vital events in this publication are reported according to the county or place of residence where the person, patient or decedent actually lived. Birth, fetal death, and induced termination of pregnancy statistics are reported according to the mother's residence. Deaths are reported by the residence of the decedent. The exceptions are marriage and divorce data that are reported according to the county where the marriage certificate was issued or the divorce was finalized.

Vital events occurring in other states and Canada to Alabama residents are also included in the residence data in this publication. See discussion under SOURCES AND COMPLETENESS OF DATA -- OUT OF STATE EVENTS.

Population Denominators

Population figures used in this publication to calculate rates for 2002 are from projections provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama (CBER). The 2002 population figures were based on 2000 U. S. Census counts and projected forward. For 2000, actual Census counts were used for the denominators for the rates. For the years 1990 through 1999, population figures used were prepared by CBER projecting forward from the 1990 Census. Caution should be used in comparing rates over time, since the further away from the Census, the less accurate the populations and associated rates become. Based on 2000 Census data, the population projections for the late 1990s appear to be too low, and thus the rates for those years may be too high.

The rates in this publication may not be the same as those given in other publications if population data are from a different source. For example, for the years between decennial national censuses, the National Center for Health Statistics (NCHS) calculates crude rates using population *estimates* provided by US Census Bureau. Those figures are calculated in retrospect based on various housing, labor and vital statistics and are not the same as the figures used in CHS publications. Therefore, rates shown for Alabama vital events in NCHS publications may be slightly different from rates in this publication.

Race

Birth, fetal death, and induced termination of pregnancy statistics are reported according to the race of the mother since many of the health conditions related to these events are directly associated with the mother. Deaths are reported by the race of the decedent. Infant deaths are tabulated by the race of the infant (the decedent) while births, the denominator used for calculating infant mortality rates, are based on the race of the mother. Data for marriages and divorces are shown for both parties to the event.

For processing purposes, ten racial groupings are used: White, Black, American Indian,, Chinese, Japanese, Hawaiian, Filipino, other Asian or Pacific Islander, other entries and unknown race. However, for tables shown in this publication, these groups are consolidated into White and Black and Other. White encompasses Mexican, Puerto Rican, Cajun, Creole, and Other Caucasian. The Black and Other group includes Black, American Indian, Chinese,

Japanese, Hawaiian, Filipino, and Other Asian or Pacific Islander. Events of unknown race are included in the White category.

Population figures from the 2000 Census show the population for Alabama as 71.1 percent White, 26.0 percent black, 1.9 percent other races. One percent of the population reported two or more races and were included in the Black and Other population for tables shown in this publication.

Cause of Death

Alabama law requires the physician in charge of the care of the patient for the illness or condition that resulted in death to complete the medical certification section on the death certificate. The physician is requested to state the diseases or conditions that caused the death and other significant conditions contributing to death. If a death occurs with no physician in charge of the care, the county coroner or in a few counties, the medical examiner, is responsible for determining the cause of death.

CLASSIFICATION. For tabulation purposes, causes of death are coded according to the *International Classification of Diseases*¹ (ICD) which provides the essential ground rules for the coding and classification of cause-of-death data. The ICD was developed collaboratively between the World Health Organization (WHO) and ten international centers, one of which is housed at NCHS. The purpose of the ICD is to promote international comparability in the collection, classification, processing and presentation of health statistics. The United States is required to use the ICD under an agreement with WHO that has the force of an international treaty.

Besides being a classification system for the cause of death, the ICD includes coding rules. These rules identify the single condition on the death certificate considered most informative from a public health point of view, called the *underlying cause of death*. The underlying cause is the disease or injury initiating the sequence of events that leads directly to death or the circumstances of the accident or violence that produced the fatal injury.

Cause of death data in this publication were coded according to procedures established by the National Center for Health Statistics². Starting with death records for 1999, cause of death data were processed through computer software programs from NCHS which allow CHS staff to enter the literal information provided by the physician or coroner in the medical certification section of the death certificate. The software programs are written to apply WHO rules to select the underlying cause of death from all the conditions given on the death certificate. Tables in this publication contain the underlying cause of death as determined through these procedures.

TABULATION LISTS AND CAUSE OF DEATH RANKINGS. For dissemination and presentation of data, NCHS developed several tabulation lists which group causes of death codes into categories that are of public health interest and medical importance. The lists have increasing levels of detail or are for specific categories of death and are published in Part 9 of the NCHS Instruction Manual Series.³ Certain groups of causes on these lists are used for ranking causes of death to determine the leading causes of death. Starting with 1999 data, the list most widely used to identify and rank the leading causes of death in the United States is the *ICD-10 List of 113 Selected Causes of Death*. This list replaces the *ICD-9 List of 72 Selected Causes of Death* used from 1979 through 1998. For areas smaller than a state or nation, a *condensed list of selected causes* was developed to present cause of death data in Alabama.

CHANGE IN ICD. The ICD has been revised approximately once every 10 years to stay abreast with advances in medical science and to ensure the international comparability of health statistics. The tenth and most recent revision, known as the ICD-10, was first used to classify deaths that occurred on January 1, 1999 and after. The previous version, the ICD-9, was used from 1979 through 1998.

The ICD-10 is much more detailed with about 8,000 possible categories for cause of death compared with 4,000 categories in the previous version. For the first time, the ICD-10 uses alphanumeric codes. In the tenth revision of the ICD, cause of death titles have been changed and conditions have been regrouped. Some coding rules have also been changed. In addition, ICD-10 tabulation lists used in publications have also changed, so mortality data prepared under different revisions of the ICD may not be comparable.

¹World Health Organization. "International Statistical Classification of Diseases and Related Health Problems, Tenth Revision." Geneva: World Health Organization, 1992.

²National Center for Health Statistics. "NCHS Instruction Manual, Part 2a, Vital Statistics, Instructions for Classifying the Underlying Cause of Death." Hyattsville, Maryland: Public Health Service, published annually.

³National Center for Health Statistics, Centers for Disease Control and Prevention. "Instruction Manual Part 9, ICD-10 Cause-of-Death Lists for Tabulation Mortality Statistics, Effective 1999." Hyattsville, Maryland: October, 1997.

COMPARISON OF CAUSE OF DEATH DATA. Changes in moving to a new revision of the ICD can cause major discontinuities in trend data for certain causes of death. To understand the changes in mortality rates that are simply due to the new ICD revision, NCHS double codes a large sample of deaths under each revision to develop *comparability ratios*. This is simply the ratio of deaths coded under the new revision (ICD-10) divided by the number under the old revision (ICD-9) for a particular cause of death. These ratios are given in Robert Anderson, *et. al.*, *Comparability of Cause of Death between ICD-9 and ICD-10: Preliminary Estimates*, Hyattsville, MD, National Vital Statistics Reports, Volume 49, Number 2, May 18, 2001. Comparability ratios can be applied to specific cause of death groups that were coded under ICD-9 to see how many deaths in that specific group would result if those same deaths had been coded under the new ICD-10. Application of the comparability ratios is crucial in time trend analyses. For additional information on comparability ratios, see the NCHS web site at www.cdc.gov/nchs.

Handling of Unknowns

Items with a missing value or a response of "unknown" are shown as Not Stated in tables of frequency distributions and are included in totals and subtotals. However, for calculation of rates and ratios, "unknowns" are subtracted from denominators before calculations are made.

The only exceptions to this rule are for race and sex. Events with race "unknown" are included with "white" for tabulation purposes. If sex cannot be determined, sex is considered male if the day of the event is odd and female if the day is even.

Data Techniques

Data in this publication are generally presented as frequencies, rates, ratios and percentages. Frequency distributions tell how many times an event occurred for a particular population. For purposes of comparison rates, ratios and percentages are provided to standardize the figures. A ratio is a comparison of two quantities and is generally expressed as a fraction. A rate is the number of items having a certain characteristic divided by the total number of items. Rates are generally expressed to a standard base of 100, 1,000 or 100,000. Percentages are rates standardized to a base of 100.

Demographic rates make all populations equal in size. Demographic rates such as the death rate and birth rate are calculated by dividing the number of events in a given period by the population at risk during that period. Thus, rates give the number of events per person, or the average. By standardizing all populations to the same size, we eliminate one factor that makes comparisons among areas difficult.

The base of a demographic rate may be the total population or a sub population. Rates based on the total population are called crude rates. Others are called specific rates, such as age-specific rates used for children or teenaged populations or the sex-specific rate for prostate cancer. For information on specific calculations, see the section on FORMULAS.

Small Number Limitations

When using vital events data for studying small geographic areas or for examining specific medical or social factors, the number of events reported in a given year may be very small. Understanding the statistical limitations of small numbers is important in conducting analyses. Any time something is measured, error is almost inevitable. Error can be based on the accuracy of the reports, or alternately, on the number of the events or the size of the population. Some error is random, and when the numbers are very large, random error does not affect the usefulness of the data. However, when the number of vital events is very small or the population of the area is very low, random errors in data collection, or even randomly occurring events, can cause drastic fluctuations in rates.

One way to counteract random error is to increase the number of years or enlarge the area being studied. Otherwise calculations may be correct, but of very limited practical value. In this publication, rates are given regardless of their stability; however, for rates based on very small numbers, warnings are issued in the footnotes.

DEFINITIONS

Some definitions used in this publication may vary in meaning among states or nations. In addition, some definitions change over time. Center for Health Statistics definitions are consistent for all publications within a given year and are generally the same definitions used by the National Center for Health Statistics. However, a data-user should always compare definitions across geographical areas and times.

ABORTION - See INDUCED TERMINATION OF PREGNANCY. In this publication, the terms abortion and induced termination of pregnancy are used synonymously.

AGE SPECIFIC BIRTH RATE – The number of births to women in a specific age group, divided by the estimated number of women in that age group multiplied by 1,000.

ANNULMENT - "To nullify, to abolish, to make void by competent authority. An annulment differs from a divorce in that a divorce terminates a legal status, whereas an annulment establishes that a marital status never existed" from Black's Law Dictionary, Sixth Edition. In this publication, annulments are included with divorces for rate calculation purposes and are available only by place of occurrence.

BIRTH - See LIVE BIRTH. In this publication, the terms live birth and birth are used synonymously.

CAUSE OF DEATH - The cause of death presented in this publication is the "underlying cause" which is defined as the cause deemed responsible for the sequence of morbid events leading directly to death or the circumstances of the accident or violence that produced the fatal injury. Deaths, by cause, are classified according to the International Classification of Diseases (ICD), Tenth Revision, following instructions established by the National Center for Health Statistics. See Appendix C for the compilation lists and ICD 10 codes used for the leading cause of death.

DEATH - Death is defined in Black's Law Dictionary, Sixth Edition as "The cessation of life; permanent cessations of all vital functions and signs." For definitions of the determination of death under other than general circumstances, the Code of Alabama should be consulted.

DIVORCE - A court decree dissolving a marital relationship. A divorce from bed and board is a separation from cohabitation which does not otherwise affect the marriage and is not included in this publication. See Code of Alabama for additional information. For rate calculation purposes in this publication, divorces include annulments and are reported by the county where the divorce occurred.

ESTIMATED PREGNANCIES - The sum of births, induced terminations of pregnancy, and estimated total fetal losses.

ESTIMATED TOTAL FETAL LOSSES - This term, which is a component used in determining the number of estimated pregnancies, is an estimate of the total number of fetal losses regardless of the gestational age of the fetus. Estimated total fetal

losses is equal to the sum of 20 percent of births and 10 percent of induced terminations of pregnancy. This formula was developed by The Alan Guttmacher Institute and is widely accepted and used. Estimated total fetal losses should be distinguished from the term fetal deaths as used in this publication. While Alabama law defines fetal death to include all gestations (see definition of FETAL DEATH), only fetal deaths of at least 20 weeks in gestation are required to be reported by Alabama law and are the only ones counted as fetal deaths in this publication.

FETAL DEATH - "Death prior to the complete expulsion or extraction from the mother of a product of human conception, irrespective of the duration of pregnancy and which is not an induced termination of pregnancy. The death is indicated by the fact that after the expulsion or extraction the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps." Code of Alabama, 1975, Section 22-9A-1. While the definition of fetal death includes all gestations, only fetal deaths that have advanced to or are beyond the twentieth week of uterogestation are required to be reported under Alabama law and they are the only ones counted as fetal deaths in this publication. (Also see ESTIMATED TOTAL FETAL LOSSES.)

INDUCED TERMINATION OF PREGNANCY - "The purposeful interruption of an intrauterine pregnancy with the intention other than to produce a liveborn infant and which does not result in a live birth. This definition excludes management of prolonged retention of products of conception following fetal death." Code of Alabama, 1975, Section 22-9A-1. In these publications, the terms induced termination of pregnancy and abortion are used synonymously.

INFANT DEATH - Death of a liveborn infant under one year of age. The term excludes fetal death.

INTERNATIONAL CLASSIFICATION OF DISEASES (ICD) - A publication of the World Health Organization (WHO) that provides the essential ground rules for the coding and classification of cause-of-death data. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of health statistics. In addition to being a classification system, the rules provide for identification of a single condition on the death certificate that is considered most informative from a public health point of view, called the underlying cause of death.

LIFE EXPECTANCY AT BIRTH – Average years of years a newborn infant would be expected to live if health and living conditions at the time of its birth remained the same throughout its life.

LIVE BIRTH - "The complete expulsion or extraction from the mother of a product of human conception, irrespective of the duration of the pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps." Code of Alabama, 1975, Section 22-9A-1. In these publications, the terms live birth and birth are used synonymously.

LOW BIRTH WEIGHT - A weight at birth of under 2,500 grams or under 5 pounds and 8 ounces.

MARRIAGE - The legal union of a man and a woman that establishes their relationship as husband and wife. See Code of Alabama for additional information. Marriage data are reported by the county where the marriage occurred.

MEDIAN AGE- The median age is the age that divides the age distribution of a given population into two equal groups, one that is younger than the median and one that is older than the median age.

NEONATAL DEATH - Death of a liveborn infant occurring within the first 27 days of life.

OCCURRENCE DATA - Data compiled as to the geographical place where the event occurred.

POSTNEONATAL DEATH - Death of a liveborn infant after the first 27 days of age, but before one year of age.

RESIDENT DATA - Data compiled as to the place of residence without regard to the geographical place where the event occurred. For births and fetal deaths, place of residence of mother is used.

TEENAGE - In this publication, persons aged 10 years through 19 years.

TOTAL FERTILITY RATE - An estimate of the average number of children that 1,000 women would bear if the current age-specific birth rates remained constant.

FORMULAS

Birth (crude) rate	=	$\frac{\text{(number of births)}}{\text{(total population)}}$	X	1,000
Age-specific birth rate	=	$\frac{\text{(number of live births to females in a specific age group)}}{\text{(female population in that age group)}}$	X	1,000
Teen-age birth rate	=	$\frac{\text{(number of births to females aged 10-19)}}{\text{(female population aged 10-19)}}$	X	1,000
Abortion rate	=	$\frac{\text{(number of abortions)}}{\text{(female population aged 15-44)}}$	X	1,000
Teenage abortion rate	=	$\frac{\text{(number of abortions to females aged 10-19)}}{\text{(female population aged 10-19)}}$	X	1,000
Estimated total fetal losses	=	20 percent of births + 10 percent of abortions		
Estimated pregnancies	=	number of births + number of abortions + estimated total fetal losses		
Pregnancy rate	=	$\frac{\text{(number of births + number of abortions+ estimated total fetal losses)}}{\text{(female population 15-44 years of age)}}$	X	1,000
Teenage pregnancy rate	=	$\frac{\text{(number of births to females aged 10-19 + number of abortions to females aged 10-19 + estimated total fetal losses to females aged 10-19)}}{\text{(female population 10-19 years of age)}}$	X	1,000
Total fertility rate	=	\sum (five-year age-specific birth rates for females aged 10 to 49)	X	5

Percent low weight births	=	$\frac{\text{(number of births with a birth weight less than 2500 grams)}}{\text{(number of births)}}$	X	100
Infant mortality rate	=	$\frac{\text{(number of deaths to live born infants under one year of age)}}{\text{(number of births)}}$	X	1,000
Neonatal mortality rate	=	$\frac{\text{(number of deaths to live born infants occurring within the first 27 days of life)}}{\text{(number of births)}}$	X	1,000
Postneonatal mortality rate	=	$\frac{\text{(number of deaths to live born infants occurring after the first 27 days of life but before one year of age)}}{\text{(number of births)}}$	X	1,000
Death (crude) rate	=	$\frac{\text{(number of deaths)}}{\text{(total population)}}$	X	1,000
Cause-specific death rate	=	$\frac{\text{(number of deaths for a specific cause)}}{\text{(total population)}}$	X	100,000
Age-specific death rate	=	$\frac{\text{(number of deaths for a specific age group)}}{\text{(population for that age group)}}$	X	1,000
Marriage rate	=	$\frac{\text{(number of marriages)}}{\text{(total population)}}$	X	1,000
Divorce (dissolution) rate	=	$\frac{\text{(number of divorces and annulments)}}{\text{(total population)}}$	X	1,000

Note: Population refers to the projected mid-year population.

ICD-10 CODES USED IN THE 2002 COUNTY HEALTH PROFILES

SELECTED DEATHS

Heart Disease = I00-I09 or I11 or I13 or I20-I51

Cancer = C00-C99

Stroke = I60-I69

Accidents = V01-X59 or Y85-Y86

Chronic Lower Respiratory = J40-J47

Diabetes = E10-E14

Influenza & Pneumonia = J10-J18

Alzheimer's Disease = G30

Suicide = X60-X84 or Y870

Homicide = X85-Y09 or Y871

HIV = B20-B24

ACCIDENTAL DEATHS

All Accidents = V01-X59 or Y85-Y86

Motor Vehicle = V02-V04 or V090 or V092 or V12-V14 or V190-V192 or V194-V196 or
V20-V79 or V803-V805 or V83-V86 or V870-V878 or V880-V888 or
V890 or V892

Suffocation = W75-W84

Poisoning = X40-X49

Smoke, Fire & Flames = X00-X09

Falls = W00-W19

Drowning = W65-W75

Firearms = W32-W34

Other Accidents = All other accident codes not specifically mentioned above.

SELECTED CANCER SITES

All Cancers = C00-C99

Trachea, Bronchus, Lung, Pleura = C33-C34

Colorectal = C18-C21

Breast (female) = C50 and sex is female

Prostate (male) = C61

Pancreas = C25

Leukemias = C91-C95

Non-Hodgkin's Lymphomas = C82-C85

Ovary (female) = C56

Brain and other nervous system = C70-C72

Stomach = C16

Uterus & Cervix (female) = C53-C55

Esophagus = C15

Melanoma of Skin = C43

Other = All other cancer sites not mentioned specifically above

PUBLICATIONS AVAILABLE FROM THE CENTER FOR HEALTH STATISTICS

(NOTE: Many tables from these publications for 1998 through 2002 are available on the Department of Public Health website at www.adph.org, then click on Fast Find, then Health Statistics.)

CODE	TITLE/DESCRIPTION OF PUBLICATION	COST
AV1	Alabama Vital Events (1994-1998) - Volume I, Pregnancy Statistics This annual publication contains the same information as was presented in the "Natality" section of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. Additional information on Fetal Deaths and Pregnancies has been included with natality data. NOTE: Limited copies of these publications are available from the Center for Health Statistics.	\$10.00
AV2	Alabama Vital Events (1994-1998) - Volume II, Mortality Statistics This annual publication contains the same information as was presented in the "Mortality" section of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. The sub-section on Fetal Deaths was moved from this publication into Volume I on Pregnancy Statistics. NOTE: Limited copies of these publications are available from the Center for Health Statistics.	\$10.00
AV3	Alabama Vital Events (1994-1998) - Volume III, Marriage and Divorce Statistics This annual publication contains the same information as was presented in the "Marriage" and "Divorce" sections of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. NOTE: Limited copies of these publications are available from the Center for Health Statistics.	\$10.00
AV4	Alabama Vital Events (1994-1998) - Volume IV, County Profiles This annual publication is an enhancement of the "Area Profile" section of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. Additional information has been included to make profile contents more valuable to the user. NOTE: Limited copies of these publications are available from the Center for Health Statistics.	\$10.00
AV5	Alabama Vital Events - Volume V, Life Expectancy (1995) This publication contains tables on life expectancy by race, sex, and age group for residents of Alabama. This volume of the <u>Alabama Vital Events</u> publication is published starting with the data year 1995 and quinquennially thereafter. NOTE: Limited copies of this publication is available from the Center for Health Statistics.	\$20.00
AVX	Alabama Vital Events (1998) - Volumes I-IV This code should be given when ordering a complete set of Volumes 1 through V of the <u>Alabama Vital Events</u> publication. Part V on life expectancy will be included at no additional costs during years for which this part is published.	\$40.00
AVS	Alabama Vital Statistics (1999-2002) This code should be given when ordering the <u>Alabama Vital Statistics</u> publication for 1999 through 2002. This is a new publication consolidating and replacing the previously published Volumes I (AV1), II (AV2), and III (AV3) of the <u>Alabama Vital Events</u> publication.	\$15.00
CHP	County Health Profiles (1999-2002) This annual publication has been revised and is a newly published version of what was formerly Volume IV (AV4) "County Profiles" of the <u>Alabama Vital Events</u> publication for the years 1994 through 1998. The 1999 through 2002 publications contain only two pages of selected data on each county, but the contents are still valuable and very useful to the user.	\$15.00

MCH Selected Maternal and Child Health Statistics CHP

\$10.00

This annual publication contains selected information on pregnancy and events related to pregnancy including births, fetal deaths, perinatal deaths and infant deaths. Information on deaths to Alabama residents under 20 years of age is also included. Publication contents are intended to provide information to policy makers and planners on topics of interest in maternal and child health. This publication is a supplement to Alabama Vital Events, containing approximately 97 pages, and is available for 1993 through 1999. Also, the 2000 publication (containing only 41 pages of tables with a supplementary booklet of graphs), the 2001 and 2002 publications are available and are supplements to the Alabama Vital Statistics publications for the corresponding years.

(Additional publications on selected subjects are available upon request. The lower part of the page may be copied or detached and used as an order form. Please send check or money order made payable to the Center for Health Statistics along with your request since payment must be received prior to filling the order.)

Publications Ordered:

<u>CODE</u>	<u>YEAR</u>	<u>COST PER COPY</u>	<u>QUANTITY</u>	<u>AMOUNT</u>
_____	_____	\$ _____	_____	\$ _____
_____	_____	\$ _____	_____	\$ _____
_____	_____	\$ _____	_____	\$ _____
_____	_____	\$ _____	_____	\$ _____

TOTAL AMOUNT ENCLOSED \$ _____

COMPLETE MAILING ADDRESS:

ORDER FROM:

Name: _____

ALABAMA DEPT. OF PUBLIC HEALTH

Address: _____

CENTER FOR HEALTH STATISTICS

City: _____

POST OFFICE BOX 5625

State: _____ Zip Code _____

MONTGOMERY, ALABAMA 36103

Telephone Number: () _____

Telephone Number: (334) 206-5429