

Reverse Syphilis Screening PHALCON Update

Satellite Conference and Live Webcast
Thursday, June 9, 2011
8:00 - 9:30 a.m. Central Time

Produced by the Alabama Department of Public Health
 Video Communications and Distance Learning Division

Faculty

Debbie Patterson
Program Analyst
Systems Management
Alabama Department of Public Health

New Test Announcement

- Analyte - Serology, VDRL
 - VDRL (screen for Syphilis)
 - Replaced by VDRLEIA 08/26/09
 - TPPA (confirmation of VDRL)
 - 08/26/09
 - VDRLEIA (screen for Syphilis)
 - 03/17/11

Ordering in LIMS by Using the Requisitions Button

Ordering Test from the Analysis Information Tab

Selecting the Serology, Syphilis EIA

Description	Legal Value
Chem, Blood Lead	CHEM_BL
Chem, Flow Cytometry	CHEM_FLOW
Chem, Hematology	CHEM_HEM
Chem, HIV Genotype	CHEM_HIV_GE
Chem, Viral Load	CHEM_VL
Micro, Enteric Pathogens	MICRO_ENTERI
Micro, General Bacteriology	MICRO_BIO
Micro, Parasitology	MICRO_PARAS
Mycobacteriology (TB)	MYCOBACT
Serology, CT-GC	SER_CTGC
Serology, HIVELA	SER_HIV
Serology, HIV Western Blot OS	SER_HIV_WB
Serology, Measles	SER_MEASLES
Serology, Syphilis EIA	SER_SYPHIS
Serology, Syphilis RPR	SER_SYPHIS_RPR
Virology, Influenza	VIROLOGY
Virology, Norovirus	VIROLOGY_NOROVIR

Selecting Type of Test to Order

INBOX INQUIRY ORDERS UTILITIES Contact Us | Welcome AUTAUGA

Patient Sample Login

General Patient Information Analysis Information Report Recipients Auxiliary Data Reset Form

Analysis Type Serology Syphilis EIA Method [dropdown] Search

Specimen Source [BL Blood] Method [dropdown] Yes [dropdown] Clear

Analysis [dropdown] Specialties [dropdown]

Available (2) Selected (1)

Analysis Description: TPPA ordered without a VDRL performed, or TPPA ordered regardless of VDRL result manual TPPA method.

Analysis Description: VDRL Screening test for Syphilis automated EIA method. NOTE: a REACTIVE VDRL/EIA will automatically refer to order a manual VDRL confirmation test.

Specimen Source: Blood

Changing the Specimen Source

INBOX INQUIRY ORDERS UTILITIES Contact Us | Welcome AUTAUGA

Patient Sample Login

General Patient Information Analysis Information Report Recipients Auxiliary Data Reset Form

Analysis Type Serology Syphilis EIA Method [dropdown] Search

Specimen Source [BL Blood] Method [dropdown] Yes [dropdown] Clear

Analysis [dropdown] Specialties [dropdown]

Available (2) Selected (1)

Analysis Description: TPPA ordered without a VDRL performed, or TPPA ordered regardless of VDRL result manual TPPA method.

Analysis Description: VDRL Screening test for Syphilis automated EIA method. NOTE: a REACTIVE VDRL/EIA will automatically refer to order a manual VDRL confirmation test.

Specimen Source: Blood

Submitting a Test

HORIZON Web Portal - Webpage Dialog

10 Record(s) Find

Data	Description
JHL	JHL SAMPLE
SFC	SPECIALTY CLINIC
NS	NOT SPECIFIED
NA	NOT APPLICABLE
CH	Child Health
FP	Women's Health - Family Plan
DCS	Disease Control STD
DCTB	Disease Control TB
FS	Field Specimen
FB	Field Blood

INBOX INQUIRY ORDERS UTILITIES Contact Us | Welcome AUTAUGA

Patient Sample Login

General Patient Information Analysis Information Report Recipients Auxiliary Data Reset Form

* Visit Type (ICPH Only) [dropdown]

History treatment of Syphilis [dropdown]

Submitting a Test

HORIZON Web Portal - Webpage Dialog

10 Record(s) Find

Data	Description
JHL	JHL SAMPLE
SFC	SPECIALTY CLINIC
NS	NOT SPECIFIED
NA	NOT APPLICABLE
CH	Child Health
FP	Women's Health - Family Plan
DCS	Disease Control STD
DCTB	Disease Control TB
FS	Field Specimen
FB	Field Blood

INBOX INQUIRY ORDERS UTILITIES Contact Us | Welcome AUTAUGA

Patient Sample Login

General Patient Information Analysis Information Report Recipients Auxiliary Data Reset Form

* Visit Type (ICPH Only) [dropdown]

History treatment of Syphilis [dropdown]

Information Verification from PHALCON in LIMS

Bureau of Clinical Laboratories

INBOX INQUIRY ORDERS UTILITIES Contact Us | Welcome AUTAUGA

Patient Sample Login

General Patient Information Analysis Information Report Recipients Auxiliary Data Reset Form

* Patient ID# 0016000178801000110

* Last Name DCS

* First Name TEST

* Date of Birth 05/11/1987

Gender Female

Race White or Caucasian

Ethnicity Not Hispanic

Address STREET

Zip City State 35098 AL

County ALAUGA

Country USA

E-mail

Phone

Insurance Information

Group	ID	Responsible Last Name	Responsible First Name	Responsible SDR
PLA/PHYSIC	0000001234567	DCS	TEST	
OTHER		DCS	TEST	

Submitting Test Requisition Visit Type by Program Area

HORIZON Web Portal - Webpage Dialog

10 Record(s) Find

Data	Description
JHL	JHL SAMPLE
SFC	SPECIALTY CLINIC
NS	NOT SPECIFIED
NA	NOT APPLICABLE
CH	Child Health
FP	Women's Health - Family Plan
DCS	Disease Control STD
DCTB	Disease Control TB
FS	Field Specimen
FB	Field Blood

INBOX INQUIRY ORDERS UTILITIES Contact Us | Welcome AUTAUGA

Patient Sample Login

General Patient Information Analysis Information Report Recipients Auxiliary Data Reset Form

* Visit Type (ICPH Only) [dropdown]

History treatment of Syphilis [dropdown]

Entering Presumptive or Positive Treatment Data

Lab Results: TEST DCS - (0810B0118)

Reason for Visit: NONE

Pregnancy Status: Yes No Unknown

Urogenital Symptoms: Yes No Unknown

Lab Number: 1-BIRMINGHAM

Specimen Site: 03-CERVIX

Treatment Date: 05/25/2011

Treatment Type: 2-POSITIVE TEST RESULT

Lab Results: INDETERMINATE
UNSATISFACTORY
 WEAKLY REACTIVE
REACTIVE
NONREACTIVE

OK

Entering DCS Treated/Multiple Drugs

DCS Treatment

Please Select Test, Treatment Type
Treatment Drug for this DCS Treated

Test: [Dropdown]

Treatment Type: [Dropdown]

DCS Drug List: [Dropdown]

DCS Selected Treatment

TESTS	TREATMENT TYPE	TREATMENT DRUG
SYNPHUS-BA	PRESUMPTIVE TREATMENT	BOLLAN 2.4 ML
OTHER	PRESUMPTIVE TREATMENT	TRICYCLINE

DCS Treatment

DCS Services

Service	Lab Results	DCS Treated
01 - BREAST EXAM/CR		
02 - CHLAMYDIA		
03 - DCS TREATED		
04 - GC		
05 - HSV		