Alabama

2005 Youth Risk Behavior Survey (YRBS) Results

These risk behaviors 1...

Unintentional Injuries and Violence

14% Rarely or never wore a seat belt

29% Rode with a drinking driver during the past month

21% Carried a weapon during the past month

32% Were in a physical fight during the past year

10% Attempted suicide during the past year

Alcohol and Other Drug Use

39% Drank alcohol during the past month

24% Reported episodic heavy drinking during the past month

18% Used marijuana during the past month

8% Ever used cocaine

16% Ever used inhalants

Sexual Behaviors

51% Ever had sexual intercourse

15% Had sexual intercourse with ≥ 4 people

38% Had sexual intercourse during the past three months

38% Did not use a condom during last sexual intercourse²

82% Did not use birth control pills during last sexual intercourse²

Tobacco Use

61% Ever tried cigarette smoking

24% Smoked cigarettes during the past month

10% Smoked cigarettes on ≥ 20 days during the past month

14% Used smokeless tobacco during the past month

19% Smoked cigars during the past month

Dietary Behaviors

85% Ate fruits and vegetables < 5 times/day during the past 7 days</p>

91% Drank < 3 glasses/day of milk during the past 7 days

Physical Activity

68% Did not meet currently recommended levels of physical activity³

12% Did not participate in any vigorous or moderate physical activity

47% Did not attend physical education class

55% Did not attend physical education class daily

Overweight

18% At risk for becoming overweight4


15% Overweight⁵

... contribute to these leading causes of death. 6

Youth Aged 10-24 Years

Other causes 28% HIV infection 0% Other injury 14% Suicide 9% Homicide 15%

Adults Aged 25 Years and Older



Where can I get more information? Visit www.cdc.gov/yrbss or call 800-CDC-INFO (800-232-4636).





¹ Among high school students only, weighted data.

² Among students who had sexual intercourse during the past 3 months.

³ Were not physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time for a total of at least 60 minutes/day on ≥ 5 of the 7 days preceding the survey.

⁴ Students who were at or above the 85th percentile but below the 95th percentile for body mass index by age and sex, based on reference data.

⁵ Students who were at or above the 95th percentile for body mass index by age and sex, based on reference data.

^{6 2003} mortality data, CDC.