PARENT INFORMATION

Newborn Hearing Screening: What do the results mean?



Baby is born



Hearing screening is performed at 24-48 hours of age or before the baby leaves the hospital



Ask for your baby's hearing results before leaving the hospital:



pass
no further testing
required (always
monitor for speech and
language milestones)



FISK FACTORS
further testing
recommended between
9-12 months of age

PASS WITH



The hospital should re-screen
your baby one more time or make
you an appointment for a hearing
re-screen (does not mean your
baby has hearing loss)

DID NOT PASS

Did Not Pass:

 Schedule follow-up testing with an audiologist (hearing professional) within 2-3 weeks after you go home from the hospital. Ask your baby's doctor to help you find an audiologist or you can visit www.ehdi-pals.org Remember that just because a baby may respond to noise does not mean he or she can hear properly





WANT TO KNOW MORE? Call us: 1-866-928-6755

HEALTH PROVIDER INFORMATION

Joint Committee on Infant Hearing (JCIH) recommendations:



NEWBORN HEARING SCREENING

before ONE month of age



EARING DIAGNOSTIC **EVALUATION**

before THREE months of age



 Infants who did not pass an automated auditory brainstem response (AABR) hearing screen must have a repeat AABR for follow-up screening

 Both ears should be tested with each screening even if only screening attempts one ear did not pass

 No more than two valid initial should be performed

For further information, please visit www.jcih.org

NEWBORN HEARING SCREENING FACTS:



HEARING LOSS is one of the MOST COMMON birth defects.

Each year,

infants are born deaf or hard of hearing.

Newborns should be screened for hearing loss BEFORE LEAVING THE HOSPITAL.

If left undetected, a hearing loss can delay a CHILD'S SPEECH AND LANGUAGE DEVELOPMENT, as well as THINKING, LEARNING, and SOCIAL SKILLS.

Be sure to report findings to the state Early Hearing Detection and Intervention (EHDI) program using the provider reporting form found at http://www.alabamapublichealth.gov/newbornscreening/assets/2018AudiologyReportingForm.pdf



