

COUNTY HEALTH PROFILES

ALABAMA
2000



Center for Health Statistics

Alabama Department of Public Health



**This publication was produced by:
DIVISION OF STATISTICAL ANALYSIS
CENTER FOR HEALTH STATISTICS**

**Louie Albert Woolbright, Ph.D.
Director, Division of Statistical Analysis**

Division Members:

Kathryn L. Chapman, M.A.

Shelia C. Davison

William V. Duncan, B.S.

Elizabeth Gordon

Annie L. Green

Nina L. Haynes

William G. Jarrell, B.A.

Kenneth Lentini, M.S.

Rhonda L. Stephens, M.P.H.

Alton D. Stone, B.S.

Tracey D. Taylor

**Dorothy S. Harshbarger, M.S., Director, Center for Health Statistics
Donald E. Williamson, M.D., State Health Officer**

**Alabama Department of Public Health
Center for Health Statistics
Division of Statistical Analysis
Post Office Box 5625
Montgomery, Alabama 36103-5625
(334) 206-5429**

**Informational materials in alternative formats
will be made available upon
request.**

TABLE OF CONTENTS

Page

Introduction	1
2000 Profile of	
Alabama	2
Autauga County	4
Baldwin County	6
Barbour County	8
Bibb County	10
Blount County	12
Bullock County	14
Butler County	16
Calhoun County	18
Chambers County	20
Cherokee County	22
Chilton County	24
Choctaw County	26
Clarke County	28
Clay County	30
Cleburne County	32
Coffee County	34
Colbert County	36
Conecuh County	38
Coosa County	40
Covington County	42
Crenshaw County	44
Cullman County	46
Dale County	48
Dallas County	50
DeKalb County	52
Elmore County	54
Escambia County	56
Etowah County	58
Fayette County	60
Franklin County	62
Geneva County	64
Greene County	66
Hale County	68
Henry County	70
Houston County	72
Jackson County	74
Jefferson County	76
Lamar County	78
Lauderdale County	80
Lawrence County	82
Lee County	84
Limestone County	86
Lowndes County	88
Macon County	90
Madison County	92
Marengo County	94

2000 Profile of (continued)

Marion County	96
Marshall County	98
Mobile County	100
Monroe County	102
Montgomery County	104
Morgan County	106
Perry County	108
Pickens County	110
Pike County	112
Randolph County	114
Russell County	116
St. Clair County	118
Shelby County	120
Sumter County	122
Talladega County	124
Tallapoosa County	126
Tuscaloosa County	128
Walker County	130
Washington County	132
Wilcox County	134
Winston County	136
Appendix A - Denominator Population	139
Census 2000 Population by County and Race, Alabama, 2000	140
Census 2000 Population by Race, Sex, and Age Group, Alabama, 2000	141
Appendix B	143
Technical Notes	144
Definitions	148
County Profile Formulas	151
ICD-10 Death Codes	153
Alabama's 2000 Certificate of Live Birth	155
Alabama's 2000 Certificate of Death	156
Alabama's 2000 Report of Fetal Death	157
Alabama's 2000 Certificate of Marriage	158
Alabama's 2000 Certificate of Divorce	159
Alabama's 2000 Report of Induced Termination of Pregnancy	160
Publications Available from the Center for Health Statistics	161

INTRODUCTION

This *County Health Profiles* publication is a revision of Volume IV of *Alabama Vital Events, "County Profiles."* It is retitled to reflect the emphasis on health-related data and has been reformatted to contain the most frequently requested health data by county. The *Alabama Vital Events* publication has also been renamed to *Alabama Vital Statistics*, which contains data from Volumes I - III in one publication.


County Health Profiles and many other reports prepared by the Center for Health Statistics are now available on the Internet at www.adph.org, then click on Fast Find, then Health Statistics. This site has many tables and reports for immediate use.

Data for each county are displayed on two matching pages, left and right. Various footnotes give explanatory details about the different kinds of rates presented in the tables. Additional information may be obtained from the Technical Notes and Definitions in the Appendix B.

2000 HEALTH PROFILE OF ALABAMA

2000 POPULATION	
Total	4,447,100
White	3,162,808
Black & Other	1,284,292
Median Age	35.8
Marriages	47,087
Rate ¹	10.6
Divorces	24,630
Rate ¹	5.5
Life Expectancy at Birth	74.0
Total Fertility Rate Per 1,000 Women 10-49	2023.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	63,166	201	3,400	6,315	53,250
Rate ^{2,3}	65.1	1.3	35.4	98.6	54.7
White	41,946	61	1,718	3,559	36,608
Rate ^{2,3}	64.1	0.6	28.2	87.6	54.7
Black & Other	21,220	140	1,682	2,756	16,642
Rate ^{2,3}	67.2	2.5	47.9	117.6	54.8



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	88,676	91.3	14,558	46.1
Births	63,166	14.2	9,916	31.4
Abortions	11,695	12.0	2,409	7.6
Est. Fetal Losses	13,815	-	2,233	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	21,663	34.3	7,064	71.2
Low Weight Births	6,154	9.7	1,178	11.9
Multiple Births	2,134	3.4	202	2.0
Medicaid Births	27,911	44.2	8,131	82.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	470
Syphilis	748
Gonorrhea	12,081
Chlamydia	15,344
Tuberculosis	310

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	594	274	320	112	48	64
Rate per 1,000 Births	9.4	6.5	15.1	11.3	9.0	14.0
Postneonatal Deaths	225	107	118	44	22	22
Rate per 1,000 Births	3.6	2.6	5.6	4.4	4.1	4.8
Neonatal Deaths	369	167	202	68	26	42
Rate per 1,000 Births	5.8	4.0	9.5	6.9	4.9	9.2

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	4,447,100	2,146,504	2,300,596	3,162,808	1,544,425	1,618,383	1,284,292	602,079	682,213
0- 4	295,992	151,059	144,933	190,470	97,729	92,741	105,522	53,330	52,192
5- 9	315,345	161,782	153,563	200,901	103,621	97,280	114,444	58,161	56,283
10-14	320,252	164,628	155,624	207,174	106,988	100,186	113,078	57,640	55,438
15-44	1,919,972	949,091	970,881	1,321,292	666,410	654,882	598,680	282,681	315,999
45-64	1,015,741	488,458	527,283	778,818	380,708	398,110	236,923	107,750	129,173
65-84	512,497	213,504	298,993	412,263	175,233	237,030	100,234	38,271	61,963
85+	67,301	17,982	49,319	51,890	13,736	38,154	15,411	4,246	11,165

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for Total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF ALABAMA (continued)

	MORTALITY								
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female
Deaths	44,967	22,299	22,668	33,998	16,788	17,210	10,969	5,511	5,458
Death Rate ¹	10.1	10.4	9.9	10.7	10.9	10.6	8.5	9.2	8.0

Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	13,354	300.3	6,439	300.0	6,915	300.6	10,358	327.5	2,996	233.3
Cancer	9,772	219.7	5,357	249.6	4,415	191.9	7,549	238.7	2,223	173.1
Stroke	3,177	71.4	1,218	56.7	1,959	85.2	2,343	74.1	834	64.9
Accidents	2,097	47.2	1,378	64.2	719	31.3	1,567	49.5	530	41.3
Chronic Lower Resp. Dis.	2,043	45.9	1,115	51.9	928	40.3	1,818	57.5	225	17.5
Diabetes	1,315	29.6	537	25.0	778	33.8	832	26.3	483	37.6
Influenza & Pneumonia	1,130	25.4	476	22.2	654	28.4	925	29.2	205	16.0
Alzheimer's Disease	891	20.0	247	11.5	644	28.0	753	23.8	138	10.7
Suicide	579	13.0	468	21.8	111	4.8	513	16.2	66	5.1
Homicide	441	9.9	335	15.6	106	4.6	159	5.0	282	22.0
HIV	201	4.5	157	7.3	44	1.9	51	1.6	150	11.7

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	2,097	47.2	302	24.0
Motor Vehicle	1,002	22.5	182	14.5
Suffocation	116	2.6	17	1.4
Poisoning	160	3.6	14	1.1
Smoke, Fire & Flames	105	2.4	18	1.4
Falls	112	2.5	4	0.3
Drowning	87	2.0	32	2.5
Firearms	34	0.8	3	0.2
Other Accidents	481	10.8	32	2.5

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	44,967	10.1
0-14	829	0.9
15-44	3,386	1.8
45-64	8,358	8.2
65-84	21,470	41.9
85+	10,924	162.3

Selected Cancer Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	17,574	9,772	219.7	5,357	249.6	4,415	191.9
Trachea, Bronchus, Lung, Pleura	3,061	2,958	66.5	1,918	89.4	1,040	45.2
Colorectal	2,218	892	20.1	469	21.8	423	18.4
Breast (female)	3,088	686	--	--	--	686	29.8
Prostate (male)	1,749	608	--	608	28.3	--	--
Pancreas	392	499	11.2	240	11.2	259	11.3
Leukemias	294	314	7.1	156	7.3	158	6.9
Non-Hodgkin's Lymphomas	149	343	7.7	170	7.9	173	7.5
Ovary (female)	320	245	--	--	--	245	10.6
Brain and other nervous system	324	218	4.9	126	5.9	92	4.0
Stomach	267	218	4.9	113	5.3	105	4.6
Uterus & Cervix (female)	719	185	--	--	--	185	8.0
Esophagus	210	185	4.2	147	6.8	38	1.7
Melanoma of Skin	401	117	2.6	69	3.2	48	2.1
Other	4,382	2,304	--	1,341	--	963	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF AUTAUGA COUNTY

2000 POPULATION	
Total	43,671
White	35,221
Black & Other	8,450
Median Age	35.1
Marriages	400
Rate ¹	9.2
Divorces	228
Rate ¹	5.2
Life Expectancy at Birth	73.0
Total Fertility Rate Per 1,000 Women 10-49	2054.0

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	585	2	27	61	495
Rate ^{2,3}	60.4	1.1	28.4	96.2	51.4
White	445	1	16	38	390
Rate ^{2,3}	58.5	0.7	22.5	80.3	51.0
Black & Other	140	1	11	23	105
Rate ^{2,3}	67.2	2.4	45.6	143.0	52.8



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	824	85.1	132	39.2
Births	585	13.4	90	26.7
Abortions	111	11.5	22	6.5
Est. Fetal Losses	128	-	20	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	163	27.9	59	65.6
Low Weight Births	35	6.0	5	5.6
Multiple Births	11	1.9	0	0.0
Medicaid Births	193	33.0	70	77.8

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	6
Syphilis	4
Gonorrhea	106
Chlamydia	138
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	2	0	0	0	0
Rate per 1,000 Births	3.4	4.5	0.0	0.0	0.0	0.0
Postneonatal Deaths	2	2	0	0	0	0
Rate per 1,000 Births	3.4	4.5	0.0	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	43,671	21,221	22,450	35,221	17,335	17,886	8,450	3,886	4,564
0- 4	3,023	1,502	1,521	2,370	1,178	1,192	653	324	329
5- 9	3,618	1,873	1,745	2,864	1,487	1,377	754	386	368
10-14	3,738	1,953	1,785	2,913	1,540	1,373	825	413	412
15-44	19,015	9,328	9,687	15,174	7,569	7,605	3,841	1,759	2,082
45-64	9,826	4,748	5,078	8,231	4,024	4,207	1,595	724	871
65-84	4,023	1,704	2,319	3,337	1,453	1,884	686	251	435
85+	428	113	315	332	84	248	96	29	67

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for Total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF AUTAUGA COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	356	186	170	288	144	144	68	42	26	
Death Rate ¹	8.2	8.8	7.6	8.2	8.3	8.1	8.0	10.8	5.7	

Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	115	263.3	70	329.9	45	200.4	90	255.5	25	295.9
Cancer	80	183.2	44	207.3	36	160.4	65	184.5	15	177.5
Stroke	27	61.8	11	51.8	16	71.3	24	68.1	3	35.5
Accidents	17	38.9	10	47.1	7	31.2	11	31.2	6	71.0
Chronic Lower Resp. Dis.	16	36.6	11	51.8	5	22.3	15	42.6	1	11.8
Diabetes	10	22.9	2	9.4	8	35.6	8	22.7	2	23.7
Influenza & Pneumonia	5	11.4	3	14.1	2	8.9	4	11.4	1	11.8
Alzheimer's Disease	12	27.5	2	9.4	10	44.5	11	31.2	1	11.8
Suicide	8	18.3	6	28.3	2	8.9	8	22.7	0	0.0
Homicide	4	9.2	3	14.1	1	4.5	2	5.7	2	23.7
HIV	1	2.3	1	4.7	0	0.0	0	0.0	1	11.8

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	17	38.9	2	14.7
Motor Vehicle	11	25.2	1	7.3
Suffocation	0	0.0	0	0.0
Poisoning	2	4.6	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	2	4.6	0	0.0
Other Accidents	2	4.6	1	7.3

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	356	8.2
0-14	4	0.4
15-44	29	1.5
45-64	74	7.5
65-84	174	43.3
85+	75	175.2*

Selected Cancer Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	177	80	183.2	44	207.3	36	160.4
Trachea, Bronchus, Lung, Pleura	29	25	57.2	15	70.7	10	44.5
Colorectal	16	6	13.7	3	14.1	3	13.4
Breast (female)	35	8	--	--	--	8	35.6
Prostate (male)	15	2	--	2	9.4	--	--
Pancreas	6	4	9.2	3	14.1	1	4.5
Leukemias	2	2	4.6	1	4.7	1	4.5
Non-Hodgkin's Lymphomas	2	2	4.6	1	4.7	1	4.5
Ovary (female)	6	2	--	--	--	2	8.9
Brain and other nervous system	8	4	9.2	2	9.4	2	8.9
Stomach	2	4	9.2	3	14.1	1	4.5
Uterus & Cervix (female)	8	0	--	--	--	0	0.0
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	6	1	2.3	1	4.7	0	0.0
Other	42	20	--	13	--	7	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF BALDWIN COUNTY

2000 POPULATION	
Total	140,415
White	122,366
Black & Other	18,049
Median Age	38.9
Marriages	2,169
Rate ¹	15.4
Divorces	816
Rate ¹	5.8
Life Expectancy at Birth	75.6
Total Fertility Rate Per 1,000 Women 10-49	2181.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	1,814	3	70	156	1,585
Rate ^{2,3}	65.0	0.6	25.5	85.1	55.5
White	1,551	1	52	114	1,384
Rate ^{2,3}	65.3	0.2	23.0	75.6	56.2
Black & Other	263	2	18	42	201
Rate ^{2,3}	63.7	2.4	36.9	129.2	51.4



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	2,358	84.5	303	31.9
Births	1,814	12.9	229	24.1
Abortions	164	5.9	25	2.6
Est. Fetal Losses	380	-	49	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	437	24.1	159	69.4
Low Weight Births	156	8.6	21	9.2
Multiple Births	59	3.3	2	0.9
Medicaid Births	671	37.0	184	80.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	13
Syphilis	5
Gonorrhea	143
Chlamydia	221
Tuberculosis	5

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	11	7	4	2	1	1
Rate per 1,000 Births	6.1	4.5	15.2	8.7	6.0	16.1
Postneonatal Deaths	4	2	2	0	0	0
Rate per 1,000 Births	2.2	1.3	7.6	0.0	0.0	0.0
Neonatal Deaths	7	5	2	2	1	1
Rate per 1,000 Births	3.9	3.2	7.6	8.7	6.0	16.1

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		Black and Other					
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	140,415	68,848	71,567	122,366	59,953	62,413	18,049	8,895	9,154
0-4	8,621	4,386	4,235	7,060	3,610	3,450	1,561	776	785
5-9	9,486	4,937	4,549	7,861	4,095	3,766	1,625	842	783
10-14	10,144	5,212	4,932	8,460	4,345	4,115	1,684	867	817
15-44	55,483	27,585	27,898	47,188	23,420	23,768	8,295	4,165	4,130
45-64	34,978	16,918	18,060	31,647	15,313	16,334	3,331	1,605	1,726
65-84	19,539	9,145	10,394	18,177	8,572	9,605	1,362	573	789
85+	2,164	665	1,499	1,973	598	1,375	191	67	124

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for Total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF BALDWIN COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	1,318	672	646	1,199	611	588	119	61	58	
Death Rate ¹	9.4	9.8	9.0	9.8	10.2	9.4	6.6	6.9	6.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	356	253.5	204	296.3	152	212.4	325	265.6	31	171.8
Cancer	328	233.6	165	239.7	163	227.8	300	245.2	28	155.1
Stroke	81	57.7	32	46.5	49	68.5	73	59.7	8	44.3
Accidents	60	42.7	39	56.6	21	29.3	58	47.4	2	11.1
Chronic Lower Resp. Dis.	60	42.7	30	43.6	30	41.9	56	45.8	4	22.2
Diabetes	39	27.8	19	27.6	20	27.9	32	26.2	7	38.8
Influenza & Pneumonia	22	15.7	9	13.1	13	18.2	21	17.2	1	5.5
Alzheimer's Disease	26	18.5	7	10.2	19	26.5	25	20.4	1	5.5
Suicide	24	17.1	18	26.1	6	8.4	22	18.0	2	11.1
Homicide	9	6.4	6	8.7	3	4.2	6	4.9	3	16.6
HIV	6	4.3	5	7.3	1	1.4	2	1.6	4	22.2

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	60	42.7	10	26.5
Motor Vehicle	27	19.2	9	23.9
Suffocation	3	2.1	1	2.7
Poisoning	7	5.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	5	3.6	0	0.0
Drowning	2	1.4	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	16	11.4	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	1,318	9.4
0-14	19	0.7
15-44	94	1.7
45-64	215	6.1
65-84	673	34.4
85+	317	146.5

Selected Cancer Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	344	328	233.6	165	239.7	163	227.8
Trachea, Bronchus, Lung, Pleura	51	98	69.8	63	91.5	35	48.9
Colorectal	67	31	22.1	16	23.2	15	21.0
Breast (female)	69	23	--	--	--	23	32.1
Prostate (male)	29	20	--	20	29.0	--	--
Pancreas	7	19	13.5	7	10.2	12	16.8
Leukemias	1	6	4.3	1	1.5	5	7.0
Non-Hodgkin's Lymphomas	1	19	13.5	9	13.1	10	14.0
Ovary (female)	8	7	--	--	--	7	9.8
Brain and other nervous system	9	7	5.0	3	4.4	4	5.6
Stomach	5	11	7.8	5	7.3	6	8.4
Uterus & Cervix (female)	17	2	--	--	--	2	2.8
Esophagus	5	10	7.1	8	11.6	2	2.8
Melanoma of Skin	5	4	2.8	3	4.4	1	1.4
Other	70	71	--	30	--	41	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF BARBOUR COUNTY

2000 POPULATION	
Total	29,038
White	14,887
Black & Other	14,151
Median Age	35.8
Marriages	302
Rate ¹	10.4
Divorces	122
Rate ¹	4.2
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	2378.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	399	5	21	48	325
Rate ^{2,3}	72.7	4.7	33.9	116.3	59.9
White	172	0	6	12	154
Rate ^{2,3}	66.5	0.0	22.7	68.0	58.0
Black & Other	227	5	15	36	171
Rate ^{2,3}	78.1	8.2	42.3	152.3	61.6



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	537	97.8	106	50.3
Births	399	13.7	74	35.1
Abortions	53	9.7	15	7.1
Est. Fetal Losses	85	-	17	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	208	52.1	58	78.4
Low Weight Births	45	11.3	13	17.6
Multiple Births	13	3.3	0	0.0
Medicaid Births	224	56.1	65	87.8

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	4
Syphilis	7
Gonorrhea	79
Chlamydia	152
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	0	5	0	0	0
Rate per 1,000 Births	12.5	0.0	22.0	0.0	0.0	0.0
Postneonatal Deaths	1	0	1	0	0	0
Rate per 1,000 Births	2.5	0.0	4.4	0.0	0.0	0.0
Neonatal Deaths	4	0	4	0	0	0
Rate per 1,000 Births	10.0	0.0	17.6	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		Black and Other					
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	29,038	14,970	14,068	14,887	7,720	7,167	14,151	7,250	6,901
0- 4	1,788	929	859	753	410	343	1,035	519	516
5- 9	2,053	1,073	980	859	467	392	1,194	606	588
10-14	2,156	1,081	1,075	915	450	465	1,241	631	610
15-44	12,676	7,185	5,491	5,975	3,389	2,586	6,701	3,796	2,905
45-64	6,492	3,220	3,272	3,926	2,004	1,922	2,566	1,216	1,350
65-84	3,361	1,359	2,002	2,181	941	1,240	1,180	418	762
85+	512	123	389	278	59	219	234	64	170

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for Total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF BARBOUR COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	306	151	155	184	83	101	122	68	54	
Death Rate ¹	10.5	10.1	11.0	12.4	10.8	14.1	8.6	9.4	7.8	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	94	323.7	43	287.2	51	362.5	59	396.3	35	247.3
Cancer	77	265.2	44	293.9	33	234.6	41	275.4	36	254.4
Stroke	31	106.8	14	93.5	17	120.8	16	107.5	15	106.0
Accidents	15	51.7	10	66.8	5	35.5	8	53.7	7	49.5
Chronic Lower Resp. Dis.	11	37.9	4	26.7	7	49.8	11	73.9	0	0.0
Diabetes	2	6.9	1	6.7	1	7.1	2	13.4	0	0.0
Influenza & Pneumonia	4	13.8	1	6.7	3	21.3	4	26.9	0	0.0
Alzheimer's Disease	5	17.2	3	20.0	2	14.2	4	26.9	1	7.1
Suicide	3	10.3	2	13.4	1	7.1	3	20.2	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV	1	3.4	1	6.7	0	0.0	0	0.0	1	7.1

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	15	51.7	2	24.6
Motor Vehicle	8	27.6	2	24.6
Suffocation	1	3.4	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	3.4	0	0.0
Falls	2	6.9	0	0.0
Drowning	1	3.4	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	6.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	306	10.5
0-14	7	1.2
15-44	17	1.3
45-64	58	8.9
65-84	154	45.8
85+	70	136.7*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	104	77	265.2	44	293.9	33	234.6
Trachea, Bronchus, Lung, Pleura	16	23	79.2	17	113.6	6	42.6
Colorectal	12	5	17.2	4	26.7	1	7.1
Breast (female)	22	7	--	--	--	7	49.8
Prostate (male)	12	11	--	11	73.5	--	--
Pancreas	1	5	17.2	3	20.0	2	14.2
Leukemias	1	1	3.4	0	0.0	1	7.1
Non-Hodgkin's Lymphomas	0	2	6.9	1	6.7	1	7.1
Ovary (female)	3	1	--	--	--	1	7.1
Brain and other nervous system	1	0	0.0	0	0.0	0	0.0
Stomach	4	1	3.4	0	0.0	1	7.1
Uterus & Cervix (female)	5	3	--	--	--	3	21.3
Esophagus	3	1	3.4	1	6.7	0	0.0
Melanoma of Skin	3	1	3.4	0	0.0	1	7.1
Other	21	16	--	7	--	9	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF BIBB COUNTY

2000 POPULATION	
Total	20,826
White	15,966
Black & Other	4,860
Median Age	34.7
Marriages	199
Rate ¹	9.6
Divorces	117
Rate ¹	5.6
Life Expectancy at Birth	71.5
Total Fertility Rate Per 1,000 Women 10-49	2095.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	283	1	11	35	236
Rate ^{2,3}	67.5	1.3	28.4	135.4	56.3
White	209	0	8	24	177
Rate ^{2,3}	64.4	0.0	27.7	124.7	53.9
Black & Other	74	1	3	11	59
Rate ^{2,3}	78.3	4.9	30.3	166.7	64.8



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	376	89.7	68	48.5
Abortions	283	13.6	47	33.5
Est. Fetal Losses	32	7.6	10	7.1
	61	-	11	-
Births to Unmarried Women	Total	Pct ⁴	10-19	Pct ⁵
Low Weight Births	90	31.8	28	59.6
Multiple Births	24	8.5	4	8.5
Medicaid Births	12	4.2	4	8.5
	132	46.6	37	78.7

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	29
Chlamydia	52
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	0	2	0	0	0
Rate per 1,000 Births	7.1	0.0	27.0	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	2	0	2	0	0	0
Rate per 1,000 Births	7.1	0.0	27.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	20,826	10,745	10,081	15,966	8,031	7,935	4,860	2,714	2,146
0-4	1,449	777	672	1,101	579	522	348	198	150
5-9	1,530	769	761	1,074	551	523	456	218	238
10-14	1,454	699	755	1,050	498	552	404	201	203
15-44	9,254	5,063	4,191	6,822	3,576	3,246	2,432	1,487	945
45-64	4,726	2,437	2,289	3,898	1,979	1,919	828	458	370
65-84	2,079	897	1,182	1,759	771	988	320	126	194
85+	334	103	231	262	77	185	72	26	46

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF BIBB COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	193	95	98	156	76	80	37	19	18	
Death Rate ¹	9.3	8.8	9.7	9.8	9.5	10.1	7.6	7.0	8.4	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	55	264.1	30	279.2	25	248.0	46	288.1	9	185.2
Cancer	36	172.9	20	186.1	16	158.7	27	169.1	9	185.2
Stroke	13	62.4	5	46.5	8	79.4	11	68.9	2	41.2
Accidents	8	38.4	5	46.5	3	29.8	5	31.3	3	61.7
Chronic Lower Resp. Dis.	10	48.0	4	37.2	6	59.5	10	62.6	0	0.0
Diabetes	8	38.4	2	18.6	6	59.5	6	37.6	2	41.2
Influenza & Pneumonia	4	19.2	0	0.0	4	39.7	3	18.8	1	20.6
Alzheimer's Disease	3	14.4	0	0.0	3	29.8	3	18.8	0	0.0
Suicide	7	33.6	5	46.5	2	19.8	7	43.8	0	0.0
Homicide	2	9.6	2	18.6	0	0.0	0	0.0	2	41.2
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	8	38.4	0	0.0
Motor Vehicle	6	28.8	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	1	4.8	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	4.8	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	193	9.3
0-14	2	0.5
15-44	19	2.1
45-64	44	9.3
65-84	73	35.1
85+	55	164.7*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	84	36	172.9	20	186.1	16	158.7
Trachea, Bronchus, Lung, Pleura	21	19	91.2	12	111.7	7	69.4
Colorectal	5	5	24.0	3	27.9	2	19.8
Breast (female)	11	1	--	--	--	1	9.9
Prostate (male)	9	2	--	2	18.6	--	--
Pancreas	2	0	0.0	0	0.0	0	0.0
Leukemias	1	1	4.8	0	0.0	1	9.9
Non-Hodgkin's Lymphomas	3	2	9.6	0	0.0	2	19.8
Ovary (female)	0	2	--	--	--	2	19.8
Brain and other nervous system	2	0	0.0	0	0.0	0	0.0
Stomach	5	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	4	0	--	--	--	0	0.0
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	2	0	0.0	0	0.0	0	0.0
Other	19	4	--	3	--	1	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF BLOUNT COUNTY

2000 POPULATION	
Total	51,024
White	48,512
Black & Other	2,512
Median Age	36.4
Marriages	450
Rate ¹	8.8
Divorces	16
Rate ¹	0.3
Life Expectancy at Birth	74.0
Total Fertility Rate Per 1,000 Women 10-49	2086.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	677	0	38	74	565
Rate ^{2,3}	65.2	0.0	38.3	111.9	54.1
White	666	0	36	74	556
Rate ^{2,3}	67.8	0.0	39.0	120.3	55.9
Black & Other	11	0	2	0	9
Rate ^{2,3}	20.1	0.0	29.0	0.0	18.1



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	880	84.8	145	42.3
Births	677	13.3	112	32.7
Abortions	61	5.9	9	2.6
Est. Fetal Losses	142	-	24	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	110	16.2	52	46.4
Low Weight Births	57	8.4	4	3.6
Multiple Births	26	3.8	2	1.8
Medicaid Births	260	38.4	91	81.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	2
Chlamydia	31
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	6	6	0	0	0	0
Rate per 1,000 Births	8.9	9.0	0.0	0.0	0.0	0.0
Postneonatal Deaths	5	5	0	0	0	0
Rate per 1,000 Births	7.4	7.5	0.0	0.0	0.0	0.0
Neonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	1.5	1.5	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	51,024	25,476	25,548	48,512	24,167	24,345	2,512	1,309	1,203
0-4	3,528	1,835	1,693	3,250	1,689	1,561	278	146	132
5-9	3,633	1,906	1,727	3,386	1,779	1,607	247	127	120
10-14	3,662	1,886	1,776	3,451	1,784	1,667	211	102	109
15-44	21,323	10,947	10,376	20,107	10,277	9,830	1,216	670	546
45-64	12,320	6,118	6,202	11,939	5,930	6,009	381	188	193
65-84	5,842	2,554	3,288	5,685	2,488	3,197	157	66	91
85+	716	230	486	694	220	474	22	10	12

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF BLOUNT COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	449	227	222	438	222	216	11	5	6	
Death Rate ¹	8.8	8.9	8.7	9.0	9.2	8.9	4.4	3.8	5.0	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	122	239.1	72	282.6	50	195.7	120	247.4	2	79.6
Cancer	126	246.9	62	243.4	64	250.5	122	251.5	4	159.2
Stroke	25	49.0	7	27.5	18	70.5	24	49.5	1	39.8
Accidents	23	45.1	14	55.0	9	35.2	23	47.4	0	0.0
Chronic Lower Resp. Dis.	21	41.2	9	35.3	12	47.0	21	43.3	0	0.0
Diabetes	5	9.8	2	7.9	3	11.7	5	10.3	0	0.0
Influenza & Pneumonia	18	35.3	5	19.6	13	50.9	18	37.1	0	0.0
Alzheimer's Disease	4	7.8	2	7.9	2	7.8	4	8.2	0	0.0
Suicide	7	13.7	6	23.6	1	3.9	7	14.4	0	0.0
Homicide	4	7.8	4	15.7	0	0.0	3	6.2	1	39.8
HIV	1	2.0	1	3.9	0	0.0	1	2.1	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	23	45.1	2	14.1
Motor Vehicle	17	33.3	2	14.1
Suffocation	1	2.0	0	0.0
Poisoning	2	3.9	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	2.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	3.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	449	8.8
0-14	7	0.6
15-44	37	1.7
45-64	92	7.5
65-84	214	36.6
85+	99	138.3*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	144	126	246.9	62	243.4	64	250.5
Trachea, Bronchus, Lung, Pleura	38	34	66.6	19	74.6	15	58.7
Colorectal	20	10	19.6	7	27.5	3	11.7
Breast (female)	32	11	--	--	--	11	43.1
Prostate (male)	9	3	--	3	11.8	--	--
Pancreas	2	6	11.8	4	15.7	2	7.8
Leukemias	2	8	15.7	3	11.8	5	19.6
Non-Hodgkin's Lymphomas	0	7	13.7	4	15.7	3	11.7
Ovary (female)	3	5	--	--	--	5	19.6
Brain and other nervous system	2	1	2.0	1	3.9	0	0.0
Stomach	0	3	5.9	2	7.9	1	3.9
Uterus & Cervix (female)	4	4	--	--	--	4	15.7
Esophagus	0	1	2.0	1	3.9	0	0.0
Melanoma of Skin	1	2	3.9	2	7.9	0	0.0
Other	31	31	--	16	--	15	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF BULLOCK COUNTY

2000 POPULATION	
Total	11,714
White	2,958
Black & Other	8,756
Median Age	35.0
Marriages	105
Rate ¹	9.0
Divorces	32
Rate ¹	2.7
Life Expectancy at Birth	71.3
Total Fertility Rate Per 1,000 Women 10-49	2298.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	164	2	5	29	128
Rate ^{2,3}	74.3	4.4	19.4	169.0	59.9
White	35	0	0	2	33
Rate ^{2,3}	88.6	0.0	0.0	98.0	76.7
Black & Other	129	2	5	27	95
Rate ^{2,3}	71.2	5.2	22.0	178.6	55.7



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	225	102.0	46	52.2*
Births	164	14.0	36	40.9*
Abortions	26	11.8	3	3.4*
Est. Fetal Losses	35	-	7	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	109	66.9	36	100.0*
Low Weight Births	20	12.3	2	5.6*
Multiple Births	8	4.9	2	5.6*
Medicaid Births	113	68.9	31	86.1*

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	0
Gonorrhea	56
Chlamydia	92
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	4	0	4	0	0	0
Rate per 1,000 Births	24.4	0.0	31.0	0.0	0.0	0.0
Postneonatal Deaths	3	0	3	0	0	0
Rate per 1,000 Births	18.3	0.0	23.3	0.0	0.0	0.0
Neonatal Deaths	1	0	1	0	0	0
Rate per 1,000 Births	6.1	0.0	7.8	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	11,714	6,140	5,574	2,958	1,706	1,252	8,756	4,434	4,322
0- 4	737	375	362	129	66	63	608	309	299
5- 9	877	465	412	108	61	47	769	404	365
10-14	875	423	452	118	52	66	757	371	386
15-44	5,200	2,994	2,206	1,224	829	395	3,976	2,165	1,811
45-64	2,482	1,302	1,180	789	449	340	1,693	853	840
65-84	1,267	496	771	487	217	270	780	279	501
85+	276	85	191	103	32	71	173	53	120

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF BULLOCK COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	151	73	78	59	32	27	92	41	51	
Death Rate ¹	12.9	11.9	14.0	19.9	18.8	21.6	10.5	9.2	11.8	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	54	461.0	26	423.5	28	502.3	22	743.7	32	365.5
Cancer	29	247.6	17	276.9	12	215.3	10	338.1	19	217.0
Stroke	8	68.3	2	32.6	6	107.6	3	101.4	5	57.1
Accidents	12	102.4	8	130.3	4	71.8	3	101.4	9	102.8
Chronic Lower Resp. Dis.	2	17.1	2	32.6	0	0.0	2	67.6	0	0.0
Diabetes	5	42.7	3	48.9	2	35.9	1	33.8	4	45.7
Influenza & Pneumonia	3	25.6	1	16.3	2	35.9	1	33.8	2	22.8
Alzheimer's Disease	3	25.6	0	0.0	3	53.8	2	67.6	1	11.4
Suicide	1	8.5	1	16.3	0	0.0	1	33.8	0	0.0
Homicide	3	25.6	1	16.3	2	35.9	1	33.8	2	22.8
HIV	1	8.5	1	16.3	0	0.0	0	0.0	1	11.4

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	12	102.4	0	0.0
Motor Vehicle	8	68.3	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	4	34.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	151	12.9
0-14	4	1.6
15-44	13	2.5
45-64	26	10.5
65-84	67	52.9
85+	41	148.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	27	29	247.6	17	276.9	12	215.3
Trachea, Bronchus, lung, Pleura	6	4	34.1	4	65.1	0	0.0
Colorectal	3	4	34.1	2	32.6	2	35.9
Breast (female)	7	3	--	--	--	3	53.8
Prostate (male)	3	3	--	3	48.9	--	--
Pancreas	1	4	34.1	2	32.6	2	35.9
Leukemias	0	1	8.5	0	0.0	1	17.9
Non-Hodgkin's Lymphomas	0	0	0.0	0	0.0	0	0.0
Ovary (female)	2	1	--	--	--	1	17.9
Brain and other nervous system	0	0	0.0	0	0.0	0	0.0
Stomach	0	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	1	2	--	--	--	2	35.9
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	4	7	--	6	--	1	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF BUTLER COUNTY

2000 POPULATION	
Total	21,399
White	12,492
Black & Other	8,907
Median Age	37.6
Marriages	207
Rate ¹	9.7
Divorces	142
Rate ¹	6.6
Life Expectancy at Birth	73.2
Total Fertility Rate Per 1,000 Women 10-49	2249.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	305	1	16	38	250
Rate ^{2,3}	68.9	1.2	29.1	103.7	57.9
White	145	0	5	14	126
Rate ^{2,3}	63.0	0.0	18.6	78.3	54.7
Black & Other	160	1	11	24	124
Rate ^{2,3}	75.4	2.4	39.1	127.9	61.5



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	421	95.2	79	45.5
Births	305	14.3	55	31.7
Abortions	50	11.3	12	6.9
Est. Fetal Losses	66	-	12	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	162	53.1	43	78.2
Low Weight Births	30	9.8	7	12.7
Multiple Births	7	2.3	0	0.0
Medicaid Births	186	61.0	48	87.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	7
Gonorrhea	93
Chlamydia	139
Tuberculosis	1

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	1	1	1	0	1
Rate per 1,000 Births	6.6	6.9	6.2	18.2	0.0	27.8*
Postneonatal Deaths	1	0	1	1	0	1
Rate per 1,000 Births	3.3	0.0	6.2	18.2	0.0	27.8*
Neonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	3.3	6.9	0.0	0.0	0.0	0.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	21,399	10,019	11,380	12,492	5,970	6,522	8,907	4,049	4,858
0-4	1,358	679	679	643	307	336	715	372	343
5-9	1,539	818	721	747	404	343	792	414	378
10-14	1,699	880	819	825	424	401	874	456	418
15-44	8,367	3,943	4,424	4,605	2,304	2,301	3,762	1,639	2,123
45-64	4,930	2,376	2,554	3,176	1,574	1,602	1,754	802	952
65-84	2,983	1,182	1,801	2,132	864	1,268	851	318	533
85+	523	141	382	364	93	271	159	48	111

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF BUTLER COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	259	130	129	154	73	81	105	57	48	
Death Rate ¹	12.1	13.0	11.3	12.3	12.2	12.4	11.8	14.1	9.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	88	411.2	47	469.1	41	360.3	49	392.3	39	437.9
Cancer	47	219.6	25	249.5	22	193.3	30	240.2	17	190.9
Stroke	22	102.8	12	119.8	10	87.9	13	104.1	9	101.0
Accidents	16	74.8	9	89.8	7	61.5	10	80.1	6	67.4
Chronic Lower Resp. Dis.	13	60.8	8	79.8	5	43.9	11	88.1	2	22.5
Diabetes	7	32.7	3	29.9	4	35.1	4	32.0	3	33.7
Influenza & Pneumonia	4	18.7	3	29.9	1	8.8	1	8.0	3	33.7
Alzheimer's Disease	4	18.7	1	10.0	3	26.4	4	32.0	0	0.0
Suicide	4	18.7	4	39.9	0	0.0	2	16.0	2	22.5
Homicide	2	9.3	1	10.0	1	8.8	1	8.0	1	11.2
HIV	0	0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	16	74.8	1	15.6
Motor Vehicle	9	42.1	1	15.6
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	4.7	0	0.0
Falls	1	4.7	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	5	23.4	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	259	12.1
0-14	2	0.4
15-44	23	2.7
45-64	47	9.5
65-84	122	40.9
85+	65	124.3*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	64	47	219.6	25	249.5	22	193.3
Trachea, Bronchus, Lung, Pleura	15	10	46.7	7	69.9	3	26.4
Colorectal	4	6	28.0	4	39.9	2	17.6
Breast (female)	7	1	--	--	--	1	8.8
Prostate (male)	5	3	--	3	29.9	--	--
Pancreas	0	1	4.7	0	0.0	1	8.8
Leukemias	1	4	18.7	2	20.0	2	17.6
Non-Hodgkin's Lymphomas	0	2	9.3	2	20.0	0	0.0
Ovary (female)	2	0	--	--	--	0	0.0
Brain and other nervous system	1	0	0.0	0	0.0	0	0.0
Stomach	0	2	9.3	1	10.0	1	8.8
Uterus & Cervix (female)	3	1	--	--	--	1	8.8
Esophagus	2	2	9.3	2	20.0	0	0.0
Melanoma of Skin	2	0	0.0	0	0.0	0	0.0
Other	22	15	--	4	--	11	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CALHOUN COUNTY

2000 POPULATION	
Total	112,249
White	88,537
Black & Other	23,712
Median Age	37.2
Marriages	1,285
Rate ¹	11.4
Divorces	767
Rate ¹	6.8
Life Expectancy at Birth	73.1
Total Fertility Rate Per 1,000 Women 10-49	1964.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births Rate ^{2,3}	1,527	3	103	174	1,247
White Rate ^{2,3}	1,145	2	59	117	967
Black & Other Rate ^{2,3}	382	1	44	57	280
	65.5	1.0	67.7	131.5	49.7



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	2,139	88.9	413	54.2
Births	1,527	13.6	280	36.8
Abortions	279	11.6	70	9.2
Est. Fetal Losses	333	-	63	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	403	26.4	156	55.7
Low Weight Births	152	10.0	27	9.6
Multiple Births	49	3.2	8	2.9
Medicaid Births	784	51.3	236	84.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	12
Syphilis	24
Gonorrhea	334
Chlamydia	435
Tuberculosis	3

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	19	14	5	3	3	0
Rate per 1,000 Births	12.4	12.2	13.1	10.7	16.9	0.0
Postneonatal Deaths	10	8	2	1	1	0
Rate per 1,000 Births	6.5	7.0	5.2	3.6	5.6	0.0
Neonatal Deaths	9	6	3	2	2	0
Rate per 1,000 Births	5.9	5.2	7.9	7.1	11.2	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	Total		White			Black and Other		
		Male	Female	Total	Male	Female	Total	Male	Female
Total	112,249	53,702	58,547	88,537	42,760	45,777	23,712	10,942	12,770
0- 4	6,926	3,463	3,463	5,053	2,563	2,490	1,873	900	973
5- 9	7,410	3,749	3,661	5,315	2,698	2,617	2,095	1,051	1,044
10-14	7,469	3,849	3,620	5,526	2,868	2,658	1,943	981	962
15-44	47,565	23,509	24,056	36,543	18,320	18,223	11,022	5,189	5,833
45-64	27,007	13,034	13,973	22,452	10,979	11,473	4,555	2,055	2,500
65-84	14,226	5,656	8,570	12,263	4,959	7,304	1,963	697	1,266
85+	1,646	442	1,204	1,385	373	1,012	261	69	192

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CALHOUN COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	1,366	693	673	1,128	559	569	238	134	104	
Death Rate ¹	12.2	12.9	11.5	12.7	13.1	12.4	10.0	12.2	8.1	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	429	382.2	193	359.4	236	403.1	365	412.3	64	269.9
Cancer	287	255.7	164	305.4	123	210.1	241	272.2	46	194.0
Stroke	74	65.9	34	63.3	40	68.3	62	70.0	12	50.6
Accidents	66	58.8	42	78.2	24	41.0	49	55.3	17	71.7
Chronic Lower Resp. Dis.	83	73.9	43	80.1	40	68.3	77	87.0	6	25.3
Diabetes	28	24.9	12	22.3	16	27.3	15	16.9	13	54.8
Influenza & Pneumonia	29	25.8	12	22.3	17	29.0	25	28.2	4	16.9
Alzheimer's Disease	32	28.5	13	24.2	19	32.5	29	32.8	3	12.7
Suicide	13	11.6	13	24.2	0	0.0	10	11.3	3	12.7
Homicide	13	11.6	12	22.3	1	1.7	8	9.0	5	21.1
HIV	2	1.8	2	3.7	0	0.0	0	0.0	2	8.4

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	66	58.8	16	53.4
Motor Vehicle	31	27.6	3	10.0
Suffocation	4	3.6	1	3.3
Poisoning	3	2.7	0	0.0
Smoke, Fire & Flames	4	3.6	2	6.7
Falls	2	1.8	0	0.0
Drowning	6	5.3	6	20.0
Firearms	4	3.6	1	3.3
Other Accidents	12	10.7	3	10.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	1,366	12.2
0-14	31	1.4
15-44	102	2.1
45-64	261	9.7
65-84	663	46.6
85+	309	187.7

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	671	287	255.7	164	305.4	123	210.1
Trachea, Bronchus, Lung, Pleura	138	99	88.2	62	115.5	37	63.2
Colorectal	83	30	26.7	24	44.7	6	10.2
Breast (female)	104	18	--	--	--	18	30.7
Prostate (male)	75	16	--	16	29.8	--	--
Pancreas	15	11	9.8	7	13.0	4	6.8
Leukemias	18	10	8.9	2	3.7	8	13.7
Non-Hodgkin's Lymphomas	1	9	8.0	5	9.3	4	6.8
Ovary (female)	8	5	--	--	--	5	8.5
Brain and other nervous system	9	6	5.3	3	5.6	3	5.1
Stomach	9	5	4.5	1	1.9	4	6.8
Uterus & Cervix (female)	36	3	--	--	--	3	5.1
Esophagus	6	4	3.6	3	5.6	1	1.7
Melanoma of Skin	8	4	3.6	1	1.9	3	5.1
Other	161	67	--	40	--	27	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data

2000 HEALTH PROFILE OF CHAMBERS COUNTY

2000 POPULATION	
Total	36,583
White	22,271
Black & Other	14,312
Median Age	37.7
Marriages	487
Rate ¹	13.3
Divorces	240
Rate ¹	6.6
Life Expectancy at Birth	73.0
Total Fertility Rate Per 1,000 Women 10-49	2054.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	489	2	35	64	388
Rate ^{2,3}	66.2	1.7	48.4	132.8	52.0
White	276	0	16	33	227
Rate ^{2,3}	68.1	0.0	45.4	140.5	53.7
Black & Other	213	2	19	31	161
Rate ^{2,3}	63.9	3.4	51.2	125.4	49.8



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	671	90.9	137	56.7
Births	489	13.4	101	41.8
Abortions	75	10.2	13	5.4
Est. Fetal Losses	107	-	23	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	229	46.8	79	78.2
Low Weight Births	45	9.2	12	11.9
Multiple Births	7	1.4	0	0.0
Medicaid Births	270	55.2	91	90.1

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	7
Syphilis	4
Gonorrhea	118
Chlamydia	160
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	2	1	1	0	1
Rate per 1,000 Births	6.1	7.2	4.7	9.9	0.0	19.2
Postneonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	2.0	3.6	0.0	0.0	0.0	0.0
Neonatal Deaths	2	1	1	1	0	1
Rate per 1,000 Births	4.1	3.6	4.7	9.9	0.0	19.2

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	36,583	17,285	19,298	22,271	10,724	11,547	14,312	6,561	7,751
0-4	2,430	1,255	1,175	1,321	691	630	1,109	564	545
5-9	2,604	1,288	1,316	1,338	684	654	1,266	604	662
10-14	2,475	1,265	1,210	1,281	664	617	1,194	601	593
15-44	14,537	7,153	7,384	8,249	4,198	4,051	6,288	2,955	3,333
45-64	8,609	4,108	4,501	5,679	2,792	2,887	2,930	1,316	1,614
65-84	5,110	2,005	3,105	3,809	1,547	2,262	1,301	458	843
85+	818	211	607	594	148	446	224	63	161

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CHAMBERS COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	504	228	276	367	158	209	137	70	67	
Death Rate ¹	13.8	13.2	14.3	16.5	14.7	18.1	9.6	10.7	8.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	149	407.3	74	428.1	75	388.6	106	476.0	43	300.4
Cancer	101	276.1	55	318.2	46	238.4	74	332.3	27	188.7
Stroke	47	128.5	12	69.4	35	181.4	35	157.2	12	83.8
Accidents	27	73.8	18	104.1	9	46.6	18	80.8	9	62.9
Chronic Lower Resp. Dis.	22	60.1	9	52.1	13	67.4	20	89.8	2	14.0
Diabetes	7	19.1	1	5.8	6	31.1	4	18.0	3	21.0
Influenza & Pneumonia	6	16.4	3	17.4	3	15.5	5	22.5	1	7.0
Alzheimer's Disease	8	21.9	2	11.6	6	31.1	8	35.9	0	0.0
Suicide	7	19.1	4	23.1	3	15.5	6	26.9	1	7.0
Homicide	5	13.7	4	23.1	1	5.2	0	0.0	5	34.9
HIV	3	8.2	3	17.4	0	0.0	2	9.0	1	7.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	27	73.8	3	30.0
Motor Vehicle	14	38.3	2	20.0
Suffocation	2	5.5	0	0.0
Poisoning	1	2.7	0	0.0
Smoke, Fire & Flames	1	2.7	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	2.7	1	10.0
Firearms	0	0.0	0	0.0
Other Accidents	8	21.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	504	13.8
0-14	4	0.5
15-44	35	2.4
45-64	76	8.8
65-84	248	48.5
85+	141	172.4*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	112	101	276.1	55	318.2	46	238.4
Trachea, Bronchus, Lung, Pleura	21	30	82.0	18	104.1	12	62.2
Colorectal	12	2	5.5	1	5.8	1	5.2
Breast (female)	14	6	--	--	--	6	31.1
Prostate (male)	15	10	--	10	57.9	--	--
Pancreas	0	3	8.2	2	11.6	1	5.2
Leukemias	6	4	10.9	0	0.0	4	20.7
Non-Hodgkin's Lymphomas	0	2	5.5	1	5.8	1	5.2
Ovary (female)	2	1	--	--	--	1	5.2
Brain and other nervous system	1	3	8.2	2	11.6	1	5.2
Stomach	1	1	2.7	0	0.0	1	5.2
Uterus & Cervix (female)	3	2	--	--	--	2	10.4
Esophagus	3	0	0.0	0	0.0	0	0.0
Melanoma of Skin	2	0	0.0	0	0.0	0	0.0
Other	32	37	--	21	--	16	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CHEROKEE COUNTY

2000 POPULATION	
Total	23,988
White	22,268
Black & Other	1,720
Median Age	40.0
Marriages	421
Rate ¹	17.6
Divorces	176
Rate ¹	7.3
Life Expectancy at Birth	73.2
Total Fertility Rate Per 1,000 Women 10-49	2115.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	299	0	25	38	236
Rate ^{2,3}	64.4	0.0	58.4	133.2	49.6
White	284	0	24	37	223
Rate ^{2,3}	66.4	0.0	61.2	141.4	50.8
Black & Other	15	0	1	1	13
Rate ^{2,3}	41.3	0.0	28.2	42.4	35.0



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	386	83.1	83	58.8
Births	299	12.5	63	44.6
Abortions	25	5.4	7	5.0
Est. Fetal Losses	62	-	13	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	89	29.9	32	50.8
Low Weight Births	29	9.7	8	12.7
Multiple Births	12	4.0	0	0.0
Medicaid Births	160	53.5	53	84.1

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	22
Chlamydia	26
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	2	0	0	0	0
Rate per 1,000 Births	6.7	7.0	0.0	0.0	0.0	0.0
Postneonatal Deaths	2	2	0	0	0	0
Rate per 1,000 Births	6.7	7.0	0.0	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	23,988	11,794	12,194	22,268	10,955	11,313	1,720	839	881
0-4	1,433	750	683	1,287	677	610	146	73	73
5-9	1,516	802	714	1,393	731	662	123	71	52
10-14	1,502	803	699	1,370	729	641	132	74	58
15-44	9,326	4,683	4,643	8,606	4,326	4,280	720	357	363
45-64	6,393	3,144	3,249	5,973	2,940	3,033	420	204	216
65-84	3,424	1,497	1,927	3,275	1,446	1,829	149	51	98
85+	394	115	279	364	106	258	30	9	21

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CHEROKEE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	261	135	126	240	123	117	21	12	9	
Death Rate ¹	10.9	11.4	10.3	10.8	11.2	10.3	12.2	14.3	10.2	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	69	287.6	35	296.8	34	278.8	64	287.4	5	290.7
Cancer	62	258.5	34	288.3	28	229.6	59	265.0	3	174.4
Stroke	13	54.2	8	67.8	5	41.0	11	49.4	2	116.3
Accidents	9	37.5	6	50.9	3	24.6	6	26.9	3	174.4
Chronic Lower Resp. Dis.	10	41.7	8	67.8	2	16.4	9	40.4	1	58.1
Diabetes	4	16.7	2	17.0	2	16.4	3	13.5	1	58.1
Influenza & Pneumonia	9	37.5	3	25.4	6	49.2	9	40.4	0	0.0
Alzheimer's Disease	10	41.7	4	33.9	6	49.2	10	44.9	0	0.0
Suicide	6	25.0	5	42.4	1	8.2	6	26.9	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	9	37.5	2	34.1
Motor Vehicle	5	20.8	1	17.0
Suffocation	0	0.0	0	0.0
Poisoning	2	8.3	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	4.2	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	4.2	1	17.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	261	10.9
0-14	3	0.7
15-44	14	1.5
45-64	44	6.9
65-84	132	38.6
85+	68	172.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	64	62	258.5	34	288.3	28	229.6
Trachea, Bronchus, Lung, Pleura	11	19	79.2	12	101.7	7	57.4
Colorectal	10	6	25.0	4	33.9	2	16.4
Breast (female)	10	2	--	--	--	2	16.4
Prostate (male)	11	2	--	2	17.0	--	--
Pancreas	1	1	4.2	1	8.5	0	0.0
Leukemias	0	1	4.2	1	8.5	0	0.0
Non-Hodgkin's Lymphomas	0	2	8.3	0	0.0	2	16.4
Ovary (female)	0	1	--	--	--	1	8.2
Brain and other nervous system	2	1	4.2	0	0.0	1	8.2
Stomach	0	2	8.3	1	8.5	1	8.2
Uterus & Cervix (female)	3	1	--	--	--	1	8.2
Esophagus	0	1	4.2	1	8.5	0	0.0
Melanoma of Skin	0	1	4.2	1	8.5	0	0.0
Other	16	22	--	11	--	11	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CHILTON COUNTY

2000 POPULATION	
Total	39,593
White	34,330
Black & Other	5,263
Median Age	35.9
Marriages	420
Rate ¹	10.6
Divorces	259
Rate ¹	6.5
Life Expectancy at Birth	72.9
Total Fertility Rate Per 1,000 Women 10-49	2197.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	589	2	45	62	480
Rate ^{2,3}	71.0	1.4	58.7	121.3	57.4
White	523	1	40	54	428
Rate ^{2,3}	73.4	0.8	63.2	128.0	59.1
Black & Other	66	1	5	8	52
Rate ^{2,3}	56.2	4.1	37.4	89.7	46.4



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	770	92.8	144	53.3
Births	589	14.9	109	40.3
Abortions	59	7.1	13	4.8
Est. Fetal Losses	122	-	22	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	139	23.6	52	47.7
Low Weight Births	45	7.6	6	5.5
Multiple Births	16	2.7	0	0.0
Medicaid Births	235	39.9	80	73.4

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	3
Gonorrhea	36
Chlamydia	52
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	7	7	0	1	1	0
Rate per 1,000 Births	11.9	13.4	0.0	9.2	10.5	0.0
Postneonatal Deaths	2	2	0	0	0	0
Rate per 1,000 Births	3.4	3.8	0.0	0.0	0.0	0.0
Neonatal Deaths	5	5	0	1	1	0
Rate per 1,000 Births	8.5	9.6	0.0	9.2	10.5	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	39,593	19,581	20,012	34,330	16,930	17,400	5,263	2,651	2,612
0- 4	2,734	1,450	1,284	2,292	1,221	1,071	442	229	213
5- 9	2,838	1,507	1,331	2,364	1,243	1,121	474	264	210
10-14	2,896	1,472	1,424	2,387	1,209	1,178	509	263	246
15-44	16,778	8,483	8,295	14,373	7,252	7,121	2,405	1,231	1,174
45-64	9,250	4,560	4,690	8,308	4,109	4,199	942	451	491
65-84	4,541	1,958	2,583	4,119	1,767	2,352	422	191	231
85+	556	151	405	487	129	358	69	22	47

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CHILTON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	411	213	198	371	197	174	40	16	24	
Death Rate ¹	10.4	10.9	9.9	10.8	11.6	10.0	7.6	6.0	9.2	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	144	363.7	71	362.6	73	364.8	136	396.2	8	152.0
Cancer	77	194.5	42	214.5	35	174.9	64	186.4	13	247.0
Stroke	27	68.2	9	46.0	18	89.9	24	69.9	3	57.0
Accidents	24	60.6	16	81.7	8	40.0	21	61.2	3	57.0
Chronic Lower Resp. Dis.	19	48.0	11	56.2	8	40.0	18	52.4	1	19.0
Diabetes	10	25.3	4	20.4	6	30.0	9	26.2	1	19.0
Influenza & Pneumonia	13	32.8	6	30.6	7	35.0	13	37.9	0	0.0
Alzheimer's Disease	6	15.2	0	0.0	6	30.0	6	17.5	0	0.0
Suicide	6	15.2	5	25.5	1	5.0	5	14.6	1	19.0
Homicide	2	5.1	2	10.2	0	0.0	1	2.9	1	19.0
HIV	1	2.5	1	5.1	0	0.0	1	2.9	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	24	60.6	4	35.8
Motor Vehicle	13	32.8	4	35.8
Suffocation	2	5.1	0	0.0
Poisoning	1	2.5	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	2	5.1	0	0.0
Drowning	0	0.0	0	0.0
Firearms	2	5.1	0	0.0
Other Accidents	4	10.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	411	10.4
0-14	8	0.9
15-44	31	1.8
45-64	76	8.2
65-84	201	44.3
85+	95	170.9*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	110	77	194.5	42	214.5	35	174.9
Trachea, Bronchus, Lung, Pleura	24	26	65.7	15	76.6	11	55.0
Colorectal	15	2	5.1	1	5.1	1	5.0
Breast (female)	12	3	--	--	--	3	15.0
Prostate (male)	10	1	--	1	5.1	--	--
Pancreas	1	10	25.3	3	15.3	7	35.0
Leukemias	1	3	7.6	2	10.2	1	5.0
Non-Hodgkin's Lymphomas (female)	1	2	5.1	1	5.1	1	5.0
Ovary (female)	4	0	--	--	--	0	0.0
Brain and other nervous system	0	2	5.1	2	10.2	0	0.0
Stomach	3	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	6	1	--	--	--	1	5.0
Esophagus	2	2	5.1	1	5.1	1	5.0
Melanoma of Skin	2	0	0.0	0	0.0	0	0.0
Other	29	25	--	16	--	9	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CHOCTAW COUNTY

2000 POPULATION	
Total	15,922
White	8,779
Black & Other	7,143
Median Age	37.9
Marriages	168
Rate ¹	10.6
Divorces	79
Rate ¹	5.0
Life Expectancy at Birth	73.8
Total Fertility Rate Per 1,000 Women 10-49	1944.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	199	1	10	22	166
Rate ^{2,3}	61.0	1.6	28.4	93.7	50.9
White	104	0	2	10	92
Rate ^{2,3}	63.3	0.0	11.9	89.0	54.7
Black & Other	95	1	8	12	74
Rate ^{2,3}	58.7	2.8	43.6	98.0	46.8



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	263	80.6	47	39.2
Births	199	12.5	33	27.5
Abortions	21	6.4	6	5.0
Est. Fetal Losses	43	-	8	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	95	47.7	28	84.8
Low Weight Births	28	14.1	7	21.2
Multiple Births	4	2.0	0	0.0
Medicaid Births	13	6.5	1	3.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	3
Syphilis	1
Gonorrhea	18
Chlamydia	43
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	4	1	3	1	0	1
Rate per 1,000 Births	20.1	9.6	31.6	30.3*	0.0	47.6*
Postneonatal Deaths	1	0	1	0	0	0
Rate per 1,000 Births	5.0	0.0	10.5	0.0	0.0	0.0
Neonatal Deaths	3	1	2	1	0	1
Rate per 1,000 Births	15.1	9.6	21.1	30.3*	0.0	47.6*

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	15,922	7,489	8,433	8,779	4,230	4,549	7,143	3,259	3,884
0-4	1,103	548	555	561	285	276	542	263	279
5-9	1,074	549	525	485	247	238	589	302	287
10-14	1,203	590	613	537	276	261	666	314	352
15-44	6,192	2,930	3,262	3,272	1,628	1,644	2,920	1,302	1,618
45-64	4,018	1,946	2,072	2,446	1,193	1,253	1,572	753	819
65-84	2,008	815	1,193	1,307	545	762	701	270	431
85+	324	111	213	171	56	115	153	55	98

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CHOCTAW COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	167	87	80	100	50	50	67	37	30	
Death Rate ¹	10.5	11.6	9.5	11.4	11.8	11.0	9.4	11.4	7.7	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	51	320.3	25	333.8	26	308.3	29	330.3	22	308.0
Cancer	31	194.7	15	200.3	16	189.7	24	273.4	7	98.0
Stroke	17	106.8	11	146.9	6	71.1	10	113.9	7	98.0
Accidents	12	75.4	7	93.5	5	59.3	8	91.1	4	56.0
Chronic Lower Resp. Dis.	8	50.2	3	40.1	5	59.3	8	91.1	0	0.0
Diabetes	3	18.8	1	13.4	2	23.7	2	22.8	1	14.0
Influenza & Pneumonia	2	12.6	0	0.0	2	23.7	2	22.8	0	0.0
Alzheimer's Disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suicide	2	12.6	2	26.7	0	0.0	0	0.0	2	28.0
Homicide	4	25.1	2	26.7	2	23.7	2	22.8	2	28.0
HIV	1	6.3	0	0.0	1	11.9	0	0.0	1	14.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	12	75.4	3	66.1
Motor Vehicle	8	50.2	2	44.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	2	12.6	1	22.0
Falls	1	6.3	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	6.3	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	167	10.5
0-14	6	1.8
15-44	13	2.1
45-64	37	9.2
65-84	74	36.9
85+	37	114.2*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	19	31	194.7	15	200.3	16	189.7
Trachea, Bronchus, Lung, Pleura	4	9	56.5	7	93.5	2	23.7
Colorectal Stomach	4	3	18.8	2	26.7	1	11.9
Breast (female)	4	2	--	--	--	2	23.7
Prostate (male)	0	3	--	3	40.1	--	--
Pancreas	0	2	12.6	0	0.0	2	23.7
Leukemias	0	1	6.3	0	0.0	1	11.9
Non-Hodgkin's Lymphomas	0	1	6.3	0	0.0	1	11.9
Ovary (female)	0	0	--	--	--	0	0.0
Brain and other nervous system	1	0	0.0	0	0.0	0	0.0
Stomach	0	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	0	1	--	--	--	1	11.9
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	1	1	6.3	0	0.0	1	11.9
Other	5	8	--	3	--	5	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CLARKE COUNTY

2000 POPULATION	
Total	27,867
White	15,589
Black & Other	12,278
Median Age	35.6
Marriages	320
Rate ¹	11.5
Divorces	135
Rate ¹	4.8
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	2314.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	434	0	36	42	356
Rate ^{2,3}	72.6	0.0	56.8	99.3	60.9
White	215	0	11	22	182
Rate ^{2,3}	72.4	0.0	37.6	112.7	59.9
Black & Other	219	0	25	20	174
Rate ^{2,3}	72.9	0.0	73.2	87.9	62.0



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	565	94.6	103	48.9
Births	434	15.6	78	37.0
Abortions	40	6.7	8	3.8
Est. Fetal Losses	91	-	17	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	167	38.5	60	76.9
Low Weight Births	40	9.2	11	14.1
Multiple Births	11	2.5	2	2.6
Medicaid Births	234	53.9	71	91.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	3
Syphilis	1
Gonorrhea	73
Chlamydia	152
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	2	1	1	1	0
Rate per 1,000 Births	6.9	9.3	4.6	12.8	30.3*	0.0
Postneonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	2.3	4.7	0.0	12.8	30.3*	0.0
Neonatal Deaths	2	1	1	0	0	0
Rate per 1,000 Births	4.6	4.7	4.6	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	27,867	13,180	14,687	15,589	7,527	8,062	12,278	5,653	6,625
0-4	2,080	1,020	1,060	990	480	510	1,090	540	550
5-9	2,193	1,110	1,083	1,029	540	489	1,164	570	594
10-14	2,191	1,142	1,049	1,094	588	506	1,097	554	543
15-44	11,382	5,408	5,974	5,912	2,944	2,968	5,470	2,464	3,006
45-64	6,257	3,021	3,236	4,057	1,995	2,062	2,200	1,026	1,174
65-84	3,275	1,345	1,930	2,190	901	1,289	1,085	444	641
85+	489	134	355	317	79	238	172	55	117

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CLARKE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	294	154	140	175	88	87	119	66	53	
Death Rate ¹	10.6	11.7	9.5	11.2	11.7	10.8	9.7	11.7	8.0	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	95	340.9	47	356.6	48	326.8	53	340.0	42	342.1
Cancer	64	229.7	38	288.3	26	177.0	45	288.7	19	154.7
Stroke	18	64.6	6	45.5	12	81.7	10	64.1	8	65.2
Accidents	23	82.5	18	136.6	5	34.0	10	64.1	13	105.9
Chronic Lower Resp. Dis.	12	43.1	7	53.1	5	34.0	8	51.3	4	32.6
Diabetes	13	46.7	3	22.8	10	68.1	7	44.9	6	48.9
Influenza & Pneumonia	12	43.1	4	30.3	8	54.5	10	64.1	2	16.3
Alzheimer's Disease	3	10.8	1	7.6	2	13.6	2	12.8	1	8.1
Suicide	3	10.8	3	22.8	0	0.0	1	6.4	2	16.3
Homicide	4	14.4	2	15.2	2	13.6	3	19.2	1	8.1
HIV	1	3.6	1	7.6	0	0.0	0	0.0	1	8.1

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	23	82.5	1	11.6
Motor Vehicle	15	53.8	1	11.6
Suffocation	2	7.2	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	3.6	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	5	17.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	294	10.6
0-14	5	0.8
15-44	26	2.3
45-64	48	7.7
65-84	123	37.6
85+	92	188.1*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	113	64	229.7	38	288.3	26	177.0
Trachea, Bronchus, Lung, Pleura	19	19	68.2	14	106.2	5	34.0
Colorectal	11	8	28.7	4	30.3	4	27.2
Breast (female)	19	2	--	--	--	2	13.6
Prostate (male)	6	7	--	7	53.1	--	--
Pancreas	1	3	10.8	3	22.8	0	0.0
Leukemias	0	1	3.6	0	0.0	1	6.8
Non-Hodgkin's Lymphomas	0	1	3.6	0	0.0	1	6.8
Ovary (female)	2	1	--	--	--	1	6.8
Brain and other nervous system	5	2	7.2	0	0.0	2	13.6
Stomach	5	1	3.6	1	7.6	0	0.0
Uterus & Cervix (female)	3	1	--	--	--	1	6.8
Esophagus	0	3	10.8	3	22.8	0	0.0
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	42	15	--	6	--	9	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CLAY COUNTY

2000 POPULATION	
Total	14,254
White	11,776
Black & Other	2,478
Median Age	38.7
Marriages	162
Rate ¹	11.4
Divorces	88
Rate ¹	6.2
Life Expectancy at Birth	74.7
Total Fertility Rate Per 1,000 Women 10-49	2272.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	191	0	9	26	156
Rate ^{2,3}	68.8	0.0	34.2	148.4	55.7
White	156	0	4	23	129
Rate ^{2,3}	70.8	0.0	20.9	180.3	56.9
Black & Other	35	0	5	3	27
Rate ^{2,3}	61.0	0.0	70.0	63.0	50.5



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	248	89.3	46	49.4*
Births	191	13.4	35	37.6*
Abortions	16	5.8	3	3.2*
Est. Fetal Losses	41	-	8	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	54	28.3	13	37.1*
Low Weight Births	17	8.9	5	14.3*
Multiple Births	2	1.0	0	0.0*
Medicaid Births	87	45.5	25	71.4*

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	1
Gonorrhea	8
Chlamydia	46
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	2	0	0	0	0
Rate per 1,000 Births	10.5	12.8	0.0	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	2	2	0	0	0	0
Rate per 1,000 Births	10.5	12.8	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,254	6,952	7,302	11,776	5,764	6,012	2,478	1,188	1,290
0- 4	877	472	405	703	373	330	174	99	75
5- 9	921	467	454	713	364	349	208	103	105
10-14	979	486	493	760	379	381	219	107	112
15-44	5,668	2,890	2,778	4,550	2,346	2,204	1,118	544	574
45-64	3,450	1,679	1,771	2,937	1,442	1,495	513	237	276
65-84	2,008	849	1,159	1,802	768	1,034	206	81	125
85+	351	109	242	311	92	219	40	17	23

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CLAY COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	178	88	90	159	78	81	19	10	9	
Death Rate ¹	12.5	12.7	12.3	13.5	13.5	13.5	7.7	8.4	7.0	

Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	48	336.7	20	287.7	28	383.5	41	348.2	7	282.5
Cancer	46	322.7	30	431.5	16	219.1	44	373.6	2	80.7
Stroke	16	112.2	4	57.5	12	164.3	13	110.4	3	121.1
Accidents	11	77.2	6	86.3	5	68.5	9	76.4	2	80.7
Chronic Lower Resp. Dis.	11	77.2	8	115.1	3	41.1	9	76.4	2	80.7
Diabetes	4	28.1	0	0.0	4	54.8	3	25.5	1	40.4
Influenza & Pneumonia	2	14.0	2	28.8	0	0.0	1	8.5	1	40.4
Alzheimer's Disease	2	14.0	0	0.0	2	27.4	2	17.0	0	0.0
Suicide	4	28.1	3	43.2	1	13.7	4	34.0	0	0.0
Homicide	2	14.0	2	28.8	0	0.0	2	17.0	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	11	77.2	0	0.0
Motor Vehicle	3	21.0	0	0.0
Suffocation	2	14.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	7.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	5	35.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	178	12.5
0-14	2	0.7
15-44	12	2.1
45-64	29	8.4
65-84	83	41.3
85+	52	148.1*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	61	46	322.7	30	431.5	16	219.1
Trachea, Bronchus, Lung, Pleura	11	14	98.2	9	129.5	5	68.5
Colorectal	6	1	7.0	0	0.0	1	13.7
Breast (female)	12	2	--	--	--	2	27.4
Prostate (male)	4	3	--	3	43.2	--	--
Pancreas	2	2	14.0	2	28.8	0	0.0
Leukemias	2	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	0	3	21.0	3	43.2	0	0.0
Ovary (female)	0	1	--	--	--	1	13.7
Brain and other nervous system	1	3	21.0	1	14.4	2	27.4
Stomach	0	3	21.0	2	28.8	1	13.7
Uterus & Cervix (female)	0	0	--	--	--	0	0.0
Esophagus	0	1	7.0	1	14.4	0	0.0
Melanoma of Skin	1	0	0.0	0	0.0	0	0.0
Other	22	13	--	9	--	4	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CLEBURNE COUNTY

2000 POPULATION	
Total	14,123
White	13,380
Black & Other	743
Median Age	37.5
Marriages	283
Rate ¹	20.0
Divorces	91
Rate ¹	6.4
Life Expectancy at Birth	72.7
Total Fertility Rate Per 1,000 Women 10-49	2136.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	188	0	16	26	146
Rate ^{2,3}	66.6	0.0	56.5	137.7	51.4
White	176	0	16	23	137
Rate ^{2,3}	65.9	0.0	60.1	129.5	50.9
Black & Other	12	0	0	3	9
Rate ^{2,3}	78.4	0.0	0.0	267.9	60.4



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	241	85.4	57	62.2*
Births	188	13.3	42	45.8*
Abortions	14	5.0	6	6.5*
Est. Fetal Losses	39	-	9	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	34	18.1	12	28.6*
Low Weight Births	16	8.5	6	14.3*
Multiple Births	12	6.4	4	9.5*
Medicaid Births	71	37.8	25	59.5*

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	0
Gonorrhea	13
Chlamydia	21
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	1	1	0	1	1	0
Rate per 1,000 Births	5.3	5.7	0.0	23.8*	25.6*	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	5.3	5.7	0.0	23.8*	25.6*	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,123	7,037	7,086	13,380	6,677	6,703	743	360	383
0- 4	867	477	390	822	462	360	45	15	30
5- 9	997	488	509	933	456	477	64	32	32
10-14	982	537	445	913	495	418	69	42	27
15-44	5,771	2,948	2,823	5,462	2,792	2,670	309	156	153
45-64	3,573	1,778	1,795	3,403	1,699	1,704	170	79	91
65-84	1,733	749	984	1,659	717	942	74	32	42
85+	200	60	140	188	56	132	12	4	8

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CLEBURNE COUNTY (continued)

	MORTALITY									
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	149	73	76	143	70	73	6	3	3	
Death Rate ¹	10.6	10.4	10.7	10.7	10.5	10.9	8.1*	8.3*	7.8*	

Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	54	382.4	26	369.5	28	395.1	53	396.1	1	134.6*
Cancer	33	233.7	17	241.6	16	225.8	33	246.6	0	0.0
Stroke	8	56.6	3	42.6	5	70.6	7	52.3	1	134.6*
Accidents	8	56.6	6	85.3	2	28.2	8	59.8	0	0.0
Chronic Lower Resp. Dis.	5	35.4	3	42.6	2	28.2	5	37.4	0	0.0
Diabetes	3	21.2	1	14.2	2	28.2	2	14.9	1	134.6*
Influenza & Pneumonia	3	21.2	1	14.2	2	28.2	3	22.4	0	0.0
Alzheimer's Disease	3	21.2	1	14.2	2	28.2	3	22.4	0	0.0
Suicide	3	21.2	3	42.6	0	0.0	3	22.4	0	0.0
Homicide	1	7.1	1	14.2	0	0.0	1	7.5	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	8	56.6	3	78.7
Motor Vehicle	3	21.2	2	52.5
Suffocation	1	7.1	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	7.1	0	0.0
Drowning	2	14.2	1	26.2
Firearms	0	0.0	0	0.0
Other Accidents	1	7.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	149	10.6
0-14	2	0.7
15-44	7	1.2
45-64	33	9.2
65-84	69	39.8
85+	38	190.0*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	46	33	233.7	17	241.6	16	225.8
Trachea, Bronchus, Lung, Pleura	15	9	63.7	5	71.1	4	56.4
Colorectal	2	2	14.2	1	14.2	1	14.1
Breast (female)	5	3	--	--	--	3	42.3
Prostate (male)	3	2	--	2	28.4	--	--
Pancreas	3	1	7.1	0	0.0	1	14.1
Leukemias	2	1	7.1	1	14.2	0	0.0
Non-Hodgkin's Lymphomas	0	0	0.0	0	0.0	0	0.0
Ovary (female)	0	3	--	--	--	3	42.3
Brain and other nervous system	1	1	7.1	0	0.0	1	14.1
Stomach	0	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	1	0	--	--	--	0	0.0
Esophagus	1	1	7.1	1	14.2	0	0.0
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	13	10	--	7	--	3	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF COFFEE COUNTY

2000 POPULATION	
Total	43,615
White	33,631
Black & Other	9,984
Median Age	37.3
Marriages	525
Rate ¹	12.0
Divorces	207
Rate ¹	4.7
Life Expectancy at Birth	75.3
Total Fertility Rate Per 1,000 Women 10-49	2081.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	576	2	39	71	464
Rate ^{2,3}	64.5	1.3	42.3	115.6	51.6
White	435	0	22	47	366
Rate ^{2,3}	65.9	0.0	33.9	108.5	54.2
Black & Other	141	2	17	24	98
Rate ^{2,3}	60.5	5.2	62.5	132.5	43.7



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	771	86.4	154	50.4
Births	576	13.2	112	36.7
Abortions	72	8.1	18	5.9
Est. Fetal Losses	123	-	24	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	145	25.2	63	56.3
Low Weight Births	61	10.6	14	12.5
Multiple Births	24	4.2	2	1.8
Medicaid Births	255	44.3	86	76.8

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	3
Syphilis	3
Gonorrhea	79
Chlamydia	155
Tuberculosis	7

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	1	1	2	1	1
Rate per 1,000 Births	3.5	2.3	7.1	17.9	14.5	23.3*
Postneonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	1.7	2.3	0.0	8.9	14.5	0.0
Neonatal Deaths	1	0	1	1	0	1
Rate per 1,000 Births	1.7	0.0	7.1	8.9	0.0	23.3*

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	Total		White			Black and Other		
		Male	Female	Total	Male	Female	Total	Male	Female
Total	43,615	21,303	22,312	33,631	16,534	17,097	9,984	4,769	5,215
0-4	2,718	1,385	1,333	1,903	970	933	815	415	400
5-9	2,947	1,518	1,429	2,023	1,049	974	924	469	455
10-14	3,184	1,667	1,517	2,339	1,207	1,132	845	460	385
15-44	18,071	9,146	8,925	13,499	6,903	6,596	4,572	2,243	2,329
45-64	10,524	5,076	5,448	8,565	4,206	4,359	1,959	870	1,089
65-84	5,409	2,329	3,080	4,681	2,049	2,632	728	280	448
85+	762	182	580	621	150	471	141	32	109

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF COFFEE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	447	211	236	359	172	187	88	39	49	
Death Rate ¹	10.2	9.9	10.6	10.7	10.4	10.9	8.8	8.2	9.4	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	145	332.5	59	277.0	86	385.4	124	368.7	21	210.3
Cancer	94	215.5	53	248.8	41	183.8	68	202.2	26	260.4
Stroke	27	61.9	9	42.2	18	80.7	21	62.4	6	60.1
Accidents	28	64.2	18	84.5	10	44.8	22	65.4	6	60.1
Chronic Lower Resp. Dis.	21	48.1	7	32.9	14	62.7	18	53.5	3	30.0
Diabetes	9	20.6	3	14.1	6	26.9	7	20.8	2	20.0
Influenza & Pneumonia	11	25.2	5	23.5	6	26.9	7	20.8	4	40.1
Alzheimer's Disease	12	27.5	4	18.8	8	35.9	11	32.7	1	10.0
Suicide	8	18.3	7	32.9	1	4.5	8	23.8	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	28	64.2	7	58.5
Motor Vehicle	13	29.8	3	25.1
Suffocation	1	2.3	0	0.0
Poisoning	3	6.9	2	16.7
Smoke, Fire & Flames	1	2.3	0	0.0
Falls	1	2.3	0	0.0
Drowning	3	6.9	1	8.4
Firearms	3	6.9	0	0.0
Other Accidents	3	6.9	1	8.4

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	447	10.2
0-14	7	0.8
15-44	41	2.3
45-64	73	6.9
65-84	197	36.4
85+	129	169.3*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	133	94	215.5	53	248.8	41	183.8
Trachea, Bronchus, Lung, Pleura	22	43	98.6	29	136.1	14	62.7
Colorectal	16	6	13.8	2	9.4	4	17.9
Breast (female)	17	3	--	--	--	3	13.4
Prostate (male)	8	10	--	10	46.9	--	--
Pancreas	2	3	6.9	1	4.7	2	9.0
Leukemias	0	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	3	4	9.2	1	4.7	3	13.4
Ovary (female)	4	4	--	--	--	4	17.9
Brain and other nervous system	1	0	0.0	0	0.0	0	0.0
Stomach	1	4	9.2	3	14.1	1	4.5
Uterus & Cervix (female)	5	0	--	--	--	0	0.0
Esophagus	4	2	4.6	2	9.4	0	0.0
Melanoma of Skin	3	0	0.0	0	0.0	0	0.0
Other	47	15	--	5	--	10	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF COLBERT COUNTY

2000 POPULATION	
Total	54,984
White	44,825
Black & Other	10,159
Median Age	38.7
Marriages	493
Rate ¹	9.0
Divorces	372
Rate ¹	6.8
Life Expectancy at Birth	74.2
Total Fertility Rate Per 1,000 Women 10-49	1927.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births Rate ^{2,3}	667	4	34	74	555
	59.7	2.2	31.6	103.0	48.7
White Rate ^{2,3}	534	1	17	50	466
	60.0	0.7	20.7	91.4	50.8
Black & Other Rate ^{2,3}	133	3	17	24	89
	58.8	6.6	66.2	140.2	40.0



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies Births	897	80.3	155	43.0
Abortions	667	12.1	112	31.1
Est. Fetal Losses	87	7.8	18	5.0
	143	-	25	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	206	30.9	84	75.0
Low Weight Births	81	12.1	15	13.4
Multiple Births	17	2.5	4	3.6
Medicaid Births	285	42.7	96	85.7

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	5
Syphilis	1
Gonorrhea	93
Chlamydia	99
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	7	5	2	1	1	0
Rate per 1,000 Births	10.5	9.4	15.0	8.9	14.7	0.0
Postneonatal Deaths	2	2	0	0	0	0
Rate per 1,000 Births	3.0	3.7	0.0	0.0	0.0	0.0
Neonatal Deaths	5	3	2	1	1	0
Rate per 1,000 Births	7.5	5.6	15.0	8.9	14.7	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	54,984	26,311	28,673	44,825	21,651	23,174	10,159	4,660	5,499
0-4	3,358	1,726	1,632	2,573	1,322	1,251	785	404	381
5-9	3,728	1,880	1,848	2,871	1,482	1,389	857	398	459
10-14	3,735	1,924	1,811	2,842	1,488	1,354	893	436	457
15-44	21,985	10,815	11,170	17,725	8,818	8,907	4,260	1,997	2,263
45-64	13,685	6,499	7,186	11,509	5,531	5,978	2,176	968	1,208
65-84	7,537	3,208	4,329	6,491	2,790	3,701	1,046	418	628
85+	956	259	697	814	220	594	142	39	103

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of all teen births.

⁵Percent of total births.

2000 HEALTH PROFILE OF COLBERT COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	600	302	298	506	255	251	94	47	47	
Death Rate ¹	10.9	11.5	10.4	11.3	11.8	10.8	9.3	10.1	8.5	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	185	336.5	92	349.7	93	324.3	153	341.3	32	315.0
Cancer	144	261.9	79	300.3	65	226.7	127	283.3	17	167.3
Stroke	50	90.9	26	98.8	24	83.7	40	89.2	10	98.4
Accidents	32	58.2	17	64.6	15	52.3	28	62.5	4	39.4
Chronic Lower Resp. Dis.	26	47.3	15	57.0	11	38.4	26	58.0	0	0.0
Diabetes	15	27.3	8	30.4	7	24.4	12	26.8	3	29.5
Influenza & Pneumonia	20	36.4	10	38.0	10	34.9	18	40.2	2	19.7
Alzheimer's Disease	9	16.4	1	3.8	8	27.9	8	17.8	1	9.8
Suicide	10	18.2	7	26.6	3	10.5	9	20.1	1	9.8
Homicide	2	3.6	1	3.8	1	3.5	0	0.0	2	19.7
HIV	1	1.8	1	3.8	0	0.0	1	2.2	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	32	58.2	3	20.7
Motor Vehicle	16	29.1	2	13.8
Suffocation	3	5.5	0	0.0
Poisoning	1	1.8	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	1.8	0	0.0
Drowning	3	5.5	0	0.0
Firearms	2	3.6	0	0.0
Other Accidents	6	10.9	1	6.9

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	600	10.9
0-14	9	0.8
15-44	43	2.0
45-64	113	8.3
65-84	297	39.4
85+	138	144.4*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	106	144	261.9	79	300.3	65	226.7
Trachea, Bronchus, Lung, Pleura	23	42	76.4	27	102.6	15	52.3
Colorectal	13	9	16.4	4	15.2	5	17.4
Breast (female)	21	9	--	--	--	9	31.4
Prostate (male)	6	8	--	8	30.4	--	--
Pancreas	4	5	9.1	3	11.4	2	7.0
Leukemias	0	8	14.5	3	11.4	5	17.4
Non-Hodgkin's Lymphomas	3	7	12.7	4	15.2	3	10.5
Ovary (female)	3	3	--	--	--	3	10.5
Brain and other nervous system	5	11	20.0	7	26.6	4	14.0
Stomach	1	4	7.3	3	11.4	1	3.5
Uterus & Cervix (female)	4	1	--	--	--	1	3.5
Esophagus	1	1	1.8	1	3.8	0	0.0
Melanoma of Skin	2	2	3.6	1	3.8	1	3.5
Other	20	34	--	18	--	16	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CONECH COUNTY

2000 POPULATION	
Total	14,089
White	7,806
Black & Other	6,283
Median Age	38.0
Marriages	133
Rate ¹	9.4
Divorces	56
Rate ¹	4.0
Life Expectancy at Birth	69.9
Total Fertility Rate Per 1,000 Women 10-49	2047.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	181	0	10	21	150
Rate ^{2,3}	63.6	0.0	34.2	107.8	51.5
White	63	0	4	9	50
Rate ^{2,3}	46.2	0.0	29.4	99.1	34.6
Black & Other	118	0	6	12	100
Rate ^{2,3}	79.8	0.0	38.5	115.4	68.1



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	234	82.3	43	43.1*
Births	181	12.8	31	31.1*
Abortions	15	5.3	5	5.0*
Est. Fetal Losses	38	-	7	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	98	54.1	26	83.9*
Low Weight Births	32	17.7	7	22.6*
Multiple Births	6	3.3	0	0.0*
Medicaid Births	118	65.2	30	96.8*

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	1
Gonorrhea	10
Chlamydia	32
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	1	1	1	1	0
Rate per 1,000 Births	11.0	15.9	8.5	32.3*	76.9*	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	2	1	1	1	1	0
Rate per 1,000 Births	11.0	15.9	8.5	32.3*	76.9*	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		Black and Other					
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,089	6,667	7,422	7,806	3,830	3,976	6,283	2,837	3,446
0- 4	875	448	427	407	212	195	468	236	232
5- 9	1,073	560	513	464	233	231	609	327	282
10-14	1,044	534	510	436	222	214	608	312	296
15-44	5,454	2,610	2,844	2,825	1,460	1,365	2,629	1,150	1,479
45-64	3,420	1,617	1,803	2,172	1,077	1,095	1,248	540	708
65-84	1,930	817	1,113	1,329	581	748	601	236	365
85+	293	81	212	173	45	128	120	36	84

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CONECHU COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	191	96	95	121	65	56	70	31	39	
Death Rate ¹	13.6	14.4	12.8	15.5	17.0	14.1	11.1	10.9	11.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	74	525.2	34	510.0	40	538.9	47	602.1	27	429.7
Cancer	38	269.7	22	330.0	16	215.6	23	294.6	15	238.7
Stroke	15	106.5	6	90.0	9	121.3	10	128.1	5	79.6
Accidents	4	28.4	2	30.0	2	26.9	2	25.6	2	31.8
Chronic Lower Resp. Dis.	7	49.7	5	75.0	2	26.9	6	76.9	1	15.9
Diabetes	6	42.6	3	45.0	3	40.4	2	25.6	4	63.7
Influenza & Pneumonia	4	28.4	1	15.0	3	40.4	3	38.4	1	15.9
Alzheimer's Disease	3	21.3	1	15.0	2	26.9	1	12.8	2	31.8
Suicide	3	21.3	3	45.0	0	0.0	2	25.6	1	15.9
Homicide	3	21.3	3	45.0	0	0.0	3	38.4	0	0.0
HIV	2	14.2	0	0.0	2	26.9	0	0.0	2	31.8

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	4	28.4	1	24.9
Motor Vehicle	1	7.1	1	24.9
Suffocation	0	0.0	0	0.0
Poisoning	1	7.1	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	7.1	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	7.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	191	13.6
0-14	2	0.7
15-44	14	2.6
45-64	37	10.8
65-84	87	45.1
85+	51	174.1*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	56	38	269.7	22	330.0	16	215.6
Trachea, Bronchus, Lung, Pleura	10	10	71.0	9	135.0	1	13.5
Colorectal	10	5	35.5	3	45.0	2	26.9
Breast (female)	7	2	--	--	--	2	26.9
Prostate (male)	6	3	--	3	45.0	--	--
Pancreas	0	2	14.2	0	0.0	2	26.9
Leukemias	1	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	1	0	0.0	0	0.0	0	0.0
Ovary (female)	1	1	--	--	--	1	13.5
Brain and other nervous system	5	0	0.0	0	0.0	0	0.0
Stomach	3	2	14.2	1	15.0	1	13.5
Uterus & Cervix (female)	2	0	--	--	--	0	0.0
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	1	0	0.0	0	0.0	0	0.0
Other	9	13	--	6	--	7	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF COOSA COUNTY

2000 POPULATION	
Total	12,202
White	7,802
Black & Other	4,400
Median Age	37.7
Marriages	118
Rate ¹	9.7
Divorces	26
Rate ¹	2.1
Life Expectancy at Birth	73.5
Total Fertility Rate Per 1,000 Women 10-49	1651.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	117	0	7	12	98
Rate ^{2,3}	49.4	0.0	28.2	72.6	41.4
White	66	0	4	7	55
Rate ^{2,3}	46.1	0.0	29.8	78.1	37.5
Black & Other	51	0	3	5	43
Rate ^{2,3}	54.5	0.0	26.5	66.1	47.8



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	162	68.4	30	37.8*
Births	117	9.6	19	23.9*
Abortions	19	8.0	6	7.6*
Est. Fetal Losses	26	-	5	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	44	37.6	15	78.9*
Low Weight Births	13	11.1	2	10.5*
Multiple Births	2	1.7	0	0.0*
Medicaid Births	59	50.4	17	89.5*

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	5
Gonorrhea	27
Chlamydia	23
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	1	2	0	0	0
Rate per 1,000 Births	25.6	15.2	39.2	0.0	0.0	0.0
Postneonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	8.5	15.2	0.0	0.0	0.0	0.0
Neonatal Deaths	2	0	2	0	0	0
Rate per 1,000 Births	17.1	0.0	39.2	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	12,202	6,232	5,970	7,802	3,977	3,825	4,400	2,255	2,145
0-4	759	375	384	480	244	236	279	131	148
5-9	797	438	359	461	262	199	336	176	160
10-14	845	464	381	475	257	218	370	207	163
15-44	5,081	2,713	2,368	3,043	1,610	1,433	2,038	1,103	935
45-64	2,959	1,469	1,490	2,047	1,012	1,035	912	457	455
65-84	1,568	709	859	1,169	553	616	399	156	243
85+	193	64	129	127	39	88	66	25	41

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF COOSA COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	112	55	57	75	40	35	37	15	22	
Death Rate ¹	9.2	8.8	9.5	9.6	10.1	9.2	8.4	6.7	10.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	35	286.8	15	240.7	20	335.0	28	358.9	7	159.1
Cancer	23	188.5	14	224.6	9	150.8	17	217.9	6	136.4
Stroke	12	98.3	5	80.2	7	117.3	8	102.5	4	90.9
Accidents	9	73.8	6	96.3	3	50.3	4	51.3	5	113.6
Chronic Lower Resp. Dis.	3	24.6	3	48.1	0	0.0	3	38.5	0	0.0
Diabetes	4	32.8	2	32.1	2	33.5	3	38.5	1	22.7
Influenza & Pneumonia	1	8.2	1	16.0	0	0.0	0	0.0	1	22.7
Alzheimer's Disease	1	8.2	0	0.0	1	16.8	0	0.0	1	22.7
Suicide	1	8.2	0	0.0	1	16.8	1	12.8	0	0.0
Homicide	1	8.2	1	16.0	0	0.0	0	0.0	1	22.7
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	9	73.8	0	0.0
Motor Vehicle	5	41.0	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke Fire & Flames	1	8.2	0	0.0
Falls	1	8.2	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	16.4	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	112	9.2
0-14	3	1.2
15-44	8	1.6
45-64	26	8.8
65-84	53	33.8
85+	22	114.0*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	54	23	188.5	14	224.6	9	150.8
Trachea, Bronchus, Lung, Pleura	6	10	82.0	9	144.4	1	16.8
Colorectal	10	4	32.8	1	16.0	3	50.3
Breast (female)	4	0	--	--	--	0	0.0
Prostate (male)	6	1	--	1	16.0	--	--
Pancreas	0	2	16.4	0	0.0	2	33.5
Leukemias	0	1	8.2	0	0.0	1	16.8
Non-Hodgkin's Lymphomas	0	1	8.2	0	0.0	1	16.8
Ovary (female)	1	1	--	--	--	1	16.8
Brain and other nervous system	0	0	0.0	0	0.0	0	0.0
Stomach	2	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	2	0	--	--	--	0	0.0
Esophagus	1	0	0.0	0	0.0	0	0.0
Melanoma of Skin	4	0	0.0	0	0.0	0	0.0
Other	18	3	--	3	--	0	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF COVINGTON COUNTY

2000 POPULATION	
Total	37,631
White	32,436
Black & Other	5,195
Median Age	39.8
Marriages	516
Rate ¹	13.7
Divorces	57
Rate ¹	1.5
Life Expectancy at Birth	73.6
Total Fertility Rate Per 1,000 Women 10-49	2023.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	450	0	32	59	359
Rate ^{2,3}	62.1	0.0	41.7	115.2	49.3
White	360	0	24	48	288
Rate ^{2,3}	59.2	0.0	38.4	115.1	46.8
Black & Other	90	0	8	11	71
Rate ^{2,3}	76.9	0.0	56.3	116.0	62.9



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	583	80.4	118	46.2
Births	450	12.0	91	35.6
Abortions	39	5.4	8	3.1
Est. Fetal Losses	94	-	19	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	165	36.7	56	61.5
Low Weight Births	39	8.7	12	13.2
Multiple Births	16	3.6	0	0.0
Medicaid Births	267	59.3	83	91.2

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	4
Syphilis	3
Gonorrhea	54
Chlamydia	88
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	2	0	2	2	0
Rate per 1,000 Births	4.4	5.6	0.0	22.0	27.8	0.0
Postneonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	2.2	2.8	0.0	11.0	13.9	0.0
Neonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	2.2	2.8	0.0	11.0	13.9	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	37,631	17,992	19,639	32,436	15,621	16,815	5,195	2,371	2,824
0- 4	2,223	1,141	1,082	1,761	916	845	462	225	237
5- 9	2,462	1,262	1,200	1,988	1,023	965	474	239	235
10-14	2,593	1,317	1,276	2,168	1,097	1,071	425	220	205
15-44	14,461	7,210	7,251	12,293	6,212	6,081	2,168	998	1,170
45-64	9,152	4,385	4,767	8,103	3,930	4,173	1,049	455	594
65-84	5,857	2,454	3,403	5,316	2,247	3,069	541	207	334
85+	883	223	660	807	196	611	76	27	49

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF COVINGTON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	501	254	247	453	232	221	48	22	26	
Death Rate ¹	13.3	14.1	12.6	14.0	14.9	13.1	9.2	9.3	9.2	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	165	438.5	83	461.3	82	417.5	147	453.2	18	346.5
Cancer	124	329.5	69	383.5	55	280.1	114	351.5	10	192.5
Stroke	39	103.6	13	72.3	26	132.4	37	114.1	2	38.5
Accidents	24	63.8	18	100.0	6	30.6	22	67.8	2	38.5
Chronic Lower Resp. Dis.	18	47.8	11	61.1	7	35.6	18	55.5	0	0.0
Diabetes	7	18.6	2	11.1	5	25.5	6	18.5	1	19.2
Influenza & Pneumonia	16	42.5	9	50.0	7	35.6	14	43.2	2	38.5
Alzheimer's Disease	11	29.2	2	11.1	9	45.8	11	33.9	0	0.0
Suicide	3	8.0	3	16.7	0	0.0	3	9.2	0	0.0
Homicide	3	8.0	2	11.1	1	5.1	2	6.2	1	19.2
HIV	3	8.0	3	16.7	0	0.0	1	3.1	2	38.5

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	24	63.8	4	40.6
Motor Vehicle	8	21.3	2	20.3
Suffocation	1	2.7	0	0.0
Poisoning	1	2.7	0	0.0
Smoke Fire & Flames	0	0.0	0	0.0
Falls	3	8.0	0	0.0
Drowning	1	2.7	0	0.0
Firearms	2	5.3	0	0.0
Other Accidents	8	21.3	2	20.3

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	501	13.3
0-14	3	0.4
15-44	31	2.1
45-64	81	8.9
65-84	253	43.2
85+	133	150.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	108	124	329.5	69	383.5	55	280.1
Trachea, Bronchus, Lung, Pleura	24	42	111.6	27	150.1	15	76.4
Colorectal	4	9	23.9	5	27.8	4	20.4
Breast (female)	26	11	--	--	--	11	56.0
Prostate (male)	3	15	--	15	83.4	--	--
Pancreas	3	11	29.2	7	38.9	4	20.4
Leukemias	3	3	8.0	2	11.1	1	5.1
Non-Hodgkin's Lymphomas	1	4	10.6	2	11.1	2	10.2
Ovary (female)	2	5	--	--	--	5	25.5
Brain and other nervous system	5	0	0.0	0	0.0	0	0.0
Stomach	0	3	8.0	1	5.6	2	10.2
Uterus & Cervix (female)	5	1	--	--	--	1	5.1
Esophagus	0	1	2.7	0	0.0	1	5.1
Melanoma of Skin	3	3	8.0	1	5.6	2	10.2
Other	29	16	--	9	--	7	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CRENSHAW COUNTY

2000 POPULATION	
Total	13,665
White	10,088
Black & Other	3,577
Median Age	38.8
Marriages	101
Rate ¹	7.4
Divorces	39
Rate ¹	2.9
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	2007.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	170	0	12	15	143
Rate ^{2,3}	62.2	0.0	43.4	81.3	51.6
White	117	0	4	9	104
Rate ^{2,3}	61.4	0.0	21.6	72.8	52.8
Black & Other	53	0	8	6	39
Rate ^{2,3}	64.2	0.0	87.7	98.7	48.7



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	231	84.6	40	43.9*
Abortions	170	12.4	27	29.6*
Est. Fetal Losses	23	8.4	6	6.6*
	38	-	7	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	68	40.0	21	77.8*
Low Weight Births	9	5.3	1	3.7*
Multiple Births	9	5.3	0	0.0
Medicaid Births	84	49.4	24	88.9*

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	2
Gonorrhea	16
Chlamydia	34
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	13,665	6,464	7,201	10,088	4,850	5,238	3,577	1,614	1,963
0- 4	803	414	389	550	278	272	253	136	117
5- 9	971	507	464	669	352	317	302	155	147
10-14	985	534	451	702	378	324	283	156	127
15-44	5,297	2,566	2,731	3,853	1,948	1,905	1,444	618	826
45-64	3,271	1,528	1,743	2,499	1,181	1,318	772	347	425
65-84	2,027	825	1,202	1,604	657	947	423	168	255
85+	311	90	221	211	56	155	100	34	66

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CRENSHAW COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	170	85	85	126	61	65	44	24	20	
Death Rate ¹	12.4	13.1	11.8	12.5	12.6	12.4	12.3	14.9	10.2	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	60	439.1	27	417.7	33	458.3	44	436.2	16	447.3
Cancer	34	248.8	19	293.9	15	208.3	24	237.9	10	279.6
Stroke	10	73.2	2	30.9	8	111.1	8	79.3	2	55.9
Accidents	11	80.5	9	139.2	2	27.8	7	69.4	4	111.8
Chronic Lower Resp. Dis.	14	102.5	6	92.8	8	111.1	13	128.9	1	28.0
Diabetes	2	14.6	2	30.9	0	0.0	1	9.9	1	28.0
Influenza & Pneumonia	5	36.6	2	30.9	3	41.7	4	39.7	1	28.0
Alzheimer's Disease	5	36.6	1	15.5	4	55.5	5	49.6	0	0.0
Suicide	3	22.0	3	46.4	0	0.0	3	29.7	0	0.0
Homicide	1	7.3	0	0.0	1	13.9	0	0.0	1	28.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	11	80.5	0	0.0
Motor Vehicle	5	36.6	0	0.0
Suffocation	1	7.3	0	0.0
Poisoning	1	7.3	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	7.3	0	0.0
Drowning	1	7.3	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	14.6	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	170	12.4
0-14	0	0.0
15-44	12	2.3
45-64	27	8.3
65-84	80	39.5
85+	51	164.0*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	72	34	248.8	19	293.9	15	208.3
Trachea, Bronchus, Lung, Pleura	13	9	65.9	7	108.3	2	27.8
Colorectal	14	4	29.3	1	15.5	3	41.7
Breast (female)	8	5	--	--	--	5	69.4
Prostate (male)	6	1	--	1	15.5	--	--
Pancreas	0	3	22.0	2	30.9	1	13.9
Leukemias	2	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	0	1	7.3	0	0.0	1	13.9
Ovary (female)	3	0	--	--	--	0	0.0
Brain and other nervous system	0	1	7.3	1	15.5	0	0.0
Stomach	0	1	7.3	0	0.0	1	13.9
Uterus & Cervix (female)	0	0	--	--	--	0	0.0
Esophagus	0	1	7.3	0	0.0	1	13.9
Melanoma of Skin	1	0	0.0	0	0.0	0	0.0
Other	25	8	--	7	--	1	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF CULLMAN COUNTY

2000 POPULATION	
Total	77,483
White	75,011
Black & Other	2,472
Median Age	37.4
Marriages	760
Rate ¹	9.8
Divorces	519
Rate ¹	6.7
Life Expectancy at Birth	75.1
Total Fertility Rate Per 1,000 Women 10-49	2009.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	991	0	43	116	832
Rate ^{2,3}	63.2	0.0	27.5	111.2	52.9
White	980	0	43	115	822
Rate ^{2,3}	64.7	0.0	28.5	114.4	53.9
Black & Other	11	0	0	1	10
Rate ^{2,3}	21.4	0.0	0.0	26.0	20.7



	NATALITY		Women 10-19	
	All Women		10-19	Rate ³
Est. Pregnancies	1,254	80.0	204	39.3
Births	991	12.8	159	30.6
Abortions	59	3.8	12	2.3
Est. Fetal Losses	204	-	33	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	203	20.5	77	48.4
Low Weight Births	72	7.3	19	11.9
Multiple Births	22	2.2	2	1.3
Medicaid Births	383	38.6	117	73.6

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	23
Chlamydia	114
Tuberculosis	5

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	4	4	0	1	1	0
Rate per 1,000 Births	4.0	4.1	0.0	6.3	6.3	0.0
Postneonatal Deaths	2	2	0	1	1	0
Rate per 1,000 Births	2.0	2.0	0.0	6.3	6.3	0.0
Neonatal Deaths	2	2	0	0	0	0
Rate per 1,000 Births	2.0	2.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		Black and Other					
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	77,483	38,214	39,269	75,011	36,889	38,122	2,472	1,325	1,147
0- 4	4,943	2,564	2,379	4,736	2,460	2,276	207	104	103
5- 9	5,166	2,666	2,500	4,987	2,575	2,412	179	91	88
10-14	5,343	2,764	2,579	5,170	2,677	2,493	173	87	86
15-44	32,131	16,463	15,668	30,889	15,735	15,154	1,242	728	514
45-64	18,558	9,092	9,466	18,086	8,858	9,228	472	234	238
65-84	10,057	4,310	5,747	9,885	4,240	5,645	172	70	102
85+	1,285	355	930	1,258	344	914	27	11	16

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF CULLMAN COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	875	438	437	864	437	427	11	1	10	
Death Rate ¹	11.3	11.5	11.1	11.5	11.8	11.2	4.4	0.8	8.7	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	282	364.0	139	363.7	143	364.2	280	373.3	2	80.9
Cancer	184	237.5	99	259.1	85	216.5	180	240.0	4	161.8
Stroke	66	85.2	24	62.8	42	107.0	63	84.0	3	121.4
Accidents	38	49.0	31	81.1	7	17.8	38	50.7	0	0.0
Chronic Lower Resp. Dis.	50	64.5	33	86.4	17	43.3	50	66.7	0	0.0
Diabetes	17	21.9	8	20.9	9	22.9	16	21.3	1	40.5
Influenza & Pneumonia	27	34.8	8	20.9	19	48.4	27	36.0	0	0.0
Alzheimer's Disease	18	23.2	4	10.5	14	35.7	18	24.0	0	0.0
Suicide	12	15.5	9	23.6	3	7.6	12	16.0	0	0.0
Homicide	1	1.3	1	2.6	0	0.0	1	1.3	0	0.0
HIV	1	1.3	1	2.6	0	0.0	1	1.3	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	38	49.0	7	33.5
Motor Vehicle	16	20.6	3	14.4
Suffocation	2	2.6	0	0.0
Poisoning	3	3.9	0	0.0
Smoke, Fire & Flames	2	2.6	0	0.0
Falls	1	1.3	0	0.0
Drowning	6	7.7	2	9.6
Firearms	1	1.3	1	4.8
Other Accidents	7	9.0	1	4.8

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	875	11.3
0-14	8	0.5
15-44	52	1.6
45-64	145	7.8
65-84	448	44.5
85+	222	172.8

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	171	184	237.5	99	259.1	85	216.5
Trachea, Bronchus, Lung, Pleura	26	63	81.3	49	128.2	14	35.7
Colorectal	27	12	15.5	7	18.3	5	12.7
Breast (female)	21	16	--	--	--	16	40.7
Prostate (male)	11	3	--	3	7.9	--	--
Pancreas	5	14	18.1	3	7.9	11	28.0
Leukemias	2	8	10.3	5	13.1	3	7.6
Non-Hodgkin's Lymphomas	1	9	11.6	3	7.9	6	15.3
Ovary (female)	4	4	--	--	--	4	10.2
Brain and other nervous system	5	3	3.9	2	5.2	1	2.5
Stomach	2	1	1.3	1	2.6	0	0.0
Uterus & Cervix (female)	8	0	--	--	--	0	0.0
Esophagus	0	2	2.6	2	5.2	0	0.0
Melanoma of Skin	6	1	1.3	0	0.0	1	2.5
Other	53	48	--	24	--	24	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF DALE COUNTY

2000 POPULATION	
Total	49,129
White	36,541
Black & Other	12,588
Median Age	34.2
Marriages	545
Rate ¹	11.1
Divorces	420
Rate ¹	8.5
Life Expectancy at Birth	74.8
Total Fertility Rate Per 1,000 Women 10-49	2310.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	793	1	31	78	683
Rate ^{2,3}	74.3	0.6	28.8	108.9	65.0
White	582	1	15	46	520
Rate ^{2,3}	77.7	0.9	21.2	97.4	69.1
Black & Other	211	0	16	32	163
Rate ^{2,3}	66.2	0.0	43.7	131.1	54.7



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	1,023	95.8	152	43.7
Births	793	16.1	110	31.6
Abortions	65	6.1	18	5.2
Est. Fetal Losses	165	-	24	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	235	29.6	76	69.1
Low Weight Births	76	9.6	13	11.8
Multiple Births	35	4.4	2	1.8
Medicaid Births	301	38.0	90	81.8

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	5
Syphilis	4
Gonorrhea	66
Chlamydia	130
Tuberculosis	3

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	8	6	2	3	2	1
Rate per 1,000 Births	10.1	10.3	9.5	27.3	32.3	20.8*
Postneonatal Deaths	3	3	0	2	2	0
Rate per 1,000 Births	3.8	5.2	0.0	18.2	32.3	0.0
Neonatal Deaths	5	3	2	1	0	1
Rate per 1,000 Births	6.3	5.2	9.5	9.1	0.0	20.8*

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	49,129	24,356	24,773	36,541	18,431	18,110	12,588	5,925	6,663
0-4	3,686	1,875	1,811	2,412	1,230	1,182	1,274	645	629
5-9	3,694	1,985	1,709	2,440	1,311	1,129	1,254	674	580
10-14	3,513	1,827	1,686	2,358	1,235	1,123	1,155	592	563
15-44	21,736	11,062	10,674	15,738	8,252	7,486	5,998	2,810	3,188
45-64	10,693	5,181	5,512	8,660	4,268	4,392	2,033	913	1,120
65-84	5,156	2,277	2,879	4,404	2,009	2,395	752	268	484
85+	651	149	502	529	126	403	122	23	99

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF DALE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	446	218	228	368	186	182	78	32	46	
Death Rate ¹	9.1	9.0	9.2	10.1	10.1	10.0	6.2	5.4	6.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	125	254.4	66	271.0	59	238.2	105	287.3	20	158.9
Cancer	96	195.4	47	193.0	49	197.8	79	216.2	17	135.0
Stroke	28	57.0	12	49.3	16	64.6	24	65.7	4	31.8
Accidents	29	59.0	14	57.5	15	60.5	22	60.2	7	55.6
Chronic Lower Resp. Dis.	22	44.8	13	53.4	9	36.3	18	49.3	4	31.8
Diabetes	18	36.6	5	20.5	13	52.5	13	35.6	5	39.7
Influenza & Pneumonia	16	32.6	8	32.8	8	32.3	12	32.8	4	31.8
Alzheimer's Disease	9	18.3	4	16.4	5	20.2	9	24.6	0	0.0
Suicide	6	12.2	5	20.5	1	4.0	6	16.4	0	0.0
Homicide	5	10.2	2	8.2	3	12.1	3	8.2	2	15.9
HIV	1	2.0	0	0.0	1	4.0	1	2.7	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	29	59.0	2	13.8
Motor Vehicle	11	22.4	0	0.0
Suffocation	1	2.0	0	0.0
Poisoning	4	8.1	0	0.0
Smoke Fire & Flames	2	4.1	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	2.0	1	6.9
Firearms	0	0.0	0	0.0
Other Accidents	10	20.4	1	6.9

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	446	9.1
0-14	9	0.8
15-44	32	1.5
45-64	86	8.0
65-84	216	41.9
85+	103	158.2*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	168	96	195.4	47	193.0	49	197.8
Trachea, Bronchus, Lung, Pleura	39	28	57.0	17	69.8	11	44.4
Colorectal	17	8	16.3	3	12.3	5	20.2
Breast (female)	28	9	--	--	--	9	36.3
Prostate (male)	16	5	--	5	20.5	--	--
Pancreas	3	7	14.2	3	12.3	4	16.1
Leukemias	4	5	10.2	1	4.1	4	16.1
Non-Hodgkin's Lymphomas	2	1	2.0	1	4.1	0	0.0
Ovary (female)	6	4	--	--	--	4	16.1
Brain and other nervous system	0	3	6.1	2	8.2	1	4.0
Stomach	3	1	2.0	1	4.1	0	0.0
Uterus & Cervix (female)	7	1	--	--	--	1	4.0
Esophagus	3	1	2.0	1	4.1	0	0.0
Melanoma of Skin	4	3	6.1	2	8.2	1	4.0
Other	36	20	--	11	--	9	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF DALLAS COUNTY

2000 POPULATION	
Total	46,365
White	16,496
Black & Other	29,869
Median Age	35.3
Marriages	458
Rate ¹	9.9
Divorces	244
Rate ¹	5.3
Life Expectancy at Birth	70.6
Total Fertility Rate Per 1,000 Women 10-49	2477.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	811	4	88	109	610
Rate ^{2,3}	78.7	2.1	74.2	137.8	60.9
White	183	0	13	14	156
Rate ^{2,3}	62.2	0.0	43.5	70.3	50.1
Black & Other	628	4	75	95	454
Rate ^{2,3}	85.3	2.8	84.5	160.6	65.8



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	1,122	108.9	270	69.2
Births	811	17.5	201	51.6
Abortions	135	13.1	26	6.7
Est. Fetal Losses	176	-	43	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	537	66.2	185	92.0
Low Weight Births	87	10.7	20	10.0
Multiple Births	30	3.7	6	3.0
Medicaid Births	543	67.0	173	86.1

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	8
Syphilis	11
Gonorrhea	258
Chlamydia	475
Tuberculosis	3

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	0	2	0	0	0
Rate per 1,000 Births	2.5	0.0	3.2	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	2	0	2	0	0	0
Rate per 1,000 Births	2.5	0.0	3.2	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	46,365	21,092	25,273	16,496	7,856	8,640	29,869	13,236	16,633
0- 4	3,415	1,693	1,722	804	387	417	2,611	1,306	1,305
5- 9	3,579	1,784	1,795	871	424	447	2,708	1,360	1,348
10-14	3,836	1,914	1,922	1,037	535	502	2,799	1,379	1,420
15-44	18,958	8,653	10,305	5,882	2,938	2,944	13,076	5,715	7,361
45-64	10,149	4,681	5,468	4,591	2,254	2,337	5,558	2,427	3,131
65-84	5,634	2,180	3,454	2,942	1,230	1,712	2,692	950	1,742
85+	794	187	607	369	88	281	425	99	326

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF DALLAS COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	535	253	282	236	119	117	299	134	165	
Death Rate ¹	11.5	12.0	11.2	14.3	15.1	13.5	10.0	10.1	9.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	165	355.9	73	346.1	92	364.0	69	418.3	96	321.4
Cancer	128	276.1	69	327.1	59	233.5	55	333.4	73	244.4
Stroke	36	77.6	12	56.9	24	95.0	12	72.7	24	80.4
Accidents	26	56.1	22	104.3	4	15.8	12	72.7	14	46.9
Chronic Lower Resp. Dis.	15	32.4	6	28.4	9	35.6	14	84.9	1	3.3
Diabetes	13	28.0	5	23.7	8	31.7	6	36.4	7	23.4
Influenza & Pneumonia	11	23.7	2	9.5	9	35.6	8	48.5	3	10.0
Alzheimer's Disease	10	21.6	2	9.5	8	31.7	6	36.4	4	13.4
Suicide	3	6.5	3	14.2	0	0.0	2	12.1	1	3.3
Homicide	3	6.5	2	9.5	1	4.0	1	6.1	2	6.7
HIV	1	2.2	1	4.7	0	0.0	0	0.0	1	3.3

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	26	56.1	0	0.0
Motor Vehicle	18	38.8	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	1	2.2	0	0.0
Smoke Fire & Flames	2	4.3	0	0.0
Falls	1	2.2	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	4	8.6	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	535	11.5
0-14	3	0.3
15-44	37	2.0
45-64	104	10.2
65-84	260	46.1
85+	131	165.0*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	237	128	276.1	69	327.1	59	233.5
Trachea, Bronchus, Lung, Pleura	48	32	69.0	21	99.6	11	43.5
Colorectal	38	22	47.4	11	52.2	11	43.5
Breast (female)	41	10	--	--	--	10	39.6
Prostate (male)	17	9	--	9	42.7	--	--
Pancreas	8	5	10.8	2	9.5	3	11.9
Leukemias	2	6	12.9	3	14.2	3	11.9
Non-Hodgkin's Lymphomas	2	5	10.8	2	9.5	3	11.9
Ovary (female)	3	2	--	--	--	2	7.9
Brain and other nervous system	0	4	8.6	2	9.5	2	7.9
Stomach	5	2	4.3	0	0.0	2	7.9
Uterus & Cervix (female)	13	3	--	--	--	3	11.9
Esophagus	3	4	8.6	3	14.2	1	4.0
Melanoma of Skin	1	1	2.2	1	4.7	0	0.0
Other	56	23	--	15	--	8	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF DEKALB COUNTY

2000 POPULATION	
Total	64,452
White	59,652
Black & Other	4,800
Median Age	36.3
Marriages	622
Rate ¹	9.7
Divorces	268
Rate ¹	4.2
Life Expectancy at Birth	73.9
Total Fertility Rate Per 1,000 Women 10-49	2135.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	912	3	61	93	755
Rate ^{2,3}	67.7	1.5	47.1	107.8	56.0
White	894	3	60	91	740
Rate ^{2,3}	72.5	1.6	51.4	117.0	59.6
Black & Other	18	0	1	2	15
Rate ^{2,3}	15.8	0.0	7.8	23.5	14.0



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	1,167	86.7	207	49.2
Births	912	14.2	157	37.3
Abortions	66	4.9	17	4.0
Est. Fetal Losses	189	-	33	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	250	27.4	80	51.0
Low Weight Births	85	9.3	15	9.6
Multiple Births	14	1.5	2	1.3
Medicaid Births	379	41.6	108	68.8

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	4
Gonorrhea	14
Chlamydia	46
Tuberculosis	6

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	9	9	0	3	3	0
Rate per 1,000 Births	9.9	10.1	0.0	19.1	19.5	0.0
Postneonatal Deaths	3	3	0	1	1	0
Rate per 1,000 Births	3.3	3.4	0.0	6.4	6.5	0.0
Neonatal Deaths	6	6	0	2	2	0
Rate per 1,000 Births	6.6	6.7	0.0	12.7	13.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	Total		White			Black and Other		
		Male	Female	Total	Male	Female	Total	Male	Female
Total	64,452	31,508	32,944	59,652	29,005	30,647	4,800	2,503	2,297
0- 4	4,379	2,224	2,155	3,874	1,973	1,901	505	251	254
5- 9	4,588	2,391	2,197	4,186	2,185	2,001	402	206	196
10-14	4,269	2,221	2,048	3,869	2,014	1,855	400	207	193
15-44	27,364	13,898	13,466	24,822	12,492	12,330	2,542	1,406	1,136
45-64	14,970	7,224	7,746	14,241	6,884	7,357	729	340	389
65-84	7,799	3,280	4,519	7,603	3,191	4,412	196	89	107
85+	1,083	270	813	1,057	266	791	26	4	22

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF DEKALB COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	661	321	340	646	314	332	15	7	8	
Death Rate ¹	10.3	10.2	10.3	10.8	10.8	10.8	3.1	2.8	3.5	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	233	361.5	105	333.2	128	388.5	225	377.2	8	166.7
Cancer	141	218.8	89	282.5	52	157.8	138	231.3	3	62.5
Stroke	41	63.6	15	47.6	26	78.9	41	68.7	0	0.0
Accidents	27	41.9	18	57.1	9	27.3	26	43.6	1	20.8
Chronic Lower Resp. Dis.	29	45.0	13	41.3	16	48.6	29	48.6	0	0.0
Diabetes	16	24.8	5	15.9	11	33.4	16	26.8	0	0.0
Influenza & Pneumonia	19	29.5	7	22.2	12	36.4	19	31.9	0	0.0
Alzheimer's Disease	19	29.5	8	25.4	11	33.4	19	31.9	0	0.0
Suicide	5	7.8	5	15.9	0	0.0	5	8.4	0	0.0
Homicide	3	4.7	1	3.2	2	6.1	3	5.0	0	0.0
HIV	1	1.6	0	0.0	1	3.0	1	1.7	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	27	41.9	6	34.0
Motor Vehicle	17	26.4	4	22.6
Suffocation	1	1.6	0	0.0
Poisoning	1	1.6	0	0.0
Smoke Fire & Flames	1	1.6	0	0.0
Falls	1	1.6	0	0.0
Drowning	1	1.6	1	5.7
Firearms	2	3.1	0	0.0
Other Accidents	3	4.7	1	5.7

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	661	10.3
0-14	13	1.0
15-44	42	1.5
45-64	112	7.5
65-84	327	41.9
85+	167	154.2

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	225	141	218.8	89	282.5	52	157.8
Trachea, Bronchus, Lung, Pleura	50	29	45.0	22	69.8	7	21.2
Colorectal	24	6	9.3	4	12.7	2	6.1
Breast (female)	42	9	--	--	--	9	27.3
Prostate (male)	15	3	--	3	9.5	--	--
Pancreas	2	9	14.0	6	19.0	3	9.1
Leukemias	5	4	6.2	3	9.5	1	3.0
Non-Hodgkin's Lymphomas	1	5	7.8	3	9.5	2	6.1
Ovary (female)	4	4	--	--	--	4	12.1
Brain and other nervous system	3	4	6.2	2	6.3	2	6.1
Stomach	2	3	4.7	2	6.3	1	3.0
Uterus & Cervix (female)	9	3	--	--	--	3	9.1
Esophagus	3	5	7.8	4	12.7	1	3.0
Melanoma of Skin	8	4	6.2	3	9.5	1	3.0
Other	57	53	--	37	--	16	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF ELMORE COUNTY

2000 POPULATION	
Total	65,874
White	50,737
Black & Other	15,137
Median Age	35.3
Marriages	739
Rate ¹	11.2
Divorces	431
Rate ¹	6.5
Life Expectancy at Birth	72.9
Total Fertility Rate Per 1,000 Women 10-49	2308.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	982	3	45	88	846
Rate ^{2,3}	69.4	1.3	35.2	103.4	58.7
White	743	2	30	61	650
Rate ^{2,3}	69.7	1.1	32.0	97.6	59.1
Black & Other	239	1	15	27	196
Rate ^{2,3}	68.5	1.7	44.2	119.3	57.7



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	1,350	Rate 95.4	10-19 203	Rate ³ 45.3
Births	982	14.9	136	30.3
Abortions	155	11.0	36	8.0
Est. Fetal Losses	213	-	31	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	309	31.5	85	62.5
Low Weight Births	90	9.2	19	14.0
Multiple Births	26	2.6	2	1.5
Medicaid Births	379	38.6	111	81.6

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	4
Syphilis	5
Gonorrhea	87
Chlamydia	205
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	10	4	6	1	0	1
Rate per 1,000 Births	10.2	5.4	25.1	7.4	0.0	23.3*
Postneonatal Deaths	4	1	3	1	0	1
Rate per 1,000 Births	4.1	1.3	12.6	7.4	0.0	23.3*
Neonatal Deaths	6	3	3	0	0	0
Rate per 1,000 Births	6.1	4.0	12.6	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	65,874	33,342	32,532	50,737	25,229	25,508	15,137	8,113	7,024
0- 4	4,370	2,220	2,150	3,258	1,672	1,586	1,112	548	564
5- 9	4,801	2,464	2,337	3,575	1,843	1,732	1,226	621	605
10-14	4,882	2,524	2,358	3,646	1,894	1,752	1,236	630	606
15-44	29,788	15,644	14,144	21,552	10,895	10,657	8,236	4,749	3,487
45-64	14,962	7,575	7,387	12,551	6,329	6,222	2,411	1,246	1,165
65-84	6,222	2,712	3,510	5,427	2,423	3,004	795	289	506
85+	849	203	646	728	173	555	121	30	91

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF ELMORE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	544	282	262	438	213	225	106	69	37	
Death Rate ¹	8.3	8.5	8.1	8.6	8.4	8.8	7.0	8.5	5.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	165	250.5	86	257.9	79	242.8	137	270.0	28	185.0
Cancer	119	180.6	76	227.9	43	132.2	99	195.1	20	132.1
Stroke	41	62.2	18	54.0	23	70.7	34	67.0	7	46.2
Accidents	20	30.4	9	27.0	11	33.8	13	25.6	7	46.2
Chronic Lower Resp. Dis.	33	50.1	20	60.0	13	40.0	30	59.1	3	19.8
Diabetes	14	21.3	6	18.0	8	24.6	8	15.8	6	39.6
Influenza & Pneumonia	18	27.3	7	21.0	11	33.8	17	33.5	1	6.6
Alzheimer's Disease	12	18.2	3	9.0	9	27.7	11	21.7	1	6.6
Suicide	7	10.6	5	15.0	2	6.1	7	13.8	0	0.0
Homicide	3	4.6	2	6.0	1	3.1	1	2.0	2	13.2
HIV	4	6.1	3	9.0	1	3.1	0	0.0	4	26.4

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	20	30.4	3	16.1
Motor Vehicle	8	12.1	1	5.4
Suffocation	5	7.6	2	10.8
Poisoning	2	3.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	1.5	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	4	6.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	544	8.3
0-14	15	1.1
15-44	38	1.3
45-64	93	6.2
65-84	276	44.4
85+	122	143.7*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	302	119	180.6	76	227.9	43	132.2
Trachea, Bronchus, Lung, Pleura	59	34	51.6	26	78.0	8	24.6
Colorectal	48	13	19.7	9	27.0	4	12.3
Breast (female)	55	10	--	--	--	10	30.7
Prostate (male)	20	6	--	6	18.0	--	--
Pancreas	6	8	12.1	6	18.0	2	6.1
Leukemias	2	4	6.1	1	3.0	3	9.2
Non-Hodgkin's Lymphomas	3	4	6.1	1	3.0	3	9.2
Ovary (female)	8	4	--	--	--	4	12.3
Brain and other nervous system	4	1	1.5	1	3.0	0	0.0
Stomach	0	2	3.0	0	0.0	2	6.1
Uterus & Cervix (female)	10	2	--	--	--	2	6.1
Esophagus	3	4	6.1	4	12.0	0	0.0
Melanoma of Skin	9	1	1.5	1	3.0	0	0.0
Other	75	26	--	21	--	5	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF ESCAMBIA COUNTY

2000 POPULATION	
Total	38,440
White	24,754
Black & Other	13,686
Median Age	36.8
Marriages	604
Rate ¹	15.7
Divorces	167
Rate ¹	4.3
Life Expectancy at Birth	72.1
Total Fertility Rate Per 1,000 Women 10-49	2290.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	541	4	40	70	427
Rate ^{2,3}	72.8	3.2	49.5	130.0	57.5
White	314	0	16	37	261
Rate ^{2,3}	67.5	0.0	33.1	114.8	55.1
Black & Other	227	4	24	33	166
Rate ^{2,3}	81.8	7.7	74.1	152.8	61.9



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	684	92.1	146	56.0
Births	541	14.1	114	43.7
Abortions	32	4.3	8	3.1
Est. Fetal Losses	111	-	24	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	241	44.5	83	72.8
Low Weight Births	63	11.6	14	12.3
Multiple Births	12	2.2	4	3.5
Medicaid Births	297	54.9	93	81.6

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	6
Syphilis	4
Gonorrhea	52
Chlamydia	85
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	2	3	0	0	0
Rate per 1,000 Births	9.2	6.4	13.2	0.0	0.0	0.0
Postneonatal Deaths	1	0	1	0	0	0
Rate per 1,000 Births	1.8	0.0	4.4	0.0	0.0	0.0
Neonatal Deaths	4	2	2	0	0	0
Rate per 1,000 Births	7.4	6.4	8.8	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	38,440	19,475	18,965	24,754	12,300	12,454	13,686	7,175	6,511
0-4	2,390	1,187	1,203	1,344	663	681	1,046	524	522
5-9	2,662	1,372	1,290	1,556	828	728	1,106	544	562
10-14	2,614	1,353	1,261	1,547	806	741	1,067	547	520
15-44	16,421	8,992	7,429	9,856	5,203	4,653	6,565	3,789	2,776
45-64	9,117	4,516	4,601	6,510	3,216	3,294	2,607	1,300	1,307
65-84	4,566	1,860	2,706	3,496	1,454	2,042	1,070	406	664
85+	670	195	475	445	130	315	225	65	160

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF ESCAMBIA COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	427	216	211	318	161	157	109	55	54	
Death Rate ¹	11.1	11.1	11.1	12.8	13.1	12.6	8.0	7.7	8.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	141	366.8	78	400.5	63	332.2	105	424.2	36	263.0
Cancer	93	241.9	55	282.4	38	200.4	71	286.8	22	160.7
Stroke	28	72.8	14	71.9	14	73.8	19	76.8	9	65.8
Accidents	18	46.8	12	61.6	6	31.6	14	56.6	4	29.2
Chronic Lower Resp. Dis.	13	33.8	7	35.9	6	31.6	12	48.5	1	7.3
Diabetes	13	33.8	3	15.4	10	52.7	8	32.3	5	36.5
Influenza & Pneumonia	8	20.8	2	10.3	6	31.6	8	32.3	0	0.0
Alzheimer's Disease	16	41.6	1	5.1	15	79.1	14	56.6	2	14.6
Suicide	5	13.0	4	20.5	1	5.3	3	12.1	2	14.6
Homicide	2	5.2	0	0.0	2	10.5	0	0.0	2	14.6
HIV	1	2.6	1	5.1	0	0.0	0	0.0	1	7.3

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	18	46.8	5	48.0
Motor Vehicle	6	15.6	2	19.2
Suffocation	0	0.0	0	0.0
Poisoning	3	7.8	3	28.8
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	5	13.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	4	10.4	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	427	11.1
0-14	7	0.9
15-44	28	1.7
45-64	78	8.6
65-84	207	45.3
85+	107	159.7*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	47	93	241.9	55	282.4	38	200.4
Trachea, Bronchus, Lung, Pleura	4	32	83.2	24	123.2	8	42.2
Colorectal	3	3	7.8	1	5.1	2	10.5
Breast (female)	6	8	--	--	--	8	42.2
Prostate (male)	6	2	--	2	10.3	--	--
Pancreas	0	7	18.2	4	20.5	3	15.8
Leukemias	0	1	2.6	1	5.1	0	0.0
Non-Hodgkin's Lymphomas	1	6	15.6	3	15.4	3	15.8
Ovary (female)	4	0	--	--	--	0	0.0
Brain and other nervous system	4	5	13.0	4	20.5	1	5.3
Stomach	0	2	5.2	1	5.1	1	5.3
Uterus & Cervix (female)	3	1	--	--	--	1	5.3
Esophagus	1	4	10.4	2	10.3	2	10.5
Melanoma of Skin	0	1	2.6	0	0.0	1	5.3
Other	15	21	--	13	--	8	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF ETOWAH COUNTY

2000 POPULATION	
Total	103,459
White	85,737
Black & Other	17,722
Median Age	38.2
Marriages	1,177
Rate ¹	11.4
Divorces	720
Rate ¹	7.0
Life Expectancy at Birth	73.1
Total Fertility Rate Per 1,000 Women 10-49	2069.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	1,381	3	87	143	1,148
Rate ^{2,3}	65.5	0.9	41.5	102.3	53.7
White	1,126	3	67	110	946
Rate ^{2,3}	66.7	1.2	41.5	102.2	54.5
Black & Other	255	0	20	33	202
Rate ^{2,3}	60.7	0.0	41.5	102.7	50.2



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	1,918	91.0	349	51.0
Births	1,381	13.3	233	34.0
Abortions	237	11.2	63	9.2
Est. Fetal Losses	300	-	53	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	376	27.2	133	57.1
Low Weight Births	111	8.0	19	8.2
Multiple Births	40	2.9	2	0.9
Medicaid Births	649	47.0	193	82.8

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	5
Syphilis	11
Gonorrhea	154
Chlamydia	247
Tuberculosis	14

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	11	9	2	4	4	0
Rate per 1,000 Births	8.0	8.0	7.8	17.2	22.2	0.0
Postneonatal Deaths	3	3	0	3	3	0
Rate per 1,000 Births	2.2	2.7	0.0	12.9	16.7	0.0
Neonatal Deaths	8	6	2	1	1	0
Rate per 1,000 Births	5.8	5.3	7.8	4.3	5.6	0.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	103,459	49,506	53,953	85,737	41,264	44,473	17,722	8,242	9,480
0-4	6,611	3,382	3,229	5,095	2,625	2,470	1,516	757	759
5-9	6,705	3,460	3,245	5,048	2,626	2,422	1,657	834	823
10-14	6,930	3,575	3,355	5,379	2,806	2,573	1,551	769	782
15-44	41,707	20,626	21,081	33,650	16,768	16,882	8,057	3,858	4,199
45-64	24,946	11,990	12,956	21,744	10,554	11,190	3,202	1,436	1,766
65-84	14,788	5,994	8,794	13,227	5,450	7,777	1,561	544	1,017
85+	1,772	479	1,293	1,594	435	1,159	178	44	134

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF ETOWAH COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	1,312	657	655	1,150	570	580	162	87	75	
Death Rate ¹	12.7	13.3	12.1	13.4	13.8	13.0	9.1	10.6	7.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	449	434.0	223	450.5	226	418.9	398	464.2	51	287.8
Cancer	278	268.7	148	299.0	130	241.0	242	282.3	36	203.1
Stroke	75	72.5	29	58.6	46	85.3	63	73.5	12	67.7
Accidents	54	52.2	31	62.6	23	42.6	48	56.0	6	33.9
Chronic Lower Resp. Dis.	72	69.6	40	80.8	32	59.3	69	80.5	3	16.9
Diabetes	25	24.2	9	18.2	16	29.7	21	24.5	4	22.6
Influenza & Pneumonia	38	36.7	14	28.3	24	44.5	37	43.2	1	5.6
Alzheimer's Disease	29	28.0	11	22.2	18	33.4	26	30.3	3	16.9
Suicide	18	17.4	13	26.3	5	9.3	17	19.8	1	5.6
Homicide	7	6.8	6	12.1	1	1.9	5	5.8	2	11.3
HIV	3	2.9	3	6.1	0	0.0	2	2.3	1	5.6

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	54	52.2	7	25.6
Motor Vehicle	20	19.3	3	11.0
Suffocation	2	1.9	0	0.0
Poisoning	8	7.7	0	0.0
Smoke, Fire & Flames	7	6.8	2	7.3
Falls	5	4.8	1	3.7
Drowning	1	1.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	11	10.6	1	3.7

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	1,312	12.7
0-14	15	0.7
15-44	87	2.1
45-64	233	9.3
65-84	666	45.0
85+	311	175.5

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	469	278	268.7	148	299.0	130	241.0
Trachea, Bronchus, Lung, Pleura	96	98	94.7	65	131.3	33	61.2
Colorectal	58	23	22.2	10	20.2	13	24.1
Breast (female)	72	23	--	--	--	23	42.6
Prostate (male)	50	15	--	15	30.3	--	--
Pancreas	6	14	13.5	5	10.1	9	16.7
Leukemias	11	6	5.8	3	6.1	3	5.6
Non-Hodgkin's Lymphomas	2	11	10.6	8	16.2	3	5.6
Ovary (female)	11	7	--	--	--	7	13.0
Brain and other nervous system	8	4	3.9	2	4.0	2	3.7
Stomach	7	6	5.8	3	6.1	3	5.6
Uterus & Uteri (female)	16	8	--	--	--	8	14.8
Esophagus	4	6	5.8	5	10.1	1	1.9
Melanoma of Skin	9	1	1.0	1	2.0	0	0.0
Other	119	56	--	31	--	25	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF FAYETTE COUNTY

2000 POPULATION	
Total	18,495
White	16,075
Black & Other	2,420
Median Age	38.9
Marriages	168
Rate ¹	9.1
Divorces	117
Rate ¹	6.3
Life Expectancy at Birth	72.9
Total Fertility Rate Per 1,000 Women 10-49	2066.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	234	1	16	32	185
Rate ^{2,3}	64.6	1.6	42.3	126.8	50.5
White	207	1	15	26	165
Rate ^{2,3}	66.9	2.0	46.7	121.5	52.4
Black & Other	27	0	1	6	20
Rate ^{2,3}	50.9	0.0	17.4	156.3	38.9



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	303	83.6	67	53.7
Births	234	12.7	49	39.3
Abortions	21	5.8	8	6.4
Est. Fetal Losses	48	-	10	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	49	20.9	20	40.8
Low Weight Births	22	9.4	5	10.2
Multiple Births	8	3.4	0	0.0
Medicaid Births	97	41.5	38	77.6

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	13
Chlamydia	33
Tuberculosis	3

	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	2	0	0	0	0
Rate per 1,000 Births	8.5	9.7	0.0	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	2	2	0	0	0	0
Rate per 1,000 Births	8.5	9.7	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		Black and Other					
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	18,495	8,935	9,560	16,075	7,822	8,253	2,420	1,113	1,307
0- 4	1,113	577	536	936	487	449	177	90	87
5- 9	1,201	622	579	1,009	529	480	192	93	99
10-14	1,260	644	616	1,047	543	504	213	101	112
15-44	7,271	3,647	3,624	6,266	3,172	3,094	1,005	475	530
45-64	4,674	2,305	2,369	4,169	2,064	2,105	505	241	264
65-84	2,543	1,030	1,513	2,259	927	1,332	284	103	181
85+	433	110	323	389	100	289	44	10	34

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF FAYETTE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	233	100	133	205	85	120	28	15	13	
Death Rate ¹	12.6	11.2	13.9	12.8	10.9	14.5	11.6	13.5	9.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	90	486.6	40	447.7	50	523.0	78	485.2	12	495.9
Cancer	44	237.9	17	190.3	27	282.4	38	236.4	6	247.9
Stroke	14	75.7	3	33.6	11	115.1	13	80.9	1	41.3
Accidents	13	70.3	9	100.7	4	41.8	12	74.7	1	41.3
Chronic Lower Resp. Dis.	8	43.3	6	67.2	2	20.9	8	49.8	0	0.0
Diabetes	7	37.8	1	11.2	6	62.8	6	37.3	1	41.3
Influenza & Pneumonia	2	10.8	1	11.2	1	10.5	1	6.2	1	41.3
Alzheimer's Disease	2	10.8	0	0.0	2	20.9	2	12.4	0	0.0
Suicide	3	16.2	3	33.6	0	0.0	3	18.7	0	0.0
Homicide	2	10.8	0	0.0	2	20.9	2	12.4	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	13	70.3	5	101.5
Motor Vehicle	8	43.3	4	81.2
Suffocation	0	0.0	0	0.0
Poisoning	2	10.8	1	20.3
Smoke, Fire & Flames	1	5.4	0	0.0
Falls	1	5.4	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	5.4	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	233	12.6
0-14	4	1.1
15-44	16	2.2
45-64	27	5.8
65-84	111	43.6
85+	75	173.2*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	71	44	237.9	17	190.3	27	282.4
Trachea, Bronchus, Lung, Pleura	8	15	81.1	8	89.5	7	73.2
Colorectal	10	3	16.2	1	11.2	2	20.9
Breast (female)	9	2	--	--	--	2	20.9
Prostate (male)	9	1	--	1	11.2	--	--
Pancreas	0	1	5.4	0	0.0	1	10.5
Leukemias	2	3	16.2	1	11.2	2	20.9
Non-Hodgkin's Lymphomas	2	2	10.8	1	11.2	1	10.5
Ovary (female)	1	1	--	--	--	1	10.5
Brain and other nervous system	2	2	10.8	1	11.2	1	10.5
Stomach	1	1	5.4	0	0.0	1	10.5
Uterus & Cervix (female)	4	1	--	--	--	1	10.5
Esophagus	0	1	5.4	0	0.0	1	10.5
Melanoma of Skin	2	2	10.8	2	22.4	0	0.0
Other	21	9	--	2	--	7	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF FRANKLIN COUNTY

2000 POPULATION	
Total	31,223
White	28,001
Black & Other	3,222
Median Age	36.7
Marriages	370
Rate ¹	11.9
Divorces	199
Rate ¹	6.4
Life Expectancy at Birth	72.4
Total Fertility Rate Per 1,000 Women 10-49	2236.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	446	1	23	52	370
Rate ^{2,3}	71.3	1.0	37.4	126.7	58.5
White	431	1	23	52	355
Rate ^{2,3}	77.1	1.1	43.0	145.7	62.0
Black & Other	15	0	0	0	15
Rate ^{2,3}	22.7	0.0	0.0	0.0	24.9



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	575	92.0	100	49.2
Abortions	446	14.3	76	37.4
Est. Fetal Losses	36	5.8	8	3.9
	93	-	16	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	77	17.3	28	36.8
Low Weight Births	31	7.0	2	2.6
Multiple Births	16	3.6	2	2.6
Medicaid Births	197	44.2	56	73.7

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	12
Chlamydia	29
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	4	4	0	1	1	0
Rate per 1,000 Births	9.0	9.3	0.0	13.2	13.2	0.0
Postneonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	2.2	2.3	0.0	0.0	0.0	0.0
Neonatal Deaths	3	3	0	1	1	0
Rate per 1,000 Births	6.7	7.0	0.0	13.2	13.2	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	31,223	15,329	15,894	28,001	13,575	14,426	3,222	1,754	1,468
0-4	1,983	999	984	1,639	823	816	344	176	168
5-9	2,180	1,109	1,071	1,855	964	891	325	145	180
10-14	2,156	1,151	1,005	1,898	999	899	258	152	106
15-44	12,965	6,712	6,253	11,334	5,742	5,592	1,631	970	661
45-64	7,302	3,497	3,805	6,861	3,274	3,587	441	223	218
65-84	4,097	1,715	2,382	3,912	1,637	2,275	185	78	107
85+	540	146	394	502	136	366	38	10	28

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF FRANKLIN COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	359	174	185	342	165	177	17	9	8	
Death Rate ¹	11.5	11.4	11.6	12.2	12.2	12.3	5.3	5.1	5.4	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	102	326.7	46	300.1	56	352.3	95	339.3	7	217.3
Cancer	95	304.3	59	384.9	36	226.5	93	332.1	2	62.1
Stroke	31	99.3	8	52.2	23	144.7	30	107.1	1	31.0
Accidents	22	70.5	15	97.9	7	44.0	21	75.0	1	31.0
Chronic Lower Resp. Dis.	12	38.4	7	45.7	5	31.5	12	42.9	0	0.0
Diabetes	16	51.2	4	26.1	12	75.5	15	53.6	1	31.0
Influenza & Pneumonia	8	25.6	4	26.1	4	25.2	8	28.6	0	0.0
Alzheimer's Disease	9	28.8	2	13.0	7	44.0	9	32.1	0	0.0
Suicide	6	19.2	4	26.1	2	12.6	6	21.4	0	0.0
Homicide	1	3.2	0	0.0	1	6.3	1	3.6	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	22	70.5	4	47.1
Motor Vehicle	12	38.4	4	47.1
Suffocation	0	0.0	0	0.0
Poisoning	1	3.2	0	0.0
Smoke, Fire & Flames	2	6.4	0	0.0
Falls	1	3.2	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	6	19.2	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	359	11.5
0-14	9	1.4
15-44	19	1.5
45-64	77	10.5
65-84	170	41.5
85+	84	155.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	128	95	304.3	59	384.9	36	226.5
Trachea, Bronchus, Lung, Pleura	24	36	115.3	27	176.1	9	56.6
Colorectal	22	4	12.8	4	26.1	0	0.0
Breast (female)	22	10	--	--	--	10	62.9
Prostate (male)	5	7	--	7	45.7	--	--
Pancreas	3	5	16.0	4	26.1	1	6.3
Leukemias	1	3	9.6	1	6.5	2	12.6
Non-Hodgkin's Lymphomas	1	3	9.6	3	19.6	0	0.0
Ovary (female)	6	4	--	--	--	4	25.2
Brain and other nervous system	2	0	0.0	0	0.0	0	0.0
Stomach	0	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	8	3	--	--	--	3	18.9
Esophagus	0	2	6.4	2	13.0	0	0.0
Melanoma of Skin	5	0	0.0	0	0.0	0	0.0
Other	29	18	--	11	--	7	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF GENEVA COUNTY

2000 POPULATION	
Total	25,764
White	22,442
Black & Other	3,322
Median Age	39.3
Marriages	271
Rate ¹	10.5
Divorces	71
Rate ¹	2.8
Life Expectancy at Birth	73.9
Total Fertility Rate Per 1,000 Women 10-49	2018.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	297	1	19	27	250
Rate ^{2,3}	59.6	1.1	37.7	80.3	49.4
White	250	1	13	22	214
Rate ^{2,3}	59.0	1.3	30.7	77.9	49.3
Black & Other	47	0	6	5	36
Rate ^{2,3}	62.7	0.0	74.1	92.6	50.3



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	383	76.8	62	35.5
Births	297	11.5	47	26.9
Abortions	24	4.8	5	2.9
Est. Fetal Losses	62	-	10	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	71	23.9	27	57.4
Low Weight Births	34	11.4	6	12.8
Multiple Births	15	5.1	2	4.3
Medicaid Births	150	50.5	37	78.7

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	3
Syphilis	0
Gonorrhea	18
Chlamydia	49
Tuberculosis	3

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	2	1	0	0	0
Rate per 1,000 Births	10.1	8.0	21.3*	0.0	0.0	0.0
Postneonatal Deaths	2	1	1	0	0	0
Rate per 1,000 Births	6.7	4.0	21.3*	0.0	0.0	0.0
Neonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	3.4	4.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	25,764	12,529	13,235	22,442	10,947	11,495	3,322	1,582	1,740
0- 4	1,437	738	699	1,204	622	582	233	116	117
5- 9	1,668	894	774	1,371	736	635	297	158	139
10-14	1,928	1,021	907	1,590	833	757	338	188	150
15-44	10,007	5,023	4,984	8,563	4,329	4,234	1,444	694	750
45-64	6,521	3,153	3,368	5,867	2,859	3,008	654	294	360
65-84	3,650	1,573	2,077	3,349	1,456	1,893	301	117	184
85+	553	127	426	498	112	386	55	15	40

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF GENEVA COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	321	177	144	290	159	131	31	18	13	
Death Rate ¹	12.5	14.1	10.9	12.9	14.5	11.4	9.3	11.4	7.5	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	100	388.1	47	375.1	53	400.5	91	405.5	9	270.9
Cancer	70	271.7	50	399.1	20	151.1	63	280.7	7	210.7
Stroke	27	104.8	14	111.7	13	98.2	25	111.4	2	60.2
Accidents	21	81.5	9	71.8	12	90.7	21	93.6	0	0.0
Chronic Lower Resp. Dis.	17	66.0	13	103.8	4	30.2	14	62.4	3	90.3
Diabetes	8	31.1	4	31.9	4	30.2	6	26.7	2	60.2
Influenza & Pneumonia	7	27.2	4	31.9	3	22.7	6	26.7	1	30.1
Alzheimer's Disease	11	42.7	2	16.0	9	68.0	10	44.6	1	30.1
Suicide	3	11.6	3	23.9	0	0.0	3	13.4	0	0.0
Homicide	3	11.6	2	16.0	1	7.6	2	8.9	1	30.1
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	21	81.5	4	58.8
Motor Vehicle	5	19.4	3	44.1
Suffocation	2	7.8	0	0.0
Poisoning	1	3.9	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	3.9	0	0.0
Other Accidents	12	46.6	1	14.7

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	321	12.5
0-14	4	0.8
15-44	23	2.3
45-64	44	6.7
65-84	157	43.0
85+	93	168.2*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	121	70	271.7	50	399.1	20	151.1
Trachea, Bronchus, Lung, Pleura	18	27	104.8	19	151.6	8	60.4
Colorectal	9	6	23.3	5	39.9	1	7.6
Breast (female)	21	2	--	--	--	2	15.1
Prostate (male)	11	7	--	7	55.9	--	--
Pancreas	2	2	7.8	1	8.0	1	7.6
Leukemias	0	1	3.9	1	8.0	0	0.0
Non-Hodgkin's Lymphomas	2	2	7.8	1	8.0	1	7.6
Ovary (female)	2	1	--	--	--	1	7.6
Brain and other nervous system	5	1	3.9	1	8.0	0	0.0
Stomach	2	1	3.9	1	8.0	0	0.0
Uterus & Cervix (female)	1	0	--	--	--	0	0.0
Esophagus	2	0	0.0	0	0.0	0	0.0
Melanoma of Skin	6	1	3.9	0	0.0	1	7.6
Other	40	19	--	14	--	5	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF GREENE COUNTY

2000 POPULATION	
Total	9,974
White	1,904
Black & Other	8,070
Median Age	35.9
Marriages	89
Rate ¹	8.9
Divorces	26
Rate ¹	2.6
Life Expectancy at Birth	71.0
Total Fertility Rate Per 1,000 Women 10-49	2238.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	145	0	14	18	113
Rate ^{2,3}	67.6	0.0	54.6	105.4	53.7
White	22	0	0	1	21
Rate ^{2,3}	71.4	0.0	0.0	65.8	60.9
Black & Other	123	0	14	17	92
Rate ^{2,3}	67.0	0.0	60.0	109.3	52.3



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	214	99.8	48	62.6*
Births	145	14.5	32	41.7*
Abortions	37	17.3	9	11.7*
Est. Fetal Losses	32	-	7	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	96	66.2	30	93.8*
Low Weight Births	22	15.2	6	18.8*
Multiple Births	4	2.8	0	0.0
Medicaid Births	88	60.7	26	81.3*

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	6
Gonorrhea	43
Chlamydia	41
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	0	2	0	0	0
Rate per 1,000 Births	13.8	0.0	16.3	0.0	0.0	0.0
Postneonatal Deaths	2	0	2	0	0	0
Rate per 1,000 Births	13.8	0.0	16.3	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	9,974	4,681	5,293	1,904	955	949	8,070	3,726	4,344
0- 4	770	406	364	88	54	34	682	352	330
5- 9	830	439	391	79	38	41	751	401	350
10-14	777	437	340	91	47	44	686	390	296
15-44	3,919	1,775	2,144	641	333	308	3,278	1,442	1,836
45-64	2,208	1,030	1,178	572	293	279	1,636	737	899
65-84	1,219	526	693	384	177	207	835	349	486
85+	251	68	183	49	13	36	202	55	147

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF GREENE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	106	57	49	20	14	6	86	43	43	
Death Rate ¹	10.6	12.2	9.3	10.5	14.7*	6.3*	10.7	11.5	9.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	29	290.8	14	299.1	15	283.4	7	367.6	22	272.6
Cancer	26	260.7	16	341.8	10	188.9	2	105.0	24	297.4
Stroke	10	100.3	3	64.1	7	132.3	1	52.5	9	111.5
Accidents	7	70.2	5	106.8	2	37.8	2	105.0	5	62.0
Chronic Lower Resp. Dis	5	50.1	3	64.1	2	37.8	0	0.0	5	62.0
Diabetes	3	30.1	2	42.7	1	18.9	1	52.5	2	24.8
Influenza & Pneumonia	3	30.1	0	0.0	3	56.7	1	52.5	2	24.8
Alzheimer's Disease	2	20.1	1	21.4	1	18.9	2	105.0	0	0.0
Suicide	2	20.1	2	42.7	0	0.0	1	52.5	1	12.4
Homicide	1	10.0	1	21.4	0	0.0	0	0.0	1	12.4
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	7	70.2	1	30.8
Motor Vehicle	4	40.1	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	10.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	20.1	1	30.8

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	106	10.6
0-14	3	1.3
15-44	11	2.8
45-64	21	9.5
65-84	38	31.2
85+	33	131.5*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	76	26	260.7	16	341.8	10	188.9
Trachea, Bronchus, Lung, Pleura	8	7	70.2	5	106.8	2	37.8
Colorectal	9	3	30.1	2	42.7	1	18.9
Breast (female)	13	4	--	--	--	4	75.6
Prostate (male)	4	3	--	3	64.1	--	--
Pancreas	2	0	0.0	0	0.0	0	0.0
Leukemias	2	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	5	2	20.1	1	21.4	1	18.9
Ovary (female)	1	2	--	--	--	2	37.8
Brain and other nervous system	5	0	0.0	0	0.0	0	0.0
Stomach	3	1	10.0	1	21.4	0	0.0
Uterus & Cervix (female)	2	0	--	--	--	0	0.0
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	3	0	0.0	0	0.0	0	0.0
Other	19	4	--	4	--	0	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF HALE COUNTY

2000 POPULATION	
Total	17,185
White	6,844
Black & Other	10,341
Median Age	34.4
Marriages	164
Rate ¹	9.5
Divorces	44
Rate ¹	2.6
Life Expectancy at Birth	72.4
Total Fertility Rate Per 1,000 Women 10-49	2322.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	270	1	17	28	224
Rate ^{2,3}	72.5	1.4	41.6	102.8	61.6
White	77	0	4	7	66
Rate ^{2,3}	61.6	0.0	34.5	90.7	51.2
Black & Other	193	1	13	21	158
Rate ^{2,3}	77.9	2.0	44.4	107.6	67.3



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	388	104.1	71	51.6
Abortions	270	15.7	46	33.4
Est. Fetal Losses	57	15.3	13	9.4
	61	-	12	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	159	58.9	39	84.8
Low Weight Births	35	13.0	5	10.9
Multiple Births	14	5.2	4	8.7
Medicaid Births	173	64.1	42	91.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	2
Gonorrhea	69
Chlamydia	107
Tuberculosis	7

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	0	5	2	0	2
Rate per 1,000 Births	18.5	0.0	25.9	43.5*	0.0	57.1*
Postneonatal Deaths	2	0	2	0	0	0
Rate per 1,000 Births	7.4	0.0	10.4	0.0	0.0	0.0
Neonatal Deaths	3	0	3	2	0	2
Rate per 1,000 Births	11.1	0.0	15.5	43.5*	0.0	57.1*

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	17,185	8,110	9,075	6,844	3,368	3,476	10,341	4,742	5,599
0- 4	1,408	699	709	445	215	230	963	484	479
5- 9	1,376	707	669	416	214	202	960	493	467
10-14	1,453	757	696	468	266	202	985	491	494
15-44	7,007	3,281	3,726	2,568	1,318	1,250	4,439	1,963	2,476
45-64	3,625	1,744	1,881	1,776	885	891	1,849	859	990
65-84	1,977	837	1,140	1,012	438	574	965	399	566
85+	339	85	254	159	32	127	180	53	127

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF HALE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	201	102	99	91	46	45	110	56	54	
Death Rate ¹	11.7	12.6	10.9	13.3	13.7	12.9	10.6	11.8	9.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	62	360.8	31	382.2	31	341.6	29	423.7	33	319.1
Cancer	54	314.2	31	382.2	23	253.4	30	438.3	24	232.1
Stroke	17	98.9	8	98.6	9	99.2	9	131.5	8	77.4
Accidents	16	93.1	12	148.0	4	44.1	7	102.3	9	87.0
Chronic Lower Resp. Dis.	4	23.3	2	24.7	2	22.0	2	29.2	2	19.3
Diabetes	6	34.9	2	24.7	4	44.1	1	14.6	5	48.4
Influenza & Pneumonia	4	23.3	0	0.0	4	44.1	2	29.2	2	19.3
Alzheimer's Disease	1	5.8	0	0.0	1	11.0	0	0.0	1	9.7
Suicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Homicide	2	11.6	1	12.3	1	11.0	1	14.6	1	9.7
HIV	1	5.8	1	12.3	0	0.0	0	0.0	1	9.7

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	16	93.1	5	89.0
Motor Vehicle	12	69.8	4	71.2
Suffocation	0	0.0	0	0.0
Poisoning	1	5.8	1	17.8
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	5.8	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	11.6	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	201	11.7
0-14	5	1.2
15-44	23	3.3
45-64	43	11.9
65-84	82	41.5
85+	48	141.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	83	54	314.2	31	382.2	23	253.4
Trachea, Bronchus, Lung, Pleura	15	16	93.1	10	123.3	6	66.1
Colorectal	17	9	52.4	5	61.7	4	44.1
Breast (female)	10	3	--	--	--	3	33.1
Prostate (male)	13	3	--	3	37.0	--	--
Pancreas	1	1	5.8	0	0.0	1	11.0
Leukemias	3	1	5.8	0	0.0	1	11.0
Non-Hodgkin's Lymphomas	1	2	11.6	2	24.7	0	0.0
Ovary (female)	1	1	--	--	--	1	11.0
Brain and other nervous system	1	0	0.0	0	0.0	0	0.0
Stomach	3	2	11.6	1	12.3	1	11.0
Uterus & Cervix (female)	3	3	--	--	--	3	33.1
Esophagus	0	1	5.8	1	12.3	0	0.0
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	15	12	--	9	--	3	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF HENRY COUNTY

2000 POPULATION	
Total	16,310
White	10,710
Black & Other	5,600
Median Age	39.2
Marriages	163
Rate ¹	10.0
Divorces	53
Rate ¹	3.2
Life Expectancy at Birth	74.5
Total Fertility Rate Per 1,000 Women 10-49	2157.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	214	0	14	21	179
Rate ^{2,3}	67.5	0.0	41.7	93.8	54.9
White	129	0	8	11	110
Rate ^{2,3}	67.3	0.0	43.9	90.5	54.0
Black & Other	85	0	6	10	69
Rate ^{2,3}	67.8	0.0	39.1	97.7	56.3



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	283	89.2	50	45.2
Births	214	13.1	35	31.7
Abortions	24	7.6	8	7.2
Est. Fetal Losses	45	-	7	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	88	41.1	24	68.6
Low Weight Births	23	10.8	9	25.7
Multiple Births	9	4.2	2	5.7
Medicaid Births	106	49.5	27	77.1

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	2
Gonorrhea	23
Chlamydia	44
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	1	2	0	0	0
Rate per 1,000 Births	14.0	7.8	23.5	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	3	1	2	0	0	0
Rate per 1,000 Births	14.0	7.8	23.5	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	White		Black and Other					
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	16,310	7,754	8,556	10,710	5,206	5,504	5,600	2,548	3,052
0- 4	1,019	541	478	617	339	278	402	202	200
5- 9	1,065	518	547	585	295	290	480	223	257
10-14	1,106	561	545	625	316	309	481	245	236
15-44	6,298	3,127	3,171	3,950	2,032	1,918	2,348	1,095	1,253
45-64	4,154	1,973	2,181	2,936	1,416	1,520	1,218	557	661
65-84	2,293	937	1,356	1,726	735	991	567	202	365
85+	375	97	278	271	73	198	104	24	80

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF HENRY COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	182	78	104	128	58	70	54	20	34	
Death Rate ¹	11.2	10.1	12.2	12.0	11.1	12.7	9.6	7.8	11.1	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	55	337.2	19	245.0	36	420.8	40	373.5	15	267.9
Cancer	36	220.7	18	232.1	18	210.4	29	270.8	7	125.0
Stroke	9	55.2	3	38.7	6	70.1	7	65.4	2	35.7
Accidents	5	30.7	5	64.5	0	0.0	3	28.0	2	35.7
Chronic Lower Resp. Dis.	12	73.6	7	90.3	5	58.4	11	102.7	1	17.9
Diabetes	3	18.4	2	25.8	1	11.7	1	9.3	2	35.7
Influenza & Pneumonia	4	24.5	1	12.9	3	35.1	3	28.0	1	17.9
Alzheimer's Disease	8	49.0	3	38.7	5	58.4	5	46.7	3	53.6
Suicide	1	6.1	1	12.9	0	0.0	1	9.3	0	0.0
Homicide	2	12.3	2	25.8	0	0.0	0	0.0	2	35.7
HIV	1	6.1	0	0.0	1	11.7	0	0.0	1	17.9

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	5	30.7	0	0.0
Motor Vehicle	3	18.4	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	1	6.1	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	6.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	182	11.2
0-14	4	1.3
15-44	7	1.1
45-64	35	8.4
65-84	82	35.8
85+	54	144.0*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	94	36	220.7	18	232.1	18	210.4
Trachea, Bronchus, Lung, Pleura	15	7	42.9	5	64.5	2	23.4
Colorectal	11	2	12.3	2	25.8	0	0.0
Breast (female)	20	4	--	--	--	4	46.8
Prostate (male)	11	3	--	3	38.7	--	--
Pancreas	3	4	24.5	3	38.7	1	11.7
Leukemias	1	1	6.1	0	0.0	1	11.7
Non-Hodgkin's Lymphomas	0	1	6.1	0	0.0	1	11.7
Ovary (female)	3	2	--	--	--	2	23.4
Brain and other nervous system	4	1	6.1	0	0.0	1	11.7
Stomach	1	1	6.1	1	12.9	0	0.0
Uterus & Cervix (female)	1	0	--	--	--	0	0.0
Esophagus	0	2	12.3	2	25.8	0	0.0
Melanoma of Skin	4	0	0.0	0	0.0	0	0.0
Other	20	8	--	2	--	6	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF HOUSTON COUNTY

2000 POPULATION	
Total	88,787
White	64,886
Black & Other	23,901
Median Age	36.7
Marriages	1,170
Rate ¹	13.2
Divorces	702
Rate ¹	7.9
Life Expectancy at Birth	75.7
Total Fertility Rate Per 1,000 Women 10-49	2358.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	1,392	5	60	137	1,190
Rate ^{2,3}	73.1	1.5	32.8	112.4	61.3
White	921	1	23	86	811
Rate ^{2,3}	70.1	0.5	19.0	106.5	59.4
Black & Other	471	4	37	51	379
Rate ^{2,3}	79.8	3.7	59.9	123.8	65.9



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	1,839	96.6	276	43.9
Births	1,392	15.7	202	32.1
Abortions	153	8.0	31	4.9
Est. Fetal Losses	294	-	43	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	490	35.2	137	67.8
Low Weight Births	118	8.5	18	8.9
Multiple Births	59	4.2	6	3.0
Medicaid Births	666	47.8	181	89.6

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	11
Syphilis	11
Gonorrhea	193
Chlamydia	345
Tuberculosis	3

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	12	4	8	4	1	3
Rate per 1,000 Births	8.6	4.3	17.0	19.8	9.1	32.6
Postneonatal Deaths	3	1	2	1	0	1
Rate per 1,000 Births	2.2	1.1	4.2	5.0	0.0	10.9
Neonatal Deaths	9	3	6	3	1	2
Rate per 1,000 Births	6.5	3.3	12.7	14.9	9.1	21.7

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total	Total		White			Black and Other		
		Male	Female	Total	Male	Female	Total	Male	Female
Total	88,787	42,170	46,617	64,886	31,143	33,743	23,901	11,027	12,874
0- 4	6,037	3,085	2,952	3,900	2,004	1,896	2,137	1,081	1,056
5- 9	6,313	3,217	3,096	4,076	2,083	1,993	2,237	1,134	1,103
10-14	6,661	3,419	3,242	4,433	2,266	2,167	2,228	1,153	1,075
15-44	36,792	17,749	19,043	26,004	12,866	13,138	10,788	4,883	5,905
45-64	20,822	9,913	10,909	16,432	7,941	8,491	4,390	1,972	2,418
65-84	10,673	4,401	6,272	8,808	3,673	5,135	1,865	728	1,137
85+	1,489	386	1,103	1,233	310	923	256	76	180

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF HOUSTON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	878	427	451	675	337	338	203	90	113	
Death Rate ¹	9.9	10.1	9.7	10.4	10.8	10.0	8.5	8.2	8.8	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	250	281.6	114	270.3	136	291.7	201	309.8	49	205.0
Cancer	201	226.4	111	263.2	90	193.1	161	248.1	40	167.4
Stroke	59	66.5	25	59.3	34	72.9	43	66.3	16	66.9
Accidents	35	39.4	24	56.9	11	23.6	22	33.9	13	54.4
Chronic Lower Resp. Dis.	55	61.9	29	68.8	26	55.8	53	81.7	2	8.4
Diabetes	23	25.9	11	26.1	12	25.7	12	18.5	11	46.0
Influenza & Pneumonia	14	15.8	4	9.5	10	21.5	13	20.0	1	4.2
Alzheimer's Disease	26	29.3	5	11.9	21	45.0	23	35.4	3	12.6
Suicide	4	4.5	1	2.4	3	6.4	4	6.2	0	0.0
Homicide	8	9.0	4	9.5	4	8.6	4	6.2	4	16.7
HIV	6	6.8	4	9.5	2	4.3	2	3.1	4	16.7

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	35	39.4	3	11.9
Motor Vehicle	12	13.5	2	8.0
Suffocation	3	3.4	0	0.0
Poisoning	1	1.1	1	4.0
Smoke, Fire & Flames	2	2.3	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	1.1	0	0.0
Firearms	1	1.1	0	0.0
Other Accidents	15	16.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	878	9.9
0-14	14	0.7
15-44	59	1.6
45-64	143	6.9
65-84	449	42.1
85+	213	143.0

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	476	201	226.4	111	263.2	90	193.1
Trachea, Bronchus, Lung, Pleura	80	58	65.3	36	85.4	22	47.2
Colorectal	50	14	15.8	5	11.9	9	19.3
Breast (female)	93	15	--	--	--	15	32.2
Prostate (male)	65	7	--	7	16.6	--	--
Pancreas	10	8	9.0	4	9.5	4	8.6
Leukemias	11	9	10.1	3	7.1	6	12.9
Non-Hodgkin's Lymphomas	3	11	12.4	6	14.2	5	10.7
Ovary (female)	9	5	--	--	--	5	10.7
Brain and other nervous system	5	7	7.9	4	9.5	3	6.4
Stomach	11	4	4.5	1	2.4	3	6.4
Uterus & Cervix (female)	21	3	--	--	--	3	6.4
Esophagus	6	8	9.0	6	14.2	2	4.3
Melanoma of Skin	13	3	3.4	3	7.1	0	0.0
Other	99	49	--	36	--	13	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF JACKSON COUNTY

2000 POPULATION	
Total	53,926
White	49,552
Black & Other	4,374
Median Age	37.6
Marriages	629
Rate ¹	11.7
Divorces	281
Rate ¹	5.2
Life Expectancy at Birth	72.8
Total Fertility Rate Per 1,000 Women 10-49	1879.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	657	2	28	64	563
Rate ^{2,3}	58.7	1.1	25.8	88.4	49.4
White	627	2	27	60	538
Rate ^{2,3}	61.8	1.3	28.1	93.8	51.8
Black & Other	30	0	1	4	25
Rate ^{2,3}	29.0	0.0	7.9	47.6	25.1



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	859	76.8	137	38.2
Births	657	12.2	94	26.2
Abortions	64	5.7	22	6.1
Est. Fetal Losses	138	-	21	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	177	26.9	56	59.6
Low Weight Births	53	8.1	7	7.4
Multiple Births	18	2.7	0	0.0
Medicaid Births	288	43.8	69	73.4

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	24
Chlamydia	37
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	5	0	1	1	0
Rate per 1,000 Births	7.6	8.0	0.0	10.6	11.2	0.0
Postneonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	1.5	1.6	0.0	0.0	0.0	0.0
Neonatal Deaths	4	4	0	1	1	0
Rate per 1,000 Births	6.1	6.4	0.0	10.6	11.2	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	53,926	26,281	27,645	49,552	24,142	25,410	4,374	2,139	2,235
0-4	3,387	1,745	1,642	3,044	1,569	1,475	343	176	167
5-9	3,644	1,855	1,789	3,276	1,667	1,609	368	188	180
10-14	3,655	1,880	1,775	3,276	1,684	1,592	379	196	183
15-44	22,327	11,143	11,184	20,306	10,158	10,148	2,021	985	1,036
45-64	13,703	6,677	7,026	12,803	6,237	6,566	900	440	460
65-84	6,460	2,769	3,691	6,140	2,633	3,507	320	136	184
85+	750	212	538	707	194	513	43	18	25

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF JACKSON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	516	263	253	498	253	245	18	10	8	
Death Rate ¹	9.6	10.0	9.2	10.1	10.5	9.6	4.1	4.7	3.6	

Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	166	307.8	73	277.8	93	336.4	160	322.9	6	137.2
Cancer	131	242.9	80	304.4	51	184.5	128	258.3	3	68.6
Stroke	43	79.7	20	76.1	23	83.2	41	82.7	2	45.7
Accidents	27	50.1	20	76.1	7	25.3	26	52.5	1	22.9
Chronic Lower Resp. Dis.	18	33.4	8	30.4	10	36.2	17	34.3	1	22.9
Diabetes	15	27.8	4	15.2	11	39.8	15	30.3	0	0.0
Influenza & Pneumonia	13	24.1	8	30.4	5	18.1	13	26.2	0	0.0
Alzheimer's Disease	8	14.8	1	3.8	7	25.3	8	16.1	0	0.0
Suicide	5	9.3	4	15.2	1	3.6	5	10.1	0	0.0
Homicide	2	3.7	1	3.8	1	3.6	2	4.0	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	27	50.1	5	34.8
Motor Vehicle	14	26.0	4	27.8
Suffocation	2	3.7	0	0.0
Poisoning	1	1.9	0	0.0
Smoke, Fire & Flames	1	1.9	1	7.0
Falls	2	3.7	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	7	13.0	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	516	9.6
0-14	8	0.7
15-44	32	1.4
45-64	105	7.7
65-84	258	39.9
85+	113	150.7*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	148	131	242.9	80	304.4	51	184.5
Trachea, Bronchus, Lung, Pleura	28	48	89.0	36	137.0	12	43.4
Colorectal	14	13	24.1	6	22.8	7	25.3
Breast (female)	30	10	--	--	--	10	36.2
Prostate (male)	6	6	--	6	22.8	--	--
Pancreas	0	6	11.1	3	11.4	3	10.9
Leukemias	4	7	13.0	6	22.8	1	3.6
Non-Hodgkin's Lymphomas	0	3	5.6	2	7.6	1	3.6
Ovary (female)	4	1	--	--	--	1	3.6
Brain and other nervous system	4	1	1.9	1	3.8	0	0.0
Stomach	6	3	5.6	2	7.6	1	3.6
Uterus & Cervix (female)	8	3	--	--	--	3	10.9
Esophagus	2	0	0.0	0	0.0	0	0.0
Melanoma of Skin	4	1	1.9	0	0.0	1	3.6
Other	38	29	--	18	--	11	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF JEFFERSON COUNTY

2000 POPULATION	
Total	662,047
White	384,639
Black & Other	277,408
Median Age	36.0
Marriages	6,372
Rate ¹	9.6
Divorces	3,662
Rate ¹	5.5
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	1991.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	9,565	30	452	873	8,210
Rate ^{2,3}	64.1	1.3	32.7	94.7	53.9
White	4,964	6	118	295	4,545
Rate ^{2,3}	62.1	0.5	17.1	64.0	54.5
Black & Other	4,601	24	334	578	3,665
Rate ^{2,3}	66.5	2.1	48.3	125.3	53.2



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	14,501	97.3	2,139	46.6
Births	9,565	14.4	1,355	29.5
Abortions	2,750	18.4	468	10.2
Est. Fetal Losses	2,186	-	316	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	3,731	39.0	1,143	84.4
Low Weight Births	1,001	10.5	188	13.9
Multiple Births	352	3.7	31	2.3
Medicaid Births	3,980	41.6	1,124	83.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	111
Syphilis	213
Gonorrhea	3,010
Chlamydia	3,599
Tuberculosis	71

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	113	31	82	28	5	23
Rate per 1,000 Births	11.8	6.2	17.8	20.7	11.9	24.6
Postneonatal Deaths	32	9	23	12	3	9
Rate per 1,000 Births	3.3	1.8	5.0	8.9	7.2	9.6
Neonatal Deaths	81	22	59	16	2	14
Rate per 1,000 Births	8.5	4.4	12.8	11.8	4.8	15.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	662,047	312,089	349,958	384,639	184,510	200,129	277,408	127,579	149,829
0-4	43,281	22,154	21,127	21,333	10,974	10,359	21,948	11,180	10,768
5-9	45,809	23,482	22,327	21,944	11,303	10,641	23,865	12,179	11,686
10-14	47,066	24,172	22,894	23,341	12,047	11,294	23,725	12,125	11,600
15-44	288,193	139,088	149,105	160,329	80,448	79,881	127,864	58,640	69,224
45-64	147,413	68,930	78,483	94,053	45,092	48,961	53,360	23,838	29,522
65-84	78,760	31,360	47,400	55,664	22,611	33,053	23,096	8,749	14,347
85+	11,525	2,903	8,622	7,975	2,035	5,940	3,550	868	2,682

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF JEFFERSON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	7,158	3,388	3,770	4,530	2,096	2,434	2,628	1,292	1,336	
Death Rate ¹	10.8	10.9	10.8	11.8	11.4	12.2	9.5	10.1	8.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	1,834	277.0	845	270.8	989	282.6	1,241	322.6	593	213.8
Cancer	1,492	225.4	804	257.6	688	196.6	981	255.0	511	184.2
Stroke	570	86.1	196	62.8	374	106.9	361	93.9	209	75.3
Accidents	263	39.7	170	54.5	93	26.6	170	44.2	93	33.5
Chronic Lower Resp. Dis.	329	49.7	166	53.2	163	46.6	261	67.9	68	24.5
Diabetes	245	37.0	106	34.0	139	39.7	124	32.2	121	43.6
Influenza & Pneumonia	195	29.5	78	25.0	117	33.4	151	39.3	44	15.9
Alzheimer's Disease	162	24.5	34	10.9	128	36.6	122	31.7	40	14.4
Suicide	83	12.5	56	17.9	27	7.7	69	17.9	14	5.0
Homicide	118	17.8	98	31.4	20	5.7	19	4.9	99	35.7
HIV	57	8.6	44	14.1	13	3.7	9	2.3	48	17.3

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	263	39.7	25	13.7
Motor Vehicle	95	14.3	10	5.5
Suffocation	24	3.6	3	1.6
Poisoning	34	5.1	1	0.5
Smoke, Fire & Flames	17	2.6	2	1.1
Falls	20	3.0	1	0.5
Drowning	11	1.7	4	2.2
Firearms	4	0.6	1	0.5
Other Accidents	58	8.8	3	1.6

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	7,158	10.8
0-14	141	1.0
15-44	555	1.9
45-64	1,291	8.8
65-84	3,335	42.3
85+	1,836	159.3

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	3,556	1,492	225.4	804	257.6	688	196.6
Trachea, Bronchus, Lung, Pleura	545	390	58.9	245	78.5	145	41.4
Colorectal	452	145	21.9	68	21.8	77	22.0
Breast (female)	660	117	--	--	--	117	33.4
Prostate (male)	459	123	--	123	39.4	--	--
Pancreas	78	74	11.2	42	13.5	32	9.1
Leukemias	57	59	8.9	33	10.6	26	7.4
Non-Hodgkin's Lymphomas	34	46	6.9	22	7.0	24	6.9
Ovary (female)	60	33	--	--	--	33	9.4
Brain and other nervous system	65	35	5.3	16	5.1	19	5.4
Stomach	57	41	6.2	22	7.0	19	5.4
Uterus & Cervix (female)	121	33	--	--	--	33	9.4
Esophagus	40	27	4.1	21	6.7	6	1.7
Melanoma of Skin	74	8	1.2	5	1.6	3	0.9
Other	854	361	--	207	--	154	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF LAMAR COUNTY

2000 POPULATION	
Total	15,904
White	13,816
Black & Other	2,088
Median Age	38.3
Marriages	363
Rate ¹	22.8
Divorces	86
Rate ¹	5.4
Life Expectancy at Birth	73.2
Total Fertility Rate Per 1,000 Women 10-49	2027.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	203	1	12	19	171
Rate ^{2,3}	63.0	2.0	36.0	85.4	53.7
White	179	0	9	16	154
Rate ^{2,3}	65.2	0.0	32.2	85.8	56.6
Black & Other	24	1	3	3	17
Rate ^{2,3}	50.3	11.6	55.6	83.3	36.7



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	266	82.6	43	40.8
Births	203	12.8	32	30.4
Abortions	20	6.2	4	3.8
Est. Fetal Losses	43	-	7	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	46	22.7	14	43.8
Low Weight Births	19	9.4	3	9.4
Multiple Births	6	3.0	0	0.0
Medicaid Births	94	46.3	23	71.9

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	9
Chlamydia	32
Tuberculosis	0

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	1	1	0	0	0	0
Rate per 1,000 Births	4.9	5.6	0.0	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	4.9	5.6	0.0	0.0	0.0	0.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	15,904	7,680	8,224	13,816	6,707	7,109	2,088	973	1,115
0-4	926	457	469	775	390	385	151	67	84
5-9	1,017	474	543	822	386	436	195	88	107
10-14	1,101	603	498	919	507	412	182	96	86
15-44	6,497	3,275	3,222	5,555	2,810	2,745	942	465	477
45-64	3,835	1,860	1,975	3,440	1,690	1,750	395	170	225
65-84	2,182	902	1,280	1,991	820	1,171	191	82	109
85+	346	109	237	314	104	210	32	5	27

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF LAMAR COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	219	114	105	190	99	91	29	15	14	
Death Rate ¹	13.8	14.8	12.8	13.8	14.8	12.8	13.9	15.4*	12.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	70	440.1	34	442.7	36	437.7	61	441.5	9	431.0
Cancer	44	276.7	27	351.6	17	206.7	36	260.6	8	383.1
Stroke	25	157.2	10	130.2	15	182.4	21	152.0	4	191.6
Accidents	11	69.2	4	52.1	7	85.1	9	65.1	2	95.8
Chronic Lower Resp. Dis.	9	56.6	6	78.1	3	36.5	8	57.9	1	47.9
Diabetes	7	44.0	2	26.0	5	60.8	5	36.2	2	95.8
Influenza & Pneumonia	5	31.4	2	26.0	3	36.5	5	36.2	0	0.0
Alzheimer's Disease	4	25.2	1	13.0	3	36.5	4	29.0	0	0.0
Suicide	4	25.2	3	39.1	1	12.2	4	29.0	0	0.0
Homicide	1	6.3	1	13.0	0	0.0	1	7.2	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	11	69.2	2	47.7
Motor Vehicle	6	37.7	1	23.9
Suffocation	0	0.0	0	0.0
Poisoning	1	6.3	0	0.0
Smoke, Fire & Flames	1	6.3	1	23.9
Falls	0	0.0	0	0.0
Drowning	1	6.3	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	12.6	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	219	13.8
0-14	2	0.7
15-44	22	3.4
45-64	30	7.8
65-84	115	52.7
85+	50	144.5*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	50	44	276.7	27	351.6	17	206.7
Trachea, Bronchus, Lung, Pleura	9	13	81.7	12	156.3	1	12.2
Colorectal	6	4	25.2	2	26.0	2	24.3
Breast (female)	7	3	--	--	--	3	36.5
Prostate (male)	5	3	--	3	39.1	--	--
Pancreas	0	2	12.6	1	13.0	1	12.2
Leukemias	1	4	25.2	2	26.0	2	24.3
Non-Hodgkin's Lymphomas	1	3	18.9	0	0.0	3	36.5
Ovary (female)	0	1	--	--	--	1	12.2
Brain and other nervous system	0	0	0.0	0	0.0	0	0.0
Stomach	2	1	6.3	0	0.0	1	12.2
Uterus & Cervix (female)	3	1	--	--	--	1	12.2
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	4	2	12.6	1	13.0	1	12.2
Other	12	7	--	6	--	1	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF LAUDERDALE COUNTY

2000 POPULATION	
Total	87,966
White	77,743
Black & Other	10,223
Median Age	37.6
Marriages	821
Rate ¹	9.3
Divorces	469
Rate ¹	5.3
Life Expectancy at Birth	75.6
Total Fertility Rate Per 1,000 Women 10-49	1639.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	995	2	42	84	867
Rate ^{2,3}	52.8	0.7	22.8	68.4	45.7
White	871	1	34	66	770
Rate ^{2,3}	53.4	0.4	21.8	63.5	46.5
Black & Other	124	1	8	18	97
Rate ^{2,3}	48.5	2.3	28.4	95.9	40.0



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	1332	70.7	180	30.3
Births	995	11.3	128	21.6
Abortions	127	6.7	25	4.2
Est. Fetal Losses	210	-	27	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	242	24.3	85	66.4
Low Weight Births	91	9.1	13	10.2
Multiple Births	31	3.1	0	0.0
Medicaid Births	397	39.9	110	85.9

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	4
Gonorrhea	91
Chlamydia	188
Tuberculosis	6

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	4	3	1	1	1	0
Rate per 1,000 Births	4.0	3.4	8.1	7.8	9.9	0.0
Postneonatal Deaths	3	2	1	1	1	0
Rate per 1,000 Births	3.0	2.3	8.1	7.8	9.9	0.0
Neonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	1.0	1.1	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	87,966	42,081	45,885	77,743	37,390	40,353	10,223	4,691	5,532
0-4	5,217	2,662	2,555	4,400	2,245	2,155	817	417	400
5-9	5,617	2,811	2,806	4,729	2,369	2,360	888	442	446
10-14	5,910	3,043	2,867	5,039	2,608	2,431	871	435	436
15-44	36,951	18,098	18,853	32,207	15,910	16,297	4,744	2,188	2,556
45-64	21,030	10,127	10,903	19,128	9,265	9,863	1,902	862	1,040
65-84	11,771	4,925	6,846	10,900	4,611	6,289	871	314	557
85+	1,470	415	1,055	1,340	382	958	130	33	97

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF LAUDERDALE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	916	477	439	830	432	398	86	45	41	
Death Rate ¹	10.4	11.3	9.6	10.7	11.6	9.9	8.4	9.6	7.4	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	253	287.6	132	313.7	121	263.7	231	297.1	22	215.2
Cancer	204	231.9	108	256.6	96	209.2	185	238.0	19	185.9
Stroke	83	94.4	33	78.4	50	109.0	77	99.0	6	58.7
Accidents	48	54.6	33	78.4	15	32.7	40	51.5	8	78.3
Chronic Lower Resp. Dis.	49	55.7	33	78.4	16	34.9	46	59.2	3	29.3
Diabetes	25	28.4	12	28.5	13	28.3	23	29.6	2	19.6
Influenza & Pneumonia	23	26.1	8	19.0	15	32.7	23	29.6	0	0.0
Alzheimer's Disease	38	43.2	13	30.9	25	54.5	36	46.3	2	19.6
Suicide	9	10.2	7	16.6	2	4.4	8	10.3	1	9.8
Homicide	8	9.1	7	16.6	1	2.2	7	9.0	1	9.8
HIV	1	1.1	1	2.4	0	0.0	1	1.3	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	48	54.6	7	30.5
Motor Vehicle	17	19.3	3	13.1
Suffocation	3	3.4	0	0.0
Poisoning	3	3.4	0	0.0
Smoke, Fire & Flames	4	4.5	3	13.1
Falls	2	2.3	0	0.0
Drowning	3	3.4	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	16	18.2	1	4.4

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	916	10.4
0-14	10	0.6
15-44	53	1.4
45-64	167	7.9
65-84	449	38.1
85+	237	161.2

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	395	204	231.9	108	256.6	96	209.2
Trachea, Bronchus, Lung, Pleura	68	64	72.8	40	95.1	24	52.3
Colorectal	56	24	27.3	12	28.5	12	26.2
Breast (female)	75	11	--	--	--	11	24.0
Prostate (male)	12	13	--	13	30.9	--	--
Pancreas	13	15	17.1	3	7.1	12	26.2
Leukemias	4	7	8.0	5	11.9	2	4.4
Non-Hodgkin's Lymphomas	2	10	11.4	2	4.8	8	17.4
Ovary (female)	9	4	--	--	--	4	8.7
Brain and other nervous system	5	7	8.0	7	16.6	0	0.0
Stomach	6	1	1.1	1	2.4	0	0.0
Uterus & Cervix (female)	27	3	--	--	--	3	6.5
Esophagus	3	3	3.4	3	7.1	0	0.0
Melanoma of Skin	5	3	3.4	3	7.1	0	0.0
Other	110	39	--	19	--	20	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF LAWRENCE COUNTY

2000 POPULATION	
Total	34,803
White	27,067
Black & Other	7,736
Median Age	36.0
Marriages	311
Rate ¹	8.9
Divorces	208
Rate ¹	6.0
Life Expectancy at Birth	73.8
Total Fertility Rate Per 1,000 Women 10-49	1894.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	434	1	29	44	360
Rate ^{2,3}	57.7	0.8	41.3	94.0	47.7
White	373	1	24	31	317
Rate ^{2,3}	66.3	1.1	51.2	99.2	55.4
Black & Other	61	0	5	13	43
Rate ^{2,3}	32.1	0.0	21.4	83.5	23.5



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	581	77.2	103	42.6
Births	434	12.5	74	30.6
Abortions	54	7.2	13	5.4
Est. Fetal Losses	93	-	16	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	124	28.6	51	68.9
Low Weight Births	31	7.1	12	16.2
Multiple Births	11	2.5	0	0.0
Medicaid Births	174	40.1	59	79.7

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	4
Gonorrhea	44
Chlamydia	65
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	1	1	0	0	0
Rate per 1,000 Births	4.6	2.7	16.4	0.0	0.0	0.0
Postneonatal Deaths	2	1	1	0	0	0
Rate per 1,000 Births	4.6	2.7	16.4	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	34,803	17,066	17,737	27,067	13,380	13,687	7,736	3,686	4,050
0-4	2,201	1,134	1,067	1,687	872	815	514	262	252
5-9	2,556	1,323	1,233	1,854	968	886	702	355	347
10-14	2,628	1,378	1,250	1,861	985	876	767	393	374
15-44	14,972	7,447	7,525	11,333	5,708	5,625	3,639	1,739	1,900
45-64	8,251	4,074	4,177	6,677	3,339	3,338	1,574	735	839
65-84	3,753	1,596	2,157	3,273	1,411	1,862	480	185	295
85+	442	114	328	382	97	285	60	17	43

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF LAWRENCE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	375	187	188	328	163	165	47	24	23	
Death Rate ¹	10.8	11.0	10.6	12.1	12.2	12.1	6.1	6.5	5.7	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	126	362.0	59	345.7	67	377.7	107	395.3	19	245.6
Cancer	89	255.7	49	287.1	40	225.5	82	303.0	7	90.5
Stroke	26	74.7	10	58.6	16	90.2	22	81.3	4	51.7
Accidents	18	51.7	14	82.0	4	22.6	15	55.4	3	38.8
Chronic Lower Resp. Dis.	8	23.0	4	23.4	4	22.6	7	25.9	1	12.9
Diabetes	14	40.2	5	29.3	9	50.7	11	40.6	3	38.8
Influenza & Pneumonia	12	34.5	5	29.3	7	39.5	12	44.3	0	0.0
Alzheimer's Disease	5	14.4	2	11.7	3	16.9	5	18.5	0	0.0
Suicide	4	11.5	4	23.4	0	0.0	4	14.8	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	18	51.7	2	20.3
Motor Vehicle	5	14.4	0	0.0
Suffocation	2	5.7	1	10.1
Poisoning	3	8.6	0	0.0
Smoke, Fire & Flames	1	2.9	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	2.9	1	10.1
Firearms	1	2.9	0	0.0
Other Accidents	5	14.4	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	375	10.8
0-14	4	0.5
15-44	21	1.4
45-64	83	10.1
65-84	173	46.1
85+	94	212.7*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	98	89	255.7	49	287.1	40	225.5
Trachea, Bronchus, Lung, Pleura	16	18	51.7	10	58.6	8	45.1
Colorectal	10	5	14.4	3	17.6	2	11.3
Breast (female)	11	3	--	--	--	3	16.9
Prostate (male)	13	2	--	2	11.7	--	--
Pancreas	6	3	8.6	0	0.0	3	16.9
Leukemias	2	2	5.7	2	11.7	0	0.0
Non-Hodgkin's Lymphomas	0	2	5.7	2	11.7	0	0.0
Ovary (female)	1	2	--	--	--	2	11.3
Brain and other nervous system	2	2	5.7	2	11.7	0	0.0
Stomach	4	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	3	0	--	--	--	0	0.0
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	3	0	0.0	0	0.0	0	0.0
Other	27	50	--	28	--	22	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF LEE COUNTY

2000 POPULATION	
Total	115,092
White	85,247
Black & Other	29,845
Median Age	27.6
Marriages	984
Rate ¹	8.5
Divorces	452
Rate ¹	3.9
Life Expectancy at Birth	74.7
Total Fertility Rate Per 1,000 Women 10-49	1382.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	1,412	7	54	122	1,229
Rate ^{2,3}	45.2	1.9	14.8	50.0	42.9
White	978	0	28	70	880
Rate ^{2,3}	41.8	0.0	9.9	37.1	41.7
Black & Other	434	7	26	52	349
Rate ^{2,3}	54.9	5.4	31.3	94.0	46.1



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	2,109	67.4	307	31.4
Births	1,412	12.3	183	18.7
Abortions	377	12.1	79	8.1
Est. Fetal Losses	320	-	45	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	335	23.7	130	71.0
Low Weight Births	125	8.9	25	13.7
Multiple Births	44	3.1	2	1.1
Medicaid Births	523	37.0	156	85.2

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	10
Syphilis	8
Gonorrhea	246
Chlamydia	369
Tuberculosis	4

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	15	5	10	4	2	2
Rate per 1,000 Births	10.6	5.1	23.0	21.9	20.4	23.5
Postneonatal Deaths	6	0	6	1	0	1
Rate per 1,000 Births	4.2	0.0	13.8	5.5	0.0	11.8
Neonatal Deaths	9	5	4	3	2	1
Rate per 1,000 Births	6.4	5.1	9.2	16.4	20.4	11.8

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	Total		White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	115,092	56,630	58,462	85,247	42,705	42,542	29,845	13,925	15,920
0- 4	7,195	3,583	3,612	4,822	2,425	2,397	2,373	1,158	1,215
5- 9	7,655	3,889	3,766	4,999	2,558	2,441	2,656	1,331	1,325
10-14	7,603	3,908	3,695	4,970	2,564	2,406	2,633	1,344	1,289
15-44	62,799	31,527	31,272	47,852	24,479	23,373	14,947	7,048	7,899
45-64	20,503	9,996	10,507	15,390	7,653	7,737	5,113	2,343	2,770
65-84	8,312	3,481	4,831	6,438	2,835	3,603	1,874	646	1,228
85+	1,025	246	779	776	191	585	249	55	194

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF LEE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	767	405	362	527	270	257	240	135	105	
Death Rate ¹	6.7	7.2	6.2	6.2	6.3	6.0	8.0	9.7	6.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	211	183.3	112	197.8	99	169.3	150	176.0	61	204.4
Cancer	163	141.6	95	167.8	68	116.3	112	131.4	51	170.9
Stroke	59	51.3	25	44.1	34	58.2	41	48.1	18	60.3
Accidents	34	29.5	19	33.6	15	25.7	23	27.0	11	36.9
Chronic Lower Resp. Dis.	34	29.5	16	28.3	18	30.8	27	31.7	7	23.5
Diabetes	26	22.6	15	26.5	11	18.8	14	16.4	12	40.2
Influenza & Pneumonia	26	22.6	13	23.0	13	22.2	21	24.6	5	16.8
Alzheimer's Disease	6	5.2	1	1.8	5	8.6	6	7.0	0	0.0
Suicide	14	12.2	12	21.2	2	3.4	13	15.2	1	3.4
Homicide	12	10.4	9	15.9	3	5.1	4	4.7	8	26.8
HIV	3	2.6	3	5.3	0	0.0	0	0.0	3	10.1

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	34	29.5	2	5.8
Motor Vehicle	20	17.4	1	2.9
Suffocation	0	0.0	0	0.0
Poisoning	2	1.7	0	0.0
Smoke, Fire & Flames	1	0.9	0	0.0
Falls	1	0.9	0	0.0
Drowning	3	2.6	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	7	6.1	1	2.9

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	767	6.7
0-14	17	0.8
15-44	58	0.9
45-64	183	8.9
65-84	347	41.7
85+	162	158.0

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	106	163	141.6	95	167.8	68	116.3
Trachea, Bronchus, Lung, Pleura	14	52	45.2	34	60.0	18	30.8
Colorectal	13	16	13.9	7	12.4	9	15.4
Breast (female)	18	7	--	--	--	7	12.0
Prostate (male)	14	9	--	9	15.9	--	--
Pancreas	1	5	4.3	1	1.8	4	6.8
Leukemias	4	6	5.2	4	7.1	2	3.4
Non-Hodgkin's Lymphomas	1	6	5.2	1	1.8	5	8.6
Ovary (female)	2	1	--	--	--	1	1.7
Brain and other nervous system	1	7	6.1	5	8.8	2	3.4
Stomach	3	3	2.6	3	5.3	0	0.0
Uterus & Cervix (female)	10	4	--	--	--	4	6.8
Esophagus	3	4	3.5	3	5.3	1	1.7
Melanoma of Skin	2	5	4.3	4	7.1	1	1.7
Other	20	38	--	24	--	14	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF LIMESTONE COUNTY

2000 POPULATION	
Total	65,676
White	55,029
Black & Other	10,647
Median Age	35.8
Marriages	523
Rate ¹	8.0
Divorces	191
Rate ¹	2.9
Life Expectancy at Birth	75.4
Total Fertility Rate Per 1,000 Women 10-49	2214.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	951	3	53	97	798
Rate ^{2,3}	68.7	1.4	42.9	117.7	56.7
White	827	3	46	83	695
Rate ^{2,3}	71.3	1.6	45.6	123.4	58.5
Black & Other	124	0	7	14	103
Rate ^{2,3}	55.1	0.0	30.8	92.3	46.6



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	1,229	88.8	212	49.6
Births	951	14.5	153	35.8
Abortions	79	5.7	25	5.9
Est. Fetal Losses	199	-	34	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	237	24.9	99	64.7
Low Weight Births	83	8.7	13	8.5
Multiple Births	24	2.5	0	0.0
Medicaid Births	397	41.7	132	86.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	11
Syphilis	6
Gonorrhea	70
Chlamydia	88
Tuberculosis	7

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	4	2	2	1	1	0
Rate per 1,000 Births	4.2	2.4	16.1	6.5	7.6	0.0
Postneonatal Deaths	3	1	2	0	0	0
Rate per 1,000 Births	3.2	1.2	16.1	0.0	0.0	0.0
Neonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	1.1	1.2	0.0	6.5	7.6	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	65,676	33,334	32,342	55,029	27,459	27,570	10,647	5,875	4,772
0-4	4,349	2,249	2,100	3,527	1,800	1,727	822	449	373
5-9	4,638	2,346	2,292	3,848	1,951	1,897	790	395	395
10-14	4,628	2,419	2,209	3,861	2,007	1,854	767	412	355
15-44	29,588	15,744	13,844	23,998	12,404	11,594	5,590	3,340	2,250
45-64	15,202	7,586	7,616	13,285	6,616	6,669	1,917	970	947
65-84	6,531	2,804	3,727	5,855	2,522	3,333	676	282	394
85+	740	186	554	655	159	496	85	27	58

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF LIMESTONE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	548	272	276	485	247	238	63	25	38	
Death Rate ¹	8.3	8.2	8.5	8.8	9.0	8.6	5.9	4.3	8.0	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	230	350.2	99	297.0	131	405.0	202	367.1	28	263.0
Cancer	93	141.6	55	165.0	38	117.5	88	159.9	5	47.0
Stroke	30	45.7	10	30.0	20	61.8	26	47.2	4	37.6
Accidents	25	38.1	16	48.0	9	27.8	19	34.5	6	56.4
Chronic Lower Resp. Dis.	21	32.0	12	36.0	9	27.8	20	36.3	1	9.4
Diabetes	12	18.3	6	18.0	6	18.6	11	20.0	1	9.4
Influenza & Pneumonia	5	7.6	2	6.0	3	9.3	5	9.1	0	0.0
Alzheimer's Disease	4	6.1	1	3.0	3	9.3	4	7.3	0	0.0
Suicide	8	12.2	7	21.0	1	3.1	8	14.5	0	0.0
Homicide	3	4.6	2	6.0	1	3.1	2	3.6	1	9.4
HIV	2	3.0	2	6.0	0	0.0	1	1.8	1	9.4

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	25	38.1	3	16.7
Motor Vehicle	18	27.4	3	16.7
Suffocation	2	3.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	1.5	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	4	6.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	548	8.3
0-14	5	0.4
15-44	49	1.7
45-64	100	6.6
65-84	267	40.9
85+	127	171.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	129	93	141.6	55	165.0	38	117.5
Trachea, Bronchus, Lung, Pleura	29	23	35.0	17	51.0	6	18.6
Colorectal	13	11	16.7	7	21.0	4	12.4
Breast (female)	24	7	--	--	--	7	21.6
Prostate (male)	12	5	--	5	15.0	--	--
Pancreas	2	2	3.0	1	3.0	1	3.1
Leukemias	0	6	9.1	4	12.0	2	6.2
Non-Hodgkin's Lymphomas	1	3	4.6	1	3.0	2	6.2
Ovary (female)	2	5	--	--	--	5	15.5
Brain and other nervous system	5	4	6.1	3	9.0	1	3.1
Stomach	2	1	1.5	0	0.0	1	3.1
Uterus & Cervix (female)	3	0	--	--	--	0	0.0
Esophagus	0	4	6.1	3	9.0	1	3.1
Melanoma of Skin	3	2	3.0	1	3.0	1	3.1
Other	33	20	--	13	--	7	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF LOWNDES COUNTY

2000 POPULATION	
Total	13,473
White	3,484
Black & Other	9,989
Median Age	34.0
Marriages	121
Rate ¹	9.0
Divorces	56
Rate ¹	4.2
Life Expectancy at Birth	70.9
Total Fertility Rate Per 1,000 Women 10-49	2397.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	225	3	17	40	165
Rate ^{2,3}	75.0	4.9	49.4	174.5	57.0
White	32	0	0	2	30
Rate ^{2,3}	49.8	0.0	0.0	53.2	45.4
Black & Other	193	3	17	38	135
Rate ^{2,3}	81.8	5.5	59.2	198.3	60.5



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	324	108.0	88	74.0
Abortions	225	16.7	60	50.5
Est. Fetal Losses	49	16.3	14	11.8
	50	-	14	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	155	68.9	57	95.0
Low Weight Births	29	12.9	12	20.0
Multiple Births	9	4.0	4	6.7
Medicaid Births	154	68.4	57	95.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	1
Gonorrhea	74
Chlamydia	132
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	0	2	0	0	0
Rate per 1,000 Births	8.9	0.0	10.4	0.0	0.0	0.0
Postneonatal Deaths	2	0	2	0	0	0
Rate per 1,000 Births	8.9	0.0	10.4	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	13,473	6,302	7,171	3,484	1,736	1,748	9,989	4,566	5,423
0-4	1,004	460	544	216	99	117	788	361	427
5-9	1,047	532	515	200	92	108	847	440	407
10-14	1,270	654	616	178	105	73	1,092	549	543
15-44	5,622	2,621	3,001	1,271	628	643	4,351	1,993	2,358
45-64	2,884	1,340	1,544	982	497	485	1,902	843	1,059
65-84	1,426	622	804	578	299	279	848	323	525
85+	220	73	147	59	16	43	161	57	104

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF LOWNDES COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	118	62	56	36	21	15	82	41	41	
Death Rate ¹	8.8	9.8	7.8	10.3	12.1	8.6	8.2	9.0	7.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	41	304.3	18	285.6	23	320.7	9	258.3	32	320.4
Cancer	27	200.4	16	253.9	11	153.4	12	344.4	15	150.2
Stroke	5	37.1	3	47.6	2	27.9	2	57.4	3	30.0
Accidents	10	74.2	6	95.2	4	55.8	4	114.8	6	60.1
Chronic Lower Resp. Dis.	2	14.8	2	31.7	0	0.0	0	0.0	2	20.0
Diabetes	4	29.7	0	0.0	4	55.8	0	0.0	4	40.0
Influenza & Pneumonia	2	14.8	0	0.0	2	27.9	0	0.0	2	20.0
Alzheimer's Disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suicide	2	14.8	2	31.7	0	0.0	0	0.0	2	20.0
Homicide	3	22.3	3	47.6	0	0.0	0	0.0	3	30.0
HIV	1	7.4	1	15.9	0	0.0	0	0.0	1	10.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	10	74.2	0	0.0
Motor Vehicle	6	44.5	0	0.0
Suffocation	1	7.4	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	7.4	0	0.0
Falls	1	7.4	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	7.4	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	118	8.8
0-14	3	0.9
15-44	11	2.0
45-64	22	7.6
65-84	56	39.3
85+	26	118.2*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	49	27	200.4	16	253.9	11	153.4
Trachea, Bronchus, Lung, Pleura	10	7	52.0	4	63.5	3	41.8
Colorectal	6	1	7.4	1	15.9	0	0.0
Breast (female)	6	1	--	--	--	1	13.9
Prostate (male)	5	3	--	3	47.6	--	--
Pancreas	1	1	7.4	0	0.0	1	13.9
Leukemias	0	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	0	0	0.0	0	0.0	0	0.0
Ovary (female)	2	0	--	--	--	0	0.0
Brain and other nervous system	2	0	0.0	0	0.0	0	0.0
Stomach	0	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	0	1	--	--	--	1	13.9
Esophagus	1	1	7.4	1	15.9	0	0.0
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	16	12	--	7	--	5	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MACON COUNTY

2000 POPULATION	
Total	24,105
White	3,365
Black & Other	20,740
Median Age	32.0
Marriages	152
Rate ¹	6.3
Divorces	68
Rate ¹	2.8
Life Expectancy at Birth	71.3
Total Fertility Rate Per 1,000 Women 10-49	1557.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	315	0	26	41	248
Rate ^{2,3}	55.0	0.0	33.6	79.5	46.7
White	52	0	1	4	47
Rate ^{2,3}	84.7	0.0	23.1	138.9	69.4
Black & Other	263	0	25	37	201
Rate ^{2,3}	51.4	0.0	34.2	75.9	43.3



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	525	91.7	114	51.3
Births	315	13.1	67	30.2
Abortions	134	23.4	31	14.0
Est. Fetal Losses	76	-	16	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	169	53.7	53	79.1
Low Weight Births	33	10.5	12	17.9
Multiple Births	9	2.9	0	0.0
Medicaid Births	209	66.3	64	95.5

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	4
Syphilis	1
Gonorrhea	113
Chlamydia	158
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	0	3	0	0	0
Rate per 1,000 Births	9.5	0.0	11.4	0.0	0.0	0.0
Postneonatal Deaths	1	0	1	0	0	0
Rate per 1,000 Births	3.2	0.0	3.8	0.0	0.0	0.0
Neonatal Deaths	2	0	2	0	0	0
Rate per 1,000 Births	6.3	0.0	7.6	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	24,105	11,075	13,030	3,365	1,737	1,628	20,740	9,338	11,402
0- 4	1,565	784	781	174	85	89	1,391	699	692
5- 9	1,714	889	825	177	106	71	1,537	783	754
10-14	1,801	869	932	178	89	89	1,623	780	843
15-44	10,586	4,858	5,728	1,280	666	614	9,306	4,192	5,114
45-64	5,072	2,313	2,759	973	504	469	4,099	1,809	2,290
65-84	2,912	1,219	1,693	522	266	256	2,390	953	1,437
85+	455	143	312	61	21	40	394	122	272

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MACON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	296	150	146	37	17	20	259	133	126	
Death Rate ¹	12.3	13.5	11.2	11.0	9.8	12.3	12.5	14.2	11.1	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	102	423.1	49	442.4	53	406.8	12	356.6	90	433.9
Cancer	59	244.8	36	325.1	23	176.5	6	178.3	53	255.5
Stroke	22	91.3	6	54.2	16	122.8	6	178.3	16	77.1
Accidents	10	41.5	5	45.1	5	38.4	2	59.4	8	38.6
Chronic Lower Resp. Dis.	6	24.9	6	54.2	0	0.0	0	0.0	6	28.9
Diabetes	9	37.3	2	18.1	7	53.7	1	29.7	8	38.6
Influenza & Pneumonia	7	29.0	5	45.1	2	15.3	1	29.7	6	28.9
Alzheimer's Disease	6	24.9	0	0.0	6	46.0	0	0.0	6	28.9
Suicide	2	8.3	2	18.1	0	0.0	0	0.0	2	9.6
Homicide	5	20.7	3	27.1	2	15.3	0	0.0	5	24.1
HIV	2	8.3	1	9.0	1	7.7	0	0.0	2	9.6

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	10	41.5	1	13.3
Motor Vehicle	6	24.9	1	13.3
Suffocation	0	0.0	0	0.0
Poisoning	1	4.1	0	0.0
Smoke, Fire & Flames	2	8.3	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	4.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	296	12.3
0-14	3	0.6
15-44	21	2.0
45-64	71	14.0
65-84	121	41.6
85+	80	175.8*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	85	59	244.8	36	325.1	23	176.5
Trachea, Bronchus, Lung, Pleura	16	13	53.9	10	90.3	3	23.0
Colorectal	14	9	37.3	5	45.1	4	30.7
Breast (female)	16	3	--	--	--	3	23.0
Prostate (male)	7	7	--	7	63.2	--	--
Pancreas	2	2	8.3	2	18.1	0	0.0
Leukemias	2	1	4.1	0	0.0	1	7.7
Non-Hodgkin's Lymphomas	1	2	8.3	2	18.1	0	0.0
Ovary (female)	1	1	--	--	--	1	7.7
Brain and other nervous system	0	0	0.0	0	0.0	0	0.0
Stomach	1	1	4.1	1	9.0	0	0.0
Uterus & Cervix (female)	3	3	--	--	--	3	23.0
Esophagus	5	1	4.1	1	9.0	0	0.0
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	17	16	--	8	--	8	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MADISON COUNTY

2000 POPULATION	
Total	276,700
White	199,401
Black & Other	77,299
Median Age	35.7
Marriages	2,483
Rate ¹	9.0
Divorces	1,621
Rate ¹	5.9
Life Expectancy at Birth	76.4
Total Fertility Rate Per 1,000 Women 10-49	1916.0

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	3,754	7	160	246	3,341
Rate ^{2,3}	59.6	0.7	27.4	63.2	52.7
White	2,548	1	78	143	2,326
Rate ^{2,3}	61.0	0.1	22.8	62.8	53.5
Black & Other	1,206	6	82	103	1,015
Rate ^{2,3}	56.6	1.9	33.8	63.8	51.0



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	5,435	86.2	680	34.7
Births	3,754	13.6	413	21.1
Abortions	845	13.4	167	8.5
Est. Fetal Losses	836	-	100	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	1,133	30.2	321	77.7
Low Weight Births	333	8.9	41	9.9
Multiple Births	113	3.0	2	0.5
Medicaid Births	1,249	33.3	332	80.4

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	11
Syphilis	34
Gonorrhea	493
Chlamydia	638
Tuberculosis	20

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	21	10	11	1	0	1
Rate per 1,000 Births	5.6	3.9	9.1	2.4	0.0	5.2
Postneonatal Deaths	13	5	8	1	0	1
Rate per 1,000 Births	3.5	2.0	6.6	2.4	0.0	5.2
Neonatal Deaths	8	5	3	0	0	0
Rate per 1,000 Births	2.1	2.0	2.5	0.0	0.0	0.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	276,700	135,019	141,681	199,401	98,385	101,016	77,299	36,634	40,665
0- 4	18,800	9,587	9,213	12,454	6,339	6,115	6,346	3,248	3,098
5- 9	20,194	10,397	9,797	13,649	7,064	6,585	6,545	3,333	3,212
10-14	20,298	10,435	9,863	13,759	7,058	6,701	6,539	3,377	3,162
15-44	124,649	61,610	63,039	84,479	42,731	41,748	40,170	18,879	21,291
45-64	62,744	30,338	32,406	49,353	24,243	25,110	13,391	6,095	7,296
65-84	27,304	11,919	15,385	23,442	10,351	13,091	3,862	1,568	2,294
85+	2,711	733	1,978	2,265	599	1,666	446	134	312

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MADISON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	2,215	1,162	1,053	1,836	961	875	379	201	178	
Death Rate ¹	8.0	8.6	7.4	9.2	9.8	8.7	4.9	5.5	4.4	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	600	216.8	324	240.0	276	194.8	489	245.2	111	143.6
Cancer	531	191.9	276	204.4	255	180.0	450	225.7	81	104.8
Stroke	147	53.1	66	48.9	81	57.2	121	60.7	26	33.6
Accidents	93	33.6	64	47.4	29	20.5	85	42.6	8	10.3
Chronic Lower Resp. Dis.	114	41.2	59	43.7	55	38.8	108	54.2	6	7.8
Diabetes	75	27.1	33	24.4	42	29.6	48	24.1	27	34.9
Influenza & Pneumonia	45	16.3	19	14.1	26	18.4	36	18.1	9	11.6
Alzheimer's Disease	34	12.3	12	8.9	22	15.5	26	13.0	8	10.3
Suicide	35	12.6	30	22.2	5	3.5	34	17.1	1	1.3
Homicide	10	3.6	9	6.7	1	0.7	7	3.5	3	3.9
HIV	2	0.7	2	1.5	0	0.0	1	0.5	1	1.3

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	93	33.6	19	24.0
Motor Vehicle	39	14.1	10	12.6
Suffocation	3	1.1	1	1.3
Poisoning	4	1.4	0	0.0
Smoke, Fire & Flames	7	2.5	2	2.5
Falls	6	2.2	0	0.0
Drowning	3	1.1	3	3.8
Firearms	1	0.4	0	0.0
Other Accidents	30	10.8	3	3.8

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	2,215	8.0
0-14	37	0.6
15-44	171	1.4
45-64	456	7.3
65-84	1,087	39.8
85+	464	171.2

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	853	531	191.9	276	204.4	255	180.0
Trachea, Bronchus, Lung, Pleura	142	155	56.0	89	65.9	66	46.6
Colorectal	116	48	17.3	23	17.0	25	17.6
Breast (female)	153	42	--	--	--	42	29.6
Prostate (male)	94	37	--	37	27.4	--	--
Pancreas	19	31	11.2	10	7.4	21	14.8
Leukemias	16	18	6.5	10	7.4	8	5.6
Non-Hodgkin's Lymphomas	2	19	6.9	10	7.4	9	6.4
Ovary (female)	23	18	--	--	--	18	12.7
Brain and other nervous system	19	14	5.1	9	6.7	5	3.5
Stomach	8	13	4.7	8	5.9	5	3.5
Uterus & Cervix (female)	31	10	--	--	--	10	7.1
Esophagus	13	10	3.6	9	6.7	1	0.7
Melanoma of Skin	21	5	1.8	4	3.0	1	0.7
Other	196	111	--	67	--	44	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MARENGO COUNTY

2000 POPULATION	
Total	22,539
White	10,657
Black & Other	11,882
Median Age	36.3
Marriages	257
Rate ¹	11.4
Divorces	108
Rate ¹	4.8
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	2498.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	353	1	16	45	291
Rate ^{2,3}	75.0	1.1	30.0	126.7	63.0
White	132	0	8	13	111
Rate ^{2,3}	65.8	0.0	40.5	98.8	53.8
Black & Other	221	1	8	32	180
Rate ^{2,3}	81.8	1.8	23.9	143.1	70.4



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	473	100.5	87	49.2
Births	353	15.7	62	35.0
Abortions	44	9.3	11	6.2
Est. Fetal Losses	76	-	14	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	184	52.1	50	80.6
Low Weight Births	42	11.9	5	8.1
Multiple Births	11	3.1	0	0.0
Medicaid Births	229	64.9	52	83.9

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	4
Gonorrhea	37
Chlamydia	105
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	2	3	1	0	1
Rate per 1,000 Births	14.2	15.2	13.6	16.1	0.0	24.4*
Postneonatal Deaths	3	1	2	1	0	1
Rate per 1,000 Births	8.5	7.6	9.0	16.1	0.0	24.4*
Neonatal Deaths	2	1	1	0	0	0
Rate per 1,000 Births	5.7	7.6	4.5	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	Total		White			Black and Other		
		Male	Female	Total	Male	Female	Total	Male	Female
Total	22,539	10,569	11,970	10,657	5,224	5,433	11,882	5,345	6,537
0- 4	1,524	774	750	623	325	298	901	449	452
5- 9	1,852	945	907	665	359	306	1,187	586	601
10-14	1,902	1,020	882	679	366	313	1,223	654	569
15-44	8,813	4,106	4,707	3,984	1,979	2,005	4,829	2,127	2,702
45-64	5,161	2,440	2,721	2,859	1,413	1,446	2,302	1,027	1,275
65-84	2,839	1,166	1,673	1,626	722	904	1,213	444	769
85+	448	118	330	221	60	161	227	58	169

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MARENGO COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	242	111	131	100	45	55	142	66	76	
Death Rate ¹	10.7	10.5	10.9	9.4	8.6	10.1	12.0	12.3	11.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	70	310.6	31	293.3	39	325.8	35	328.4	35	294.6
Cancer	59	261.8	29	274.4	30	250.6	28	262.7	31	260.9
Stroke	29	128.7	10	94.6	19	158.7	9	84.5	20	168.3
Accidents	12	53.2	7	66.2	5	41.8	4	37.5	8	67.3
Chronic Lower Resp. Dis.	2	8.9	2	18.9	0	0.0	0	0.0	2	16.8
Diabetes	10	44.4	3	28.4	7	58.5	1	9.4	9	75.7
Influenza & Pneumonia	8	35.5	5	47.3	3	25.1	2	18.8	6	50.5
Alzheimer's Disease	2	8.9	0	0.0	2	16.7	2	18.8	0	0.0
Suicide	1	4.4	1	9.5	0	0.0	1	9.4	0	0.0
Homicide	5	22.2	4	37.8	1	8.4	2	18.8	3	25.2
HIV	1	4.4	1	9.5	0	0.0	0	0.0	1	8.4

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	12	53.2	1	14.2
Motor Vehicle	5	22.2	0	0.0
Suffocation	1	4.4	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	4.4	1	14.2
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	4.4	0	0.0
Other Accidents	4	17.7	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	242	10.7
0-14	6	1.1
15-44	14	1.6
45-64	37	7.2
65-84	114	40.2
85+	71	158.5*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	107	59	261.8	29	274.4	30	250.6
Trachea, Bronchus, Lung, Pleura	18	14	62.1	8	75.7	6	50.1
Colorectal	14	3	13.3	1	9.5	2	16.7
Breast (female)	16	5	--	--	--	5	41.8
Prostate (male)	13	5	--	5	47.3	--	--
Pancreas	1	2	8.9	0	0.0	2	16.7
Leukemias	1	2	8.9	1	9.5	1	8.4
Non-Hodgkin's Lymphomas	2	0	0.0	0	0.0	0	0.0
Ovary (female)	0	1	--	--	--	1	8.4
Brain and other nervous system	2	0	0.0	0	0.0	0	0.0
Stomach	0	1	4.4	0	0.0	1	8.4
Uterus & Cervix (female)	4	1	--	--	--	1	8.4
Esophagus	3	0	0.0	0	0.0	0	0.0
Melanoma of Skin	2	1	4.4	0	0.0	1	8.4
Other	31	24	--	14	--	10	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MARION COUNTY

2000 POPULATION	
Total	31,214
White	29,579
Black & Other	1,635
Median Age	38.9
Marriages	510
Rate ¹	16.3
Divorces	218
Rate ¹	7.0
Life Expectancy at Birth	73.5
Total Fertility Rate Per 1,000 Women 10-49	2015.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	378	3	17	50	308
Rate ^{2,3}	62.2	3.0	29.0	127.8	50.5
White	364	3	17	48	296
Rate ^{2,3}	63.0	3.1	30.5	129.2	51.0
Black & Other	14	0	0	2	12
Rate ^{2,3}	47.5	0.0	0.0	102.0	40.8



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	501	82.5	97	48.8
Births	378	12.1	70	35.2
Abortions	42	6.9	11	5.5
Est. Fetal Losses	81	-	16	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	64	16.9	28	40.0
Low Weight Births	29	7.7	8	11.4
Multiple Births	9	2.4	4	5.7
Medicaid Births	173	45.8	55	78.6

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	0
Gonorrhea	14
Chlamydia	42
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	2	1	0	0	0
Rate per 1,000 Births	7.9	5.5	71.4*	0.0	0.0	0.0
Postneonatal Deaths	3	2	1	0	0	0
Rate per 1,000 Births	7.9	5.5	71.4*	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	31,214	15,451	15,763	29,579	14,495	15,084	1,635	956	679
0-4	1,876	1,017	859	1,747	938	809	129	79	50
5-9	1,903	980	923	1,811	939	872	92	41	51
10-14	2,060	1,052	1,008	1,948	993	955	112	59	53
15-44	12,564	6,489	6,075	11,772	5,992	5,780	792	497	295
45-64	7,877	3,947	3,930	7,534	3,745	3,789	343	202	141
65-84	4,295	1,787	2,508	4,151	1,719	2,432	144	68	76
85+	639	179	460	616	169	447	23	10	13

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MARION COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	372	192	180	359	182	177	13	10	3	
Death Rate ¹	11.9	12.4	11.4	12.1	12.6	11.7	8.0	10.5*	4.4*	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	126	403.7	61	394.8	65	412.4	125	422.6	1	61.2
Cancer	78	249.9	41	265.4	37	234.7	72	243.4	6	367.0
Stroke	12	38.4	5	32.4	7	44.4	12	40.6	0	0.0
Accidents	30	96.1	21	135.9	9	57.1	28	94.7	2	122.3
Chronic Lower Resp. Dis.	19	60.9	10	64.7	9	57.1	19	64.2	0	0.0
Diabetes	17	54.5	9	58.2	8	50.8	17	57.5	0	0.0
Influenza & Pneumonia	14	44.9	6	38.8	8	50.8	13	44.0	1	61.2
Alzheimer's Disease	10	32.0	3	19.4	7	44.4	10	33.8	0	0.0
Suicide	6	19.2	5	32.4	1	6.3	6	20.3	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	30	96.1	7	89.3
Motor Vehicle	17	54.5	7	89.3
Suffocation	1	3.2	0	0.0
Poisoning	2	6.4	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	2	6.4	0	0.0
Drowning	2	6.4	0	0.0
Firearms	2	6.4	0	0.0
Other Accidents	4	12.8	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	372	11.9
0-14	5	0.9
15-44	31	2.5
45-64	77	9.8
65-84	157	36.6
85+	102	159.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	104	78	249.9	41	265.4	37	234.7
Trachea, Bronchus, Lung, Pleura	21	25	80.1	18	116.5	7	44.4
Colorectal	7	6	19.2	3	19.4	3	19.0
Breast (female)	20	6	--	--	--	6	38.1
Prostate (male)	6	6	--	6	38.8	--	--
Pancreas	2	4	12.8	2	12.9	2	12.7
Leukemias	2	1	3.2	0	0.0	1	6.3
Non-Hodgkin's Lymphomas	0	0	0.0	0	0.0	0	0.0
Ovary (female)	2	0	--	--	--	0	0.0
Brain and other nervous system	3	3	9.6	1	6.5	2	12.7
Stomach	0	2	6.4	1	6.5	1	6.3
Uterus & Cervix (female)	6	2	--	--	--	2	12.7
Esophagus	1	0	0.0	0	0.0	0	0.0
Melanoma of Skin	4	0	0.0	0	0.0	0	0.0
Other	30	23	--	10	--	13	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MARSHALL COUNTY

2000 POPULATION	
Total	82,231
White	76,791
Black & Other	5,440
Median Age	36.9
Marriages	731
Rate ¹	8.9
Divorces	653
Rate ¹	7.9
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	2201.0

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	1,169	3	81	136	949
Rate ^{2,3}	68.8	1.1	50.1	126.2	55.4
White	1,141	3	78	136	924
Rate ^{2,3}	72.3	1.2	52.5	137.3	57.6
Black & Other	28	0	3	0	25
Rate ^{2,3}	23.3	0.0	22.8	0.0	22.5



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	1,557	91.7	293	53.9
Births	1,169	14.2	220	40.5
Abortions	140	8.2	26	4.8
Est. Fetal Losses	248	-	47	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	337	28.8	128	58.2
Low Weight Births	90	7.7	19	8.6
Multiple Births	35	3.0	4	1.8
Medicaid Births	508	43.5	161	73.2

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	4
Syphilis	3
Gonorrhea	49
Chlamydia	117
Tuberculosis	4

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	10	10	0	1	1	0
Rate per 1,000 Births	8.6	8.8	0.0	4.5	4.6	0.0
Postneonatal Deaths	3	3	0	0	0	0
Rate per 1,000 Births	2.6	2.6	0.0	0.0	0.0	0.0
Neonatal Deaths	7	7	0	1	1	0
Rate per 1,000 Births	6.0	6.1	0.0	4.5	4.6	0.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	82,231	40,011	42,220	76,791	37,037	39,754	5,440	2,974	2,466
0- 4	5,503	2,796	2,707	4,794	2,438	2,356	709	358	351
5- 9	5,868	3,065	2,803	5,319	2,771	2,548	549	294	255
10-14	5,599	2,857	2,742	5,199	2,644	2,555	400	213	187
15-44	34,282	17,297	16,985	31,379	15,598	15,781	2,903	1,699	1,204
45-64	19,262	9,259	10,003	18,608	8,931	9,677	654	328	326
65-84	10,450	4,387	6,063	10,243	4,314	5,929	207	73	134
85+	1,267	350	917	1,249	341	908	18	9	9

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MARSHALL COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	891	439	452	867	429	438	24	10	14	
Death Rate ¹	10.8	11.0	10.7	11.3	11.6	11.0	4.4	3.4	5.7	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	315	383.1	145	362.4	170	402.7	308	401.1	7	128.7
Cancer	177	215.2	101	252.4	76	180.0	172	224.0	5	91.9
Stroke	81	98.5	27	67.5	54	127.9	76	99.0	5	91.9
Accidents	48	58.4	35	87.5	13	30.8	46	59.9	2	36.8
Chronic Lower Resp. Dis.	47	57.2	25	62.5	22	52.1	46	59.9	1	18.4
Diabetes	18	21.9	7	17.5	11	26.1	18	23.4	0	0.0
Influenza & Pneumonia	19	23.1	13	32.5	6	14.2	19	24.7	0	0.0
Alzheimer's Disease	22	26.8	7	17.5	15	35.5	19	24.7	3	55.1
Suicide	12	14.6	12	30.0	0	0.0	12	15.6	0	0.0
Homicide	3	3.6	2	5.0	1	2.4	3	3.9	0	0.0
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	48	58.4	12	53.2
Motor Vehicle	27	32.8	9	39.9
Suffocation	4	4.9	0	0.0
Poisoning	3	3.6	0	0.0
Smoke, Fire & Flames	1	1.2	0	0.0
Falls	1	1.2	0	0.0
Drowning	4	4.9	2	8.9
Firearms	0	0.0	0	0.0
Other Accidents	8	9.7	1	4.4

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	891	10.8
0-14	15	0.9
15-44	66	1.9
45-64	153	7.9
65-84	431	41.2
85+	226	178.4

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	400	177	215.2	101	252.4	76	180.0
Trachea, Bronchus, Lung, Pleura	64	65	79.0	41	102.5	24	56.8
Colorectal	66	12	14.6	5	12.5	7	16.6
Breast (female)	52	9	--	--	--	9	21.3
Prostate (male)	36	7	--	7	17.5	--	--
Pancreas	6	9	10.9	6	15.0	3	7.1
Leukemias	4	4	4.9	2	5.0	2	4.7
Non-Hodgkin's Lymphomas	2	8	9.7	5	12.5	3	7.1
Ovary (female)	7	4	--	--	--	4	9.5
Brain and other nervous system	7	7	8.5	4	10.0	3	7.1
Stomach	5	3	3.6	1	2.5	2	4.7
Uterus & Cervix (female)	27	7	--	--	--	7	16.6
Esophagus	5	3	3.6	3	7.5	0	0.0
Melanoma of Skin	11	2	2.4	1	2.5	1	2.4
Other	108	37	--	26	--	11	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MOBILE COUNTY

2000 POPULATION	
Total	399,843
White	252,199
Black & Other	147,644
Median Age	34.4
Marriages	4,893
Rate ¹	12.2
Divorces	2,369
Rate ¹	5.9
Life Expectancy at Birth	73.5
Total Fertility Rate Per 1,000 Women 10-49	2189.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	6,354	28	381	638	5,307
Rate ^{2,3}	71.0	1.8	41.6	104.6	60.0
White	3,613	3	143	287	3,180
Rate ^{2,3}	67.0	0.4	28.1	84.6	58.4
Black & Other	2,741	25	238	351	2,127
Rate ^{2,3}	77.0	3.6	58.6	129.6	62.4



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	9,123	101.9	1,532	50.3
Births	6,354	15.9	1,047	34.4
Abortions	1,363	15.2	251	8.2
Est. Fetal Losses	1,406	-	234	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	2,470	38.9	792	75.6
Low Weight Births	685	10.8	143	13.7
Multiple Births	229	3.6	30	2.9
Medicaid Births	3,201	50.4	893	85.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	76
Syphilis	46
Gonorrhea	1,542
Chlamydia	1,347
Tuberculosis	26

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	68	28	40	13	5	8
Rate per 1,000 Births	10.7	7.7	14.6	12.4	11.5	13.0
Postneonatal Deaths	22	10	12	4	2	2
Rate per 1,000 Births	3.5	2.8	4.4	3.8	4.6	3.3
Neonatal Deaths	46	18	28	9	3	6
Rate per 1,000 Births	7.2	5.0	10.2	8.6	6.9	9.8

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	399,843	191,044	208,799	252,199	122,787	129,412	147,644	68,257	79,387
0- 4	29,334	15,091	14,243	16,072	8,314	7,758	13,262	6,777	6,485
5- 9	31,175	15,913	15,262	16,621	8,518	8,103	14,554	7,395	7,159
10-14	30,929	15,710	15,219	16,973	8,620	8,353	13,956	7,090	6,866
15-44	173,049	83,517	89,532	107,534	53,602	53,932	65,515	29,915	35,600
45-64	87,437	41,744	45,693	60,197	29,550	30,647	27,240	12,194	15,046
65-84	42,603	17,580	25,023	31,022	13,134	17,888	11,581	4,446	7,135
85+	5,316	1,489	3,827	3,780	1,049	2,731	1,536	440	1,096

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MOBILE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	3,989	1,934	2,055	2,695	1,315	1,380	1,294	619	675	
Death Rate ¹	10.0	10.1	9.8	10.7	10.7	10.7	8.8	9.1	8.5	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	1,127	281.9	496	259.6	631	302.2	798	316.4	329	222.8
Cancer	904	226.1	494	258.6	410	196.4	606	240.3	298	201.8
Stroke	274	68.5	104	54.4	170	81.4	173	68.6	101	68.4
Accidents	188	47.0	129	67.5	59	28.3	124	49.2	64	43.3
Chronic Lower Resp. Dis.	152	38.0	78	40.8	74	35.4	131	51.9	21	14.2
Diabetes	114	28.5	43	22.5	71	34.0	68	27.0	46	31.2
Influenza & Pneumonia	108	27.0	47	24.6	61	29.2	78	30.9	30	20.3
Alzheimer's Disease	67	16.8	21	11.0	46	22.0	53	21.0	14	9.5
Suicide	52	13.0	40	20.9	12	5.7	43	17.1	9	6.1
Homicide	46	11.5	35	18.3	11	5.3	15	5.9	31	21.0
HIV	32	8.0	24	12.6	8	3.8	12	4.8	20	13.5

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	188	47.0	27	22.1
Motor Vehicle	88	22.0	14	11.5
Drowning	6	1.5	1	0.8
Poisoning	24	6.0	1	0.8
Fire and Flames	10	2.5	1	0.8
Falls	7	1.8	0	0.0
Storms and Floods	14	3.5	7	5.7
Suffocation	0	0.0	0	0.0
Other Accidents	39	9.8	3	2.5

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	3,989	10.0
0-14	99	1.1
15-44	349	2.0
45-64	769	8.8
65-84	1,912	44.9
85+	860	161.8

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	1,602	904	226.1	494	258.6	410	196.4
Trachea, Bronchus, Lung, Pleura	273	292	73.0	179	93.7	113	54.1
Colorectal	183	81	20.3	43	22.5	38	18.2
Breast (female)	300	64	--	--	--	64	30.7
Prostate (male)	142	47	--	47	24.6	--	--
Pancreas	48	48	12.0	23	12.0	25	12.0
Leukemias	32	30	7.5	18	9.4	12	5.7
Non-Hodgkin's Lymphomas	25	23	5.8	12	6.3	11	5.3
Ovary (female)	26	29	--	--	--	29	13.9
Brain and other nervous system	31	11	2.8	5	2.6	6	2.9
Stomach	25	20	5.0	10	5.2	10	4.8
Uterus & Cervix (female)	71	24	--	--	--	24	11.5
Esophagus	22	15	3.8	12	6.3	3	1.4
Melanoma of Skin	56	16	4.0	14	7.3	2	1.0
Other	368	204	--	131	--	73	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MONROE COUNTY

2000 POPULATION	
Total	24,324
White	14,047
Black & Other	10,277
Median Age	35.5
Marriages	206
Rate ¹	8.5
Divorces	114
Rate ¹	4.7
Life Expectancy at Birth	74.4
Total Fertility Rate Per 1,000 Women 10-49	2193.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	352	0	25	49	278
Rate ^{2,3}	69.3	0.0	44.1	129.6	55.0
White	182	0	8	15	159
Rate ^{2,3}	67.3	0.0	29.4	82.6	57.1
Black & Other	170	0	17	34	119
Rate ^{2,3}	71.6	0.0	57.7	173.1	52.4



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	465	91.6	101	53.1
Abortions	352	14.5	74	38.9
Est. Fetal Losses	38	7.5	10	5.3
	75	-	17	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	158	44.9	59	79.7
Low Weight Births	42	11.9	12	16.2
Multiple Births	6	1.7	0	0.0
Medicaid Births	222	63.1	73	98.6

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	3
Syphilis	3
Gonorrhea	70
Chlamydia	111
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	3	2	1	1	0	1
Rate per 1,000 Births	8.5	11.0	5.9	13.5	0.0	19.6
Postneonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	2.8	5.5	0.0	0.0	0.0	0.0
Neonatal Deaths	2	1	1	1	0	1
Rate per 1,000 Births	5.7	5.5	5.9	13.5	0.0	19.6

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	24,324	11,576	12,748	14,047	6,811	7,236	10,277	4,765	5,512
0- 4	1,827	912	915	931	476	455	896	436	460
5- 9	1,921	993	928	921	470	451	1,000	523	477
10-14	1,905	949	956	947	467	480	958	482	476
15-44	9,833	4,754	5,079	5,460	2,755	2,705	4,373	1,999	2,374
45-64	5,475	2,617	2,858	3,548	1,733	1,815	1,927	884	1,043
65-84	2,890	1,222	1,668	1,935	829	1,106	955	393	562
85+	473	129	344	305	81	224	168	48	120

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MONROE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	274	132	142	182	89	93	92	43	49	
Death Rate ¹	11.3	11.4	11.1	13.0	13.1	12.9	9.0	9.0	8.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	82	337.1	43	371.5	39	305.9	55	391.5	27	262.7
Cancer	50	205.6	24	207.3	26	204.0	35	249.2	15	146.0
Stroke	20	82.2	7	60.5	13	102.0	11	78.3	9	87.6
Accidents	12	49.3	7	60.5	5	39.2	5	35.6	7	68.1
Chronic Lower Resp. Dis.	15	61.7	10	86.4	5	39.2	15	106.8	0	0.0
Diabetes	8	32.9	1	8.6	7	54.9	3	21.4	5	48.7
Influenza & Pneumonia	6	24.7	3	25.9	3	23.5	5	35.6	1	9.7
Alzheimer's Disease	4	16.4	0	0.0	4	31.4	4	28.5	0	0.0
Suicide	2	8.2	2	17.3	0	0.0	2	14.2	0	0.0
Homicide	5	20.6	4	34.6	1	7.8	0	0.0	5	48.7
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	12	49.3	3	39.5
Motor Vehicle	7	28.8	3	39.5
Drowning	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Fire and Flames	3	12.3	0	0.0
Falls	0	0.0	0	0.0
Storms and Floods	0	0.0	0	0.0
Suffocation	0	0.0	0	0.0
Other Accidents	2	8.2	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	274	11.3
0-14	7	1.2
15-44	17	1.7
45-64	49	8.9
65-84	128	44.3
85+	73	154.3*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	130	50	205.6	24	207.3	26	204.0
Trachea, Bronchus, Lung, Pleura	30	13	53.4	8	69.1	5	39.2
Colorectal	15	10	41.1	3	25.9	7	54.9
Breast (female)	22	4	--	--	--	4	31.4
Prostate (male)	13	3	--	3	25.9	--	--
Pancreas	4	1	4.1	1	8.6	0	0.0
Leukemias	1	2	8.2	0	0.0	2	15.7
Non-Hodgkin's Lymphomas	0	3	12.3	2	17.3	1	7.8
Ovary (female)	1	1	--	--	--	1	7.8
Brain and other nervous system	1	0	0.0	0	0.0	0	0.0
Stomach	4	1	4.1	1	8.6	0	0.0
Uterus & Cervix (female)	4	2	--	--	--	2	15.7
Esophagus	2	1	4.1	0	0.0	1	7.8
Melanoma of Skin	4	1	4.1	1	8.6	0	0.0
Other	29	8	--	5	--	3	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MONTGOMERY COUNTY

2000 POPULATION	
Total	223,510
White	109,180
Black & Other	114,330
Median Age	33.5
Marriages	2,076
Rate ¹	9.3
Divorces	1,298
Rate ¹	5.8
Life Expectancy at Birth	74.5
Total Fertility Rate Per 1,000 Women 10-49	2101.0

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	3,655	15	199	364	3,077
Rate ^{2,3}	70.0	1.9	39.3	107.9	59.1
White	1,439	0	43	85	1,311
Rate ^{2,3}	66.0	0.0	23.7	70.1	56.9
Black & Other	2,216	15	156	279	1,766
Rate ^{2,3}	72.9	3.1	48.1	129.0	60.9



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	5,528	105.9	921	56.6
Births	3,655	16.4	578	35.5
Abortions	1,038	19.9	207	12.7
Est. Fetal Losses	835	-	136	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	1,630	44.6	492	85.1
Low Weight Births	405	11.1	83	14.4
Multiple Births	130	3.6	15	2.6
Medicaid Births	1,747	47.8	494	85.5

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	58
Syphilis	72
Gonorrhea	1,663
Chlamydia	1,412
Tuberculosis	19

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	22	3	19	5	1	4
Rate per 1,000 Births	6.0	2.1	8.6	8.7	7.8	8.9
Postneonatal Deaths	12	2	10	3	1	2
Rate per 1,000 Births	3.3	1.4	4.5	5.2	7.8	4.4
Neonatal Deaths	10	1	9	2	0	2
Rate per 1,000 Births	2.7	0.7	4.1	3.5	0.0	4.4

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	223,510	106,359	117,151	109,180	53,122	56,058	114,330	53,237	61,093
0-4	15,472	7,837	7,635	6,069	3,122	2,947	9,403	4,715	4,688
5-9	16,315	8,179	8,136	6,083	3,046	3,037	10,232	5,133	5,099
10-14	16,298	8,450	7,848	6,295	3,298	2,997	10,003	5,152	4,851
15-44	102,409	50,203	52,206	45,499	23,681	21,818	56,910	26,522	30,388
45-64	46,709	21,738	24,971	27,513	13,163	14,350	19,196	8,575	10,621
65-84	23,065	9,179	13,886	15,548	6,304	9,244	7,517	2,875	4,642
85+	3,242	773	2,469	2,173	508	1,665	1,069	265	804

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MONTGOMERY COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	1,972	944	1,028	1,172	526	646	800	418	382	
Death Rate ¹	8.8	8.9	8.8	10.7	9.9	11.5	7.0	7.9	6.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	534	238.9	226	212.5	308	262.9	341	312.3	193	168.8
Cancer	431	192.8	229	215.3	202	172.4	270	247.3	161	140.8
Stroke	121	54.1	54	50.8	67	57.2	71	65.0	50	43.7
Accidents	77	34.5	45	42.3	32	27.3	49	44.9	28	24.5
Chronic Lower Resp. Dis.	83	37.1	39	36.7	44	37.6	66	60.5	17	14.9
Diabetes	117	52.3	52	48.9	65	55.5	45	41.2	72	63.0
Influenza & Pneumonia	38	17.0	14	13.2	24	20.5	25	22.9	13	11.4
Alzheimer's Disease	40	17.9	16	15.0	24	20.5	30	27.5	10	8.7
Suicide	20	8.9	16	15.0	4	3.4	15	13.7	5	4.4
Homicide	38	17.0	29	27.3	9	7.7	8	7.3	30	26.2
HIV	32	14.3	24	22.6	8	6.8	6	5.5	26	22.7

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	77	34.5	8	12.2
Motor Vehicle	38	17.0	5	7.7
Suffocation	4	1.8	3	4.6
Poisoning	6	2.7	0	0.0
Smoke, Fire & Flames	3	1.3	0	0.0
Falls	2	0.9	0	0.0
Drowning	3	1.3	0	0.0
Firearm	1	0.4	0	0.0
Other Accidents	20	8.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	1,972	8.8
0-14	36	0.7
15-44	188	1.8
45-64	343	7.3
65-84	918	39.8
85+	487	150.2

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	1,128	431	192.8	229	215.3	202	172.4
Trachea, Bronchus, Lung, Pleura	177	129	57.7	80	75.2	49	41.8
Colorectal	148	35	15.7	20	18.8	15	12.8
Breast (female)	230	31	--	--	--	31	26.5
Prostate (male)	96	33	--	33	31.0	--	--
Pancreas	36	22	9.8	8	7.5	14	12.0
Leukemias	13	10	4.5	5	4.7	5	4.3
Non-Hodgkin's Lymphomas	6	13	5.8	8	7.5	5	4.3
Ovary (female)	15	10	--	--	--	10	8.5
Brain and other nervous system	13	7	3.1	4	3.8	3	2.6
Stomach	20	11	4.9	7	6.6	4	3.4
Uterus & Cervix (female)	57	10	--	--	--	10	8.5
Esophagus	16	7	3.1	6	5.6	1	0.9
Melanoma of Skin	29	7	3.1	2	1.9	5	4.3
Other	272	106	--	56	--	50	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF MORGAN COUNTY

2000 POPULATION	
Total	111,064
White	94,485
Black & Other	16,579
Median Age	36.6
Marriages	1,020
Rate ¹	9.2
Divorces	783
Rate ¹	7.0
Life Expectancy at Birth	75.3
Total Fertility Rate Per 1,000 Women 10-49	2212.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	1,585	6	87	149	1,343
Rate ^{2,3}	67.6	1.5	40.8	104.8	56.0
White	1,331	4	67	115	1,145
Rate ^{2,3}	68.4	1.2	38.2	98.4	57.0
Black & Other	254	2	20	34	198
Rate ^{2,3}	63.6	2.6	52.7	134.3	50.8



NATALITY					
	All Women		Women 10-19		
	Total	Rate	10-19	Rate ³	
Est. Pregnancies	2,149	91.6	342	45.3	
Births	1,585	14.3	242	32.1	
Abortions	225	9.6	47	6.2	
Est. Fetal Losses	339	-	53	-	
	Total	Pct ⁴	10-19	Pct ⁵	
Births to Unmarried Women	477	30.1	163	67.4	
Low Weight Births	151	9.5	25	10.3	
Multiple Births	62	3.9	6	2.5	
Medicaid Births	553	34.9	150	62.0	

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	7
Syphilis	53
Gonorrhea	176
Chlamydia	219
Tuberculosis	9

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	14	8	6	2	1	1
Rate per 1,000 Births	8.8	6.0	23.6	8.3	5.4	17.9
Postneonatal Deaths	7	4	3	0	0	0
Rate per 1,000 Births	4.4	3.0	11.8	0.0	0.0	0.0
Neonatal Deaths	7	4	3	2	1	1
Rate per 1,000 Births	4.4	3.0	11.8	8.3	5.4	17.9

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	111,064	54,451	56,613	94,485	46,374	48,111	16,579	8,077	8,502
0- 4	7,317	3,697	3,620	5,795	2,967	2,828	1,522	730	792
5- 9	7,992	4,099	3,893	6,312	3,241	3,071	1,680	858	822
10-14	8,119	4,132	3,987	6,583	3,351	3,232	1,536	781	755
15-44	47,494	24,045	23,449	39,540	20,085	19,455	7,954	3,960	3,994
45-64	26,434	12,965	13,469	23,639	11,629	12,010	2,795	1,336	1,459
65-84	12,305	5,147	7,158	11,359	4,779	6,580	946	368	578
85+	1,403	366	1,037	1,257	322	935	146	44	102

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF MORGAN COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	1,023	448	575	922	403	519	101	45	56	
Death Rate ¹	9.2	8.2	10.2	9.8	8.7	10.8	6.1	5.6	6.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	309	278.2	146	268.1	163	287.9	285	301.6	24	144.8
Cancer	218	196.3	100	183.7	118	208.4	197	208.5	21	126.7
Stroke	76	68.4	23	42.2	53	93.6	65	68.8	11	66.3
Accidents	42	37.8	22	40.4	20	35.3	40	42.3	2	12.1
Chronic Lower Resp. Dis.	47	42.3	19	34.9	28	49.5	47	49.7	0	0.0
Diabetes	27	24.3	8	14.7	19	33.6	22	23.3	5	30.2
Influenza & Pneumonia	28	25.2	14	25.7	14	24.7	26	27.5	2	12.1
Alzheimer's Disease	15	13.5	5	9.2	10	17.7	13	13.8	2	12.1
Suicide	17	15.3	14	25.7	3	5.3	17	18.0	0	0.0
Homicide	4	3.6	2	3.7	2	3.5	2	2.1	2	12.1
HIV	2	1.8	2	3.7	0	0.0	1	1.1	1	6.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	42	37.8	9	29.1
Motor Vehicle	17	15.3	6	19.4
Suffocation	1	0.9	0	0.0
Poisoning	1	0.9	0	0.0
Smoke, Fire & Flames	2	1.8	1	3.2
Falls	3	2.7	0	0.0
Drowning	4	3.6	1	3.2
Firearms	1	0.9	0	0.0
Other Accidents	13	11.7	1	3.2

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	1,023	9.2
0-14	23	1.0
15-44	70	1.5
45-64	198	7.5
65-84	478	38.8
85+	254	181.0

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	344	218	196.3	100	183.7	118	208.4
Trachea, Bronchus, Lung, Pleura	56	76	68.4	38	69.8	38	67.1
Colorectal	38	17	15.3	10	18.4	7	12.4
Breast (female)	63	21	--	--	--	21	37.1
Prostate (male)	31	12	--	12	22.0	--	--
Pancreas	8	8	7.2	3	5.5	5	8.8
Leukemias	4	2	1.8	2	3.7	0	0.0
Non-Hodgkin's Lymphomas	2	8	7.2	3	5.5	5	8.8
Ovary (female)	5	11	--	--	--	11	19.4
Brain and other nervous system	9	7	6.3	6	11.0	1	1.8
Stomach	3	5	4.5	2	3.7	3	5.3
Uterus & Cervix (female)	24	3	--	--	--	3	5.3
Esophagus	4	6	5.4	4	7.3	2	3.5
Melanoma of Skin	7	3	2.7	0	0.0	3	5.3
Other	90	39	--	20	--	19	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF PERRY COUNTY

2000 POPULATION	
Total	11,861
White	3,660
Black & Other	8,201
Median Age	33.3
Marriages	112
Rate ¹	9.4
Divorces	36
Rate ¹	3.0
Life Expectancy at Birth	70.6
Total Fertility Rate Per 1,000 Women 10-49	2411.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	212	1	15	23	173
Rate ^{2,3}	82.8	1.9	45.3	104.2	72.5
White	26	0	2	1	23
Rate ^{2,3}	39.3	0.0	20.4	15.3	38.0
Black & Other	186	1	13	22	150
Rate ^{2,3}	98.0	2.3	55.7	141.4	84.3



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	289	112.9	53	49.3
Births	212	17.9	39	36.2
Abortions	32	12.5	6	5.6
Est. Fetal Losses	45	-	8	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	154	72.6	36	92.3
Low Weight Births	33	15.6	5	12.8
Multiple Births	12	5.7	2	5.1
Medicaid Births	153	72.2	35	89.7

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	0
Gonorrhea	28
Chlamydia	74
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	4	2	2	0	0	0
Rate per 1,000 Births	18.9	76.9*	10.8	0.0	0.0	0.0
Postneonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	4.7	38.5*	0.0	0.0	0.0	0.0
Neonatal Deaths	3	1	2	0	0	0
Rate per 1,000 Births	14.2	38.5*	10.8	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	11,861	5,410	6,451	3,660	1,735	1,925	8,201	3,675	4,526
0- 4	903	440	463	170	76	94	733	364	369
5- 9	982	479	503	173	75	98	809	404	405
10-14	988	464	524	175	77	98	813	387	426
15-44	4,776	2,217	2,559	1,375	713	662	3,401	1,504	1,897
45-64	2,450	1,113	1,337	951	462	489	1,499	651	848
65-84	1,479	608	871	695	294	401	784	314	470
85+	283	89	194	121	38	83	162	51	111

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF PERRY COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	159	76	83	55	27	28	104	49	55	
Death Rate ¹	13.4	14.0	12.9	15.0	15.6	14.5	12.7	13.3	12.2	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	42	354.1	19	351.2	23	356.5	18	491.8	24	292.6
Cancer	33	278.2	18	332.7	15	232.5	12	327.9	21	256.1
Stroke	16	134.9	10	184.8	6	93.0	3	82.0	13	158.5
Accidents	7	59.0	3	55.5	4	62.0	1	27.3	6	73.2
Chronic Lower Resp. Dis.	5	42.2	3	55.5	2	31.0	2	54.6	3	36.6
Diabetes	9	75.9	4	73.9	5	77.5	1	27.3	8	97.5
Influenza & Pneumonia	2	16.9	1	18.5	1	15.5	1	27.3	1	12.2
Alzheimer's Disease	1	8.4	0	0.0	1	15.5	1	27.3	0	0.0
Suicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Homicide	3	25.3	3	55.5	0	0.0	1	27.3	2	24.4
HIV	1	8.4	0	0.0	1	15.5	0	0.0	1	12.2

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	7	59.0	2	49.5
Motor Vehicle	2	16.9	1	24.8
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	2	16.9	1	24.8
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	1	8.4	0	0.0
Other Accidents	2	16.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	159	13.4
0-14	5	1.7
15-44	12	2.5
45-64	28	11.4
65-84	74	50.0
85+	40	141.3*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	50	33	278.2	18	332.7	15	232.5
Trachea, Bronchus, Lung, Pleura	5	7	59.0	5	92.4	2	31.0
Colorectal	4	5	42.2	3	55.5	2	31.0
Breast (female)	14	2	--	--	--	2	31.0
Prostate (male)	4	4	--	4	73.9	--	--
Pancreas	2	0	0.0	0	0.0	0	0.0
Leukemias	0	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	1	0	0.0	0	0.0	0	0.0
Ovary (female)	3	0	--	--	--	0	0.0
Brain and other nervous system	0	1	8.4	1	18.5	0	0.0
Stomach	2	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	0	2	--	--	--	2	31.0
Esophagus	0	0	0.0	0	0.0	0	0.0
Melanoma of Skin	0	1	8.4	0	0.0	1	15.5
Other	15	11	--	5	--	6	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF PICKENS COUNTY

2000 POPULATION	
Total	20,949
White	11,720
Black & Other	9,229
Median Age	36.9
Marriages	268
Rate ¹	12.8
Divorces	52
Rate ¹	2.5
Life Expectancy at Birth	75.0
Total Fertility Rate Per 1,000 Women 10-49	2233.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	297	0	19	33	245
Rate ^{2,3}	68.8	0.0	37.7	98.3	58.4
White	145	0	4	13	128
Rate ^{2,3}	68.6	0.0	20.2	98.5	58.7
Black & Other	152	0	15	20	117
Rate ^{2,3}	69.1	0.0	49.1	98.2	58.2



	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	411	95.2	76	45.6
Births	297	14.2	52	31.2
Abortions	50	11.6	13	7.8
Est. Fetal Losses	64	-	11	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	141	47.5	46	88.5
Low Weight Births	27	9.1	3	5.8
Multiple Births	8	2.7	0	0.0
Medicaid Births	169	56.9	48	92.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	2
Gonorrhea	49
Chlamydia	111
Tuberculosis	6

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	0	2	1	0	1
Rate per 1,000 Births	6.7	0.0	13.2	19.2	0.0	28.6*
Postneonatal Deaths	2	0	2	1	0	1
Rate per 1,000 Births	6.7	0.0	13.2	19.2	0.0	28.6*
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total	Total		White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	20,949	9,809	11,140	11,720	5,675	6,045	9,229	4,134	5,095
0- 4	1,421	744	677	653	348	305	768	396	372
5- 9	1,563	768	795	718	332	386	845	436	409
10-14	1,660	832	828	741	372	369	919	460	459
15-44	8,240	3,925	4,315	4,345	2,230	2,115	3,895	1,695	2,200
45-64	4,772	2,234	2,538	3,057	1,480	1,577	1,715	754	961
65-84	2,849	1,188	1,661	1,949	844	1,105	900	344	556
85+	444	118	326	257	69	188	187	49	138

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF PICKENS COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	280	151	129	168	88	80	112	63	49	
Death Rate ¹	13.4	15.4	11.6	14.3	15.5	13.2	12.1	15.2	9.6	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	116	553.7	56	570.9	60	538.6	72	614.3	44	476.8
Cancer	58	276.9	39	397.6	19	170.6	34	290.1	24	260.0
Stroke	14	66.8	6	61.2	8	71.8	10	85.3	4	43.3
Accidents	12	57.3	9	91.8	3	26.9	8	68.3	4	43.3
Chronic Lower Resp. Dis.	12	57.3	9	91.8	3	26.9	9	76.8	3	32.5
Diabetes	3	14.3	2	20.4	1	9.0	2	17.1	1	10.8
Influenza & Pneumonia	8	38.2	5	51.0	3	26.9	6	51.2	2	21.7
Alzheimer's Disease	3	14.3	0	0.0	3	26.9	3	25.6	0	0.0
Suicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Homicide	1	4.8	0	0.0	1	9.0	0	0.0	1	10.8
HIV	1	4.8	1	10.2	0	0.0	0	0.0	1	10.8

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	12	57.3	0	0.0
Motor Vehicle	6	28.6	0	0.0
Suffocation	2	9.5	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	4.8	0	0.0
Falls	3	14.3	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	0	0.0	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	280	13.4
0-14	3	0.6
15-44	24	2.9
45-64	47	9.8
65-84	125	43.9
85+	81	182.4*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	85	58	276.9	39	397.6	19	170.6
Trachea, Bronchus, Lung, Pleura	17	12	57.3	10	101.9	2	18.0
Colorectal	8	2	9.5	1	10.2	1	9.0
Breast (female)	10	2	--	--	--	2	18.0
Prostate (male)	16	9	--	9	91.8	--	--
Pancreas	2	0	0.0	0	0.0	0	0.0
Leukemias	3	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	0	0	0.0	0	0.0	0	0.0
Ovary (female)	0	1	--	--	--	1	9.0
Brain and other nervous system	0	1	4.8	1	10.2	0	0.0
Stomach	1	1	4.8	1	10.2	0	0.0
Uterus & Cervix (female)	1	0	--	--	--	0	0.0
Esophagus	1	0	0.0	0	0.0	0	0.0
Melanoma of Skin	1	1	4.8	0	0.0	1	9.0
Other	25	29	--	17	--	12	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF PIKE COUNTY

2000 POPULATION	
Total	29,605
White	17,990
Black & Other	11,615
Median Age	32.6
Marriages	279
Rate ¹	9.4
Divorces	165
Rate ¹	5.6
Life Expectancy at Birth	72.7
Total Fertility Rate Per 1,000 Women 10-49	1871.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	458	2	21	58	377
Rate ^{2,3}	64.1	2.0	24.8	102.9	56.4
White	227	0	7	18	202
Rate ^{2,3}	55.4	0.0	14.6	56.5	52.2
Black and Other	231	2	14	40	175
Rate ^{2,3}	75.8	3.9	38.1	163.4	62.3



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	652	91.3	115	47.6
Births	458	15.5	81	33.5
Abortions	94	13.2	17	7.0
Est. Fetal Losses	100	-	17	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	221	48.3	69	85.2
Low Weight Births	35	7.6	9	11.1
Multiple Births	21	4.6	4	4.9
Medicaid Births	267	58.3	74	91.4

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	5
Syphilis	3
Gonorrhea	153
Chlamydia	169
Tuberculosis	3

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	1	4	3	0	3
Rate per 1,000 Births	10.9	4.4	17.3	37.0	0.0	53.6
Postneonatal Deaths	2	1	1	1	0	1
Rate per 1,000 Births	4.4	4.4	4.3	12.3	0.0	17.9
Neonatal Deaths	3	0	3	2	0	2
Rate per 1,000 Births	6.6	0.0	13.0	24.7	0.0	35.7

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	29,605	13,985	15,620	17,990	8,694	9,296	11,615	5,291	6,324
0- 4	1,923	949	974	990	480	510	933	469	464
5- 9	1,936	1,030	906	987	539	448	949	491	458
10-14	2,090	1,081	1,009	1,035	537	498	1,055	544	511
15-44	13,641	6,497	7,144	8,074	3,977	4,097	5,567	2,520	3,047
45-64	6,288	2,968	3,320	4,256	2,089	2,167	2,032	879	1,153
65-84	3,258	1,332	1,926	2,329	978	1,351	929	354	575
85+	469	128	341	319	94	225	150	34	116

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF PIKE COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	319	161	158	205	99	106	114	62	52	
Death Rate ¹	10.8	11.5	10.1	11.4	11.4	11.4	9.8	11.7	8.2	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	119	402.0	56	400.4	63	403.3	81	450.3	38	327.2
Cancer	55	185.8	28	200.2	27	172.9	35	194.6	20	172.2
Stroke	18	60.8	5	35.8	13	83.2	13	72.3	5	43.0
Accidents	14	47.3	8	57.2	6	38.4	7	38.9	7	60.3
Chronic Lower Resp. Dis.	15	50.7	12	85.8	3	19.2	8	44.5	7	60.3
Diabetes	7	23.6	4	28.6	3	19.2	5	27.8	2	17.2
Influenza & Pneumonia	6	20.3	3	21.5	3	19.2	2	11.1	4	34.4
Alzheimer's Disease	2	6.8	1	7.2	1	6.4	1	5.6	1	8.6
Suicide	7	23.6	6	42.9	1	6.4	6	33.4	1	8.6
Homicide	5	16.9	5	35.8	0	0.0	1	5.6	4	34.4
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	14	47.3	1	11.6
Motor Vehicle	8	27.0	0	0.0
Suffocation	1	3.4	1	11.6
Poisoning	0	0.0	0	0.0
Smoke Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	5	16.9	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	319	10.8
0-14	5	0.8
15-44	20	1.5
45-64	51	8.1
65-84	135	41.4
85+	108	230.3*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	86	55	185.8	28	200.2	27	172.9
Trachea, Bronchus, Lung, Pleura	19	7	23.6	6	42.9	1	6.4
Colorectal	13	9	30.4	4	28.6	5	32.0
Breast (female)	7	2	--	--	--	2	12.8
Prostate (male)	13	3	--	3	21.5	--	--
Pancreas	2	5	16.9	3	21.5	2	12.8
Leukemias	0	3	10.1	0	0.0	3	19.2
Non-Hodgkin's Lymphomas	2	2	6.8	1	7.2	1	6.4
Ovary (female)	0	1	--	--	--	1	6.4
Brain and other nervous system	2	1	3.4	0	0.0	1	6.4
Stomach	1	3	10.1	2	14.3	1	6.4
Uterus & Cervix (female)	1	1	--	--	--	1	6.4
Esophagus	1	2	6.8	2	14.3	0	0.0
Melanoma of Skin	6	0	0.0	0	0.0	0	0.0
Other	19	16	--	7	--	9	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF RANDOLPH COUNTY

2000 POPULATION	
Total	22,380
White	17,094
Black & Other	5,286
Median Age	37.7
Marriages	283
Rate ¹	12.6
Divorces	133
Rate ¹	5.9
Life Expectancy at Birth	73.5
Total Fertility Rate Per 1,000 Women 10-49	2105.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	294	1	22	46	225
Rate ^{2,3}	66.5	1.3	47.2	148.0	50.9
White	204	0	13	24	167
Rate ^{2,3}	63.6	0.0	41.3	114.5	51.1
Black & Other	90	1	9	22	58
Rate ^{2,3}	74.0	4.7	59.3	217.4	50.4



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	379	85.7	90	59.2
Abortions	294	13.1	69	45.4
Est. Fetal Losses	23	5.2	6	3.9
	62	-	15	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	111	37.8	43	62.3
Low Weight Births	32	10.9	9	13.0
Multiple Births	13	4.4	0	0.0
Medicaid Births	178	60.5	60	87.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	4
Syphilis	1
Gonorrhea	35
Chlamydia	75
Tuberculosis	1

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	1	1	2	1	1
Rate per 1,000 Births	6.8	4.9	11.1	29.0	27.0	31.3*
Postneonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	3.4	4.9	0.0	14.5	27.0	0.0
Neonatal Deaths	1	0	1	1	0	1
Rate per 1,000 Births	3.4	0.0	11.1	14.5	0.0	31.3*

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	22,380	10,810	11,570	17,094	8,285	8,809	5,286	2,525	2,761
0-4	1,480	741	739	1,050	511	539	430	230	200
5-9	1,627	808	819	1,094	535	559	533	273	260
10-14	1,568	826	742	1,126	596	530	442	230	212
15-44	8,884	4,460	4,424	6,551	3,343	3,208	2,333	1,117	1,216
45-64	5,257	2,563	2,694	4,229	2,095	2,134	1,028	468	560
65-84	3,096	1,285	1,811	2,648	1,102	1,546	448	183	265
85+	468	127	341	396	103	293	72	24	48

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF RANDOLPH COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	266	127	139	218	98	120	48	29	19	
Death Rate ¹	11.9	11.7	12.0	12.8	11.8	13.6	9.1	11.5	6.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	95	424.5	47	434.8	48	414.9	74	432.9	21	397.3
Cancer	45	201.1	23	212.8	22	190.1	39	228.2	6	113.5
Stroke	16	71.5	7	64.8	9	77.8	14	81.9	2	37.8
Accidents	11	49.2	10	92.5	1	8.6	10	58.5	1	18.9
Chronic Lower Resp. Dis.	16	71.5	7	64.8	9	77.8	16	93.6	0	0.0
Diabetes	8	35.7	3	27.8	5	43.2	7	41.0	1	18.9
Influenza & Pneumonia	2	8.9	0	0.0	2	17.3	2	11.7	0	0.0
Alzheimer's Disease	4	17.9	0	0.0	4	34.6	3	17.6	1	18.9
Suicide	3	13.4	3	27.8	0	0.0	3	17.6	0	0.0
Homicide	3	13.4	2	18.5	1	8.6	1	5.9	2	37.8
HIV	1	4.5	1	9.3	0	0.0	0	0.0	1	18.9

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	11	49.2	1	15.9
Motor Vehicle	4	17.9	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	1	4.5	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	6	26.8	1	15.9

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	266	11.9
0-14	4	0.9
15-44	13	1.5
45-64	52	9.9
65-84	115	37.1
85+	82	175.2*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	65	45	201.1	23	212.8	22	190.1
Trachea, Bronchus, Lung, Pleura	12	13	58.1	10	92.5	3	25.9
Colorectal	7	7	31.3	6	55.5	1	8.6
Breast (female)	10	4	--	--	--	4	34.6
Prostate (male)	2	4	--	4	37.0	--	--
Pancreas	1	1	4.5	0	0.0	1	8.6
Leukemias	1	2	8.9	1	9.3	1	8.6
Non-Hodgkin's Lymphomas	0	4	17.9	0	0.0	4	34.6
Ovary (female)	0	1	--	--	--	1	8.6
Brain and other nervous system	2	0	0.0	0	0.0	0	0.0
Stomach	2	1	4.5	0	0.0	1	8.6
Uterus & Cervix (female)	6	0	--	--	--	0	0.0
Esophagus	4	1	4.5	0	0.0	1	8.6
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	18	7	--	2	--	5	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF RUSSELL COUNTY

2000 POPULATION	
Total	49,756
White	28,209
Black & Other	21,547
Median Age	35.4
Marriages	1,318
Rate ¹	26.5
Divorces	351
Rate ¹	7.1
Life Expectancy at Birth	70.9
Total Fertility Rate Per 1,000 Women 10-49	1905.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	662	7	46	83	526
Rate ^{2,3}	61.3	4.0	44.9	121.6	48.5
White	374	0	18	49	307
Rate ^{2,3}	65.9	0.0	35.1	143.3	52.7
Black & Other	288	7	28	34	219
Rate ^{2,3}	56.2	7.2	54.8	99.8	43.6



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	972	90.0	204	58.7
Births	662	13.3	136	39.1
Abortions	161	14.9	37	10.6
Est. Fetal Losses	149	-	31	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	264	39.9	102	75.0
Low Weight Births	68	10.3	12	8.8
Multiple Births	24	3.6	0	0.0
Medicaid Births	339	51.2	116	85.3

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	7
Syphilis	10
Gonorrhea	186
Chlamydia	263
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	15	5	10	0	0	0
Rate per 1,000 Births	22.7	13.4	34.7	0.0	0.0	0.0
Postneonatal Deaths	5	1	4	0	0	0
Rate per 1,000 Births	7.6	2.7	13.9	0.0	0.0	0.0
Neonatal Deaths	10	4	6	0	0	0
Rate per 1,000 Births	15.1	10.7	20.8	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	49,756	23,704	26,052	28,209	13,777	14,432	21,547	9,927	11,620
0- 4	3,515	1,761	1,754	1,779	882	897	1,736	879	857
5- 9	3,777	1,981	1,796	1,824	955	869	1,953	1,026	927
10-14	3,691	1,920	1,771	1,776	973	803	1,915	947	968
15-44	21,086	10,289	10,797	11,599	5,928	5,671	9,487	4,361	5,126
45-64	11,146	5,209	5,937	6,898	3,307	3,591	4,248	1,902	2,346
65-84	5,871	2,389	3,482	3,913	1,636	2,277	1,958	753	1,205
85+	670	155	515	420	96	324	250	59	191

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF RUSSELL COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	620	314	306	414	205	209	206	109	97	
Death Rate ¹	12.5	13.2	11.7	14.7	14.9	14.5	9.6	11.0	8.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	101	203.0	49	206.7	52	199.6	72	255.2	29	134.6
Cancer	133	267.3	75	316.4	58	222.6	87	308.4	46	213.5
Stroke	38	76.4	13	54.8	25	96.0	20	70.9	18	83.5
Accidents	17	34.2	14	59.1	3	11.5	11	39.0	6	27.8
Chronic Lower Resp. Dis.	30	60.3	18	75.9	12	46.1	27	95.7	3	13.9
Diabetes	13	26.1	7	29.5	6	23.0	8	28.4	5	23.2
Influenza & Pneumonia	26	52.3	12	50.6	14	53.7	18	63.8	8	37.1
Alzheimer's Disease	2	4.0	0	0.0	2	7.7	2	7.1	0	0.0
Suicide	7	14.1	5	21.1	2	7.7	7	24.8	0	0.0
Homicide	8	16.1	6	25.3	2	7.7	4	14.2	4	18.6
HIV	4	8.0	3	12.7	1	3.8	1	3.5	3	13.9

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	17	34.2	4	27.6
Motor Vehicle	15	30.1	3	20.7
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	4.0	1	6.9

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	620	12.5
0-14	17	1.5
15-44	49	2.3
45-64	130	11.7
65-84	304	51.8
85+	120	179.1*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	106	133	267.3	75	316.4	58	222.6
Trachea, Bronchus, Lung, Pleura	23	47	94.5	35	147.7	12	46.1
Colorectal	19	18	36.2	10	42.2	8	30.7
Breast (female)	19	6	--	--	--	6	23.0
Prostate (male)	8	7	--	7	29.5	--	--
Pancreas	2	3	6.0	1	4.2	2	7.7
Leukemias	3	1	2.0	1	4.2	0	0.0
Non-Hodgkin's Lymphomas	0	2	4.0	2	8.4	0	0.0
Ovary (female)	3	4	--	--	--	4	15.4
Brain and other nervous system	1	4	8.0	3	12.7	1	3.8
Stomach	0	6	12.1	1	4.2	5	19.2
Uterus & Cervix (female)	2	5	--	--	--	5	19.2
Esophagus	2	2	4.0	1	4.2	1	3.8
Melanoma of Skin	0	1	2.0	0	0.0	1	3.8
Other	24	27	--	14	--	13	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF ST. CLAIR COUNTY

2000 POPULATION	
Total	64,742
White	58,288
Black & Other	6,454
Median Age	36.4
Marriages	639
Rate ¹	9.9
Divorces	374
Rate ¹	5.8
Life Expectancy at Birth	74.5
Total Fertility Rate Per 1,000 Women 10-49	2139.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	876	3	45	72	756
Rate ^{2,3}	65.4	1.3	37.2	89.3	55.3
White	798	3	37	67	691
Rate ^{2,3}	66.0	1.5	34.8	94.5	55.7
Black and Other	78	0	8	5	65
Rate ^{2,3}	60.1	0.0	54.9	51.4	51.3



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	1,187	88.6	173	40.3
Births	876	13.5	120	28.0
Abortions	123	9.2	26	6.1
Est. Fetal Losses	188	-	27	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	180	20.5	62	51.7
Low Weight Births	86	9.8	11	9.2
Multiple Births	31	3.5	2	1.7
Medicaid Births	280	32.0	90	75.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	1
Syphilis	7
Gonorrhea	22
Chlamydia	75
Tuberculosis	4

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	8	8	0	0	0	0
Rate per 1,000 Births	9.1	10.0	0.0	0.0	0.0	0.0
Postneonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0
Neonatal Deaths	8	8	0	0	0	0
Rate per 1,000 Births	9.1	10.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	64,742	32,652	32,090	58,288	29,105	29,183	6,454	3,547	2,907
0- 4	4,252	2,244	2,008	3,820	2,007	1,813	432	237	195
5- 9	4,558	2,372	2,186	4,079	2,135	1,944	479	237	242
10-14	4,855	2,583	2,272	4,345	2,313	2,032	510	270	240
15-44	27,785	14,395	13,390	24,528	12,436	12,092	3,257	1,959	1,298
45-64	15,714	7,865	7,849	14,456	7,221	7,235	1,258	644	614
65-84	6,894	3,022	3,872	6,436	2,840	3,596	458	182	276
85+	684	171	513	624	153	471	60	18	42

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF ST. CLAIR COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	555	277	278	523	260	263	32	17	15	
Death Rate ¹	8.6	8.5	8.7	9.0	8.9	9.0	5.0	4.8	5.2	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	171	264.1	72	220.5	99	308.5	160	274.5	11	170.4
Cancer	128	197.7	85	260.3	43	134.0	121	207.6	7	108.5
Stroke	39	60.2	15	45.9	24	74.8	37	63.5	2	31.0
Accidents	26	40.2	21	64.3	5	15.6	23	39.5	3	46.5
Chronic Lower Resp. Dis.	31	47.9	15	45.9	16	49.9	30	51.5	1	15.5
Diabetes	9	13.9	3	9.2	6	18.7	9	15.4	0	0.0
Influenza & Pneumonia	12	18.5	3	9.2	9	28.0	12	20.6	0	0.0
Alzheimer's Disease	7	10.8	1	3.1	6	18.7	7	12.0	0	0.0
Suicide	11	17.0	9	27.6	2	6.2	11	18.9	0	0.0
Homicide	2	3.1	2	6.1	0	0.0	1	1.7	1	15.5
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	26	40.2	5	27.9
Motor Vehicle	14	21.6	4	22.3
Suffocation	0	0.0	0	0.0
Poisoning	1	1.5	0	0.0
Smoke, Fire & Flames	3	4.6	0	0.0
Falls	2	3.1	1	5.6
Drowning	0	0.0	0	0.0
Firearms	1	1.5	0	0.0
Other Accidents	5	7.7	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	555	8.6
0-14	11	0.8
15-44	34	1.2
45-64	126	8.0
65-84	261	37.9
85+	123	179.8*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	263	128	197.7	85	260.3	43	134.0
Trachea, Bronchus, Lung, Pleura	52	48	74.1	38	116.4	10	31.2
Colorectal	35	16	24.7	10	30.6	6	18.7
Breast (female)	36	7	--	--	--	7	21.8
Prostate (male)	31	3	--	3	9.2	--	--
Pancreas	6	8	12.4	7	21.4	1	3.1
Leukemias	6	2	3.1	1	3.1	1	3.1
Non-Hodgkin's Lymphomas	1	6	9.3	4	12.3	2	6.2
Ovary (female)	6	3	--	--	--	3	9.3
Brain and other nervous system	5	5	7.7	3	9.2	2	6.2
Stomach	4	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	8	0	--	--	--	0	0.0
Esophagus	2	1	1.5	1	3.1	0	0.0
Melanoma of Skin	6	2	3.1	1	3.1	1	3.1
Other	65	27	--	17	--	10	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF SHELBY COUNTY

2000 POPULATION	
Total	143,293
White	128,671
Black & Other	14,622
Median Age	34.9
Marriages	875
Rate ¹	6.1
Divorces	599
Rate ¹	4.2
Life Expectancy at Birth	75.9
Total Fertility Rate Per 1,000 Women 10-49	2045.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	2,222	5	44	112	2,061
Rate ^{2,3}	66.2	1.0	16.3	62.1	58.9
White	2,000	2	35	91	1,872
Rate ^{2,3}	67.3	0.5	15.0	58.6	60.1
Black & Other	222	3	9	21	189
Rate ^{2,3}	57.4	4.9	24.0	84.1	49.9



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	2,923	87.1	245	25.6
Births	2,222	15.5	161	16.9
Abortions	233	6.9	47	4.9
Est. Fetal Losses	468	-	37	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	274	12.3	99	61.5
Low Weight Births	162	7.3	16	9.9
Multiple Births	86	3.9	6	3.7
Medicaid Births	331	14.9	102	63.4

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	5
Syphilis	4
Gonorrhea	72
Chlamydia	126
Tuberculosis	4

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	21	15	6	2	2	0
Rate per 1,000 Births	9.5	7.5	27.0	12.4	15.6	0.0
Postneonatal Deaths	3	1	2	0	0	0
Rate per 1,000 Births	1.4	0.5	9.0	0.0	0.0	0.0
Neonatal Deaths	18	14	4	2	2	0
Rate per 1,000 Births	8.1	7.0	18.0	12.4	15.6	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	143,293	70,257	73,036	128,671	63,162	65,509	14,622	7,095	7,527
0- 4	10,718	5,473	5,245	9,512	4,870	4,642	1,206	603	603
5- 9	10,616	5,507	5,109	9,398	4,880	4,518	1,218	627	591
10-14	10,398	5,354	5,044	9,149	4,715	4,434	1,249	639	610
15-44	65,866	32,303	33,563	58,330	28,633	29,697	7,536	3,670	3,866
45-64	33,516	16,423	17,093	30,890	15,181	15,709	2,626	1,242	1,384
65-84	11,129	4,906	6,223	10,427	4,620	5,807	702	286	416
85+	1,050	291	759	965	263	702	85	28	57

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF SHELBY COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	874	452	422	794	406	388	80	46	34	
Death Rate ¹	6.1	6.4	5.8	6.2	6.4	5.9	5.5	6.5	4.5	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	254	177.3	139	197.8	115	157.5	232	180.3	22	150.5
Cancer	183	127.7	98	139.5	85	116.4	168	130.6	15	102.6
Stroke	50	34.9	14	19.9	36	49.3	48	37.3	2	13.7
Accidents	51	35.6	33	47.0	18	24.6	44	34.2	7	47.9
Chronic Lower Resp. Dis.	39	27.2	21	29.9	18	24.6	39	30.3	0	0.0
Diabetes	25	17.4	10	14.2	15	20.5	23	17.9	2	13.7
Influenza & Pneumonia	10	7.0	2	2.8	8	11.0	9	7.0	1	6.8
Alzheimer's Disease	29	20.2	9	12.8	20	27.4	26	20.2	3	20.5
Suicide	21	14.7	17	24.2	4	5.5	18	14.0	3	20.5
Homicide	5	3.5	2	2.8	3	4.1	1	0.8	4	27.4
HIV	1	0.7	1	1.4	0	0.0	1	0.8	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	51	35.6	10	24.4
Motor Vehicle	28	19.5	9	21.9
Suffocation	0	0.0	0	0.0
Poisoning	2	1.4	0	0.0
Smoke, Fire & Flames	1	0.7	0	0.0
Falls	5	3.5	0	0.0
Drowning	2	1.4	1	2.4
Firearms	0	0.0	0	0.0
Other Accidents	13	9.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	874	6.1
0-14	27	0.9
15-44	80	1.2
45-64	175	5.2
65-84	391	35.1
85+	201	191.4

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	331	183	127.7	98	139.5	85	116.4
Trachea, Bronchus, Lung, Pleura	53	58	40.5	34	48.4	24	32.9
Colorectal	38	12	8.4	8	11.4	4	5.5
Breast (female)	75	12	--	--	--	12	16.4
Prostate (male)	32	8	--	8	11.4	--	--
Pancreas	5	13	9.1	4	5.7	9	12.3
Leukemias	2	9	6.3	4	5.7	5	6.8
Non-Hodgkin's Lymphomas	1	6	4.2	2	2.8	4	5.5
Ovary (female)	4	5	--	--	--	5	6.8
Brain and other nervous system	14	5	3.5	3	4.3	2	2.7
Stomach	3	2	1.4	1	1.4	1	1.4
Uterus & Cervix (female)	10	3	--	--	--	3	4.1
Esophagus	5	4	2.8	4	5.7	0	0.0
Melanoma of Skin	8	0	0.0	0	0.0	0	0.0
Other	81	46	--	30	--	16	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF SUMTER COUNTY

2000 POPULATION	
Total	14,798
White	3,836
Black & Other	10,962
Median Age	32.2
Marriages	217
Rate ¹	14.7
Divorces	48
Rate ¹	3.2
Life Expectancy at Birth	71.8
Total Fertility Rate Per 1,000 Women 10-49	1894.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	221	0	14	29	178
Rate ^{2,3}	64.6	0.0	36.0	111.7	54.0
White	38	0	0	1	37
Rate ^{2,3}	47.4	0.0	0.0	17.9	46.7
Black & Other	183	0	14	28	141
Rate ^{2,3}	69.8	0.0	45.8	137.5	56.3



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	332	97.0	64	49.5
Abortions	221	14.9	43	33.3
Est. Fetal Losses	61	17.8	11	8.5
	50	-	10	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	139	62.9	42	97.7
Low Weight Births	31	14.0	4	9.3
Multiple Births	15	6.8	0	0.0
Medicaid Births	102	46.2	26	60.5

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	1
Gonorrhea	81
Chlamydia	92
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	1	4	0	0	0
Rate per 1,000 Births	22.6	26.3*	21.9	0.0	0.0	0.0
Postneonatal Deaths	4	0	4	0	0	0
Rate per 1,000 Births	18.1	0.0	21.9	0.0	0.0	0.0
Neonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	4.5	26.3*	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	14,798	6,795	8,003	3,836	1,862	1,974	10,962	4,933	6,029
0- 4	1,066	543	523	183	99	84	883	444	439
5- 9	1,233	663	570	186	108	78	1,047	555	492
10-14	1,248	605	643	175	75	100	1,073	530	543
15-44	6,308	2,886	3,422	1,625	824	801	4,683	2,062	2,621
45-64	2,887	1,348	1,539	923	459	464	1,964	889	1,075
65-84	1,695	637	1,058	611	260	351	1,084	377	707
85+	361	113	248	133	37	96	228	76	152

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF SUMTER COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	147	75	72	52	24	28	95	51	44	
Death Rate ¹	9.9	11.0	9.0	13.6	12.9	14.2	8.7	10.3	7.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	58	391.9	30	441.5	28	349.9	14	365.0	44	401.4
Cancer	24	162.2	14	206.0	10	125.0	14	365.0	10	91.2
Stroke	11	74.3	5	73.6	6	75.0	3	78.2	8	73.0
Accidents	12	81.1	9	132.5	3	37.5	4	104.3	8	73.0
Chronic Lower Resp. Dis.	3	20.3	2	29.4	1	12.5	1	26.1	2	18.2
Diabetes	2	13.5	0	0.0	2	25.0	2	52.1	0	0.0
Influenza & Pneumonia	3	20.3	0	0.0	3	37.5	1	26.1	2	18.2
Alzheimer's Disease	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suicide	1	6.8	0	0.0	1	12.5	1	26.1	0	0.0
Homicide	2	13.5	2	29.4	0	0.0	0	0.0	2	18.2
HIV	3	20.3	2	29.4	1	12.5	0	0.0	3	27.4

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	12	81.1	1	20.7
Motor Vehicle	6	40.5	1	20.7
Suffocation	1	6.8	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	1	6.8	0	0.0
Falls	2	13.5	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	2	13.5	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	147	9.9
0-14	6	1.7
15-44	21	3.3
45-64	25	8.7
65-84	58	34.2
85+	37	102.5*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	43	24	162.2	14	206.0	10	125.0
Trachea, Bronchus, Lung, Pleura	4	5	33.8	4	58.9	1	12.5
Colorectal	8	5	33.8	2	29.4	3	37.5
Breast (female)	6	1	--	--	--	1	12.5
Prostate (male)	5	0	--	0	0.0	--	--
Pancreas	1	1	6.8	0	0.0	1	12.5
Leukemias	0	2	13.5	2	29.4	0	0.0
Non-Hodgkin's Lymphomas	1	1	6.8	0	0.0	1	12.5
Ovary (female)	3	0	--	--	--	0	0.0
Brain and other nervous system	1	1	6.8	1	14.7	0	0.0
Stomach	2	1	6.8	1	14.7	0	0.0
Uterus & Cervix (female)	4	0	--	--	--	0	0.0
Esophagus	1	2	13.5	2	29.4	0	0.0
Melanoma of Skin	0	0	0.0	0	0.0	0	0.0
Other	7	5	--	2	--	3	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF TALLADEGA COUNTY

2000 POPULATION	
Total	80,321
White	53,830
Black & Other	26,491
Median Age	36.6
Marriages	837
Rate ¹	10.4
Divorces	573
Rate ¹	7.1
Life Expectancy at Birth	72.5
Total Fertility Rate Per 1,000 Women 10-49	2155.5

BIRTHS BY AGE OF MOTHER					
	TOTAL	10-14	15-17	18-19	20-49
All Births	1,140	4	81	141	914
Rate ^{2,3}	67.9	1.4	46.0	120.0	54.5
White	725	3	41	80	601
Rate ^{2,3}	68.9	1.8	40.3	117.9	55.6
Black & Other	415	1	40	61	313
Rate ^{2,3}	66.3	0.9	53.7	122.9	52.5



NATALITY				
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	1,547	92.2	314	54.2
Births	1,140	14.2	226	39.0
Abortions	162	9.7	38	6.6
Est. Fetal Losses	245	-	50	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	461	40.4	169	74.8
Low Weight Births	128	11.2	34	15.0
Multiple Births	48	4.2	8	3.5
Medicaid Births	590	51.8	199	88.1

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	7
Syphilis	71
Gonorrhea	233
Chlamydia	335
Tuberculosis	4

INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP						
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	8	5	3	0	0	0
Rate per 1,000 Births	7.0	6.9	7.2	0.0	0.0	0.0
Postneonatal Deaths	5	4	1	0	0	0
Rate per 1,000 Births	4.4	5.5	2.4	0.0	0.0	0.0
Neonatal Deaths	3	1	2	0	0	0
Rate per 1,000 Births	2.6	1.4	4.8	0.0	0.0	0.0

CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX									
Age	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	80,321	39,285	41,036	53,830	26,322	27,508	26,491	12,963	13,528
0-4	5,091	2,565	2,526	3,105	1,564	1,541	1,986	1,001	985
5-9	5,524	2,827	2,697	3,340	1,721	1,619	2,184	1,106	1,078
10-14	5,852	2,998	2,854	3,527	1,814	1,713	2,325	1,184	1,141
15-44	34,020	17,237	16,783	21,315	10,793	10,522	12,705	6,444	6,261
45-64	19,179	9,470	9,709	14,162	7,081	7,081	5,017	2,389	2,628
65-84	9,528	3,854	5,674	7,512	3,098	4,414	2,016	756	1,260
85+	1,127	334	793	869	251	618	258	83	175

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF TALLADEGA COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	858	458	400	649	343	306	209	115	94	
Death Rate ¹	10.7	11.7	9.7	12.1	13.0	11.1	7.9	8.9	6.9	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	293	364.8	170	432.7	123	299.7	221	410.6	72	271.8
Cancer	166	206.7	89	226.5	77	187.6	134	248.9	32	120.8
Stroke	63	78.4	25	63.6	38	92.6	44	81.7	19	71.7
Accidents	40	49.8	23	58.5	17	41.4	27	50.2	13	49.1
Chronic Lower Resp. Dis.	32	39.8	21	53.5	11	26.8	31	57.6	1	3.8
Diabetes	18	22.4	7	17.8	11	26.8	12	22.3	6	22.6
Influenza & Pneumonia	29	36.1	15	38.2	14	34.1	26	48.3	3	11.3
Alzheimer's Disease	19	23.7	9	22.9	10	24.4	16	29.7	3	11.3
Suicide	10	12.5	9	22.9	1	2.4	9	16.7	1	3.8
Homicide	7	8.7	3	7.6	4	9.7	2	3.7	5	18.9
HIV	3	3.7	3	7.6	0	0.0	0	0.0	3	11.3

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	40	49.8	7	31.4
Motor Vehicle	26	32.4	4	17.9
Suffocation	3	3.7	1	4.5
Poisoning	2	2.5	1	4.5
Smoke, Fire & Flames	1	1.2	0	0.0
Falls	2	2.5	1	4.5
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	6	7.5	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	858	10.7
0-14	12	0.7
15-44	57	1.7
45-64	160	8.3
65-84	440	46.2
85+	189	167.7

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	331	166	206.7	89	226.5	77	187.6
Trachea, Bronchus, Lung, Pleura	65	56	69.7	34	86.5	22	53.6
Colorectal	54	20	24.9	11	28.0	9	21.9
Breast (female)	45	10	--	--	--	10	24.4
Prostate (male)	29	5	--	5	12.7	--	--
Pancreas	11	9	11.2	5	12.7	4	9.7
Leukemias	9	6	7.5	3	7.6	3	7.3
Non-Hodgkin's Lymphomas	1	8	10.0	5	12.7	3	7.3
Ovary (female)	4	5	--	--	--	5	12.2
Brain and other nervous system	1	2	2.5	2	5.1	0	0.0
Stomach	3	6	7.5	4	10.2	2	4.9
Uterus & Cervix (female)	13	2	--	--	--	2	4.9
Esophagus	5	1	1.2	0	0.0	1	2.4
Melanoma of Skin	3	4	5.0	1	2.5	3	7.3
Other	88	32	--	19	--	13	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF TALLAPOOSA COUNTY

2000 POPULATION	
Total	41,475
White	30,474
Black & Other	11,001
Median Age	39.2
Marriages	378
Rate ¹	9.1
Divorces	233
Rate ¹	5.6
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	2155.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	540	2	42	65	431
Rate ^{2,3}	65.9	1.4	52.4	121.7	51.6
White	344	1	21	36	286
Rate ^{2,3}	61.3	1.1	39.4	101.2	49.2
Black & Other	196	1	21	29	145
Rate ^{2,3}	76.0	2.0	78.5	162.6	57.1



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	739	90.2	161	58.1
Abortions	540	13.0	109	39.3
Est. Fetal Losses	82	10.0	27	9.7
	117	-	25	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	237	43.9	88	80.7
Low Weight Births	54	10.0	13	11.9
Multiple Births	10	1.9	0	0.0
Medicaid Births	285	52.8	95	87.2

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	4
Syphilis	15
Gonorrhea	93
Chlamydia	174
Tuberculosis	3

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	6	1	5	1	0	1
Rate per 1,000 Births	11.1	2.9	25.5	9.2	0.0	19.6
Postneonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	1.9	2.9	0.0	0.0	0.0	0.0
Neonatal Deaths	5	0	5	1	0	1
Rate per 1,000 Births	9.3	0.0	25.5	9.2	0.0	19.6

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	41,475	19,704	21,771	30,474	14,729	15,745	11,001	4,975	6,026
0-4	2,562	1,334	1,228	1,629	850	779	933	484	449
5-9	2,859	1,483	1,376	1,799	969	830	1,060	514	546
10-14	2,892	1,456	1,436	1,946	999	947	946	457	489
15-44	15,946	7,753	8,193	11,251	5,637	5,614	4,695	2,116	2,579
45-64	10,344	4,975	5,369	8,116	3,976	4,140	2,228	999	1,229
65-84	5,971	2,456	3,515	5,000	2,100	2,900	971	356	615
85+	901	247	654	733	198	535	168	49	119

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF TALLAPOOSA COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	514	254	260	401	197	204	113	57	56	
Death Rate ¹	12.4	12.9	11.9	13.2	13.4	13.0	10.3	11.5	9.3	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	167	402.7	81	411.1	86	395.0	138	452.8	29	263.6
Cancer	116	279.7	52	263.9	64	294.0	90	295.3	26	236.3
Stroke	24	57.9	9	45.7	15	68.9	17	55.8	7	63.6
Accidents	22	53.0	15	76.1	7	32.2	16	52.5	6	54.5
Chronic Lower Resp. Dis.	36	86.8	19	96.4	17	78.1	35	114.9	1	9.1
Diabetes	16	38.6	6	30.5	10	45.9	8	26.3	8	72.7
Influenza & Pneumonia	17	41.0	10	50.8	7	32.2	13	42.7	4	36.4
Alzheimer's Disease	6	14.5	3	15.2	3	13.8	6	19.7	0	0.0
Suicide	6	14.5	6	30.5	0	0.0	6	19.7	0	0.0
Homicide	6	14.5	5	25.4	1	4.6	4	13.1	2	18.2
HIV	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	22	53.0	2	18.1
Motor Vehicle	12	28.9	2	18.1
Suffocation	3	7.2	0	0.0
Poisoning	1	2.4	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	2	4.8	0	0.0
Drowning	1	2.4	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	3	7.2	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	514	12.4
0-14	6	0.7
15-44	21	1.3
45-64	91	8.8
65-84	263	44.0
85+	133	147.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	104	116	279.7	52	263.9	64	294.0
Trachea, Bronchus, Lung, Pleura	22	35	84.4	19	96.4	16	73.5
Colorectal	12	8	19.3	1	5.1	7	32.2
Breast (female)	22	10	--	--	--	10	45.9
Prostate (male)	3	10	--	10	50.8	--	--
Pancreas	5	7	16.9	4	20.3	3	13.8
Leukemias	1	1	2.4	1	5.1	0	0.0
Non-Hodgkin's Lymphomas	0	3	7.2	2	10.2	1	4.6
Ovary (female)	2	1	--	--	--	1	4.6
Brain and other nervous system	1	3	7.2	1	5.1	2	9.2
Stomach	0	3	7.2	2	10.2	1	4.6
Uterus & Cervix (female)	5	2	--	--	--	2	9.2
Esophagus	1	4	9.6	1	5.1	3	13.8
Melanoma of Skin	1	2	4.8	0	0.0	2	9.2
Other	29	27	--	11	--	16	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF TUSCALOOSA COUNTY

2000 POPULATION	
Total	164,875
White	112,320
Black & Other	52,555
Median Age	32.0
Marriages	1,404
Rate ¹	8.5
Divorces	542
Rate ¹	3.3
Life Expectancy at Birth	75.7
Total Fertility Rate Per 1,000 Women 10-49	1683.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	2,331	7	103	216	2,005
Rate ^{2,3}	56.8	1.3	22.5	70.7	50.9
White	1,436	4	37	101	1,294
Rate ^{2,3}	54.2	1.3	13.5	55.4	49.8
Black & Other	895	3	66	115	711
Rate ^{2,3}	61.4	1.5	35.7	93.4	53.0



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	3,570	86.9	587	45.7
Births	2,331	14.1	326	25.4
Abortions	701	17.1	177	13.8
Est. Fetal Losses	538	-	84	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	850	36.5	253	77.6
Low Weight Births	247	10.6	46	14.1
Multiple Births	99	4.2	14	4.3
Medicaid Births	1,006	43.2	271	83.1

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	12
Syphilis	48
Gonorrhea	797
Chlamydia	732
Tuberculosis	22

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	33	7	26	3	0	3
Rate per 1,000 Births	14.2	4.9	29.1	9.2	0.0	16.3
Postneonatal Deaths	9	4	5	0	0	0
Rate per 1,000 Births	3.9	2.8	5.6	0.0	0.0	0.0
Neonatal Deaths	24	3	21	3	0	3
Rate per 1,000 Births	10.3	2.1	23.5	9.2	0.0	16.3

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	164,875	79,372	85,503	112,320	55,346	56,974	52,555	24,026	28,529
0-4	10,592	5,411	5,181	6,258	3,245	3,013	4,334	2,166	2,168
5-9	10,853	5,545	5,308	6,341	3,225	3,116	4,512	2,320	2,192
10-14	10,690	5,472	5,218	6,510	3,348	3,162	4,180	2,124	2,056
15-44	79,961	38,894	41,067	53,506	27,009	26,497	26,455	11,885	14,570
45-64	34,214	16,553	17,661	25,338	12,559	12,779	8,876	3,994	4,882
65-84	16,506	6,911	9,595	12,855	5,528	7,327	3,651	1,383	2,268
85+	2,059	586	1,473	1,512	432	1,080	547	154	393

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF TUSCALOOSA COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	1,477	756	721	1,032	539	493	445	217	228	
Death Rate ¹	9.0	9.5	8.4	9.2	9.7	8.7	8.5	9.0	8.0	

Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	395	239.6	205	258.3	190	222.2	264	235.0	131	249.3
Cancer	322	195.3	178	224.3	144	168.4	249	221.7	73	138.9
Stroke	102	61.9	29	36.5	73	85.4	68	60.5	34	64.7
Accidents	86	52.2	59	74.3	27	31.6	64	57.0	22	41.9
Chronic Lower Resp. Dis.	71	43.1	46	58.0	25	29.2	60	53.4	11	20.9
Diabetes	40	24.3	21	26.5	19	22.2	25	22.3	15	28.5
Influenza & Pneumonia	36	21.8	12	15.1	24	28.1	24	21.4	12	22.8
Alzheimer's Disease	29	17.6	7	8.8	22	25.7	25	22.3	4	7.6
Suicide	17	10.3	16	20.2	1	1.2	12	10.7	5	9.5
Homicide	18	10.9	16	20.2	2	2.3	5	4.5	13	24.7
HIV	2	1.2	2	2.5	0	0.0	0	0.0	2	3.8

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	86	52.2	10	21.4
Motor Vehicle	34	20.6	6	12.8
Suffocate	9	5.5	1	2.1
Poisoning	6	3.6	1	2.1
Smoke, Fire & Flames	3	1.8	0	0.0
Falls	4	2.4	0	0.0
Drowning	2	1.2	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	28	17.0	2	4.3

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	1,477	9.0
0-14	44	1.4
15-44	113	1.4
45-64	268	7.8
65-84	697	42.2
85+	355	172.4

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	619	322	195.3	178	224.3	144	168.4
Trachea, Bronchus, Lung, Pleura	102	99	60.0	67	84.4	32	37.4
Colorectal	87	38	23.0	22	27.7	16	18.7
Breast (female)	121	23	--	--	--	23	26.9
Prostate (male)	79	19	--	19	23.9	--	--
Pancreas	13	18	10.9	9	11.3	9	10.5
Leukemias	16	7	4.2	1	1.3	6	7.0
Non-Hodgkin's Lymphomas	13	15	9.1	8	10.1	7	8.2
Ovary (female)	6	9	--	--	--	9	10.5
Brain and other nervous system	7	7	4.2	4	5.0	3	3.5
Stomach	7	9	5.5	4	5.0	5	5.8
Uterus & Cervix (female)	18	3	--	--	--	3	3.5
Esophagus	7	6	3.6	4	5.0	2	2.3
Melanoma of Skin	10	7	4.2	5	6.3	2	2.3
Other	133	62	--	35	--	27	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF WALKER COUNTY

2000 POPULATION	
Total	70,713
White	65,163
Black & Other	5,550
Median Age	38.2
Marriages	719
Rate ¹	10.2
Divorces	521
Rate ¹	7.4
Life Expectancy at Birth	71.6
Total Fertility Rate Per 1,000 Women 10-49	2158.0

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	975	2	62	107	804
Rate ^{2,3}	67.8	0.9	44.3	114.6	55.0
White	902	2	54	97	749
Rate ^{2,3}	68.6	1.0	42.9	115.5	55.8
Black & Other	73	0	8	10	55
Rate ^{2,3}	59.3	0.0	56.7	106.4	46.2



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	1,311	Rate 91.1	10-19 241	Rate ³ 52.2
Births	975	13.8	171	37.1
Abortions	129	9.0	33	7.2
Est. Fetal Losses	207	-	37	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	237	24.3	81	47.4
Low Weight Births	76	7.8	16	9.4
Multiple Births	13	1.3	2	1.2
Medicaid Births	526	53.9	148	86.5

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	2
Syphilis	1
Gonorrhea	58
Chlamydia	134
Tuberculosis	2

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	13	9	4	2	2	0
Rate per 1,000 Births	13.3	10.0	54.8	11.7	13.1	0.0
Postneonatal Deaths	9	7	2	2	2	0
Rate per 1,000 Births	9.2	7.8	27.4	11.7	13.1	0.0
Neonatal Deaths	4	2	2	0	0	0
Rate per 1,000 Births	4.1	2.2	27.4	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	70,713	34,117	36,596	65,163	31,437	33,726	5,550	2,680	2,870
0- 4	4,520	2,296	2,224	4,037	2,064	1,973	483	232	251
5- 9	4,556	2,385	2,171	4,087	2,134	1,953	469	251	218
10-14	4,711	2,430	2,281	4,269	2,190	2,079	442	240	202
15-44	28,754	14,366	14,388	26,302	13,145	13,157	2,452	1,221	1,231
45-64	17,719	8,515	9,204	16,619	8,000	8,619	1,100	515	585
65-84	9,281	3,844	5,437	8,766	3,650	5,116	515	194	321
85+	1,172	281	891	1,083	254	829	89	27	62

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF WALKER COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	943	497	446	883	462	421	60	35	25	
Death Rate ¹	13.3	14.6	12.2	13.6	14.7	12.5	10.8	13.1	8.7	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	312	441.2	148	433.8	164	448.1	296	454.2	16	288.3
Cancer	203	287.1	121	354.7	82	224.1	190	291.6	13	234.2
Stroke	59	83.4	29	85.0	30	82.0	56	85.9	3	54.1
Accidents	52	73.5	32	93.8	20	54.7	47	72.1	5	90.1
Chronic Lower Resp. Dis.	43	60.8	31	90.9	12	32.8	41	62.9	2	36.0
Diabetes	21	29.7	7	20.5	14	38.3	21	32.2	0	0.0
Influenza & Pneumonia	37	52.3	18	52.8	19	51.9	34	52.2	3	54.1
Alzheimer's Disease	11	15.6	3	8.8	8	21.9	8	12.3	3	54.1
Suicide	14	19.8	14	41.0	0	0.0	14	21.5	0	0.0
Homicide	6	8.5	4	11.7	2	5.5	5	7.7	1	18.0
HIV	2	2.8	1	2.9	1	2.7	2	3.1	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	52	73.5	7	37.9
Motor Vehicle	25	35.4	5	27.0
Suffocation	2	2.8	1	5.4
Poisoning	8	11.3	1	5.4
Smoke, Fire & Flames	3	4.2	0	0.0
Falls	1	1.4	0	0.0
Drowning	1	1.4	0	0.0
Firearms	1	1.4	0	0.0
Other Accidents	11	15.6	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	943	13.3
0-14	15	1.1
15-44	72	2.5
45-64	189	10.7
65-84	459	49.5
85+	208	177.5

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	414	203	287.1	121	354.7	82	224.1
Trachea, Bronchus, Lung, Pleura	100	66	93.3	44	129.0	22	60.1
Colorectal	49	17	24.0	9	26.4	8	21.9
Breast (female)	69	10	--	--	--	10	27.3
Prostate (male)	31	8	--	8	23.4	--	--
Pancreas	5	13	18.4	9	26.4	4	10.9
Leukemias	7	8	11.3	4	11.7	4	10.9
Non-Hodgkin's Lymphomas	2	8	11.3	3	8.8	5	13.7
Ovary (female)	6	5	--	--	--	5	13.7
Brain and other nervous system	6	3	4.2	0	0.0	3	8.2
Stomach	8	3	4.2	1	2.9	2	5.5
Uterus & Cervix (female)	14	5	--	--	--	5	13.7
Esophagus	5	6	8.5	6	17.6	0	0.0
Melanoma of Skin	11	3	4.2	2	5.9	1	2.7
Other	101	48	--	35	--	13	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF WASHINGTON COUNTY

2000 POPULATION	
Total	18,097
White	11,759
Black & Other	6,338
Median Age	34.9
Marriages	433
Rate ¹	23.9
Divorces	86
Rate ¹	4.8
Life Expectancy at Birth	73.4
Total Fertility Rate Per 1,000 Women 10-49	2216.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	260	0	12	42	206
Rate ^{2,3}	68.5	0.0	28.0	147.1	55.1
White	157	0	6	25	126
Rate ^{2,3}	66.4	0.0	23.6	147.8	53.1
Black & Other	103	0	6	17	80
Rate ^{2,3}	72.1	0.0	34.4	146.0	58.5



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	Total	Rate	10-19	Rate ³
Births	340	89.6	74	51.8
Abortions	260	14.4	54	37.8
Est. Fetal Losses	25	6.6	8	5.6
	55	-	12	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	91	35.0	31	57.4
Low Weight Births	22	8.5	7	13.0
Multiple Births	6	2.3	0	0.0
Medicaid Births	117	45.0	37	68.5

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	42
Chlamydia	67
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	1	0	1	0	0	0
Rate per 1,000 Births	3.8	0.0	9.7	0.0	0.0	0.0
Postneonatal Deaths	1	0	1	0	0	0
Rate per 1,000 Births	3.8	0.0	9.7	0.0	0.0	0.0
Neonatal Deaths	0	0	0	0	0	0
Rate per 1,000 Births	0.0	0.0	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	18,097	8,869	9,228	11,759	5,847	5,912	6,338	3,022	3,316
0-4	1,308	685	623	772	417	355	536	268	268
5-9	1,499	786	713	848	442	406	651	344	307
10-14	1,478	764	714	846	446	400	632	318	314
15-44	7,424	3,631	3,793	4,750	2,386	2,364	2,674	1,245	1,429
45-64	4,142	2,046	2,096	2,920	1,450	1,470	1,222	596	626
65-84	1,981	882	1,099	1,442	652	790	539	230	309
85+	265	75	190	181	54	127	84	21	63

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF WASHINGTON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	173	89	84	119	68	51	54	21	33	
Death Rate ¹	9.6	10.0	9.1	10.1	11.6	8.6	8.5	6.9	10.0	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	57	315.0	31	349.5	26	281.8	38	323.2	19	299.8
Cancer	37	204.5	19	214.2	18	195.1	24	204.1	13	205.1
Stroke	10	55.3	6	67.7	4	43.3	9	76.5	1	15.8
Accidents	9	49.7	6	67.7	3	32.5	7	59.5	2	31.6
Chronic Lower Resp. Dis.	8	44.2	6	67.7	2	21.7	7	59.5	1	15.8
Diabetes	8	44.2	2	22.6	6	65.0	6	51.0	2	31.6
Influenza & Pneumonia	4	22.1	2	22.6	2	21.7	3	25.5	1	15.8
Alzheimer's Disease	5	27.6	3	33.8	2	21.7	2	17.0	3	47.3
Suicide	1	5.5	1	11.3	0	0.0	1	8.5	0	0.0
Homicide	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HIV	1	5.5	1	11.3	0	0.0	0	0.0	1	15.8

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	9	49.7	1	17.4
Motor Vehicle	7	38.7	1	17.4
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	2	11.1	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	0	0.0	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	173	9.6
0-14	3	0.7
15-44	11	1.5
45-64	38	9.2
65-84	75	37.9
85+	46	173.6*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	41	37	204.5	19	214.2	18	195.1
Trachea, Bronchus, Lung, Pleura	5	9	49.7	6	67.7	3	32.5
Colorectal	5	5	27.6	2	22.6	3	32.5
Breast (female)	7	2	--	--	--	2	21.7
Prostate (male)	5	2	--	2	22.6	--	--
Pancreas	1	2	11.1	1	11.3	1	10.8
Leukemias	1	1	5.5	0	0.0	1	10.8
Non-Hodgkin's Lymphomas	1	2	11.1	2	22.6	0	0.0
Ovary (female)	0	1	--	--	--	1	10.8
Brain and other nervous system	0	0	0.0	0	0.0	0	0.0
Stomach	2	1	5.5	0	0.0	1	10.8
Uterus & Cervix (female)	0	3	--	--	--	3	32.5
Esophagus	0	1	5.5	1	11.3	0	0.0
Melanoma of Skin	1	1	5.5	0	0.0	1	10.8
Other	13	7	--	5	--	2	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF WILCOX COUNTY

2000 POPULATION	
Total	13,183
White	3,626
Black & Other	9,557
Median Age	33.7
Marriages	81
Rate ¹	6.1
Divorces	32
Rate ¹	2.4
Life Expectancy at Birth	70.4
Total Fertility Rate Per 1,000 Women 10-49	2939.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	263	0	22	28	213
Rate ^{2,3}	94.5	0.0	66.7	127.3	78.9
White	39	0	0	1	38
Rate ^{2,3}	67.5	0.0	0.0	27.2	63.4
Black & Other	224	0	22	27	175
Rate ^{2,3}	101.5	0.0	80.1	147.4	83.3



	NATALITY			
	All Women		Women 10-19	
	Total	Rate	10-19	Rate ³
Est. Pregnancies	337	121.0	59	52.0
Births	263	19.9	50	44.1
Abortions	20	7.2	0	0.0
Est. Fetal Losses	54	-	9	-
	Total	Pct ⁴	10-19	Pct ⁵
Births to Unmarried Women	174	66.2	46	92.0
Low Weight Births	38	14.4	9	18.0
Multiple Births	6	2.3	0	0.0
Medicaid Births	194	73.8	46	92.0

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	3
Syphilis	1
Gonorrhea	69
Chlamydia	99
Tuberculosis	3

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	5	0	5	2	0	2
Rate per 1,000 Births	19.0	0.0	22.3	40.0	0.0	40.8*
Postneonatal Deaths	3	0	3	1	0	1
Rate per 1,000 Births	11.4	0.0	13.4	20.0	0.0	20.4*
Neonatal Deaths	2	0	2	1	0	1
Rate per 1,000 Births	7.6	0.0	8.9	20.0	0.0	20.4*

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	13,183	6,142	7,041	3,626	1,757	1,869	9,557	4,385	5,172
0- 4	1,067	567	500	225	125	100	842	442	400
5- 9	1,100	549	551	192	94	98	908	455	453
10-14	1,136	552	584	182	101	81	954	451	503
15-44	5,299	2,515	2,784	1,176	598	578	4,123	1,917	2,206
45-64	2,771	1,279	1,492	1,070	543	527	1,701	736	965
65-84	1,538	597	941	680	270	410	858	327	531
85+	272	83	189	101	26	75	171	57	114

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF WILCOX COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	140	73	67	36	21	15	104	52	52	
Death Rate ¹	10.6	11.9	9.5	9.9	12.0	8.0	10.9	11.9	10.1	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	47	356.5	24	390.8	23	326.7	13	358.5	34	355.8
Cancer	21	159.3	12	195.4	9	127.8	8	220.6	13	136.0
Stroke	11	83.4	5	81.4	6	85.2	1	27.6	10	104.6
Accidents	5	37.9	5	81.4	0	0.0	1	27.6	4	41.9
Chronic Lower Resp. Dis.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Diabetes	8	60.7	4	65.1	4	56.8	1	27.6	7	73.2
Influenza & Pneumonia	3	22.8	2	32.6	1	14.2	2	55.2	1	10.5
Alzheimer's Disease	4	30.3	2	32.6	2	28.4	2	55.2	2	20.9
Suicide	1	7.6	1	16.3	0	0.0	1	27.6	0	0.0
Homicide	1	7.6	1	16.3	0	0.0	0	0.0	1	10.5
HIV	2	15.2	2	32.6	0	0.0	0	0.0	2	20.9

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	5	37.9	0	0.0
Motor Vehicle	4	30.3	0	0.0
Suffocation	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0
Smoke, Fire & Flames	0	0.0	0	0.0
Falls	0	0.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	1	7.6	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	140	10.6
0-14	5	1.5
15-44	14	2.6
45-64	34	12.3
65-84	52	33.8
85+	35	128.7*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	49	21	159.3	12	195.4	9	127.8
Trachea, Bronchus, Lung, Pleura	12	4	30.3	3	48.8	1	14.2
Colorectal	8	1	7.6	0	0.0	1	14.2
Breast (female)	14	2	--	--	--	2	28.4
Prostate (male)	1	4	--	4	65.1	--	--
Pancreas	0	0	0.0	0	0.0	0	0.0
Leukemias	0	0	0.0	0	0.0	0	0.0
Non-Hodgkin's Lymphomas	1	0	0.0	0	0.0	0	0.0
Ovary (female)	1	0	--	--	--	0	0.0
Brain and other nervous system	0	0	0.0	0	0.0	0	0.0
Stomach	1	0	0.0	0	0.0	0	0.0
Uterus & Cervix (female)	3	1	--	--	--	1	14.2
Esophagus	0	1	7.6	1	16.3	0	0.0
Melanoma of Skin	0	1	7.6	0	0.0	1	14.2
Other	8	7	--	4	--	3	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.


⁶Per 100,000 population.

⁷1998 data.

2000 HEALTH PROFILE OF WINSTON COUNTY

2000 POPULATION	
Total	24,843
White	24,177
Black & Other	666
Median Age	38.0
Marriages	228
Rate ¹	9.2
Divorces	202
Rate ¹	8.1
Life Expectancy at Birth	73.5
Total Fertility Rate Per 1,000 Women 10-49	2269.5

	BIRTHS BY AGE OF MOTHER				
	TOTAL	10-14	15-17	18-19	20-49
All Births	345	0	14	40	291
Rate ^{2,3}	69.5	0.0	30.4	130.4	57.8
White	342	0	14	40	288
Rate ^{2,3}	70.6	0.0	31.2	133.5	58.6
Black & Other	3	0	0	0	3
Rate ^{2,3}	25.0	0.0	0.0	0.0	24.8



	NATALITY			
	All Women		Women 10-19	
Est. Pregnancies	445	89.6	72	45.7
Births	345	13.9	54	34.2
Abortions	28	5.6	7	4.4
Est. Fetal Losses	72	-	11	-
	Total	Pct⁴	10-19	Pct⁵
Births to Unmarried Women	64	18.6	20	37.0
Low Weight Births	30	8.7	4	7.4
Multiple Births	16	4.6	0	0.0
Medicaid Births	167	48.4	44	81.5

SELECTED NOTIFIABLE DISEASES	NEW CASES
AIDS	0
Syphilis	0
Gonorrhea	4
Chlamydia	18
Tuberculosis	0

	INFANT RELATED MORTALITY BY MOTHER'S RACE AND AGE GROUP					
	All Ages			Ages 10-19		
	Total	White	Black and Other	Total	White	Black and Other
Infant Deaths	2	2	0	1	1	0
Rate per 1,000 Births	5.8	5.8	0.0	18.5	18.5	0.0
Postneonatal Deaths	1	1	0	1	1	0
Rate per 1,000 Births	2.9	2.9	0.0	18.5	18.5	0.0
Neonatal Deaths	1	1	0	0	0	0
Rate per 1,000 Births	2.9	2.9	0.0	0.0	0.0	0.0

Age	CENSUS 2000 POPULATION BY AGE GROUP, RACE AND SEX								
	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	24,843	12,166	12,677	24,177	11,789	12,388	666	377	289
0- 4	1,545	770	775	1,463	726	737	82	44	38
5- 9	1,650	833	817	1,606	810	796	44	23	21
10-14	1,684	874	810	1,646	852	794	38	22	16
15-44	10,104	5,140	4,964	9,772	4,928	4,844	332	212	120
45-64	6,327	3,109	3,218	6,199	3,051	3,148	128	58	70
65-84	3,142	1,343	1,799	3,107	1,328	1,779	35	15	20
85+	391	97	294	384	94	290	7	3	4

¹Per 1,000 population.

²Total rate per 1,000 females 15-44. Rate for total is the General Fertility Rate.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

2000 HEALTH PROFILE OF WINSTON COUNTY (continued)

MORTALITY										
	Total	Male	Female	White	White Male	White Female	Black and Other	Black and Other Male	Black and Other Female	
Deaths	288	151	137	283	150	133	5	1	4	
Death Rate ¹	11.6	12.4	10.8	11.7	12.7	10.7	7.5*	2.7*	13.8*	
Selected Deaths	Total	Total Rate ⁶	Male	Male Rate ⁶	Female	Female Rate ⁶	White	White Rate ⁶	Black and Other	Black and Other Rate ⁶
Heart Disease	96	386.4	45	369.9	51	402.3	95	392.9	1	150.2
Cancer	52	209.3	29	238.4	23	181.4	52	215.1	0	0.0
Stroke	21	84.5	12	98.6	9	71.0	21	86.9	0	0.0
Accidents	15	60.4	14	115.1	1	7.9	15	62.0	0	0.0
Chronic Lower Resp. Dis.	8	32.2	4	32.9	4	31.6	8	33.1	0	0.0
Diabetes	12	48.3	6	49.3	6	47.3	12	49.6	0	0.0
Influenza & Pneumonia	9	36.2	6	49.3	3	23.7	9	37.2	0	0.0
Alzheimer's Disease	8	32.2	1	8.2	7	55.2	6	24.8	2	300.3
Suicide	3	12.1	3	24.7	0	0.0	2	8.3	1	150.2
Homicide	3	12.1	2	16.4	1	7.9	3	12.4	0	0.0
HIV	1	4.0	1	8.2	0	0.0	1	4.1	0	0.0

ACCIDENTAL DEATHS				
	Total	Rate ⁶	Children Under 20	Rate ⁶
All Accidents	15	60.4	2	30.7
Motor Vehicle	8	32.2	1	15.4
Suffocation	1	4.0	0	0.0
Poisoning	1	4.0	1	15.4
Smoke, Fire & Flames	1	4.0	0	0.0
Falls	1	4.0	0	0.0
Drowning	0	0.0	0	0.0
Firearms	0	0.0	0	0.0
Other Accidents	3	12.1	0	0.0

DEATHS BY AGE GROUP		
Age Group	Total	Rate ¹
Total	288	11.6
0-14	2	0.4
15-44	22	2.2
45-64	52	8.2
65-84	149	47.4
85+	63	161.1*

Cancer by Site	New Cases ⁷	Deaths	Rate ⁶	Male Deaths	Rate ⁶	Female Deaths	Rate ⁶
All Cancers	142	52	209.3	29	238.4	23	181.4
Trachea, Bronchus, Lung, Pleura	20	19	76.5	13	106.9	6	47.3
Colorectal	9	3	12.1	0	0.0	3	23.7
Breast (female)	32	2	--	--	--	2	15.8
Prostate (male)	13	1	--	1	8.2	--	--
Pancreas	4	1	4.0	0	0.0	1	7.9
Leukemias	5	3	12.1	3	24.7	0	0.0
Non-Hodgkin's Lymphomas	2	2	8.1	0	0.0	2	15.8
Ovary (female)	2	2	--	--	--	2	15.8
Brain and other nervous system	1	3	12.1	1	8.2	2	15.8
Stomach	1	1	4.0	0	0.0	1	7.9
Uterus & Cervix (female)	6	0	--	--	--	0	0.0
Esophagus	0	1	4.0	1	8.2	0	0.0
Melanoma of Skin	1	1	4.0	1	8.2	0	0.0
Other	46	13	--	9	--	4	--

Measurements based on small denominators should be used with caution. Rates and ratios based on a denominator of less than 50 births or less than 1,000 population are noted by an asterisk. Births, abortions and estimated total fetal losses sum to the total number of estimated pregnancies. Estimated total fetal losses is the not the same as the total number of fetal deaths. The total fertility rate is the sum of age-specific birth rates multiplied by the width of the age intervals, i.e. 5 years. A total fertility rate of 2,100 births per 1,000 females 10-49 years of age would maintain the current population. Population figures are from the 2000 Census of Population published by the US Bureau of the Census, Washington, DC: www.census.gov.

¹Per 1,000 population.

²Total rate per 1,000 females 15-44.

³Age-specific rate per 1,000 females in age group.

⁴Percent of total births.

⁵Percent of all teen births.

⁶Per 100,000 population.

⁷1998 data.

APPENDIX A

The estimated populations used in this volume were produced using data from Population Projections for Alabama Counties published by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama. They were derived by using the cohort-survival method.

**CENSUS 2000 POPULATION BY COUNTY AND RACE
ALABAMA, 2000**

COUNTY	TOTAL	WHITE	BLACK AND OTHER
STATE	4,447,100	3,162,808	1,284,292
Autauga	43,671	35,221	8,450
Baldwin	140,415	122,366	18,049
Barbour	29,038	14,887	14,151
Bibb	20,826	15,966	4,860
Blount	51,024	48,512	2,512
Bullock	11,714	2,958	8,756
Butler	21,399	12,492	8,907
Calhoun	112,249	88,537	23,712
Chambers	36,583	22,271	14,312
Cherokee	23,988	22,268	1,720
Chilton	39,593	34,330	5,263
Choctaw	15,922	8,779	7,143
Clarke	27,867	15,589	12,278
Clay	14,254	11,776	2,478
Cleburne	14,123	13,380	743
Coffee	43,615	33,631	9,984
Colbert	54,984	44,825	10,159
Conecuh	14,089	7,806	6,283
Coosa	12,202	7,802	4,400
Covington	37,631	32,436	5,195
Crenshaw	13,665	10,088	3,577
Cullman	77,483	75,011	2,472
Dale	49,129	36,541	12,588
Dallas	46,365	16,496	29,869
DeKalb	64,452	59,652	4,800
Elmore	65,874	50,737	15,137
Escambia	38,440	24,754	13,686
Etowah	103,459	85,737	17,722
Fayette	18,495	16,075	2,420
Franklin	31,223	28,001	3,222
Geneva	25,764	22,442	3,322
Greene	9,974	1,904	8,070
Hale	17,185	6,844	10,341
Henry	16,310	10,710	5,600
Houston	88,787	64,886	23,901
Jackson	53,926	49,552	4,374
Jefferson	662,047	384,639	277,408
Lamar	15,904	13,816	2,088
Lauderdale	87,966	77,743	10,223
Lawrence	34,803	27,067	7,736
Lee	115,092	85,247	29,845
Limestone	65,676	55,029	10,647
Lowndes	13,473	3,484	9,989
Macon	24,105	3,365	20,740
Madison	276,700	199,401	77,299
Marengo	22,539	10,657	11,882
Marion	31,214	29,579	1,635
Marshall	82,231	76,791	5,440
Mobile	399,843	252,199	147,644
Monroe	24,324	14,047	10,277
Montgomery	223,510	109,180	114,330
Morgan	111,064	94,485	16,579
Perry	11,861	3,660	8,201
Pickens	20,949	11,720	9,229
Pike	29,605	17,990	11,615
Randolph	22,380	17,094	5,286
Russell	49,756	28,209	21,547
St. Clair	64,742	58,288	6,454
Shelby	143,293	128,671	14,622
Sumter	14,798	3,836	10,962
Talladega	80,321	53,830	26,491
Tallapoosa	41,475	30,474	11,001
Tuscaloosa	164,875	112,320	52,555
Walker	70,713	65,163	5,550
Washington	18,097	11,759	6,338
Wilcox	13,183	3,626	9,557
Winston	24,843	24,177	666

NOTE: Census 2000 population, U. S. Department of the Census, Washington, D.C. (Website: www.census.gov)

**CENSUS 2000 POPULATION
BY RACE, SEX AND AGE GROUP
ALABAMA, 2000**

AGE GROUP	TOTAL POPULATION	WHITE			BLACK AND OTHER		
		TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	4,447,100	3,162,808	1,544,425	1,618,383	1,284,292	602,079	682,213
0-4	295,992	190,470	97,729	92,741	105,522	53,330	52,192
5-9	315,345	200,901	103,621	97,280	114,444	58,161	56,283
10-14	320,252	207,174	106,988	100,186	113,078	57,640	55,438
15-19	324,580	207,886	106,285	101,601	116,694	58,130	58,564
20-24	306,865	199,884	100,391	99,493	106,981	51,414	55,567
25-29	301,196	206,823	104,650	102,173	94,373	44,621	49,752
30-34	301,819	214,468	108,295	106,173	87,351	40,375	46,976
35-39	340,300	244,757	122,975	121,782	95,543	43,617	51,926
40-44	345,212	247,474	123,814	123,660	97,738	44,524	53,214
45-49	315,173	229,418	113,772	115,646	85,755	39,337	46,418
50-54	285,036	218,442	107,900	110,542	66,594	30,755	35,839
55-59	225,450	179,408	86,913	92,495	46,042	20,859	25,183
60-64	190,082	151,550	72,123	79,427	38,532	16,799	21,733
65-69	167,968	134,440	62,508	71,932	33,528	13,897	19,631
70-74	148,780	119,584	52,388	67,196	29,196	11,222	17,974
75-79	118,108	95,603	38,202	57,401	22,505	8,106	14,399
80-84	77,641	62,636	22,135	40,501	15,005	5,046	9,959
85+	67,301	51,890	13,736	38,154	15,411	4,246	11,165

NOTE: Census 2000 population, U. S. Department of the Census, Washington, D.C. (Website: www.census.gov)

APPENDIX B

TECHNICAL NOTES
COUNTY HEALTH PROFILE FORMULAS
ICD-10 DEATH CODES
ALABAMA'S 2000 CERTIFICATE OF LIVE BIRTH
ALABAMA'S 2000 CERTIFICATE OF DEATH
ALABAMA'S 2000 REPORT OF FETAL DEATH
ALABAMA'S 2000 CERTIFICATE OF MARRIAGE
ALABAMA'S 2000 CERTIFICATE OF DIVORCE
ALABAMA'S 2000 REPORT OF INDUCED
TERMINATION OF PREGNANCY

TECHNICAL NOTES

Sources and Completeness of Data

Data in this publication are from certificates and reports filed with the Center for Health Statistics (CHS) in the Alabama Department of Public Health according to Alabama Vital Statistics Laws. The State Registrar of Vital Records enforces the laws and administers the system of vital statistics. Birth, death, marriage and divorce certificates and fetal death and induced termination of pregnancy reports provide most of the information included in this publication. The statewide data for Alabama are also sent to the National Center for Health Statistics (NCHS) for inclusion in national reports and tabulations.

BIRTHS. If a birth occurs in a hospital, the birth certificate is filed by that institution with the CHS. Information on a birth certificate is obtained from a parent and from medical files for the mother and infant. Nearly 99 percent of the hospitals in Alabama use a birth certificate software package provided by the CHS to prepare birth certificates and electronically transmit data to CHS. If a birth occurs outside of a facility, the birth certificate is filed by the parent or someone else aware of the facts of birth. Formal testing of completeness of birth has not been done since 1950 when birth registration completeness for births occurring in hospitals was 99.6 percent. Since that time, additional checks have been added to ensure that all births are filed. Also, since the legal requirements for certified copies of births have increased, nearly 100 percent of all births are filed with CHS.

DEATHS. Mortality data are obtained from death certificates filed with CHS. In Alabama, the funeral director who first takes custody of the body is responsible for obtaining the demographic data from the next of kin and filing the death certificate. The medical certification is completed by the physician in charge of the care of the decedent for the illness or condition that resulted in death or by the county medical examiner or coroner. Registration of deaths is thought to be nearly 100 percent complete since the death certificate is needed by the next of kin for legal purposes. In addition, listings of deaths, which are independently prepared by funeral directors, coroners, hospitals, nursing homes and other institutions where deaths occur, are compared to certificates received to ensure that all deaths are filed.

MARRIAGES. The judge of probate in each county in Alabama issues a marriage license containing information obtained from the parties who intend to be married. After the marriage ceremony has taken place, the person who performs the marriage certifies the fact of marriage and returns the record to the judge of probate who forwards it to the CHS. Marriage data are believed to be nearly 100 percent complete since a license is needed prior to the ceremony being performed.

DIVORCES. Divorce certificates are prepared by the petitioner or his or her legal representative and presented to the clerk of a court where divorces are granted. The clerk of the court completes the information certifying the divorce and forwards the certificate to the CHS. While the law does require the divorce certificate to be filed before a divorce is granted, the filing of these records may not be as complete as other vital records since court procedures vary.

FETAL DEATHS. Reports of fetal death are required to be sent to the CHS if the fetus has advanced to or beyond the twentieth week of uterogestation. If the fetal death occurs in an institution, the person in charge of the institution or his or her representative is responsible for filing the report. If the fetal death occurs outside of an institution, the physician in attendance is responsible for filing the report. Since not all fetal deaths are medically attended, it is likely that there is some under reporting of these events. Evidence indicates that reporting may be better in metropolitan counties.

INDUCED TERMINATIONS OF PREGNANCY. Since 1993, reports of induced termination of pregnancy have been required for all events occurring in Alabama. If the induced termination of pregnancy occurs in an institution, the person in charge of the institution is required to file the report. If the induced termination of pregnancy occurs outside of an institution, the physician in attendance is required to file the report. From September 1987 to December 1992, the only reporting requirement for induced terminations of pregnancy was for events to women under 18 years of age as part of the Parental Consent Act. The degree of completeness for these reports is not known. However, if the CHS learns of institutions that are not aware of the reporting requirements, they are contacted and reporting is immediately initiated.

OUT OF STATE EVENTS. To have complete data for state residents, offices of vital statistics in all states have entered into an agreement to share data for statistical purposes. When a report or certificate is filed for a vital event that occurred in Alabama to a resident of another state or Canada, Alabama notifies that government. Likewise, Alabama receives information and reports about events happening to Alabama residents in other states or in Canada. Data from these out of state events are included in the tabulations of resident data presented in this publication.

Most states send reports of out of state events to CHS on an ongoing basis, and these reports are believed to be quite complete since laws and procedures in other states are quite similar to Alabama's. The exception is reports of induced termination of pregnancy which have different reporting requirements in other states. Florida, a neighboring state, does not have a procedure for reporting Alabama resident induced terminations of pregnancy to CHS. Since it is unknown how many Alabama residents may have these events in neighboring states, the number of reported induced terminations of pregnancy for Alabama residents may be somewhat low.

Quality of Data

After reports and certificates are received at CHS, they are reviewed for all necessary information and signatures. Records that are incomplete or improperly completed are returned to the provider to be redone. If the information is accurate and consistent, the record is accepted into the official vital record files for Alabama.

Data for 99 percent of the births are keyed at the hospital into software containing edits and consistency checks and are electronically transmitted to CHS. Data for deaths, fetal deaths, induced terminations of pregnancy, marriages and divorces are coded and keyed into a computer database by CHS staff. Numerous edits and consistency checks are performed on all computer files to insure that the data are as accurate as possible. If data are inconsistent or missing, the provider is queried to try to verify information provided or to obtain the correct data. Additional procedures cross-check that all births and deaths are accounted for, particularly for infant deaths.

Residence Data

Unless specifically noted otherwise, data from vital events in this publication are reported according to the county or place of residence where the person, patient or decedent actually lived. Birth, fetal death, and induced termination of pregnancy statistics are reported according to the mother's residence. Deaths are reported by the residence of the decedent. The exceptions are marriage and divorce data that are reported according to the county where the marriage certificate was issued or the divorce was finalized.

Vital events occurring in other states and Canada to Alabama residents are also included in the residence data in this publication. See discussion under SOURCES AND COMPLETENESS OF DATA -- OUT OF STATE EVENTS.

Population Denominators

The population figures used in this publication to calculate rates for 2000 are from the 2000 Census of Population. Population figures used to calculate rates for data from 1990 through 1999 were based upon projections provided by the Alabama State Data Center, Center for Business and Economic Research, University of Alabama. Since the figures used for 1990 through 1999 were created by projecting forward from the 1990 Census, the further in time from the 1990 Census, the less accurate the populations and associated rates become. Caution should be used in comparing rates for earlier years with rates for 2000 since the projections for the 1990's appear to be too low for the later part of the decade and thus, the rate may be too high.

The rates in this publication may not be the same as those given in other publications if population data are from a different source. For example, for the years between decennial national censuses, the National Center for Health Statistics (NCHS) calculates crude rates using population *estimates* provided by US Census Bureau. Those figures are calculated in retrospect based on various housing, labor and vital statistics and are not the same as the figures used in CHS publications. Therefore, rates shown for Alabama vital events in NCHS publications may be slightly different from rates in this publication.

Race

Birth, fetal death, and induced termination of pregnancy statistics are reported according to the race of the mother since many of the health conditions related to these events are directly associated with the mother. Deaths are reported by the race of the decedent. Infant deaths are tabulated by the race of the infant (the decedent) while births, the denominator used for calculating infant mortality rates, are based on the race of the mother. Data for marriages and divorces are shown for both parties to the event.

For processing purposes, ten racial groupings are used: White, Black, American Indian, Chinese, Japanese, Hawaiian, Filipino, "other Asian or Pacific Islander," "other entries," and "unknown race." However, for tables shown in this publication, these groups are consolidated into "White" and "Black and Other." "White" encompasses Mexican, Puerto Rican, Cajun, Creole, and "other Caucasian." The "Black and Other" group includes Black, American Indian, Chinese, Japanese, Hawaiian, Filipino, and "other Asian or Pacific Islander." Events of unknown race are included in the "White" category.

Population figures from the 2000 Census show the population for Alabama as 71.1 percent "White", 26.0 percent

“black”, 1.9 percent “Other Races”. One percent of the population reported two or more races and were included in the “Black and Other” population for tables shown in this publication.

Cause of Death

Alabama law requires the physician in charge of the care of the patient for the illness or condition that resulted in death to complete the medical certification section on the death certificate. The physician is requested to state the diseases or conditions that caused the death and other significant conditions contributing to death. If a death occurs with no physician in charge of the care, the county coroner or in a few counties, the medical examiner, is responsible for determining the cause of death.

CLASSIFICATION. For tabulation purposes, causes of death are coded according to the *International Classification of Diseases*¹ (ICD) which provides the essential ground rules for the coding and classification of cause-of-death data. The ICD was developed collaboratively between the World Health Organization (WHO) and ten international centers, one of which is housed at NCHS. The purpose of the ICD is to promote international comparability in the collection, classification, processing and presentation of health statistics. The United States is required to use the ICD under an agreement with WHO that has the force of an international treaty.

Besides being a classification system for the cause of death, the ICD includes coding rules. These rules identify the single condition on the death certificate considered most informative from a public health point of view, called the *underlying cause of death*. The underlying cause is the disease or injury initiating the sequence of events that leads directly to death or the circumstances of the accident or violence that produced the fatal injury.

Cause of death data in this publication were coded according to procedures established by the National Center for Health Statistics². Starting with death records for 1999, cause of death data were processed through computer software programs from NCHS which allow CHS staff to enter the literal information provided by the physician or coroner in the medical certification section of the death certificate. The software programs are written to apply WHO rules to select the underlying cause of death from all the conditions given on the death certificate. Tables in this publication contain the underlying cause of death as determined through these procedures.

TABULATION LISTS AND CAUSE OF DEATH RANKINGS. For dissemination and presentation of data, NCHS developed several tabulation lists which group causes of death codes into categories that are of public health interest and medical importance. The lists have increasing levels of detail or are for specific categories of death and are published in Part 9 of the NCHS Instruction Manual Series.³ Certain groups of causes on these lists are used for ranking causes of death to determine the leading causes of death. Starting with 1999 data, the list most widely used to identify and rank the leading causes of death in the United States is the *ICD-10 List of 113 Selected Causes of Death*. This list replaces the *ICD-9 List of 72 Selected Causes of Death* used from 1979 through 1998. For areas smaller than a state or nation, a *condensed list of selected causes* was developed to present cause of death data in Alabama.

CHANGE IN ICD. The ICD has been revised approximately once every 10 years to stay abreast with advances in medical science and to ensure the international comparability of health statistics. The tenth and most recent revision, known as the ICD-10, was first used to classify deaths that occurred on January 1, 1999 and after. The previous version, the ICD-9, was used from 1979 through 1998.

The ICD-10 is much more detailed with about 8,000 possible categories for cause of death compared with 4,000 categories in the previous version. For the first time, the ICD-10 uses alphanumeric codes. In the tenth revision of the ICD, cause of death titles have been changed and conditions have been regrouped. Some coding rules have also been changed. In addition, ICD-10 tabulation lists used in publications have also changed, so mortality data prepared under different revisions of the ICD may not be comparable.

COMPARISON OF CAUSE OF DEATH DATA. Changes in moving to a new revision of the ICD can cause major discontinuities in trend data for certain causes of death. To understand the changes in mortality rates that are simply due to the new ICD revision, NCHS double codes a large sample of deaths under each revision to develop *comparability*

¹World Health Organization. "International Statistical Classification of Diseases and Related Health Problems, Tenth Revision." Geneva: World Health Organization, 1992.

²National Center for Health Statistics. "NCHS Instruction Manual, Part 2a, Vital Statistics, Instructions for Classifying the Underlying Cause of Death." Hyattsville, Maryland: Public Health Service, published annually.

³National Center for Health Statistics, Centers for Disease Control and Prevention. "Instruction Manual Part 9, ICD-10 Cause-of-Death Lists for Tabulation Mortality Statistics, Effective 1999." Hyattsville, Maryland: October, 1997.

ratios. This is simply the ratio of deaths coded under the new revision (ICD-10) divided by the number under the old revision (ICD-9) for a particular cause of death. These ratios are given in Robert Anderson, *et. al.*, *Comparability of Cause of Death between ICD-9 and ICD-10: Preliminary Estimates*, Hyattsville, MD, National Vital Statistics Reports, Volume 49, Number 2, May 18, 2001. By applying comparability ratios to the 1999 data, an analyst can understand what the death rates would have been without the ICD-10 revision. This correction is crucial in time trend analyses. For additional information on comparability ratios, see the NCHS web site at www.cdc.gov/nchs.

Handling of Unknowns

Items with a missing value or a response of "unknown" are shown as Not Stated in tables of frequency distributions and are included in totals and subtotals. However, for calculation of rates and ratios, "unknowns" are subtracted from denominators before calculations are made.

The only exceptions to this rule are for race and sex. Events with race "unknown" are included with "white" for tabulation purposes. If sex cannot be determined, sex is considered male if the day of the event is odd and female if the day is even.

Data Techniques

Data in this publication are generally presented as frequencies, rates, ratios and percentages. Frequency distributions tell how many times an event occurred for a particular population. For purposes of comparison rates, ratios and percentages are provided to standardize the figures. A ratio is a comparison of two quantities and is generally expressed as a fraction. A rate is the number of items having a certain characteristic divided by the total number of items. Rates are generally expressed to a standard base of 100, 1,000 or 100,000. Percentages are rates standardized to a base of 100.

Demographic rates make all populations equal in size. Demographic rates such as the death rate and birth rate are calculated by dividing the number of events in a given period by the population at risk during that period. Thus, rates give the number of events per person, or the average. By standardizing all populations to the same size, we eliminate one factor that makes comparisons among areas difficult.

The base of a demographic rate may be the total population or a sub population. Rates based on the total population are called crude rates. Others are called specific rates, such as age-specific rates used for children or teenaged populations or the sex-specific rate for prostate cancer. For information on specific calculations, see the section on FORMULAS.

Small Number Limitations

When using vital events data for studying small geographic areas or for examining specific medical or social factors, the number of events reported in a given year may be very small. Understanding the statistical limitations of small numbers is important in conducting analyses. Any time something is measured, error is almost inevitable. Error can be based on the accuracy of the reports, or alternately, on the number of the events or the size of the population. Some error is random, and when the numbers are very large, random error does not affect the usefulness of the data. However, when the number of vital events is very small or the population of the area is very low, random errors in data collection, or even randomly occurring events, can cause drastic fluctuations in rates.

One way to counteract random error is to increase the number of years or enlarge the area being studied. Otherwise calculations may be correct, but of very limited practical value. In this publication, rates are given regardless of their stability; however, for rates based on very small numbers, warnings are issued in the footnotes.

DEFINITIONS

Some definitions used in this publication may vary in meaning among states or nations. Also, some subjects change in definition over time. Center for Health Statistics definitions are consistent for all publications within a given year and are generally the same definitions used by the National Center for Health Statistics. However, a data-user should always compare definitions across geographical areas and times.

ABORTION -- See INDUCED TERMINATION OF PREGNANCY. In this publication, the terms *abortion* and *induced termination of pregnancy* are used synonymously.

ADEQUACY OF PRENATAL CARE UTILIZATION INDEX (APNCU) -- This index, also known as the Kotelchuck Index of Prenatal Care, was designed as an improvement on the Kessner Index. It has 5 values: 1 = adequate plus, 2 = adequate, 3 = intermediate, 4 = inadequate and 5 = unknown. Its major advantage is that it divides the adequate into two categories. Those with adequate plus had other risk factors, which increased the number of visits. The index can serve as an indicator that some medical condition required additional prenatal care. [Kotelchuck M., "An Evaluation of the Kessner Adequacy of Prenatal Care Index and a Proposed Adequacy of Prenatal Care Utilization Index", *American Journal of Public Health*, 1994, 84(9):1414-20.]

ANNULMENT -- "To nullify, to abolish, to make void by competent authority. An annulment differs from a divorce in that a divorce terminates a legal status, whereas an annulment establishes that a marital status never existed." *Black's Law Dictionary, Sixth Edition*. In this publication, annulments are included with divorces for rate calculation purposes and are available only by place of occurrence.

BIRTH -- See LIVE BIRTH. In this publication, the terms *live birth* and *birth* are used synonymously.

BIRTH INTERVAL -- The period from the date of the current birth to the date of the last termination of pregnancy, birth or otherwise.

BIRTH ORDER -- The numeric relationship of a child to other children born alive to that mother.

CAUSE OF DEATH -- The cause of death presented in this publication is the "underlying cause" which is defined as the cause deemed responsible for the sequence of morbid events leading directly to death or the circumstances of the accident or violence that produced the fatal injury. Deaths, by cause, are classified according to the *International Classification of Diseases (ICD), Tenth Revision*, following instructions established by the National Center for Health Statistics. See Appendix C for the compilation lists and ICD 10 codes used for the leading cause of death.

DEATH -- Death is defined in *Black's Law Dictionary, Sixth Edition* as "The cessation of life; permanent cessations of all vital functions and signs." For definitions of the determination of death under other than general circumstances, the *Code of Alabama* should be consulted.

DIVORCE -- A court decree dissolving a marital relationship. A divorce from bed and board is a separation from cohabitation which does not otherwise affect the marriage and is not included in this publication. See *Code of Alabama* for additional information. For rate calculation purposes in this publication, divorces include annulments and are reported by the county where the divorce occurred.

ESTIMATED POPULATION -- Estimated population as of April 1 of the year for which the estimate is made.

ESTIMATED PREGNANCIES -- The sum of births, induced terminations of pregnancy, and estimated total fetal losses.

ESTIMATED TOTAL FETAL LOSSES -- This term, which is a component used in determining the number of estimated pregnancies, is an estimate of the total number of fetal losses regardless of the gestational age of the fetus. Estimated total fetal losses is equal to the sum of 20 percent of births and 10 percent of induced terminations of pregnancy. This formula was developed by The Alan Guttmacher Institute and is widely accepted and used. Estimated total fetal losses should be distinguished from the term fetal deaths as used in this publication. While Alabama law defines fetal death to include all gestations (see definition of FETAL DEATH), only fetal deaths of at least 20 weeks in gestation are required to be reported by Alabama law and are the only ones counted as fetal deaths in this publication.

FETAL DEATH -- "Death prior to the complete expulsion or extraction from the mother of a product of human conception, irrespective of the duration of pregnancy and which is not an induced termination of pregnancy. The death is indicated by the fact that after the expulsion or extraction the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps." *Code of Alabama, 1975, Section 22-9A-1*. While the definition of fetal death includes all gestations, only fetal deaths that have advanced to or are beyond the twentieth week of uterogestation are required to be reported under Alabama law and they are the only ones counted as fetal deaths in this publication. (Also see ESTIMATED TOTAL FETAL LOSSES.)

GESTATION -- The period of development from the time of fertilization of the ovum to birth. In these publications, the terms *gestation* and *uterogestation* are used synonymously.

INDUCED TERMINATION OF PREGNANCY -- "The purposeful interruption of an intrauterine pregnancy with the intention other than to produce a liveborn infant and which does not result in a live birth. This definition excludes management of prolonged retention of products of conception following fetal death." *Code of Alabama, 1975, Section 22-9A-1* In these publications, the terms *induced termination of pregnancy* and *abortion* are used synonymously.

INFANT DEATH -- Death of a liveborn infant under one year of age. The term excludes fetal death.

INTERNATIONAL CLASSIFICATION OF DISEASES (ICD) -- A publication of the World Health Organization (WHO) that provides the essential ground rules for the coding and classification of cause-of-death data. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of health statistics. In addition to being a classification system, the rules provide for identification of a single condition on the death certificate that is considered most informative from a public health point of view, called the underlying cause of death.

LIVE BIRTH -- "The complete expulsion or extraction from the mother of a product of human conception, irrespective of the duration of the pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps." *Code of Alabama, 1975, Section 22-9A-1*. In these publications, the terms *live birth* and *birth* are used synonymously.

LOW BIRTH WEIGHT -- A weight at birth of under 2,500 grams or under 5 pounds and 8 ounces.

MARRIAGE -- The legal union of a man and a woman which establishes their relationship as husband and wife. See *Code of Alabama* for additional information. Marriage data are reported by the county where the marriage occurred.

MATERNAL DEATH -- A death due to complications of pregnancy, labor, delivery, or puerperium (ICD 10 codes: O00-O99).

NEONATAL DEATH -- Death of a liveborn infant occurring within the first 27 days of life.

OCCURRENCE DATA -- Data compiled as to the geographical place where the event occurred.

PERINATAL DEATH -- Death of a fetus of 28 or more weeks gestation or death of a live born infant under seven days of age. Note that several other definitions of this term exist.

POSTNEONATAL DEATH -- Death of a liveborn infant after the first 27 days of age, but before one year of age.

RESIDENT DATA -- Data compiled as to the place of residence without regard to the geographical place where the event occurred. For births and fetal deaths, place of residence of mother is used.

TEENAGE -- In this publication, persons aged 10 years through 19 years.

TOTAL BIRTH ORDER -- An expression of the numeric relationship of the birth of a child to all deliveries to that mother regardless of the outcome of a pregnancy.

TOTAL FERTILITY RATE -- An estimate of the average number of children that 1,000 women would bear if the current age-specific birth rates remained constant.

VERY LOW BIRTH WEIGHT -- A weight at birth of under 1500 grams or under 3 pounds and 5 ounces.

COUNTY HEALTH PROFILES FORMULAS

$$\text{AGE-SPECIFIC BIRTH RATE} = \frac{\text{Number of Live Births To Females In Specific Age Group}}{\text{Estimated Female Population in That Age Group}} \times 1,000$$

$$\text{TEENAGE BIRTH RATE} = \frac{\text{Number of Live Births to Females Aged 10-19}}{\text{Estimated Female Population Aged 10-19}} \times 1,000$$

$$\text{BIRTH RATE or CRUDE BIRTH RATE} = \frac{\text{Number of Live Births}}{\text{Estimated Midyear Population}} \times 1,000$$

$$\text{PREGNANCY RATE} = \frac{\text{Number of Live Births} + \text{Number of Abortions} + \text{Estimated Total Fetal Losses}}{\text{Estimated Female Population 15-44 Years of Age}} \times 1,000$$

$$\text{TEENAGE PREGNANCY RATE} = \frac{\text{Number of Live Births to Females Aged 10-19} + \text{Number of Abortions to Females Aged 10-19} + \text{Estimated Total Fetal Losses to Females Aged 10-19}}{\text{Estimated Female Population 10-19 Years of Age}} \times 1,000$$

$$\text{ESTIMATED PREGNANCIES} = \text{Number of Live Births} + \text{Number of Abortions} + \text{Estimated Total Fetal Losses}$$

$$\text{TOTAL FERTILITY RATE} = \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 10-14} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right) + \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 15-19} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right) + \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 20-24} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right) + \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 25-29} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right) + \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 30-34} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right) + \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 35-39} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right) + \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 40-44} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right) + \left(\begin{array}{l} \text{Age-Specific Birth Rate} \\ \text{For Females Aged 45-49} \end{array} \times \begin{array}{l} \text{Age Interval} \\ \text{In Age Group} \end{array} \right)$$

(Some states do not consider age groups 10-14 and 45-49 in this computation. Caution should be exercised in comparing TOTAL FERTILITY RATES between states.)

$$\text{INFANT MORTALITY RATE} = \frac{\text{Number of Deaths Under 1 Year of Age}}{\text{Number of Live Births}} \times 1,000$$

$$\text{POSTNEONATAL MORTALITY RATE} = \frac{\text{Number of Deaths 28 or More Days, But Less Than 1 Year of Age}}{\text{Number of Live Births}} \times 1,000$$

$$\text{NEONATAL MORTALITY RATE} = \frac{\text{Number of Deaths Under 28 Days of Age}}{\text{Number of Live Births}} \times 1,000$$

$$\text{TEENAGE ABORTION RATE} = \frac{\text{Number of Abortions to Females Aged 10-19}}{\text{Estimated Female Population Aged 10-19}} \times 1,000$$

$$\text{ESTIMATED FETAL LOSSES} = 20 \text{ Percent of Live Births} + 10 \text{ Percent of Abortions}$$

$$\text{ABORTION RATE} = \frac{\text{Number of Abortions}}{\text{Estimated Female Population 15-44 Years of Age}} \times 1,000$$

$$\text{DEATH RATE} = \frac{\text{Number of Deaths}}{\text{Estimated Midyear Population}} \times 1,000$$

$$\text{CAUSE-SPECIFIC DEATH RATE} = \frac{\text{Number of Deaths for Specific Cause}}{\text{Estimated Midyear Population}} \times 100,000$$

$$\text{AGE-SPECIFIC DEATH RATE} = \frac{\text{Number of Deaths for Specific Age Group}}{\text{Estimated Population In That Age Group}} \times 1,000$$

$$\text{MARRIAGE RATE} = \frac{\text{Number of Marriages}}{\text{Estimated Midyear Population}} \times 1,000$$

$$\text{DIVORCE(DISSOLUTION) RATE} = \frac{\text{Number of Divorces and Annulments}}{\text{Estimated Midyear Population}} \times 1,000$$

ICD-10 CODES USED IN THE 2000 COUNTY HEALTH PROFILES

SELECTED DEATHS

Heart Disease = I00-I09 or I11 or I13 or I20-I51

Cancer = C00-C99

Stroke = I60-I69

Accidents = V01-X59 or Y85-Y86

Chronic Lower Respiratory = J40-J47

Diabetes = E10-E14

Influenza & Pneumonia = J10-J18

Alzheimer's Disease = G30

Suicide = X60-X84 or Y870

Homicide = X85-Y09 or Y871

HIV = B20-B24

ACCIDENTAL DEATHS

All Accidents = V01-X59 or Y85-Y86

Motor Vehicle = V02-V04 or V090 or V092 or V12-V14 or V190-V192 or V194-V196 or
V20-V79 or V803-V805 or V83-V86 or V870-V878 or V880-V888 or
V890 or V892

Suffocation = W75-W84

Poisoning = X40-X49

Smoke, Fire & Flames = X00-X09

Falls = W00-W19

Drowning = W65-W75

Firearms = W32-W34

Other Accidents = All other accident codes not specifically mentioned above.

SELECTED CANCER SITES

All Cancers = C00-C99

Trachea, Bronchus, Lung, Pleura = C33-C34

Colorectal = C18-C21

Breast (female) = C50 and sex is female

Prostate (male) = C61

Pancreas = C25

Leukemias = C91-C95

Non-Hodgkin's Lymphomas = C82-C85

Ovary (female) = C56

Brain and other nervous system = C70-C72

Stomach = C16

Uterus & Cervix (female) = C53-C55

Esophagus = C15

Melanoma of Skin = C43

Other = All other cancer sites not mentioned specifically above

THIS IS A LEGAL RECORD AND MUST BE FILED WITH LOCAL REGISTRAR WITHIN FIVE (5) DAYS AFTER BIRTH.

ALABAMA CERTIFICATE OF LIVE BIRTH

County File Number _____ State File Number **101**

CHILD

4. _____
5. _____
8. _____
9. _____

CERTIFIER

14. _____

TYPE IN PERMANENT BLACK INK. DO NOT USE GREEN, RED, OR BLUE INK.

21. _____

MOTHER

27. _____

FATHER

35. _____

1. NAME - First Middle Last (Type last name all capitals)	2. DATE OF BIRTH (Month, Day, Year)	3. TIME OF BIRTH (Specify am or pm)
4. SEX	5. THIS BIRTH—(Specify Single, Twin, Triplet, etc.)	6. IF NOT SINGLE BIRTH—(Specify if this child born first, second, etc.)
7. COUNTY OF BIRTH		8. CITY, TOWN OR LOCATION OF BIRTH
9. FACILITY NAME (If not institution, give street, street number, and indicate INSIDE or OUTSIDE city limits)		
10. SIGNATURE OF ATTENDANT OR CERTIFIER (I hereby certify this child was born alive on the date and place stated above)		11. DATE SIGNED—(Month, Day, Year)
12. ATTENDANT'S NAME		16. CERTIFIER'S NAME (If other than attendant)
13. ATTENDANT'S ADDRESS		17. CERTIFIER'S ADDRESS
14. TYPE OF ATTENDANT (Specify M.D., D.O., C.N.M., O.N.M., Other (Specify))	15. ATTENDANT'S LICENSE NUMBER	18. CERTIFIER'S TITLE
19. SIGNATURE OF EITHER PARENT—I certify that the personal information provided on this certificate is correct.		20. DATE SIGNED—(Month, Day, Year)
21. Parent(s) request that a Social Security Number be issued for this child. (Specify Yes or No)		22. REGISTRAR'S SIGNATURE
23. DATE FILED (Month, Day, Year)		24. MOTHER'S MAIDEN LAST NAME
25. MOTHER'S LEGAL NAME - First Middle Last		26. MOTHER'S DATE OF BIRTH
27. MOTHER'S STATE OF BIRTH (If not in U.S.A., name country)	28. MOTHER'S USUAL RESIDENCE—STATE	29. MOTHER'S RESIDENCE—COUNTY
30. MOTHER'S RESIDENCE—CITY OR TOWN AND ZIP CODE	31. MOTHER'S RESIDENCE—STREET ADDRESS (If rural, give location)	32. MOTHER'S RESIDENCE—Inside City Limits (Specify Yes or No)
33. FATHER'S NAME - First Middle Last	34. FATHER'S DATE OF BIRTH	35. FATHER'S STATE OF BIRTH (If not in U.S.A., name country)

ALL ITEMS MUST BE COMPLETE AND ACCURATE.

ADPH-HS 1/Rev. 10-93

CONFIDENTIAL

FATHER

MOTHER

DISCLOSURE OF SOCIAL SECURITY NUMBER IS REQUIRED BY FEDERAL LAW.

The following section will not be shown on certified copies.

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

36. FATHER—OF HISPANIC ORIGIN—(Specify Yes or No) If Yes, Specify Cuban, Mexican, Puerto Rican, etc.	37. FATHER'S RACE—(Specify American Indian, Black, White, etc.)	38. FATHER'S SOCIAL SECURITY NUMBER
39. FATHER'S OCCUPATION	40. FATHER'S INDUSTRY	41. FATHER'S EDUCATION (Specify ONLY highest grade completed) ELEMENTARY OR HIGH SCHOOL (0-12) COLLEGE (1-4 or 5+)
42. MOTHER—OF HISPANIC ORIGIN—(Specify Yes or No) If Yes, Specify Cuban, Mexican, Puerto Rican, etc.	43. MOTHER'S RACE—(Specify American Indian, Black, White, etc.)	44. MOTHER'S SOCIAL SECURITY NUMBER
45. MOTHER'S OCCUPATION	46. MOTHER'S INDUSTRY	47. MOTHER'S EDUCATION (Specify ONLY highest grade completed) ELEMENTARY OR HIGH SCHOOL (0-12) COLLEGE (1-4 or 5+)
48. MOTHER MARRIED—(Specify Yes or No)	49. DATE LAST NORMAL MENSTRUATION BEGAN (Month, Day, Year)	50. MONTH OF PREGNANCY PRENATAL CARE BEGAN—First, Second, etc.
51. PROVIDERS OF PRENATAL CARE (Check all that apply) PRIVATE PHYSICIAN <input type="checkbox"/> HOSPITAL <input type="checkbox"/> HEALTH DEPARTMENT <input type="checkbox"/> COMMUNITY HEALTH CENTER <input type="checkbox"/> NONE <input type="checkbox"/> OTHER <input type="checkbox"/> (Specify)		52. TOTAL NUMBER OF VISITS TO ALL PROVIDERS
53. MAIN SOURCE OF PAYMENT FOR THIS BIRTH MEDICAID <input type="checkbox"/> PRIVATE INSURANCE <input type="checkbox"/> SELF PAY <input type="checkbox"/> OTHER <input type="checkbox"/> (Specify)		54. DID INFANT RECEIVE NEONATAL INTENSIVE CARE (Specify Yes or No)
55. AT TIME OF THIS REPORT INFANT WAS—(Specify Alive or Dead)		56. PREGNANCY HISTORY—(Exclude this Child) a. NUMBER BORN ALIVE—NOW LIVING b. NUMBER BORN ALIVE—NOW DEAD c. NUMBER BEFORE 20 WEEKS d. NUMBER AT 20 WEEKS OR MORE
57. DATE OF LAST LIVE BIRTH (Month, Day, Year) (Exclude this child)	58. DATE OF LAST OTHER TERMINATION (Month, Day, Year)	59. APGAR SCORE a. At 1 minute b. At 5 minutes
60. WEIGHT AT BIRTH (Enter in grams)	61. CLINICAL ESTIMATE OF GESTATION—Weeks	62. MOTHER TRANSFERRED PRIOR TO DELIVERY (Specify Yes or No) If yes, enter name of facility transferred to.
63. INFANT TRANSFERRED (Specify Yes or No) If yes, enter name of facility transferred to.	64. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply) Anemia (Hct <30, Hgb <10) <input type="checkbox"/> Cardiac disease <input type="checkbox"/> Acute or chronic lung disease <input type="checkbox"/> Diabetes <input type="checkbox"/> Genital herpes <input type="checkbox"/> Histamine/ Oligo/anti-tox <input type="checkbox"/> Hemoglobinopathy <input type="checkbox"/> Hypertension, chronic <input type="checkbox"/> Hypertension, pregnancy-associated <input type="checkbox"/> Eclampsia <input type="checkbox"/> Incompetent cervix <input type="checkbox"/> Previous infant >4000 g grams <input type="checkbox"/> Previous preterm or small-for-gestational-age infant <input type="checkbox"/> Renal disease <input type="checkbox"/> Rh sensitization <input type="checkbox"/> Uterine bleeding <input type="checkbox"/> None <input type="checkbox"/> Other (Specify) <input type="checkbox"/>	
65. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items) Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number cigarettes per day _____ Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number drinks per week _____ Weight gained during pregnancy _____ lbs Cocaine, Heroin, Marijuana, Methamphetamines or street drugs used during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/>		66. METHOD OF DELIVERY—(Check all that apply) Vaginal <input type="checkbox"/> Vaginal birth after previous C-section <input type="checkbox"/> Primary C-section <input type="checkbox"/> Repeat C-section <input type="checkbox"/> Forceps <input type="checkbox"/> Vacuum <input type="checkbox"/>
67. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply) Febrile (>100 °F or 38 °C) <input type="checkbox"/> Meconium, moderate/heavy <input type="checkbox"/> Premature rupture of membrane (>12 hours) <input type="checkbox"/> Abruptio placentae <input type="checkbox"/> Placenta previa <input type="checkbox"/> Other excessive bleeding <input type="checkbox"/> Seizures during labor <input type="checkbox"/> Precipitous labor (<3 hours) <input type="checkbox"/> Prolonged labor (>20 hours) <input type="checkbox"/> Dysfunctional labor <input type="checkbox"/> Breech/Malpresentation <input type="checkbox"/> Cephalopelvic disproportion <input type="checkbox"/> Cord prolapse <input type="checkbox"/> Anesthetic complications <input type="checkbox"/> Fetal distress <input type="checkbox"/> None <input type="checkbox"/> Other (Specify) <input type="checkbox"/>		68. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) Anemia (Hct <38, Hgb <13) <input type="checkbox"/> Birth injury <input type="checkbox"/> Fetal alcohol syndrome <input type="checkbox"/> Hyaline membrane disease/RDS <input type="checkbox"/> Meconium aspiration syndrome <input type="checkbox"/> Assisted ventilation <30 min <input type="checkbox"/> Assisted ventilation ≥30 min <input type="checkbox"/> Seizures <input type="checkbox"/> None <input type="checkbox"/> Other (Specify) <input type="checkbox"/>
69. OBSTETRIC PROCEDURES (Check all that apply) Amniocentesis <input type="checkbox"/> Electronic fetal monitoring <input type="checkbox"/> Induction of labor <input type="checkbox"/> Stimulation of labor <input type="checkbox"/> Tocolytics <input type="checkbox"/> Ultrasound <input type="checkbox"/> None <input type="checkbox"/> Other (Specify) <input type="checkbox"/>		70. FAMILY HISTORY OF HEARING LOSS/DEAFNESS AT AN EARLY AGE Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown <input type="checkbox"/>
71. CONGENITAL ANOMALIES OF CHILD (Check all that apply) Anencephalus <input type="checkbox"/> Spina bifida/meningocele <input type="checkbox"/> Hydrocephalus <input type="checkbox"/> Microcephalus <input type="checkbox"/> Other central nervous system anomalies (Specify) <input type="checkbox"/> Heart malformations <input type="checkbox"/> Other circulatory or respiratory anomalies (Specify) <input type="checkbox"/> Renal anomalies <input type="checkbox"/> Tracheo-esophageal fistula, esophageal atresia <input type="checkbox"/> Omphalocele/gastrochisis <input type="checkbox"/> Other gastrointestinal anomalies <input type="checkbox"/> Malformed genitalia <input type="checkbox"/> Renal agenesis <input type="checkbox"/> Other urogenital anomalies (Specify) <input type="checkbox"/> Cleft lip/palate <input type="checkbox"/> Polydactyly, syndactyly, adactyly <input type="checkbox"/> Club foot <input type="checkbox"/> Diaphragmatic hernia <input type="checkbox"/> Other musculoskeletal/integument anomalies (Specify) <input type="checkbox"/> Down's syndrome <input type="checkbox"/> Other chromosomal anomalies (Specify) <input type="checkbox"/> None <input type="checkbox"/> Other (Specify) <input type="checkbox"/>		

TYPE IN PERMANENT
BLACK INK. DO NOT
USE GREEN, RED, OR
BLUE INK.

ALABAMA CERTIFICATE OF DEATH

County File
Number --

State File Number **101**

3.
6.
19.
20.
26.
27.
34.

SSN:

NAME OF DECEASED

46.
49.
55.

1. DECEASED—NAME First Middle Last (Type last name all capitals)			2. DATE OF DEATH (Month, Day, Year)		3. COUNTY OF DEATH
4. CITY, TOWN, OR LOCATION OF DEATH AND ZIP CODE				5. INSIDE CITY LIMITS (Specify Yes or No)	6. PLACE OF DEATH—HOSPITAL OR OTHER INSTITUTION—(If not in either, give street and number)
7. IF HOSPITAL (Specify Inpatient, ER or Outpatient, DOA)		8. OF HISPANIC ORIGIN (Specify Yes or No) If Yes, Specify Cuban, Mexican, Puerto Rican, etc.		9. RACE—(Specify American Indian, Black, White, etc.)	10. SEX
11. AGE	12. UNDER 1 YEAR MOS. DAYS	UNDER 1 DAY HOURS MINS.	13. DATE OF BIRTH (Month, Day, Year)		14. DECEASED'S SOCIAL SECURITY NUMBER
15. EDUCATION (Specify ONLY highest grade completed below) Elementary or High School (0-12) College (1-4 or 5+)		16. MARITAL STATUS (Specify Married, Never Married, Widowed, Divorced)		17. SURVIVING SPOUSE (If wife, give maiden name)	18. Was Occident ever in Armed Forces (Specify Yes or No)
19. STATE OF BIRTH (If not in USA, name country)		20. RESIDENCE—STATE	21. COUNTY	22. CITY, TOWN, OR LOCATION AND ZIP CODE	
23. INSIDE CITY LIMITS (Specify Yes or No)	24. STREET AND NUMBER	25. INFORMANT—Name and Address			
26. USUAL OCCUPATION (Give kind of work done during most of working life when retired)			27. KIND OF BUSINESS OR INDUSTRY		
28. FATHER—NAME First Middle Last			29. MAIDEN NAME OF MOTHER First Middle Last		
30. DISPOSITION OF BODY (Specify Burial, Cremation, Medical Donation, Hospital Disposal, Other)		31. DATE OF DISPOSITION (Month, Day, Year)	32. CEMETERY OR CREMATORY—Name		33. LOCATION—(City or Town—State)
34. FUNERAL HOME—Name and Address			35. FUNERAL DIRECTOR—Signature		36. DATE SIGNED BY FUNERAL DIRECTOR
37. <u> </u> Certifying Physician (Physician certifying cause of death) "To the best of my knowledge death occurred at the time and date, and due to the cause(s) and manner stated." <u> </u> Medical Examiner <u> </u> Coroner "On the basis of examination and/or investigation, in my opinion, death occurred at the time, date, place, and due to the cause(s) and manner stated." Signature:				38. DATE SIGNED (Month, Day, Year)	
39. TIME AND DATE OF DEATH		40. DATE AND TIME PRONOUNCED DEAD (For Coroner/M.E. use only)		41. NAME AND TITLE OF PERSON WHO COMPLETED CAUSE OF DEATH (Item 46)	
42. ADDRESS OF PERSON WHO COMPLETED CAUSE OF DEATH (Item 46)				43. CERTIFIER LICENSE NUMBER	
44. REGISTRAR—Signature				For State or County use only	45. DATE FILED (Month, Day, Year)

DECEASED

BURIAL

CERTIFIER

MEDICAL CERTIFICATION

46. PART I: Enter the diseases, injuries, or complications that caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. LIST ONLY ONE CAUSE ON EACH LINE.			APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH
IMMEDIATE CAUSE (Final disease or condition resulting in death) →	a. DUE TO (OR AS A CONSEQUENCE OF):		
Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury that initiated events resulting in death) LAST	b. DUE TO (OR AS A CONSEQUENCE OF):		
	c. DUE TO (OR AS A CONSEQUENCE OF):		
	d. DUE TO (OR AS A CONSEQUENCE OF):		
47. PART II: Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.			48. WAS THERE A PREGNANCY IN LAST 42 DAYS? (Specify Yes, No, or Unknown)
49. MANNER OF DEATH (Specify—Accident, Homicide, Suicide, Undetermined Circumstances, Pending Investigation, Natural Cause)		50. AUTOPSY (Specify Yes or No)	51. If yes, were findings considered in determining cause of death? (Specify Yes or No)
52. HOW INJURY OCCURRED (Enter nature of injury in Item 46, Part I or Item 47, Part II)		53. DATE OF INJURY (Month, Day, Year)	54. HOUR OF INJURY M.
55. INJURY AT WORK (Specify Yes or No)	56. PLACE OF INJURY—(Specify at home, farm, street, factory, office building, etc.)	57. LOCATION OF INJURY (Street or R.F.D. No., City or Town, State)	

CAUSE

This is a legal record and must be filed within five (5) days after death.

AOPH-HS 2/Rev. 11-83

ALABAMA CENTER FOR HEALTH STATISTICS
REPORT OF FETAL DEATH

THIS REPORT MUST BE FILED
WITHIN FIVE (5) DAYS.

State File Number 101

FETUS			1. NAME OF FETUS—(If given) First Middle Last (Last name in all capital letters)			2. DATE OF DELIVERY—(Month, Day, Year)			3. TIME OF DELIVERY—(Specify AM or PM)					
4. SEX OF FETUS			5. THIS DELIVERY—(Specify Single, Twin, Triplet, etc.)			6. IF NOT SINGLE DELIVERY—(Specify if the child was born first, second, etc.)			7. COUNTY OF DELIVERY					
8. CITY, TOWN OR LOCATION OF DELIVERY						9. FACILITY NAME—(If not institution, give street number and indicate INSIDE or OUTSIDE city limits)								
10. NAME OF ATTENDANT						11. TYPE OF ATTENDANT—(Specify MD, DO, CNM, ONM, Other (Specify))			12. LICENSE NUMBER					
MOTHER						13. MOTHER'S LAST NAME OF MOTHER			14. MOTHER'S FULL LEGAL NAME—First Middle Last					
15. MOTHER'S DATE OF BIRTH—(Month, Day, Year)			16. MOTHER'S STATE OF BIRTH—(If not in USA, name Country)			17. MOTHER'S RESIDENCE—STATE			18. MOTHER'S RESIDENCE—COUNTY					
19. MOTHER'S RESIDENCE—CITY OR TOWN AND ZIP CODE			20. MOTHER'S RESIDENCE—STREET ADDRESS (If rural, give location)			21. MOTHER'S RESIDENCE—Inside City Limits (Specify YES or NO)								
FATHER						22. FATHER'S FULL NAME—First Middle Last			23. FATHER'S DATE OF BIRTH—(Month, Day, Year)			24. FATHER'S STATE OF BIRTH—(If not in USA, name Country)		

MEDICAL AND HEALTH INFORMATION FOR STATISTICAL USE ONLY

FATHER			25. FATHER OF HISPANIC ORIGIN—(Specify Yes or No) If Yes, Specify Cuban, Mexican, Puerto Rican, etc.			26. FATHER'S RACE—(Specify Black, White, American Indian, etc.)			27. FATHER'S SOCIAL SECURITY NUMBER		
28. FATHER'S OCCUPATION			29. FATHER'S INDUSTRY			30. FATHER'S EDUCATION—(Specify ONLY HIGHEST grade completed) (Elementary or High School 6-12) (College 13-16)					
MOTHER			31. MOTHER OF HISPANIC ORIGIN—(Specify Yes or No) If Yes, Specify Cuban, Mexican, Puerto Rican, etc.			32. MOTHER'S RACE—(Specify Black, White, American Indian, etc.)			33. MOTHER'S SOCIAL SECURITY NUMBER		
34. MOTHER'S OCCUPATION			35. MOTHER'S INDUSTRY			36. MOTHER'S EDUCATION—(Specify ONLY HIGHEST grade completed) (Elementary or High School 6-12) (College 13-16)					
37. MOTHER MARRIED—(Specify Yes or No)			38. MONTH OF PREGNANCY PRENATAL CARE BEGAN—(First, Second, etc.)			39. TOTAL NUMBER OF VISITS TO ALL PROVIDERS			40. DATE LAST NORMAL MENSES BEGAN—(Month, Day, Year)		
41. PROVIDERS OF PRENATAL CARE—(Check all that apply) <input type="checkbox"/> PRIVATE PHYSICIAN <input type="checkbox"/> HOSPITAL <input type="checkbox"/> HEALTH DEPARTMENT <input type="checkbox"/> COMMUNITY HEALTH CENTER <input type="checkbox"/> NONE <input type="checkbox"/> OTHER (Specify)											
42. MAIN SOURCE OF PAYMENT FOR THIS DELIVERY <input type="checkbox"/> Medicaid <input type="checkbox"/> Private INS <input type="checkbox"/> Self Pay <input type="checkbox"/> Other						43. ATTENDANT'S ESTIMATE OF GESTATION			44. WEIGHT OF FETUS—GRAMS		
45. PREGNANCY HISTORY— Exclude this Child. (Complete each term)				LIVE BIRTHS		OTHER TERMINATIONS (Spontaneous and Induced)					
a. NUMBER BORN ALIVE—NOW LIVING		b. NUMBER BORN ALIVE—NOW DEAD		c. NUMBER BEFORE 20 WEEKS		d. NUMBER AT 20 WEEKS OR MORE					
46. DATE OF LAST LIVE BIRTH—(Month, Day, Year)				47. DATE OF LAST OTHER TERMINATION—(Month, Day, Year) (Exclude this child)							

48. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)				50. OBSTETRIC PROCEDURES (Check all that apply)				53. CONGENITAL ANOMALIES OF CHILD (Check all that apply)			
Anemia (Hct. < 30, hgb. < 10) 01 <input type="checkbox"/>				Amniocentesis 01 <input type="checkbox"/>				Anencephalus 01 <input type="checkbox"/>			
Cardiac disease 02 <input type="checkbox"/>				Electronic fetal monitoring 02 <input type="checkbox"/>				Spina bifida, meningocele 02 <input type="checkbox"/>			
Acute or chronic lung disease 03 <input type="checkbox"/>				Induction of labor 03 <input type="checkbox"/>				Hydrocephalus 03 <input type="checkbox"/>			
Diabetes 04 <input type="checkbox"/>				Stimulation of labor 04 <input type="checkbox"/>				Microcephalus 04 <input type="checkbox"/>			
Genital herpes 05 <input type="checkbox"/>				Tocolysis 05 <input type="checkbox"/>				Other central nervous system anomalies 05 <input type="checkbox"/>			
Hydranionia/Oligohydramnios 06 <input type="checkbox"/>				Ultrasound 06 <input type="checkbox"/>				(Specify)			
Hemoglobinopathy 07 <input type="checkbox"/>				None 06 <input type="checkbox"/>				Heart malformations 06 <input type="checkbox"/>			
Hypertension, chronic 08 <input type="checkbox"/>				Other 07 <input type="checkbox"/>				Other circulatory or respiratory anomalies 07 <input type="checkbox"/>			
Hypertension, pregnancy-associated 09 <input type="checkbox"/>				(Specify)				(Specify)			
Eclampsia 10 <input type="checkbox"/>								Rectal atresia/stenosis 08 <input type="checkbox"/>			
Incompetent cervix 11 <input type="checkbox"/>								Tracheo-esophageal fistula, esophageal atresia 09 <input type="checkbox"/>			
Previous infant 4000+ grams 12 <input type="checkbox"/>								Omphalocele/gastroschisis 10 <input type="checkbox"/>			
Previous preterm or small-for-gestational-age infant 13 <input type="checkbox"/>								Other gastrointestinal anomalies 11 <input type="checkbox"/>			
Renal disease 14 <input type="checkbox"/>								(Specify)			
Rb sensitization 15 <input type="checkbox"/>								Malformed genitalia 12 <input type="checkbox"/>			
Uterine bleeding 16 <input type="checkbox"/>								Renal Agenesis 13 <input type="checkbox"/>			
None 09 <input type="checkbox"/>								Other urogenital anomalies 14 <input type="checkbox"/>			
Other 17 <input type="checkbox"/>								(Specify)			
(Specify)								Cleft lip/palate 15 <input type="checkbox"/>			
48. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)				51. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)				Down's syndrome 20 <input type="checkbox"/>			
Tobacco use during pregnancy ... Yes <input type="checkbox"/> No <input type="checkbox"/>				Feverile (> 100°F. or 38°C) 01 <input type="checkbox"/>				Other chromosomal anomalies 21 <input type="checkbox"/>			
Average number cigarettes per day _____				Meconium, moderate/heavy 02 <input type="checkbox"/>				(Specify)			
Alcohol use during pregnancy ... Yes <input type="checkbox"/> No <input type="checkbox"/>				Premature rupture of membrane (> 12 hours) 03 <input type="checkbox"/>							
Average number drinks per week _____				Abruptio placenta 04 <input type="checkbox"/>				Club foot 17 <input type="checkbox"/>			
Weight gained during pregnancy _____ lbs.				Placenta previa 05 <input type="checkbox"/>				Diaphragmatic hernia 18 <input type="checkbox"/>			
Cocaine, Heroin, Marijuana, Methamphetamines or street drugs used during pregnancy ... Yes <input type="checkbox"/> No <input type="checkbox"/>				Other excessive bleeding 06 <input type="checkbox"/>				Other musculoskeletal/integument anomalies 19 <input type="checkbox"/>			
				Other 16 <input type="checkbox"/>				(Specify)			
				(Specify)							
				52. METHOD OF DELIVERY—(Check all that apply)							
				Vaginal 01 <input type="checkbox"/>							
				Vaginal birth after previous C-section 02 <input type="checkbox"/>							
				Primary C-section 03 <input type="checkbox"/>							
				Repeat C-section 04 <input type="checkbox"/>							
				Forceps 05 <input type="checkbox"/>							
				Vacuum 06 <input type="checkbox"/>							
				Hysterotomy/Hysterectomy 07 <input type="checkbox"/>							

MEDICAL CERTIFICATION				54. PART I IMMEDIATE CAUSE				SPECIFY FETAL OR MATERNAL			
Fetal or Maternal condition directly causing fetal death.				a. _____ DUE TO OR AS A CONSEQUENCE OF _____				SPECIFY FETAL OR MATERNAL			
Fetal and/or maternal conditions, if any, giving rise to the immediate cause a.				b. _____ DUE TO OR AS A CONSEQUENCE OF _____				SPECIFY FETAL OR MATERNAL			
STATING THE UNDERLYING CAUSE LAST.				c. _____ DUE TO OR AS A CONSEQUENCE OF _____				SPECIFY FETAL OR MATERNAL			
55. PART II Other significant conditions of Fetus or Mother—contributing to fetal death but not resulting in the underlying cause given in Part I				56. FETUS DIED—(Specify Before Labor, During Labor or Delivery, Unknown)				57. AUTOPSY—(Specify YES or NO)			
58. SIGNATURE OF PERSON COMPLETING THIS REPORT								59. DATE			

ADPH-HS 3/Rev. 9-98-rm

Alabama

Certificate of Marriage

TYPE IN PERMANENT
BLACK INK.

State File Number **101**

LICENSE TO MARRY	1. ISSUING COUNTY	
To any person lawfully authorized to solemnize marriages within Alabama: You are hereby authorized to celebrate the rite of matrimony for the persons named below, after which you are required by law to return this license, duly certified under your hand, to the Probate Judge of the issuing county within one month.		
GROOM	2. GROOM'S NAME First Middle Last (Print last name all capitals)	3. DATE OF BIRTH (Month, Day, Year)
1.	5. RESIDENCE—City, Town, or Location and Zip Code	7. COUNTY
4.	6. INSIDE CITY LIMITS (Specify Yes or No)	8. STATE
7.	9. NO. OF PREVIOUS MARRIAGES	10. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED—(Specify Death, Divorce, Dissolution, Annulment)
10.	12. FATHER'S NAME First Middle Last	13. MOTHER'S NAME First Middle Maiden Last Name
11.	14. BRIDE'S NAME First Middle Last (Print last name all capitals)	15. BRIDE'S MAIDEN LAST NAME (If different)
BRIDE	16. DATE OF BIRTH (Month, Day, Year)	18. RESIDENCE—City, Town, or Location and Zip Code
17.	17. RACE—(Specify American Indian, Black, White, etc.)	19. INSIDE CITY LIMITS (Specify Yes or No)
20.	20. COUNTY	21. STATE
22.	22. NO. OF PREVIOUS MARRIAGES	24. EDUCATION (Specify ONLY highest grade completed) Elementary or High School (0-12) College (1-4 or 5+)
23.	23. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED—(Specify Death, Divorce, Dissolution, Annulment)	26. MOTHER'S NAME First Middle Maiden Last Name
24.	25. FATHER'S NAME First Middle Last	28. BRIDE—SIGNATURE
SIGNATURES	We hereby certify that the information provided is correct to the best of our knowledge and belief and we are free to marry under the laws of this state.	
LOCAL OFFICIAL	27. GROOM—SIGNATURE	29. JUDGE OF PROBATE—SIGNATURE
CEREMONY	30. ISSUING DATE (Month, Day, Year)	31. EXPIRATION DATE (Month, Day, Year)
34.	32. I CERTIFY THAT THE ABOVE NAMED PERSONS WERE MARRIED ON: (Month, Day, Year)	33. WHERE MARRIED—City, Town, or Location and Zip Code
37.	35. SIGNATURE OF PERSON PERFORMING CEREMONY	36. TYPED OR PRINTED NAME OF PERSON PERFORMING CEREMONY
	37. TITLE OF PERSON PERFORMING CEREMONY	38. ADDRESS OF PERSON PERFORMING CEREMONY—Street and Number or P.O. Number, City or Town, State, Zip Code
LOCAL OFFICIAL	39. DATE CERTIFICATE RETURNED TO JUDGE OF PROBATE— (Month, Day, Year)	40. MARRIAGE LICENSE RECORD Book Number Page Number
	41. JUDGE OF PROBATE—SIGNATURE	

THIS LICENSE IS VOID UNLESS SOLEMNIZED WITHIN 30 DAYS FROM ISSUING DATE.

ALABAMA

CERTIFICATE OF DIVORCE

State File Number **101**

1. Petitioner's Representative must file this form with the Circuit Court at the time the petition is filed.

2. HUSBAND'S NAME First Middle Last (Print last name all capitals)

3. DATE OF BIRTH (Month, Day, Year)

4. RACE—(Specify American Indian, Black, White, Etc.)

5. EDUCATION—(Specify ONLY highest grade completed)
Elementary or High School (0-12) College (1-4 or 5+)

6. SOCIAL SECURITY NUMBER

7. USUAL RESIDENCE—STATE

8. COUNTY

9. CITY—TOWN OR LOCATION

10. INSIDE CITY LIMITS (Specify Yes or No) **11. ADDRESS**—Street and Number or RFD Number

12. NUMBER OF THIS MARRIAGE (First, Second, Etc.) **13. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED BY**—(Specify Death, Divorce, Dissolution, Annulment)

14. WIFE'S NAME First Middle Last (Print last name all capitals)

15. WIFE'S MAIDEN LAST NAME

16. DATE OF BIRTH (Month, Day, Year)

17. RACE—(Specify American Indian, Black, White, Etc.)

18. EDUCATION—(Specify ONLY highest grade completed)
Elementary or High School (0-12) College (1-4 or 5+)

19. SOCIAL SECURITY NUMBER

20. USUAL RESIDENCE—STATE

21. COUNTY

22. CITY—TOWN OR LOCATION

23. INSIDE CITY LIMITS (Specify Yes or No)

24. ADDRESS—Street and Number or RFD Number

25. NUMBER OF THIS MARRIAGE (First, Second, Etc.)

26. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED—(Specify Death, Divorce, Dissolution, Annulment)

27. Give the total number of children for whom custody was determined and indicate the number awarded to each party. Enter a "0" for the total if the custody of no children under 18 was subject to this action.

28. NUMBER OF CHILDREN UNDER 18 IN THIS HOUSEHOLD AS OF THE DATE IN ITEM 29 (Enter "0" if no children)

29. DATE COUPLE SEPARATED (Month, Day, Year)

30. PLACE OF THIS MARRIAGE—(City, County, State)

31. DATE OF THIS MARRIAGE (Month, Day, Year)

32. PETITIONER—
 Husband Wife Both Other, Specify

33. PETITIONER'S ATTORNEY OR REPRESENTATIVE—(Type)

34. ADDRESS—Street and Number or RFD Number—City—State—Zip

35. TYPE OF DECREE—(Specify Divorce, Annulment, etc.)

36. DATE OF FINAL DECREE (Month, Day, Year)

37. DECREE AWARDED TO
 Husband Wife Both

38. TITLE OF COURT
CIRCUIT

39. LEGAL GROUNDS FOR DECREE

40. SIGNATURE OF OFFICIAL

41. TITLE OF OFFICIAL

42. TRIAL DOCKET NUMBER

CIRCUIT CLERK MUST MAIL THIS REPORT BY THE FIFTH (5TH) OF EACH MONTH TO: CENTER FOR HEALTH STATISTICS, P.O. BOX 5618, MONTGOMERY, AL 36103-5618 ADPH-HS-16/rev. 6-98-rm

STATE OF ALABAMA
**REPORT OF INDUCED
 TERMINATION OF PREGNANCY**

State
File
Number

101

TYPE OR PRINT
 IN PERMANENT
 BLACK INK.
 DO NOT USE
 GREEN, RED,
 OR BLUE INK.

1. Patient's I.D. Number	2. Age Last Birthday		3. Date of Pregnancy Termination (Month, Day, Year)	
4. Facility Name (If not clinic or hospital, give street address)		5. City, Town, or Location of Pregnancy Termination		6. County of Pregnancy Termination
7. Residence—State	8. Residence—County	9. Residence—City, Town, or Location		10. Inside City Limits (Specify Yes or No)
12. Of Hispanic Origin—(Specify Yes or No. If Yes, Specify Cuban, Mexican, Puerto Rican, etc.)		13. Race (Specify American Indian, Black, White, Etc.)		11. Residence—Zip Code
15. Is Patient Married? (Specify Yes or No)		16. Date Last Normal Menstrual Period (Month, Day, Year)		14. Education (Specify only highest grade completed): Elementary/Secondary _____ College _____
17. Clinical Estimate of Gestation (Weeks)		18. Previous Pregnancies—(Complete each section below)		Other Terminations
19. Complete this section only if patient is under 18 years of age. A. Is Patient Emancipated? (A patient who is or has been married or has by court order otherwise been legally freed from the care, custody and control of her parents is considered "emancipated.") <input type="checkbox"/> Yes <input type="checkbox"/> No B. If unemancipated, this pregnancy termination was authorized. (Check one) <input type="checkbox"/> by written consent of parent or legal guardian. <input type="checkbox"/> by determination of court order. <input type="checkbox"/> due to determination of existing medical emergency.		a. Spontaneous _____ b. Noted by _____ c. Induced (Do not include this termination) Number _____ None <input type="checkbox"/>		d. Induced (Do not include this termination) Number _____ None <input type="checkbox"/>
TERMINATION PROCEDURES				
TYPE OF PROCEDURES				
20a. Procedure That Terminated Pregnancy (Check Only One)		20b. Additional Procedures Used for this Termination, if any. (Check All That Apply)		
1 <input type="checkbox"/> Suction Curettage		No Additional Procedures Used <input type="checkbox"/> 0		
2 <input type="checkbox"/> Sharp Curettage		<input type="checkbox"/> 1		
3 <input type="checkbox"/> Dilation And Evacuation (D&E)		<input type="checkbox"/> 2		
4 <input type="checkbox"/> Intra-Uterine Saline Instillation		<input type="checkbox"/> 3		
5 <input type="checkbox"/> Intra-Uterine Prostaglandin Instillation		<input type="checkbox"/> 4		
6 <input type="checkbox"/> Hysterotomy		<input type="checkbox"/> 5		
7 <input type="checkbox"/> Hysterectomy		<input type="checkbox"/> 6		
8 <input type="checkbox"/> Other (Specify) _____		<input type="checkbox"/> 7		
8 <input type="checkbox"/> Other (Specify) _____		<input type="checkbox"/> 8		
21. Name of Attending Physician (Typed)		22. Signature of Person Completing this Form		23. Date Signed (Mo., Dy., Yr)

PUBLICATIONS AVAILABLE FROM THE CENTER FOR HEALTH STATISTICS

(NOTE: Many tables from these publications for 1998 through 2000 are available on the Department of Public Health website at www.adph.org, then click on Fast Find, then Health Statistics.)

CODE	TITLE/DESCRIPTION OF PUBLICATION	COST
AVE	Alabama Vital Events (1972-1993) <u>NOTE:</u> This publication is no longer available.	Unavailable
AV1	Alabama Vital Events (1994-1998) - Volume I, Pregnancy Statistics This annual publication contains the same information as was presented in the "Natality" section of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. Additional information on Fetal Deaths and Pregnancies have been included with natality data. <u>NOTE:</u> Limited copies of these publications are available from the Center for Health Statistics..	\$10.00
AV2	Alabama Vital Events (1994-1998) - Volume II, Mortality Statistics This annual publication contains the same information as was presented in the "Mortality" section of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. The sub-section on Fetal Deaths has been moved from this publication into Volume I on Pregnancy Statistics. <u>NOTE:</u> Limited copies of these publications are available from the Center for Health Statistics..	\$10.00
AV3	Alabama Vital Events (1994-1998) - Volume III, Marriage and Divorce Statistics This annual publication contains the same information as was presented in the "Marriage" and "Divorce" sections of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. <u>NOTE:</u> Limited copies of these publications are available from the Center for Health Statistics..	\$10.00
AV4	Alabama Vital Events (1994-1998) - Volume IV, County Profiles This annual publication is an enhancement of the "Area Profile" section of the <u>Alabama Vital Events</u> publication for the years 1986 through 1993. Additional information has been included to make profile contents more valuable to the user. <u>NOTE:</u> Limited copies of these publications are available from the Center for Health Statistics..	\$10.00
AV5	Alabama Vital Events - Volume V, Life Expectancy (1995) This publication contains tables on life expectancy by race, sex, and age group for residents of Alabama. This volume of the <u>Alabama Vital Events</u> publication is published starting with the data year 1995 and quinquennially thereafter. <u>NOTE:</u> Limited copies of this publication is available from the Center for Health Statistics..	\$20.00
AVX	Alabama Vital Events (1998) - Volumes I-IV This code should be given when ordering a complete set of Volumes 1 through V of the <u>Alabama Vital Events</u> publication. Part V on life expectancy will be included at no additional costs during years for which this part is published.	\$40.00
AVS	Alabama Vital Statistics (1999-2000) This code should be given when ordering the <u>Alabama Vital Statistics</u> publication for 1999 through 2000. This is a new publication consolidating and replacing the previously published Volumes I (AV1), II (AV2), and III (AV3) of the <u>Alabama Vital Events</u> publication.	\$15.00
CHP	County Health Profiles (1999-2000) This annual publication has been revised and is a newly published version of what was formerly Volume IV (AV4) "County Profiles" of the <u>Alabama Vital Events</u> publication for the years 1994 through 1998. The 1999 through 2000 publications contain only two pages of selected data on each county, but the contents are still valuable and very useful to the user.	\$15.00
DMS	Detailed Mortality Statistics <u>NOTE:</u> This publication is no longer available.	Unavailable
ABR	Alabama Births by Residence and Occurrence <u>NOTE:</u> This publication is no longer available.	Unavailable
TBS	Teenage Birth Statistics <u>NOTE:</u> This publication is no longer available.	Unavailable

PUBLICATIONS AVAILABLE FROM THE CENTER FOR HEALTH STATISTICS-continued

MCH Selected Maternal and Child Health Statistics

\$10.00

This annual publication contains selected information on pregnancy and events related to pregnancy including live births, fetal deaths, perinatal deaths and infant deaths. Information on deaths to Alabama residents under 20 years of age is also included. Publication contents are intended to provide information to policy makers and planners on topics of interest in maternal and child health. This publication is a supplement to Alabama Vital Events, containing approximately 97 pages, and is available for 1993 through 1999. The 2000 publication is also available, and it contains only 41 pages of tables with a supplementary booklet of graphs to be published by August 2002.

(Additional publications on selected subjects are available upon request. The lower part of the page may be copied or detached and used as an order form. Please send check or money order made payable to the Center for Health Statistics along with your request since payment must be received prior to filling the order.)

Publications Ordered:

<u>CODE</u>	<u>YEAR</u>	<u>COST PER COPY</u>	<u>QUANTITY</u>	<u>AMOUNT</u>
_____	_____	\$ _____	_____	\$ _____
_____	_____	\$ _____	_____	\$ _____
_____	_____	\$ _____	_____	\$ _____
_____	_____	\$ _____	_____	\$ _____

TOTAL AMOUNT ENCLOSED \$ _____

COMPLETE MAILING ADDRESS:

ORDER FROM:

Name: _____
 Address: _____
 City: _____
 State: _____ Zip Code _____
 Telephone Number: () _____

ALABAMA DEPT. OF PUBLIC HEALTH
 CENTER FOR HEALTH STATISTICS
 POST OFFICE BOX 5625
 MONTGOMERY, ALABAMA 36103
 Telephone Number: (334) 206-5429