

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY QUARTER 2019

CHARACTERISTIC	2019 CHLAMYDIA REPORT									
	1st Qtr		2nd Qtr		3rd Qtr		4th Qtr		Cumulative	
Race/Ethnicity	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Black	2898	37.6							2898	37.6
White	987	12.8							987	12.8
Hispanic	145	1.9							145	1.9
Multi-race	55	0.7							55	0.7
Other/Unknown	3626	47.0							3626	47.0
Total	7711	100.0							7711	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Male	2280	29.6							2280	29.6
Female	5385	69.8							5385	69.8
Unknown	46	0.6							46	0.6
Total	7711	100.0							7711	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<10	13	0.2							13	0.2
10-14	65	0.8							65	0.8
15-19	2439	31.6							2439	31.6
20-24	2998	38.9							2998	38.9
25-29	1272	16.5							1272	16.5
30-34	484	6.3							484	6.3
35-39	228	3.0							228	3.0
40-44	95	1.2							95	1.2
45-54	90	1.2							90	1.2
55-64	25	0.3							25	0.3
≥65	2	0.0							2	0.0
Total	7711	100.0							7711	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY QUARTER 2019

CHARACTERISTIC	2019 GONORRHEA REPORT									
	1st Qtr		2nd Qtr		3rd Qtr		4th Qtr		Cumulative	
Race/Ethnicity	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Black	1370	43.5							1370	43.5
White	456	14.5							456	14.5
Hispanic	21	0.7							21	0.7
Multi-race	33	1.0							33	1.0
Other/Unknown	1269	40.3							1269	40.3
Total	3149	100.0							3149	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Male	1596	50.7							1596	50.7
Female	1548	49.2							1548	49.2
Unknown	5	0.2							5	0.2
Total	3149	100.0							3149	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<10	5	0.2							5	0.2
10-14	13	0.4							13	0.4
15-19	635	20.2							635	20.2
20-24	1076	34.2							1076	34.2
25-29	632	20.1							632	20.1
30-34	329	10.4							329	10.4
35-39	204	6.5							204	6.5
40-44	100	3.2							100	3.2
45-54	104	3.3							104	3.3
55-64	41	1.3							41	1.3
≥65	10	0.3							10	0.3
Total	3149	100.0							3149	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY QUARTER 2019

CHARACTERISTIC	2019 PRIMARY & SECONDARY SYPHILIS REPORT									
	1st Qtr		2nd Qtr		3rd Qtr		4th Qtr		Cumulative	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Race/Ethnicity										
Black	43	75.4							43	75.4
White	10	17.5							10	17.5
Hispanic	2	3.5							2	3.5
Multi-race	0	0.0							0	0.0
Other/Unknown	2	3.5							2	3.5
Total	57	100.0							57	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Male	45	78.9							45	78.9
Female	12	21.1							12	21.1
Unknown	0	0.0							0	0.0
Total	57	100.0							57	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<10	0	0.0							0	0.0
10-14	0	0.0							0	0.0
15-19	2	3.5							2	3.5
20-24	15	26.3							15	26.3
25-29	14	24.6							14	24.6
30-34	9	15.8							9	15.8
35-39	4	7.0							4	7.0
40-44	5	8.8							5	8.8
45-54	5	8.8							5	8.8
55-64	3	5.3							3	5.3
≥65	0	0.0							0	0.0
Total	57	100.0							57	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY QUARTER 2019

CHARACTERISTIC	2019 EARLY LATENT SYPHILIS REPORT									
	1st Qtr		2nd Qtr		3rd Qtr		4th Qtr		Cumulative	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Race/Ethnicity										
Black	17	56.7							17	56.7
White	13	43.3							13	43.3
Hispanic	0	0.0							0	0.0
Multi-race	0	0.0							0	0.0
Other/Unknown	0	0.0							0	0.0
Total	30	100.0							30	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Male	25	83.3							25	83.3
Female	5	16.7							5	16.7
Unknown	0	0.0							0	0.0
Total	30	100.0							30	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<10	0	0.0							0	0.0
10-14	0	0.0							0	0.0
15-19	0	0.0							0	0.0
20-24	9	30.0							9	30.0
25-29	7	23.3							7	23.3
30-34	3	10.0							3	10.0
35-39	2	6.7							2	6.7
40-44	2	6.7							2	6.7
45-54	6	20.0							6	20.0
55-64	1	3.3							1	3.3
≥65	0	0.0							0	0.0
Total	30	100.0							30	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY QUARTER 2019

CHARACTERISTIC	2019 LATE LATENT SYPHILIS REPORT									
	1st Qtr		2nd Qtr		3rd Qtr		4th Qtr		Cumulative	
Race/Ethnicity	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Black	23	50.0							23	50.0
White	18	39.1							18	39.1
Hispanic	0	0.0							0	0.0
Multi-race	1	2.2							1	2.2
Other/Unknown	4	8.7							4	8.7
Total	46	100.0							46	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Male	32	69.6							32	69.6
Female	14	30.4							14	30.4
Unknown	0	0.0							0	0.0
Total	46	100.0							46	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<10	0	0.0							0	0.0
10-14	0	0.0							0	0.0
15-19	1	2.2							1	2.2
20-24	4	8.7							4	8.7
25-29	10	21.7							10	21.7
30-34	12	26.1							12	26.1
35-39	3	6.5							3	6.5
40-44	5	10.9							5	10.9
45-54	6	13.0							6	13.0
55-64	5	10.9							5	10.9
≥65	0	0.0							0	0.0
Total	46	100.0							46	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Chlamydia Cases 2017			Chlamydia Cases 2018 (Preliminary)			Chlamydia Cases Jan-Mar 2019		Cumulative Chlamydia Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHERN										
Colbert	277	6.28		212	4.93		78	5.68	78	5.68
Cullman	184	4.17		169	3.93		56	4.08	56	4.08
Franklin	78	1.77		83	1.93		27	1.97	27	1.97
Jackson	137	3.10		103	2.40		34	2.48	34	2.48
Lauderdale	366	8.29		350	8.15		94	6.85	94	6.85
Lawrence	47	1.07		82	1.91		21	1.53	21	1.53
Limestone	297	6.73		395	9.19		91	6.63	91	6.63
Madison	2221	50.33	615.16	2204	51.30	610.45	716	52.15	716	52.15
Marion	86	1.95		60	1.40		29	2.11	29	2.11
Marshall	308	6.98		203	4.73		90	6.55	90	6.55
Morgan	353	8.00		387	9.01		122	8.89	122	8.89
Winston	59	1.34		48	1.12		15	1.09	15	1.09
Total	4413	100.00	412.58	4296	100.00	401.64	1373	100.00	1373	100.00
EAST CENTRAL										
Autauga	226	4.4		270	5.2		61	5.4	61	5.4
Bullock	86	1.7		123	2.4		18	1.6	18	1.6
Chambers	206	4.0		227	4.4		62	5.5	62	5.5
Coosa	50	1.0		63	1.2		26	2.3	26	2.3
Elmore	431	8.4		393	7.6		67	6.0	67	6.0
Lee	519	10.1	321.2	793	15.4	490.7	170	15.2	170	15.2
Lowndes	101	2.0		96	1.9		16	1.4	16	1.4
Macon	224	4.4		195	3.8		27	2.4	27	2.4
Montgomery	2694	52.4	1188.6	2499	48.6	1102.6	547	48.8	547	48.8
Russell	397	7.7		320	6.2		95	8.5	95	8.5
Tallapoosa	207	4.0		167	3.2		32	2.9	32	2.9
Total	5141	100.0	727.4	5146	100.0	728.1	1121	100.0	1121	100.0
WEST CENTRAL										
Bibb	76	2.5		132	0.0		32	3.8	32	3.8
Chilton	152	5.0		147	5.0		36	4.3	36	4.3
Fayette	43	1.4		75	0.0		23	2.7	23	2.7
Greene	78	2.6		99	0.0		28	3.3	28	3.3
Hale	154	5.1		219	0.0		48	5.7	48	5.7
Lamar	56	1.9		36	0.0		20	2.4	20	2.4
Perry	109	3.6		65	2.2		16	1.9	16	1.9
Pickens	132	4.4		115	0.0		30	3.6	30	3.6
Sumter	120	4.0		131	4.4		40	4.7	40	4.7
Tuscaloosa	1887	62.3	908.0	1769	60.0	851.3	515	61.1	515	61.1
Walker	220	7.3		162	0.0		55	6.5	55	6.5
Total	3027	100.0	696.9	2950	71.6	679.2	843	100.0	843	100.0
JEFFERSON										
Jefferson	5564	100.0	844.1	4984	100.0	756.1	1239	100.0	1239	100.0
Total	5564	100.0	844.1	4984	100.0	756.1	1239	100.0	1239	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Chlamydia Cases 2017			Chlamydia Cases 2018 (Preliminary)			Chlamydia Cases Jan-Mar 2019		Cumulative Chlamydia Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHEASTERN										
Blount	131	4.0		170	6.0		65	6.9	65	6.4
Calhoun	711	21.6	619.7	650	22.9	566.6	234	24.8	234	23.2
Cherokee	86	2.6		97	3.4		13	1.4	13	1.3
Clay	59	1.8		86	3.0		32	3.4	32	3.2
Cleburne	24	0.7		38	0.0		9	1.0	9	0.9
Dekalb	191	5.8		178	6.3		66	7.0	66	6.5
Etowah	696	21.2	677.3	523	18.4	509.0	193	20.5	193	19.1
Randolph	94	2.9		125	0.0		32	0.0	32	0.0
Shelby	206	6.3	96.4	160	5.6	74.9	86	9.1	86	8.5
St. Clair	526	16.0		413	14.5		159	16.9	159	15.8
Talladega	563	17.1		402	0.0		119	0.0	119	0.0
Total	3287	100.0	407.9	2842	80.1	352.7	942	91.0	1008	85.0
SOUTHEASTERN										
Barbour	178	7.5		183	8.2		60	8.5	60	8.5
Butler	144	6.1		176	7.9		60	8.5	60	8.5
Coffee	285	12.0		294	0.0		88	12.5	88	12.5
Covington	187	7.9		146	6.5		45	6.4	45	6.4
Crenshaw	106	4.5		88	0.0		30	4.3	30	0.0
Dale	348	14.6		328	14.7		70	9.9	70	9.9
Geneva	110	4.6		113	5.1		32	4.5	32	4.5
Henry	89	3.7		95	0.0		30	4.3	30	4.3
Houston	588	24.7	563.5	548	24.5	525.2	224	31.8	224	31.8
Pike	342	14.4		263	11.8		65	9.2	65	9.2
Total	2377	100.0	628.3	2234	78.6	590.5	704	100.0	704	95.7
SOUTHWESTERN										
Baldwin	682	34.7	320.7	624	36.2	293.5	197	33.1	197	33.1
Choctaw	71	3.6		46	0.0		17	2.9	17	2.9
Clarke	153	7.8		131	0.0		42	7.0	42	7.0
Conecuh	82	4.2		81	4.7		19	3.2	19	3.2
Dallas	372	19.0	948.6	279	16.2	711.5	120	20.1	120	20.1
Escambia	174	8.9		176	10.2		60	10.1	60	10.1
Marengo	153	7.8		91	5.3		32	5.4	32	5.4
Monroe	125	6.4		117	6.8		36	6.0	36	6.0
Washington	81	4.1		95	0.0		26	4.4	26	4.4
Wilcox	70	3.6		85	4.9		47	7.9	47	7.9
Total (unknowns excluded)	1963	100.0	482.6	1725	84.2	424.1	596	100.0	596	100.0
MOBILE										
Mobile	2864	100.0	691.9	2749	100.0	664.1	788	100.0	788	100.0
Total	2864	100.0	691.9	2749	100.0	664.1	788	100.0	788	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

STATE TOTAL	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
Alabama	28636	100.0	587.4	26999	100.0	553.9	7711	100.0	7711	100.0
Total (unknowns included here)	28636	100.0	587.4	26999	100.0	553.9	7711	100.0	7711	100.0

Note: 2018 statistics should be interpreted with caution as not all reported cases have been entered into the STD ALNBS database.

Effective October 1, 2017 , Public Health Areas have been redistributed as eight Public Health Districts.

Unknown cases only accounted for in State Total.

2017 data was finalized - April 30, 2017.

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Gonorrhea Cases 2017			Gonorrhea Cases 2018 (Preliminary)			Gonorrhea Cases Jan-Mar 2019		Gonorrhea Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHERN										
Colbert	81	5.17		122	6.25		34	5.34	34	5.34
Cullman	70	4.47		75	3.84		20	3.14	20	3.14
Franklin	14	0.89		44	2.25		9	1.41	9	1.41
Jackson	45	2.87		50	2.56		18	2.83	18	2.83
Lauderdale	77	4.92		102	5.23		38	5.97	38	5.97
Lawrence	23	1.47		40	2.05		8	1.26	8	1.26
Limestone	128	8.17		206	10.55		57	8.95	57	8.95
Madison	884	56.45	244.84	949	48.62	262.85	320	50.24	320	50.24
Marion	37	2.36		33	1.69		9	1.41	9	1.41
Marshall	80	5.11		145	7.43		38	5.97	38	5.97
Morgan	118	7.54		177	9.07		75	11.77	75	11.77
Winston	9	0.57		9	0.46		11	1.73	11	1.73
Total	1566	100.00	146.41	1952	100.00	182.50	637	100.00	637	100.00
EAST CENTRAL										
Autauga	74	3.5		96	4.1		21	4.5	21	4.5
Bullock	33	1.6		63	2.7		16	3.5	16	3.5
Chambers	80	3.8		119	5.1		26	5.6	26	5.6
Coosa	18	0.9		28	1.2		10	2.2	10	2.2
Elmore	321	15.2		251	10.8		27	5.8	27	5.8
Lee	208	9.8	128.7	313	13.5	193.7	64	13.9	64	13.9
Lowndes	24	1.1		37	1.6		7	1.5	7	1.5
Macon	92	4.3		93	4.0		20	4.3	20	4.3
Montgomery	1010	47.8	445.6	1139	49.0	502.5	233	50.4	233	50.4
Russell	201	9.5		104	4.5		23	5.0	23	5.0
Tallapoosa	54	2.6		81	3.5		15	3.2	15	3.2
Total	2115	100.0	299.3	2324	100.0	328.8	462	100.0	462	100.0
WEST CENTRAL										
Bibb	40	3.9		62	0.0		11	4.1	11	4.1
Chilton	66	6.4		71	6.8		13	4.8	13	4.8
Fayette	21	2.0		29	0.0		3	1.1	3	1.1
Greene	28	2.7		31	0.0		8	3.0	8	3.0
Hale	58	5.6		68	0.0		22	8.1	22	8.1
Lamar	10	1.0		15	0.0		8	3.0	8	3.0
Perry	56	5.4		31	3.0		7	2.6	7	2.6
Pickens	37	3.6		48	0.0		9	3.3	9	3.3
Sumter	61	5.9		39	3.7		8	3.0	8	3.0
Tuscaloosa	544	52.7	261.8	572	54.7		161	59.4	161	59.4
Walker	111	10.8		80	0.0		21	7.7	21	7.7
Total	1032	100.0	237.6	1046	68.2	240.8	271	100.0	271	100.0
JEFFERSON										
Jefferson	2730	100.0	414.6	2732	100.0	414.4	581	100.0	581	100.0
Total	2730	100.0	414.1	2732	100.0	414.4	581	100.0	581	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Gonorrhea Cases 2017			Gonorrhea Cases 2018 (Preliminary)			Gonorrhea Cases Jan-Mar 2019		Gonorrhea Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHEASTERN										
Blount	54	4.4		74	6.0		25	6.8	25	6.8
Calhoun	265	21.5	231.0	280	22.6		92	25.2	92	25.2
Cherokee	38	3.1		29	2.3		11	3.0	11	3.0
Clay	10	0.8		26	2.1		6	1.6	6	1.6
Cleburne	11	0.9		18	0.0		4	1.1	4	1.1
Dekalb	59	4.8		61	4.9		18	4.9	18	4.9
Etowah	277	22.5		316	25.5		79	21.6	79	21.6
Randolph	25	2.0		34	0.0		14	0.0	14	0.0
Shelby	98	8.0		79	6.4		27	7.4	27	7.4
St. Clair	185	15.0		148	12.0		43	11.8	43	11.8
Talladega	208	16.9		172	0.0		46	0.0	46	0.0
Total	1230	100.0	152.6	1237	81.9	153.5	365	83.6	365	83.6
SOUTHEASTERN										
Barbour	223	24.5		131	13.3		40	13.2	40	13.2
Butler	57	6.3		53	5.4		17	5.6	17	5.6
Coffee	73	8.0		136	0.0		31	10.2	31	10.2
Covington	60	6.6		50	5.1		13	4.3	13	4.3
Crenshaw	23	2.5		29	0.0		9	3.0	9	0.0
Dale	113	12.4		168	17.1		39	12.8	39	12.8
Geneva	44	4.8		58	5.9		17	5.6	17	5.6
Henry	26	2.9		38	0.0		10	3.3	10	3.3
Houston	194	21.3	185.9	245	24.9		101	33.2	101	33.2
Pike	97	10.7		74	7.5		27	8.9	27	8.9
Total	910	100.0	240.5	982	79.3	259.6	304	100.0	304	97.0
SOUTHWESTERN										
Baldwin	241	35.5		202	34.0		63	37.3	63	37.3
Choctaw	15	2.2		6	0.0		8	4.7	8	4.7
Clarke	38	5.6		38	0.0		21	12.4	21	12.4
Conecuh	25	3.7		22	3.7		8	4.7	8	4.7
Dallas	127	18.7		110	18.5		25	14.8	25	14.8
Escambia	87	12.8		77	13.0		10	5.9	10	5.9
Marengo	46	6.8		38	6.4		7	4.1	7	4.1
Monroe	34	5.0		35	5.9		13	7.7	13	7.7
Washington	47	6.9		45	0.0		4	2.4	4	2.4
Wilcox	18	2.7		21	3.5		10	5.9	10	5.9
Total (unknowns excluded)	678	100.0	166.7	594	85.0	146.0	169	100.0	169	100.0
MOBILE										
Mobile	1258	100.0	303.9	1053	100.0	254.4	342	100.0	342	100.0
Total	1258	100.0	303.9	1053	100.0	254.4	342	100.0	342	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

STATE TOTAL	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
Alabama	11519	100.0	236.3	11941	100.0	245.0	3149	100.0	3149	100.0
Total (unknowns included here)	11519	100.0	236.3	11941	100.0	245.0	3149	100.0	3149	100.0

Note: 2018 statistics should be interpreted with caution as not all reported cases have been entered into the STD ALNBS database.

Effective October 1, 2017 , Public Health Areas have been redistributed as eight Public Health Districts.

Unknown cases only accounted for in State Total.

2017 data was finalized - April 30, 2017.

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Primary & Secondary Syphilis Cases 2017			Primary & Secondary Syphilis Cases 2018 (Preliminary)			P&S Syphilis Cases Jan-Mar 2019		P&S Syphilis Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHERN										
Colbert	2	2.70		8	9.64		3	50.00	3	50.00
Cullman	2	2.70		3	3.61		1	16.67	1	16.67
Franklin	2	2.70		0	0.00		0	0.00	0	0.00
Jackson	5	6.76		0	0.00		0	0.00	0	0.00
Lauderdale	6	8.11		19	22.89		1	16.67	1	16.67
Lawrence	0	0.00		2	2.41		0	0.00	0	0.00
Limestone	1	1.35		1	1.20		0	0.00	0	0.00
Madison	51	68.92	14.13	45	54.22	12.46	1	16.67	1	16.67
Marion	0	0.00		0	0.00		0	0.00	0	0.00
Marshall	1	1.35		1	1.20		0	0.00	0	0.00
Morgan	4	5.41		3	3.61		0	0.00	0	0.00
Winston	0	0.00		1	1.20		0	0.00	0	0.00
Total	74	100.00	6.92	83	100.00	7.76	6	100.00	6	100.00
EAST CENTRAL										
Autauga	2	3.4		6	7.0		0	#DIV/0!	0	#DIV/0!
Bullock	1	1.7		0	0.0		0	#DIV/0!	0	#DIV/0!
Chambers	1	1.7		4	4.7		0	#DIV/0!	0	#DIV/0!
Coosa	0	0.0		0	0.0		0	#DIV/0!	0	#DIV/0!
Elmore	2	3.4		2	2.3		0	#DIV/0!	0	#DIV/0!
Lee	17	28.8	10.5	4	4.7	2.5	0	#DIV/0!	0	#DIV/0!
Lowndes	0	0.0		1	1.2		0	#DIV/0!	0	#DIV/0!
Macon	3	5.1		2	2.3		0	#DIV/0!	0	#DIV/0!
Montgomery	31	52.5	13.7	61	70.9	26.9	0	#DIV/0!	0	#DIV/0!
Russell	1	1.7		6	7.0		0	#DIV/0!	0	#DIV/0!
Tallapoosa	1	1.7		0	0.0		0	#DIV/0!	0	#DIV/0!
Total	59	100.0	8.3	86	100.0	12.2	0	#DIV/0!	0	#DIV/0!
WEST CENTRAL										
Bibb	0	0.0		2	0.0		0	0.0	0	0.0
Chilton	3	9.7		1	3.0		0	0.0	0	0.0
Fayette	0	0.0		0	0.0		0	0.0	0	0.0
Greene	0	0.0		0	0.0		1	9.1	1	9.1
Hale	2	6.5		1	0.0		0	0.0	0	0.0
Lamar	0	0.0		0	0.0		0	0.0	0	0.0
Perry	0	0.0		0	0.0		0	0.0	0	0.0
Pickens	0	0.0		1	0.0		3	27.3	3	27.3
Sumter	2	6.5		2	6.1		0	0.0	0	0.0
Tuscaloosa	23	74.2	11.1	25	75.8	12.0	7	63.6	7	63.6
Walker	1	3.2		1	0.0		0	0.0	0	0.0
Total	31	100.0	7.1	33	84.8	7.6	11	100.0	11	100.0
JEFFERSON										
Jefferson	73	100.0	111.0	66	100.0	10.0	7	100.0	7	100.0
Total	73	100.0	11.1	66	100.0	10.0	7	100.0	7	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Primary & Secondary Syphilis Cases 2017			Primary & Secondary Syphilis Cases 2018 (Preliminary)			P&S Syphilis Cases Jan-Mar 2019		P&S Syphilis Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHEASTERN										
Blount	1	3.4		0	0.0		1	33.3	1	33.3
Calhoun	2	6.9	1.7	0	0.0		0	0.0	0	0.0
Cherokee	0	0.0		0	0.0		0	0.0	0	0.0
Clay	0	0.0		0	0.0		0	0.0	0	0.0
Cleburne	0	0.0		0	0.0		0	0.0	0	0.0
Dekalb	0	0.0		1	9.1		0	0.0	0	0.0
Etowah	6	20.7		0	0.0		1	33.3	1	33.3
Randolph	0	0.0		0	0.0		0	0.0	0	0.0
Shelby	13	44.8	6.1	6	54.5	2.8	1	33.3	1	33.3
St. Clair	5	17.2		1	9.1		0	0.0	0	0.0
Talladega	2	6.9		3	0.0		0	0.0	0	0.0
Total	29	100.0	3.6	11	72.7	1.4	3	100.0	3	100.0
SOUTHEASTERN										
Barbour	1	2.7		5	13.9		4	50.0	4	50.0
Butler	3	8.1		2	5.6		0	0.0	0	0.0
Coffee	1	2.7		3	0.0		1	12.5	0	0.0
Covington	1	2.7		1	2.8		0	0.0	1	12.5
Crenshaw	2	5.4		0	0.0		0	0.0	0	0.0
Dale	3	8.1		1	2.8		0	0.0	0	0.0
Geneva	1	2.7		0	0.0		0	0.0	0	0.0
Henry	0	0.0		1	0.0		0	0.0	0	0.0
Houston	18	48.6	17.3	15	41.7		0	0.0	0	0.0
Pike	7	18.9		8	22.2		3	37.5	3	37.5
Total	37	100.0	9.8	36	88.9	9.5	8	100.0	8	100.0
SOUTHWESTERN										
Baldwin	5	22.7		9	60.0		1	50.0	1	50.0
Choctaw	2	9.1		0	0.0		0	0.0	0	0.0
Clarke	3	13.6		1	0.0		0	0.0	0	0.0
Conecuh	3	13.6		0	0.0		0	0.0	0	0.0
Dallas	2	9.1		1	6.7		0	0.0	0	0.0
Escambia	2	9.1		0	0.0		0	0.0	0	0.0
Marengo	1	4.5		0	0.0		0	0.0	0	0.0
Monroe	3	13.6		2	13.3		0	0.0	0	0.0
Washington	1	4.5		0	0.0		1	50.0	1	50.0
Wilcox	0	0.0		2	13.3		0	0.0	0	0.0
Total (unknowns excluded)	22	100.0	5.4	15	93.3	3.7	2	100.0	2	100.0
MOBILE										
Mobile	41	100.0	9.9	64	100.0	15.5	19	100.0	19	100.0
Total	41	100.0	9.9	64	100.0	15.5	19	100.0	19	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

STATE TOTAL	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
Alabama	329	100.0	6.7	405	100.0	8.3	127	100.0	127	100.0
Total (unknowns included here)	329	100.0	6.7	405	100.0	73.4	127	100.0	127	100.0

Note: 2018 statistics should be interpreted with caution as not all reported cases have been entered into the STD ALNBS database.

Effective October 1, 2017 , Public Health Areas have been redistributed as eight Public Health Districts.

Unknown cases only accounted for in State Total.

2017 data was finalized - April 30, 2017.

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Early Latent Syphilis Cases 2017			Early Latent Syphilis Cases 2018 (Preliminary)			Early Latent Cases Jan-Mar 2019		Early Latent Syphilis Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHERN										
Colbert	6	7.50		5	8.62		1	11.11	1	11.11
Cullman	4	5.00		1	1.72		0	0.00	0	0.00
Franklin	0	0.00		0	0.00		0	0.00	0	0.00
Jackson	1	1.25		0	0.00		0	0.00	0	0.00
Lauderdale	5	6.25		3	5.17		3	33.33	3	33.33
Lawrence	1	1.25		2	3.45		0	0.00	0	0.00
Limestone	2	2.50		4	6.90		1	11.11	1	11.11
Madison	52	65.00	14.40	37	63.79	10.25	2	22.22	2	22.22
Marion	0	0.00		0	0.00		0	0.00	0	0.00
Marshall	4	5.00		1	1.72		1	11.11	1	11.11
Morgan	5	6.25		3	5.17		1	11.11	1	11.11
Winston	0	0.00		2	3.45		0	0.00	0	0.00
Total	80	100.00	7.48	58	100.00	5.42	9	100.00	9	100.00
EAST CENTRAL										
Autauga	3	3.3		2	2.4		0	0.0	0	0.0
Bullock	2	2.2		2	2.4		0	0.0	0	0.0
Chambers	9	10.0		2	2.4		0	0.0	0	0.0
Coosa	0	0.0		0	0.0		0	0.0	0	0.0
Elmore	6	6.7		7	8.5		0	0.0	0	0.0
Lee	18	20.0	11.1	7	8.5	4.3	0	0.0	0	0.0
Lowndes	1	1.1		0	0.0		0	0.0	0	0.0
Macon	6	6.7		4	4.9		0	0.0	0	0.0
Montgomery	35	38.9	15.4	50	61.0	22.1	1	100.0	1	100.0
Russell	7	7.8		7	8.5		0	0.0	0	0.0
Tallapoosa	3	3.3		1	1.2		0	0.0	0	0.0
Total	90	100.0	12.7	82	100.0	11.6	1	100.0	1	100.0
WEST CENTRAL										
Bibb	1	3.85		1	0.00		0	0.00	0	0.00
Chilton	2	7.69		0	0.00		0	0.00	0	0.00
Fayette	0	0.00		1	0.00		0	0.00	0	0.00
Greene	1	3.85		0	0.00		0	0.00	0	0.00
Hale	1	3.85		1	0.00		2	28.57	2	28.57
Lamar	0	0.00		0	0.00		0	0.00	0	0.00
Perry	0	0.00		2	5.56		1	14.29	1	14.29
Pickens	0	0.00		4	0.00		1	14.29	1	14.29
Sumter	1	3.85		0	0.00		0	0.00	0	0.00
Tuscaloosa	20	76.92	9.6	26	72.22	12.5	3	42.86	3	42.86
Walker	0	0.00		1	0.00		0	0.00	0	0.00
Total	26	100.00	5.99	36	77.78	8.29	7	100.00	7	100.00
JEFFERSON										
Jefferson	71	100.0	10.8	109	100.0	16.5	1	100.0	1	100.0
Total	71	100.0	10.8	109	100.0	16.5	1	100.0	1	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Early Latent Syphilis Cases 2017			Early Latent Syphilis Cases 2018 (Preliminary)			Early Latent Cases Jan-Mar 2019		Early Latent Syphilis Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHEASTERN										
Blount	1	2.8		1	2.1		0	0.0	0	0.0
Calhoun	6	16.7	5.2	5	10.4		1	33.3	1	33.3
Cherokee	0	0.0		0	0.0		0	0.0	0	0.0
Clay	0	0.0		1	2.1		0	0.0	0	0.0
Cleburne	1	2.8		0	0.0		0	0.0	0	0.0
Dekalb	1	2.8		3	6.3		0	0.0	0	0.0
Etowah	7	19.4		6	12.5		1	33.3	1	33.3
Randolph	0	0.0		3	0.0		0	0.0	0	0.0
Shelby	13	36.1	6.1	17	35.4	8.0	1	33.3	1	33.3
St. Clair	2	5.6		4	8.3		0	0.0	0	0.0
Talladega	5	13.9		8	0.0		0	0.0	0	0.0
Total	36	100.0	4.5	48	77.1	6.0	3	100.0	3	100.0
SOUTHEASTERN										
Barbour	0	0.0		1	4.2		2	40.0	2	40.0
Butler	0	0.0		1	4.2		0	0.0	0	0.0
Coffee	2	10.0		1	0.0		0	0.0	0	0.0
Covington	1	5.0		2	8.3		0	0.0	0	0.0
Crenshaw	0	0.0		0	0.0		0	0.0	0	0.0
Dale	4	20.0		6	25.0		1	20.0	1	20.0
Geneva	0	0.0		1	4.2		0	0.0	0	0.0
Henry	2	10.0		1	0.0		0	0.0	0	0.0
Houston	11	55.0	10.5	11	45.8	10.5	1	20.0	1	20.0
Pike	0	0.0		0	0.0		1	20.0	1	20.0
Total	20	100.0	5.3	24	91.7	6.3	5	100.0	5	100.0
SOUTHWESTERN										
Baldwin	4	33.3		4	36.4		1	100.0	1	100.0
Choctaw	1	8.3		1	0.0		0	0.0	0	0.0
Clarke	2	16.7		0	0.0		0	0.0	0	0.0
Conecuh	1	8.3		0	0.0		0	0.0	0	0.0
Dallas	2	16.7		2	18.2		0	0.0	0	0.0
Escambia	1	8.3		2	18.2		0	0.0	0	0.0
Marengo	0	0.0		0	0.0		0	0.0	0	0.0
Monroe	0	0.0		0	0.0		0	0.0	0	0.0
Washington	1	8.3		1	0.0		0	0.0	0	0.0
Wilcox	0	0.0		1	9.1		0	0.0	0	0.0
Total (unknowns excluded)	12	100.0	3.0	11	81.8	2.7	1	100.0	1	100.0
MOBILE										
Mobile	18	100.0	4.3	29	100.0	7.0	3	100.0	3	100.0
Total	18	100.0	4.3	29	100.0	7.0	3	100.0	3	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

STATE TOTAL	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
Alabama	353	100.0	7.2	397	100.0	8.1	30	100.0	30	100.0
Total (unknowns included here)	353	100.0	7.2	397	100.0	8.1	30	100.0	30	100.0

Note: 2018 statistics should be interpreted with caution as not all reported cases have been entered into the STD ALNBS database.

Effective October 1, 2017 , Public Health Areas have been redistributed as eight Public Health Districts.

Unknown cases only accounted for in State Total.

2017 data was finalized - April 30, 2017.

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Late Latent Syphilis Cases 2017			Late Latent Syphilis Cases 2018 (Preliminary)			Late Latent Cases Jan-Mar 2019		Late Latent Syphilis Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHERN										
Colbert	2	5.41		3	4.69		3	30.00	3	30.00
Cullman	1	2.70		4	6.25		0	0.00	0	0.00
Franklin	1	2.70		1	1.56		0	0.00	0	0.00
Jackson	0	0.00		4	6.25		0	0.00	0	0.00
Lauderdale	3	8.11		9	14.06		0	0.00	0	0.00
Lawrence	1	2.70		1	1.56		0	0.00	0	0.00
Limestone	0	0.00		3	4.69		0	0.00	0	0.00
Madison	20	54.05	5.54	30	46.88	8.31	5	50.00	5	50.00
Marion	0	0.00		1	1.56		0	0.00	0	0.00
Marshall	4	10.81		3	4.69		0	0.00	0	0.00
Morgan	4	10.81		4	6.25		2	20.00	2	20.00
Winston	1	2.70		1	1.56		0	0.00	0	0.00
Total	37	100.00	3.46	64	100.00	5.98	10	100.00	10	100.00
EAST CENTRAL										
Autauga	4	8.2		0	0.0		0	#DIV/0!	0	#DIV/0!
Bullock	1	2.0		0	0.0		0	#DIV/0!	0	#DIV/0!
Chambers	2	4.1		0	0.0		0	#DIV/0!	0	#DIV/0!
Coosa	0	0.0		0	0.0		0	#DIV/0!	0	#DIV/0!
Elmore	0	0.0		1	3.0		0	#DIV/0!	0	#DIV/0!
Lee	6	12.2	3.7	4	12.1	2.5	0	#DIV/0!	0	#DIV/0!
Lowndes	0	0.0		0	0.0		0	#DIV/0!	0	#DIV/0!
Macon	1	2.0		2	6.1		0	#DIV/0!	0	#DIV/0!
Montgomery	29	59.2	12.8	19	57.6	8.4	0	#DIV/0!	0	#DIV/0!
Russell	3	6.1		7	21.2		0	#DIV/0!	0	#DIV/0!
Tallapoosa	3	6.1		0	0.0		0	#DIV/0!	0	#DIV/0!
Total	49	100.0	6.9	33	100.0	4.7	0	#DIV/0!	0	#DIV/0!
WEST CENTRAL										
Bibb	0	0.0		1	0.0		0	0.0	0	0.0
Chilton	0	0.0		0	0.0		0	0.0	0	0.0
Fayette	1	6.7		0	0.0		0	0.0	0	0.0
Greene	0	0.0		1	0.0		0	0.0	0	0.0
Hale	1	6.7		1	0.0		0	0.0	0	0.0
Lamar	0	0.0		0	0.0		0	0.0	0	0.0
Perry	1	6.7		1	7.1		0	0.0	0	0.0
Pickens	1	6.7		2	0.0		0	0.0	0	0.0
Sumter	4	26.7		1	7.1		0	0.0	0	0.0
Tuscaloosa	4	26.7	1.9	6	42.9	2.9	1	100.0	1	100.0
Walker	3	20.0		1	0.0		0	0.0	0	0.0
Total	15	100.0	3.5	14	57.1	3.2	1	100.0	1	100.0
JEFFERSON										
Jefferson	43	100.0	6.5	71	100.0	10.8	4	100.0	4	100.0
Total	43	100.0	6.5	71	100.0	10.8	4	100.0	4	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

PUBLIC HEALTH DISTRICT	Late Latent Syphilis Cases 2017			Late Latent Syphilis Cases 2018 (Preliminary)			Late Latent Cases Jan-Mar 2019		Late Latent Syphilis Cumulative Cases 2019	
	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
NORTHEASTERN										
Blount	0	0.0		1	4.8		0	0.0	0	0.0
Calhoun	7	26.9	6.1	2	9.5	1.7	0	0.0	0	0.0
Cherokee	0	0.0		1	4.8		0	0.0	0	0.0
Clay	0	0.0		1	4.8		0	0.0	0	0.0
Cleburne	1	3.8		0	0.0		0	0.0	0	0.0
Dekalb	0	0.0		1	4.8		0	0.0	0	0.0
Etowah	4	15.4		5	23.8		0	0.0	0	0.0
Randolph	0	0.0		2	0.0		0	0.0	0	0.0
Shelby	3	11.5		2	9.5		0	0.0	0	0.0
St. Clair	2	7.7		2	9.5		1	33.3	1	33.3
Talladega	9	34.6		4	0.0		2	66.7	2	66.7
Total	26	100.0	3.2	21	71.4	2.6	3	100.0	3	100.0
SOUTHEASTERN										
Barbour	1	4.0		3	6.5		1	8.3	1	8.3
Butler	0	0.0		2	4.3		1	8.3	1	8.3
Coffee	2	8.0		7	15.2		0	0.0	0	0.0
Covington	1	4.0		5	10.9		0	0.0	0	0.0
Crenshaw	0	0.0		0	0.0		0	0.0	0	0.0
Dale	5	20.0		6	13.0		2	16.7	2	16.7
Geneva	2	8.0		0	0.0		0	0.0	0	0.0
Henry	3	12.0		3	6.5		0	0.0	0	0.0
Houston	9	36.0	8.6	14	30.4	13.4	8	66.7	8	66.7
Pike	2	8.0		6	13.0		0	0.0	0	0.0
Total	25	100.0	6.6	46	100.0	12.2	12	100.0	12	100.0
SOUTHWESTERN										
Baldwin	7	38.9		9	50.0		3	75.0	3	75.0
Choctaw	3	16.7		1	0.0		0	0.0	0	0.0
Clarke	2	11.1		0	0.0		0	0.0	0	0.0
Conecuh	1	5.6		1	5.6		0	0.0	0	0.0
Dallas	3	16.7		2	11.1		0	0.0	0	0.0
Escambia	2	11.1		3	16.7		0	0.0	0	0.0
Marengo	0	0.0		1	5.6		0	0.0	0	0.0
Monroe	0	0.0		0	0.0		0	0.0	0	0.0
Washington	0	0.0		1	0.0		0	0.0	0	0.0
Wilcox	0	0.0		0	0.0		1	25.0	1	25.0
Total (unknowns excluded)	18	100.0	4.4	18	88.9	4.4	4	100.0	4	100.0
MOBILE										
Mobile	53	63.9	12.8	38	100.0	9.2	12	100.0	12	100.0
Total	83	63.9	20.1	38	100.0	9.2	12	100.0	12	100.0

STD CASES AMONG PERSONS RESIDING IN ALABAMA AT DIAGNOSIS BY PUBLIC HEALTH DISTRICTS AND COUNTY

STATE TOTAL	Cases	% of Total	Rate	Cases	% of Total	Rate	Cases	% of Total	Cases	% of Total
Alabama	266	100.0	305.0	290	100.0	5.9	46	100.0	46	100.0
Total (unknowns included here)	266	100.0	5.5	290	100.0	5.9	46	100.0	46	100.0

Note: 2018 statistics should be interpreted with caution as not all reported cases have been entered into the STD ALNBS database.

Effective October 1, 2017 , Public Health Areas have been redistributed as eight Public Health Districts.

Unknown cases only accounted for in State Total.

2017 data was finalized - April 30, 2017.