ALABAMA PUBLIC HEALTH

Alabama Sexually Transmitted Diseases (STD) Report

January 2022 to June 2026

This document contains statistics of reportable STDs in Alabama from January 2022 to June 2026. The report presents the impact of Chlamydia, Gonorrhea, and Syphilis on Race/Ethnicity, gender, and age groups in Alabama.

The report shows STDs in the eight public health districts in the state. The status of STDs in counties within each district is listed to show the number of cases, percentage, and rates.

The recommended and alternative treatment of Chlamydia, Gonorrhea, and Syphilis by the Centers for Disease Control and Prevention (CDC) is presented in this report.

Alabama Department of Public Health
Division of STD Control and Prevention

Contact: Anthony Merriweather, Division Director
Anthony.merriweather@adph.state.al.us
334-206-2765

Alabama STD Reports - January through June 2026

Chlamydia Report	2023		2024		2025		Jan-June 2026*	
Race/Ethnicity	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Black	14,687	44.6	14,708	47.7	14,418	50.7	7,203	52.2
White	5,841	17.7	5,254	17.0	4,743	16.7	2,304	16.7
Hispanic	816	2.5	746	2.4	495	1.7	225	1.6
Multi-race	130	0.4	121	0.4	57	0.2	24	0.2
Other/Unknown	11,442	34.8	10,029	32.5	8,746	30.7	4,046	29.3
Total	**32,916**	**100.0**	**30,858**	**100.0**	**28,459**	**100.0**	**13,802**	**100.0**

Gender	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Male	10,119	30.7	9,680	31.4	9,203	32.3	4,593	33.3
Female	22,753	69.1	20,832	67.5	18,957	66.6	9,087	65.8
Unknown	44	0.1	346	1.1	299	1.1	122	0.9
Total	**32,916**	**100.0**	**30,858**	**100.0**	**28,459**	**100.0**	**13,802**	**100.0**

Age (Years)	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
<10	15	0.0	12	0.0	9	0.0	9	0.1
10-14	307	0.9	255	0.8	261	0.9	112	0.8
15-19	9,123	27.7	8,713	28.2	8,605	30.2	4,437	32.1
20-24	12,038	36.6	10,823	35.1	9,819	34.5	4,661	33.8
25-29	5,490	16.7	5,274	17.1	4,726	16.6	2,234	16.2
30-34	3,072	9.3	2,918	9.5	2,485	8.7	1,159	8.4
35-39	1,382	4.2	1,389	4.5	1,288	4.5	595	4.3
40-44	712	2.2	678	2.2	619	2.2	284	2.1
45-54	482	1.5	569	1.8	439	1.5	207	1.5
55-64	205	0.6	176	0.6	150	0.5	72	0.5
≥65	51	0.2	40	0.1	51	0.2	30	0.2
Unknown	39	0.1	11	0.0	7	0.0	2	0.0
Total	**32,916**	**100.0**	**30,858**	**100.0**	**28,459**	**100.0**	**13,802**	**100.0**

Alabama STD Reports - January through June 2026

Gonorrhea Report	2023		2024		2025		Jan-June 2026*	
Race/Ethnicity	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Black	6,548	56.2	5,313	60	5,639	61.9	2,742	62.5
White	1,803	15.5	1,304	14.8	1,328	14.6	591	13.5
Hispanic	91	0.8	70	0.8	64	0.7	40	0.9
Multi-race	58	0.5	61	0.7	19	0.2	8	0.2
Other/Unknown	3,143	27.0	2,048	23.3	2,062	22.6	1,006	22.9
Total	**11,643**	**100.0**	**8,796**	**100.0**	**9,112**	**100.0**	**4,387**	**100.0**

Gender	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Male	6,249	53.7	4,797	54.5	4,995	54.8	2,489	56.7
Female	5,391	46.3	3,945	44.8	4,064	44.6	1,890	43.1
Unknown	3	0.0	54	0.6	53	0.6	8	0.2
Total	**11,643**	**100.0**	**8,796**	**100.0**	**9,112**	**100.0**	**4,387**	**100.0**

Age (Years)	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
<10	0.1	4	0.0	2	0.0	0	0.0	0.0
10-14	0.7	61	0.7	72	0.8	18	0.4	0.5
15-19	20.5	1,783	20.3	2,189	24.0	1,136	25.9	24.6
20-24	31.5	2,669	30.3	2,766	30.4	1,281	29.2	29.2
25-29	18.6	1,607	18.3	1,466	16.1	727	16.6	17.1
30-34	12.3	1,104	12.6	1,086	11.9	467	10.6	11.1
35-39	6.8	650	7.4	660	7.2	333	7.6	8.0
40-44	3.8	365	4.1	361	4.0	181	4.1	4.3
45-54	3.5	343	3.9	307	3.4	157	3.6	3.3
55-64	1.7	164	1.9	151	1.7	65	1.5	1.3
≥65	0.4	41	0.5	51	0.6	21	0.5	0.5
Unknown	0.1	5	0.1	1	0.0	1	0.0	0.0
Total	**100.0**	**8,796**	**100.0**	**9,112**	**100.0**	**4,387**	**100.0**	**100.0**

Alabama STD Reports - January through June 2026

Primary & Secondary Syphilis Report	2023		2024		2025		Jan-June 2026*	
Race/Ethnicity	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Black	863	59.6	914	58	677	56.7	215	55.3
White	496	34.2	580	36.8	451	37.7	157	40.4
Hispanic	41	2.8	46	2.9	33	2.8	8	2.1
Multi-race	27	1.9	24	1.5	29	2.4	8	2.1
Other/Unknown	22	1.5	13	0.8	5	0.4	1	0.3
Total	**1,449**	**100.0**	**1,577**	**100.0**	**1,195**	**100.0**	**389**	**100.0**

Gender	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Male	969	66.9	1097	69.6	840	70.3	142	36.5
Female	480	33.1	480	30.4	355	29.7	247	63.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0
Total	**1,449**	**100.0**	**1,577**	**100.0**	**1,195**	**100.0**	**389**	**100.0**

Age (Years)	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
<10	0	0.0	0	0.0	0	0.0	0	0.0
10-14	1	0.1	2	0.1	1	0.1	3	0.8
15-19	66	4.6	54	3.4	38	3.2	21	5.4
20-24	229	15.8	199	12.6	143	12.0	52	13.4
25-29	271	18.7	275	17.4	196	16.4	67	17.2
30-34	258	17.8	300	19.0	185	15.5	75	19.3
35-39	200	13.8	251	15.9	196	16.4	65	16.7
40-44	143	9.9	164	10.4	148	12.4	30	7.7
45-54	162	11.2	189	12.0	171	14.3	39	10.0
55-64	95	6.6	97	6.2	87	7.3	26	6.7
≥65	24	1.7	46	2.9	30	2.5	11	2.8
Total	**1,449**	**100.0**	**1,577**	**100.0**	**1,195**	**100.0**	**389**	**100.0**

Alabama STD Reports - January through June 2026

Early Latent Syphilis Report	2023		2024		2025		Jan-June 2026*	
Race/Ethnicity	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Black	703	68.0	776	67	575	61.2	197	62.9
White	275	26.6	301	26.2	313	33.3	90	28.8
Hispanic	27	2.6	41	3.6	30	3.2	13	4.2
Multi-race	21	2.0	25	2.2	14	1.5	10	3.2
Other/Unknown	8	0.8	7	0.6	7	0.7	3	1.0
Total	**1,034**	**100.0**	**1,150**	**100.0**	**939**	**100.0**	**313**	**100.0**

Gender	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Male	676	65.4	786	68.3	654	69.6	223	71.2
Female	358	34.6	364	31.7	285	30.4	90	28.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0
Total	**1,034**	**100.0**	**1,150**	**100.0**	**939**	**100.0**	**313**	**100.0**

Age (Years)	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
<10	0	0.0	0	0.0	0	0.0	0	0.0
10-14	2	0.2	0	0.0	0	0.0	0	0.0
15-19	42	4.1	40	3.5	0	0.0	10	3.2
20-24	154	14.9	151	13.1	26	2.8	27	8.6
25-29	218	21.1	218	19.0	119	12.7	54	17.3
30-34	196	19.0	226	19.7	152	16.2	39	12.5
35-39	148	14.3	172	15.0	154	16.4	49	15.7
40-44	95	9.2	109	9.5	158	16.8	44	14.1
45-54	105	10.2	131	11.4	106	11.3	53	16.9
55-64	55	5.3	84	7.3	117	12.5	27	8.6
≥65	19	1.8	19	1.7	75	8.0	10	3.2
Total	**1,034**	**100.0**	**1,150**	**100.0**	**939**	**100.0**	**313**	**100.0**

Alabama STD Reports - January through June 2026

Late Latent Syphilis Report	2023		2024		2025		Jan-June 2026*	
Race/Ethnicity	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Black	783	61.8	986	61	971	61.4	328	61.5
White	399	31.5	516	31.9	495	31.3	170	31.9
Hispanic	45	3.6	80	4.9	68	4.3	18	3.4
Multi-race	22	1.7	30	1.9	24	1.5	5	0.9
Other/Unknown	17	1.3	8	0.5	23	1.5	12	2.3
Total	**1,266**	**100.0**	**1,620**	**100.0**	**1,581**	**100.0**	**533**	**100.0**

Gender	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
Male	757	59.8	1088	67.2	978	61.9	324	60.8
Female	509	40.2	532	32.8	603	38.1	209	39.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0
Total	**1,266**	**100.0**	**1,620**	**100.0**	**1,581**	**100.0**	**533**	**100.0**

Age (Years)	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**	**Cases**	**%**
<10	0	0.0	0	0.0	0	0.0	0	0.0
10-14	0	0.0	1	0.1	0	0.0	0	0.0
15-19	53	4.2	36	2.2	41	2.6	18	3.4
20-24	168	13.3	188	11.6	171	10.8	52	9.8
25-29	215	17.0	253	15.6	239	15.1	86	16.1
30-34	213	16.8	252	15.6	252	15.9	94	17.6
35-39	181	14.3	241	14.9	228	14.4	62	11.6
40-44	120	9.5	196	12.1	174	11.0	48	9.0
45-54	169	13.3	236	14.6	229	14.5	85	15.9
55-64	106	8.4	160	9.9	164	10.4	58	10.9
≥65	41	3.2	57	3.5	83	5.2	30	5.6
Total	**1,266**	**100.0**	**1,620**	**100.0**	**1,581**	**100.0**	**533**	**100.0**

Alabama STD Reports - January through June 2026

Chlamydia Cases	2023			2024			2025			Jan-June 2026*	
Northern District	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**
Colbert	264	4.1		212	3.8		244	5.0		103	4.3
Cullman	198	3.1		190	3.4		156	3.2		72	3.0
Franklin	89	1.4		83	1.5		93	1.9		22	0.9
Jackson	120	1.9		105	1.9		121	2.5		40	1.7
Lauderdale	372	5.7	324.5	341	6.2	297.4	273	5.6	238.1	131	5.4
Lawrence	260	4.0		178	3.2		74	1.5		46	1.9
Limestone	409	6.3		334	6.0		364	7.4		204	8.5
Madison	2601	40.1	630.4	2651	47.9	642.5	2631	53.5	637.7	1317	54.8
Marion	43	0.7		59	1.1		45	0.9		17	0.7
Marshall	406	6.3		321	5.8		351	7.1		164	6.8
Morgan	1681	25.9		1042	18.8		527	10.7		268	11.1
Winston	39	0.6		24	0.4		39	0.8		20	0.8
Total	**6482**	**100.0**	**561.9**	**5540**	**100.0**	**480.2**	**4918**	**100.0**	**426.3**	**2404**	**100.0**

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Autauga	358	6.1		247	4.4		312	5.8		142	5.5
Bullock	98	1.7		85	1.5		98	1.8		53	2.1
Chambers	312	5.3		230	4.1		250	4.7		112	4.4
Coosa	129	2.2		72	1.3		117	2.2		49	1.9
Elmore	361	6.1		375	6.7		346	6.5		177	6.9
Lee	983	16.7	536.5	857	15.2	467.8	771	14.4	420.8	378	14.7
Lowndes	111	1.9		99	1.8		90	1.7		47	1.8
Macon	193	3.3		149	2.6		155	2.9		76	3.0
Montgomery	2728	46.5	1212.6	2874	51.0	1277.4	2640	49.4	1173.4	1280	49.8
Russell	403	6.9		437	7.8		352	6.6		162	6.3
Tallapoosa	196	3.3		208	3.7		209	3.9		94	3.7
Total	**5872**	**100.0**	**794.9**	**5633**	**100.0**	**762.5**	**5340**	**100.0**	**722.9**	**2570**	**100.0**

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	113	3.5		99	3.3		93	3.5		39	3.2
Chilton	168	5.3		176	5.8		123	4.6		58	4.8
Fayette	63	2.0		46	1.5		46	1.7		22	1.8
Greene	77	2.4		73	2.4		63	2.3		20	1.6
Hale	147	4.6		121	4.0		141	5.3		48	4.0
Lamar	52	1.6		36	1.2		37	1.4		12	1.0
Perry	90	2.8		78	2.6		60	2.2		30	2.5
Pickens	137	4.3		129	4.3		98	3.7		39	3.2
Sumter	88	2.8		110	3.6		77	2.9		47	3.9
Tuscaloosa	2035	63.9	859.4	1924	63.5	810.5	1772	66.0	746.5	829	68.2
Walker	217	6.8		240	7.9		174	6.5		71	5.8
Total	**3187**	**100.0**	**693.7**	**3032**	**100.0**	**659.9**	**2684**	**100.0**	**584.2**	**1215**	**100.0**

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	6003	100.0	905.6	5630	100.0	849.3	5314	100.0	801.6	2542	100.0
Total	**6003**	**100.0**	**902.2**	**5630**	**100.0**	**846.1**	**5314**	**100.0**	**798.6**	**2542**	**100.0**

Alabama STD Reports - January through June 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	224	6.9		159	4.9		174	6.0		74	5.5
Calhoun	697	21.5	598.6	681	21.1	584.9	620	21.5	532.5	272	20.3
Cherokee	70	2.2		62	1.9		68	2.4		23	1.7
Clay	48	1.5		60	1.9		53	1.8		19	1.4
Cleburne	37	1.1		28	0.9		33	1.1		17	1.3
Dekalb	187	5.8		152	4.7		156	5.4		78	5.8
Etowah	506	15.6	490.1	474	14.7	459.1	454	15.7	439.7	211	15.7
Randolph	92	2.8		97	3.0		112	3.9		48	3.6
Shelby	751	23.2	786.0	689	21.3	721.1	569	19.7	595.5	297	22.1
St. Clair	258	8.0		311	9.6		233	8.1		127	9.5
Talladega	373	11.5	459.7	517	16.0	637.2	418	14.5	515.2	175	13.0
Total	**3243**	**100.0**	**389.6**	**3230**	**100.0**	**388.0**	**2890**	**100.0**	**347.2**	**1341**	**100.0**

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	198	7.8	805.4	192	8.4	781.0	172	8.0	699.6	87	8.0
Butler	172	6.8		151	6.6		155	7.2		82	7.5
Coffee	254	10.0	456.5	255	11.1	458.3	220	10.2	395.4	143	13.1
Covington	171	6.7		137	6.0		177	8.2		71	6.5
Crenshaw	93	3.7		77	3.4		71	3.3		30	2.8
Dale	267	10.5	535.4	251	10.9	503.3	208	9.7	417.1	130	11.9
Geneva	109	4.3		124	5.4		99	4.6		51	4.7
Henry	129	5.1		98	4.3		67	3.1		33	3.0
Houston	841	33.1	775.4	743	32.4	685.0	696	32.4	641.7	319	29.3
Pike	306	12.0	923.4	266	11.6	802.7	285	13.3	860.1	143	13.1
Total	**2540**	**100.0**	**661.7**	**2294**	**100.0**	**597.6**	**2150**	**100.0**	**560.1**	**1089**	**100.0**

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	904	39.7	356.6	849	40.1	334.9	852	43.1	336.1	414	40.9
Choctaw	61	2.7		67	3.2		40	2.0		30	3.0
Clarke	165	7.2		124	5.9		143	7.2		71	7.0
Conecuh	79	3.5		64	3.0		73	3.7		49	4.8
Dallas	371	16.3	1025.9	350	16.5	967.8	308	15.6	851.7	144	14.2
Escambia	202	8.9		249	11.8		190	9.6		110	10.9
Marengo	132	5.8		122	5.8		111	5.6		52	5.1
Monroe	116	5.1		83	3.9		98	5.0		50	4.9
Washington	100	4.4		108	5.1		66	3.3		46	4.5
Wilcox	148	6.5		101	4.8		98	5.0		45	4.5
Total	**2278**	**100.0**	**530.6**	**2117**	**100.0**	**493.1**	**1979**	**100.0**	**460.9**	**1011**	**100.0**

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	3311	100.0	804.3	3382	100.0	821.6	3184	100.0	773.5	1629	100.0
Total	**3311**	**100.0**	**804.3**	**3382**	**100.0**	**821.6**	**3184**	**100.0**	**773.5**	**1629**	**100.0**

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	32916	100.0	644.3	30858	100.0	604.1	28459	100.0	557.1	13802	100.0
Total	**32916**	**100.0**	**644.3**	**30858**	**100.0**	**604.1**	**28459**	**100.0**	**557.1**	**13802**	**100.0**

Alabama STD Reports - January through June 2026

Gonorrhea Cases	2023			2024			2025			Jan-June 2026*	
Northern District	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**
Colbert	125	6.7		73	5.5		69	5.0		33	4.2
Cullman	68	3.7		54	4.0		32	2.3		13	1.6
Franklin	23	1.2		13	1.0		9	0.7		5	0.6
Jackson	35	1.9		21	1.6		23	1.7		14	1.8
Lauderdale	134	7.2	116.9	82	6.1	71.5	76	5.5	66.3	30	3.8
Lawrence	84	4.5		23	1.7		18	1.3		12	1.5
Limestone	110	5.9		82	6.1		89	6.5		70	8.9
Madison	1024	55.1	248.2	803	60.1	194.6	853	62.1	206.7	500	63.4
Marion	14	0.8		11	0.8		10	0.7		3	0.4
Marshall	70	3.8		58	4.3		56	4.1		24	3.0
Morgan	166	8.9		115	8.6		117	8.5		84	10.6
Winston	4	0.2		1	0.1		21	1.5		1	0.1
Total	**1857**	**100.0**	**161.0**	**1336**	**100.0**	**115.8**	**1373**	**100.0**	**119.0**	**789**	**100.0**

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Autauga	130	5.7		83	4.9		96	5.8		44	5.8
Bullock	24	1.1		20	1.2		22	1.3		10	1.3
Chambers	86	3.8		40	2.4		44	2.7		38	5.0
Coosa	48	2.1		6	0.4		35	2.1		16	2.1
Elmore	128	5.6		115	6.9		131	8.0		37	4.8
Lee	271	11.9	147.9	153	9.1	83.5	188	11.4	102.6	105	13.7
Lowndes	44	1.9		41	2.4		32	1.9		12	1.6
Macon	56	2.5		43	2.6		48	2.9		23	3.0
Montgomery	1296	56.7	576.1	1014	60.4	450.7	900	54.6	400.0	412	53.9
Russell	132	5.8		133	7.9		92	5.6		43	5.6
Tallapoosa	70	3.1		30	1.8		59	3.6		24	3.1
Total	**2285**	**100.0**	**309.3**	**1678**	**100.0**	**227.1**	**1647**	**100.0**	**222.9**	**764**	**100.0**

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	40	3.2		37	4.2		31	4.0		12	3.9
Chilton	49	3.9		25	2.8		16	2.1		11	3.6
Fayette	23	1.8		19	2.1		13	1.7		4	1.3
Greene	35	2.8		27	3.0		14	1.8		6	2.0
Hale	69	5.5		41	4.6		54	6.9		24	7.8
Lamar	16	1.3		19	2.1		18	2.3		8	2.6
Perry	26	2.1		18	2.0		19	2.4		11	3.6
Pickens	49	3.9		23	2.6		28	3.6		13	4.2
Sumter	34	2.7		41	4.6		26	3.3		15	4.9
Tuscaloosa	854	68.4	359.8	597	67.4	251.5	535	68.6	225.4	178	58.0
Walker	53	4.2		39	4.4		26	3.3		25	8.1
Total	**1248**	**100.0**	**271.6**	**886**	**100.0**	**192.8**	**780**	**100.0**	**169.8**	**307**	**100.0**

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	2496	100.0	376.5	1958	100.0	295.4	2351	100.0	354.7	1135	100.0
Total	**2496**	**100.0**	**375.1**	**1958**	**100.0**	**294.3**	**2351**	**100.0**	**353.3**	**1135**	**100.0**

Alabama STD Reports - January through June 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	47	5.0		23	3.2		43	5.4		21	7.8
Calhoun	237	25.1	203.6	158	21.9	135.7	182	22.8	156.3	44	16.4
Cherokee	20	2.1		11	1.5		10	1.3		0	0.0
Clay	13	1.4		13	1.8		14	1.8		6	2.2
Cleburne	7	0.7		11	1.5		5	0.6		0	0.0
Dekalb	36	3.8		24	3.3		32	4.0		12	4.5
Etowah	137	14.5	132.7	97	13.5	94.0	160	20.0	155.0	27	10.1
Randolph	20	2.1		19	2.6		27	3.4		17	6.3
Shelby	204	21.6	213.5	161	22.3	168.5	144	18.0	150.7	66	24.6
St. Clair	82	8.7		72	10.0		60	7.5		24	9.0
Talladega	142	15.0	175.0	132	18.3	162.7	122	15.3	150.4	51	19.0
Total	**945**	**100.0**	**113.5**	**721**	**100.0**	**86.6**	**799**	**100.0**	**96.0**	**268**	**100.0**

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	102	11.6	414.9	89	13.5	362.0	64	11.7	260.3	31	12.0
Butler	55	6.2		31	4.7		32	5.9		14	5.4
Coffee	81	9.2	145.6	64	9.7	115.0	43	7.9	77.3	18	7.0
Covington	53	6.0	.	54	8.2		32	5.9		20	7.8
Crenshaw	31	3.5		32	4.9		8	1.5		2	0.8
Dale	80	9.1	160.4	57	8.7	114.3	63	11.5	126.3	13	5.0
Geneva	41	4.6		23	3.5		21	3.8		9	3.5
Henry	40	4.5		16	2.4		18	3.3		15	5.8
Houston	306	34.7	282.1	220	33.4	202.8	218	39.9	201.0	104	40.3
Pike	93	10.5	280.7	72	10.9	217.3	47	8.6	141.8	32	12.4
Total	**882**	**100.0**	**229.8**	**658**	**100.0**	**171.4**	**546**	**100.0**	**142.2**	**258**	**100.0**

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	257	34.7	101.4	180	30.5	71.0	222	40.5	87.6	108	36.4
Choctaw	20	2.7		20	3.4		8	1.5		4	1.3
Clarke	47	6.4		57	9.6		38	6.9		32	10.8
Conecuh	28	3.8		11	1.9		14	2.6		7	2.4
Dallas	125	16.9	345.6	105	17.8	290.3	98	17.9	271.0	39	13.1
Escambia	95	12.8		76	12.9		66	12.0		38	12.8
Marengo	58	7.8		56	9.5		31	5.7		20	6.7
Monroe	36	4.9		22	3.7		23	4.2		12	4.0
Washington	43	5.8		29	4.9		25	4.6		18	6.1
Wilcox	31	4.2		35	5.9		23	4.2		19	6.4
Total	**740**	**100.0**	**172.4**	**591**	**100.0**	**137.6**	**548**	**100.0**	**127.6**	**297**	**100.0**

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	1190	100.0	289.1	968	100.0	235.2	1068	100.0	259.5	569	100.0
Total	**1190**	**100.0**	**289.2**	**968**	**100.0**	**235.2**	**1068**	**100.0**	**259.5**	**569**	**100.0**

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	11643	100.0	227.9	8796	100.0	172.2	9112	100.0	178.4	4387	100.0
Total	**11643**	**100.0**	**227.9**	**8796**	**100.0**	**172.2**	**9112**	**100.0**	**178.4**	**4387**	**100.0**

Alabama STD Reports - January through June 2026

Primary & Secondary Syphilis Cases	2023			2024			2025			Jan-June 2026*	
Northern District	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**
Colbert	14	8.5		8	4.4		1	0.5		0	0.0
Cullman	6	3.7		2	1.1		8	3.8		11	16.4
Franklin	3	1.8		3	1.6		2	0.9	6.3	0	0.0
Jackson	7	4.3		7	3.8		5	2.4		2	3.0
Lauderdale	10	6.1		12	6.6		9	4.2	9.3	1	1.5
Lawrence	2	1.2			0.0		3	1.4		1	1.5
Limestone	28	17.1		21	11.5		9	4.2		8	11.9
Madison	62	37.8	15.0	70	38.5	17.0	122	57.5	29.6	26	38.8
Marion	5	3.0		7	3.8		2	0.9		1	1.5
Marshall	16	9.8		12	6.6		10	4.7		1	1.5
Morgan	11	6.7		40	22.0		36	17.0	28.8	15	22.4
Winston	0	0.0		0	0.0		5	2.4		1	1.5
Total	**164**	**100.0**	**14.2**	**182**	**100.0**	**15.8**	**212**	**100.0**	**18.4**	**67**	**100.0**

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Autauga	22	7.0		21	5.0		12	5.0		3	5.0
Bullock	1	0.3		24	5.7		0	0.0		0	0.0
Chambers	3	1.0		2	0.5		3	1.3		3	5.0
Coosa	2	0.6		1	0.2		1	0.4		1	1.7
Elmore	24	7.6		74	17.5		41	17.2		5	8.3
Lee	31	9.9	16.9	27	6.4	14.7	19	7.9	10.4	5	8.3
Lowndes	6	1.9		5	1.2		1	0.4		0	0.0
Macon	6	1.9		11	2.6		3	1.3		0	0.0
Montgomery	187	59.6	83.1	238	56.3	105.8	146	61.1	64.9	35	58.3
Russell	24	7.6		16	3.8		9	3.8		7	11.7
Tallapoosa	8	2.5		4	0.9		4	1.7		1	1.7
Total	**314**	**100.0**	**42.5**	**423**	**100.0**	**57.3**	**239**	**100.0**	**32.4**	**60**	**100.0**

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	2	2.3		8	9.8		9	14.3		4	11.8
Chilton	1	1.1		8	9.8		5	7.9		2	5.9
Fayette	0	0.0		0	0.0		1	1.6		1	2.9
Greene	2	2.3		3	3.7		4	6.3		0	0.0
Hale	5	5.7		1	1.2		2	3.2		2	5.9
Lamar	1	1.1		2	2.4		1	1.6		0	0.0
Perry	0	0.0		5	6.1		3	4.8		0	0.0
Pickens	6	6.8		4	4.9		4	6.3		2	5.9
Sumter	3	3.4		1	1.2		5	7.9		1	2.9
Tuscaloosa	60	68.2	25.3	48	58.5	20.2	26	41.3	11.0	17	50.0
Walker	8	9.1		2	2.4		3	4.8		5	14.7
Total	**88**	**100.0**	**19.2**	**82**	**100.0**	**17.8**	**63**	**100.0**	**13.7**	**34**	**100.0**

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	292	100.0	44.0	260	100.0	39.2	160	100.0	24.1	53	100.0
Total	**292**	**100.0**	**43.9**	**260**	**100.0**	**39.1**	**160**	**100.0**	**24.0**	**53**	**100.0**

Alabama STD Reports - January through June 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	1	1.5		4	4.4		4	3.1		7	14.9
Calhoun	13	19.1		12	13.3		25	19.1		16	34.0
Cherokee	1	1.5			0.0		1	0.8		0	0.0
Clay	2	2.9		2	2.2		2	1.5		0	0.0
Cleburne	1	1.5		1	0.0		0	0.0		1	2.1
Dekalb	3	4.4		4	4.4		7	5.3		2	4.3
Etowah	6	8.8		12	13.3		17	13.0		3	6.4
Randolph	1	1.5		1	1.1		1	0.8		0	0.0
Shelby	24	35.3	25.1	24	26.7	25.1	18	13.7	18.8	5	10.6
St. Clair	6	8.8		17	18.9		33	25.2		6	12.8
Talladega	10	14.7		13	14.4		23	17.6		7	14.9
Total	**68**	**100.0**	**8.2**	**90**	**98.9**	**10.8**	**131**	**100.0**	**15.7**	**47**	**100.0**

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	9	4.9		68	30.9		29	19.5		2	6.5
Butler	6	3.3		2	0.9		7	4.7		0	0.0
Coffee	14	7.6		16	7.3		15	10.1		3	9.7
Covington	30	16.3		30	13.6		18	12.1		6	19.4
Crenshaw	9	4.9		9	4.1		7	4.7		0	0.0
Dale	39	21.2		24	10.9		14	9.4		2	6.5
Geneva	17	9.2		10	4.5		21	14.1		3	9.7
Henry	2	1.1		8	0.0		5	3.4		0	0.0
Houston	49	26.6	45.2	35	15.9	32.3	23	15.4	21.2	13	41.9
Pike	9	4.9		18	8.2		10	6.7		2	6.5
Total	**184**	**100.0**	**47.9**	**220**	**96.4**	**57.3**	**149**	**100.0**	**38.8**	**31**	**100.0**

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	37	33.3	14.6	37	42.5	14.6	28	35.4	11.0	14	42.4
Choctaw	5	4.5		0	0.0		1	1.3		2	6.1
Clarke	13	11.7		4	4.6		6	7.6		5	15.2
Conecuh	3	2.7		3	3.4		1	1.3		0	0.0
Dallas	22	19.8		19	21.8		6	7.6		3	9.1
Escambia	13	11.7		12	13.8		27	34.2		3	9.1
Marengo	12	10.8		2	2.3		2	2.5		1	3.0
Monroe	2	1.8		2	2.3		2	2.5		1	3.0
Washington	1	0.9		7	8.0		1	1.3		2	6.1
Wilcox	3	2.7		1	1.1		5	6.3		2	6.1
Total	**111**	**100.0**	**25.9**	**87**	**100.0**	**20.3**	**79**	**100.0**	**18.4**	**33**	**100.0**

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	228	100.0	55.4	233	100.0	56.6	162	100.0	39.4	61	100.0
Total	**228**	**100.0**	**55.4**	**233**	**100.0**	**56.6**	**162**	**100.0**	**39.4**	**61**	**100.0**

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	1449	100.0	28.4	1577	100.0	30.9	1195	100.0	23.4	389	100.0
Total	**1449**	**100.0**	**28.6**	**1577**	**100.0**	**30.9**	**1195**	**100.0**	**23.4**	**389**	**100.0**

Alabama STD Reports - January through June 2026

Early Latent Syphilis Cases	2023			2024			2025			Jan-June 2026*	
Northern District	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**
Colbert	10	8.8		3	2.7		5	3.3		0	0.0
Cullman	5	4.4		7	6.4		6	4.0		3	6.7
Franklin	4	3.5		1	0.9		3	2.0		0	0.0
Jackson	2	1.8		2	1.8		4	2.7		1	2.2
Lauderdale	5	4.4		12	10.9		6	4.0	6.2	2	4.4
Lawrence	4	3.5		3	2.7		2	1.3		3	6.7
Limestone	18	15.9		12	10.9		12	8.0		3	6.7
Madison	50	44.2	12.1	48	43.6	11.6	95	63.3	23.0	22	48.9
Marion	2	1.8		5	4.5		3	2.0		1	2.2
Marshall	6	5.3		8	7.3		3	2.0		1	2.2
Morgan	7	6.2		9	8.2		8	5.3		7	15.6
Winston	0	0.0		0	0.0		3	2.0		2	4.4
Total	**113**	**100.0**	**9.8**	**110**	**100.0**	**9.5**	**150**	**100.0**	**13.0**	**45**	**100.0**

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Autauga	10	3.2		15	4.0		4	1.2		3	2.9
Bullock	2	0.6		25	6.7		19	5.5		0	0.0
Chambers	3	1.0		3	0.8		2	0.6		2	2.0
Coosa	2	0.6			0.0		2	0.6		0	0.0
Elmore	35	11.2		62	16.7		62	18.0		7	6.9
Lee	24	7.7	13.1	22	5.9	12.0	16	4.6	8.7	5	4.9
Lowndes	6	1.9		7	1.9		6	1.7		0	0.0
Macon	11	3.5		12	3.2		5	1.4		0	0.0
Montgomery	203	64.9	90.2	197	53.1	87.6	218	63.2	96.9	73	71.6
Russell	10	3.2		24	6.5		8	2.3		11	10.8
Tallapoosa	7	2.2		4	1.1		3	0.9		1	1.0
Total	**313**	**100.0**	**42.4**	**371**	**100.0**	**50.2**	**345**	**100.0**	**46.7**	**102**	**100.0**

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	2	1.6		14	17.5		2	4.7		3	11.1
Chilton	4	3.1		1	1.3		2	4.7		1	3.7
Fayette	1	0.8		2	2.5		0	0.0		1	3.7
Greene	10	7.8		4	5.0		3	7.0		0	0.0
Hale	5	3.9		3	3.8		0	0.0		1	3.7
Lamar	2	1.6		3	3.8		0	0.0		0	0.0
Perry	4	3.1		1	1.3		3	7.0		0	0.0
Pickens	4	3.1		7	8.8		1	2.3		1	3.7
Sumter	3	2.3		2	2.5		2	4.7		1	3.7
Tuscaloosa	85	66.4	35.8	40	50.0	16.9	27	62.8	11.4	19	70.4
Walker	8	6.3		3	3.8		3	7.0		0	0.0
Total	**128**	**100.0**	**27.9**	**80**	**100.0**	**17.4**	**43**	**100.0**	**9.4**	**27**	**100.0**

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	241	100.0	36.4	213	100.0	32.1	121	100.0	18.3	48	100.0
Total	**241**	**100.0**	**36.2**	**213**	**100.0**	**32.0**	**121**	**100.0**	**18.2**	**48**	**100.0**

Alabama STD Reports - January through June 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	3	3.4		1	0.9		1	1.1		0	0.0
Calhoun	18	20.2		29	25.2		19	21.1		2	9.5
Cherokee	1	1.1		0	0.0		2	2.2		0	0.0
Clay	0	0.0		1	0.9		0	0.0		1	4.8
Cleburne	4	4.5		0	0.0		1	1.1		0	0.0
Dekalb	5	5.6		4	3.5		3	3.3		2	9.5
Etowah	11	12.4		11	9.6		16	17.8		4	19.0
Randolph	2	2.2		10	0.0		4	4.4		1	4.8
Shelby	24	27.0	25.1	22	19.1	23.0	15	16.7	15.7	2	9.5
St. Clair	9	10.1		10	8.7		17	18.9		4	19.0
Talladega	12	13.5		27	23.5		12	13.3		5	23.8
Total	**89**	**100.0**	**10.7**	**115**	**91.3**	**13.8**	**90**	**100.0**	**10.8**	**21**	**100.0**

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	8	13.3		31	29.0		21	25.3		3	12.5
Butler	2	3.3		5	4.7		3	3.6		0	0.0
Coffee	3	5.0		13	12.1		9	10.8		4	16.7
Covington	5	8.3		5	4.7		5	6.0		0	0.0
Crenshaw	2	3.3		0	0.0		3	3.6		2	0.0
Dale	6	10.0		9	8.4		6	7.2		4	16.7
Geneva	1	1.7		9	8.4		10	12.0		0	0.0
Henry	5	8.3		2	1.9		0	0.0		2	8.3
Houston	22	36.7	20.3	22	20.6	20.3	21	25.3	19.4	8	33.3
Pike	6	10.0		11	10.3		5	6.0		1	4.2
Total	**60**	**100.0**	**15.6**	**107**	**100.0**	**27.9**	**83**	**100.0**	**21.6**	**24**	**91.7**

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	12	42.9	4.7	23	44.2	9.1	16	38.1	6.3	4	25.0
Choctaw	0	0.0		0	0.0		0	0.0		0	0.0
Clarke	3	10.7		5	9.6		2	4.8		3	18.8
Conecuh	0	0.0		1	1.9		4	9.5		1	6.3
Dallas	6	21.4		9	17.3		5	11.9		2	12.5
Escambia	2	7.1		8	15.4		9	21.4		4	25.0
Marengo	3	10.7		3	5.8		1	2.4		2	12.5
Monroe	0	0.0		2	3.8		2	4.8		0	0.0
Washington	1	3.6		0	0.0		1	2.4		0	0.0
Wilcox	1	3.6		1	1.9		2	4.8		0	0.0
Total	**28**	**100.0**	**6.5**	**52**	**100.0**	**12.1**	**42**	**100.0**	**9.8**	**16**	**100.0**

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	62	100.0	15.1	102	100.0	24.8	65	100.0	15.8	30	100.0
Total	**62**	**100.0**	**15.1**	**102**	**100.0**	**24.8**	**65**	**100.0**	**15.8**	**30**	**100.0**

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	1034	100.0	20.2	1150	100.0	22.5	939	100.0	18.4	313	100.0
Total	**1034**	**100.0**	**20.4**	**1150**	**100.0**	**22.7**	**939**	**100.0**	**18.4**	**313**	**100.0**

Alabama STD Reports - January through June 2026

Late Latent Syphilis Cases	2023			2024			2025			Jan-June 2026*	
Northern District	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**	**Rate**	**Cases**	**%**
Colbert	14	8.9		7	4.2		9	5.2		6	8.1
Cullman	2	1.3		7	4.2		7	4.0		4	5.4
Franklin	4	2.5		2	1.2		2	1.1		2	2.7
Jackson	4	2.5		2	1.2		4	2.3		3	4.1
Lauderdale	12	7.6		8	4.8		10	5.7	10.3	5	6.8
Lawrence	2	1.3		7	4.2		3	1.7		1	1.4
Limestone	36	22.8		17	10.1		15	8.6		6	8.1
Madison	43	27.2	10.4	84	50.0	20.4	89	51.1	21.6	37	50.0
Marion	9	5.7		3	1.8		11	6.3		0	0.0
Marshall	9	5.7		12	7.1		6	3.4		4	5.4
Morgan	22	13.9		18	10.7		15	8.6		4	5.4
Winston	1	0.6		1	0.6		3	1.7		2	2.7
Total	**158**	**100.0**	**13.7**	**168**	**100.0**	**14.6**	**174**	**100.0**	**15.1**	**74**	**100.0**

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Autauga	12	3.8		10	1.9		10	2.0		5	3.1
Bullock	7	2.2		11	2.1		19	3.8		5	3.1
Chambers	7	2.2		9	1.7		5	1.0		6	3.8
Coosa	1	0.3		2	0.4		2	0.4		2	1.3
Elmore	56	17.5		98	18.8		76	15.4		14	8.8
Lee	26	8.1	14.2	24	4.6	13.1	28	5.7	15.3	12	7.5
Lowndes	2	0.6		1	0.2		4	0.8		1	0.6
Macon	9	2.8		9	1.7		13	2.6		2	1.3
Montgomery	180	56.3	80.0	327	62.8	145.3	311	63.0	138.2	98	61.3
Russell	19	5.9		26	5.0		23	4.7		12	7.5
Tallapoosa	1	0.3		4	0.8		3	0.6		3	1.9
Total	**320**	**100.0**	**43.3**	**521**	**100.0**	**70.5**	**494**	**100.0**	**66.9**	**160**	**100.0**

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	10	9.7		13	13.1		14	14.6		3	12.0
Chilton	4	3.9		8	8.1		7	7.3		0	0.0
Fayette	1	1.0		2	2.0		6	6.3		0	0.0
Greene	8	7.8		2	2.0		2	2.1		2	8.0
Hale	4	3.9		6	6.1		2	2.1		1	4.0
Lamar	2	1.9		1	1.0		1	1.0		1	4.0
Perry	3	2.9		7	7.1		7	7.3		1	4.0
Pickens	7	6.8		4	4.0		3	3.1		0	0.0
Sumter	4	3.9		2	2.0		3	3.1		1	4.0
Tuscaloosa	58	56.3	24.4	49	49.5	20.6	43	44.8	18.1	16	64.0
Walker	2	1.9		5	5.1		8	8.3		0	0.0
Total	**103**	**100.0**	**22.4**	**99**	**100.0**	**21.5**	**96**	**100.0**	**20.9**	**25**	**100.0**

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	200	100.0	30.2	237	100.0	35.8	245	100.0	37.0	87	100.0
Total	**200**	**100.0**	**30.1**	**237**	**100.0**	**35.6**	**245**	**100.0**	**36.8**	**87**	**100.0**

Alabama STD Reports - January through June 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	4	3.5		2	2.0		3	2.1		2	4.5
Calhoun	31	27.2		24	24.0		36	24.8		19	43.2
Cherokee	1	0.9		1	1.0		4	2.8		0	0.0
Clay	2	1.8		2	2.0		1	0.7		0	0.0
Cleburne	2	1.8			0.0		2	1.4		0	0.0
Dekalb	3	2.6		8	8.0		7	4.8		4	9.1
Etowah	17	14.9		13	13.0		19	13.1		5	11.4
Randolph	7	6.1		1	1.0		2	1.4		1	2.3
Shelby	21	18.4	22.0	17	17.0	17.8	22	15.2	23.0	5	11.4
St. Clair	10	8.8		4	4.0		8	5.5		3	6.8
Talladega	16	14.0		28	28.0		41	28.3		5	11.4
Total	**114**	**100.0**	**13.7**	**100**	**100.0**	**12.0**	**145**	**100.0**	**17.4**	**44**	**100.0**

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	28	22.8		104	50.7		42	28.0		11	28.9
Butler	1	0.8		3	1.5		7	4.7		0	0.0
Coffee	9	7.3		20	9.8		14	9.3		6	15.8
Covington	1	0.8		10	4.9		3	2.0		1	2.6
Crenshaw	1	0.8		2	1.0		1	0.7		0	0.0
Dale	15	12.2		4	2.0		12	8.0		3	7.9
Geneva	7	5.7		5	2.4		6	4.0		1	2.6
Henry	2	1.6		1	0.5		4	2.7		3	7.9
Houston	42	34.1	38.7	41	20.0	37.8	40	26.7	36.9	10	26.3
Pike	17	13.8		15	7.3		21	14.0		3	7.9
Total	**123**	**100.0**	**32.0**	**205**	**100.0**	**53.4**	**150**	**100.0**	**39.1**	**38**	**100.0**

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	29	40.3	11.4	33	40.2	13.0	21	29.2	8.3	14	43.8
Choctaw	1	1.4		0	0.0		5	6.9		1	3.1
Clarke	4	5.6		2	2.4		2	2.8		1	3.1
Conecuh	2	2.8		3	3.7		7	9.7		1	3.1
Dallas	11	15.3		8	9.8		4	5.6		3	9.4
Escambia	11	15.3		22	26.8		27	37.5		7	21.9
Marengo	6	8.3		3	3.7		2	2.8		0	0.0
Monroe	5	6.9		6	7.3		1	1.4		0	0.0
Washington	2	2.8		1	1.2		2	2.8		2	6.3
Wilcox	1	1.4		4	4.9		1	1.4		3	9.4
Total	**72**	**100.0**	**16.8**	**82**	**100.0**	**19.1**	**72**	**100.0**	**16.8**	**32**	**100.0**

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	176	100.0	42.8	208	100.0	50.5	205	100.0	49.8	73	100.0
Total	**176**	**100.0**	**42.8**	**208**	**100.0**	**50.6**	**205**	**100.0**	**49.8**	**73**	**100.0**

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	1266	100.0	24.8	1620	100.0	31.7	1581	100.0	30.9	533	100.0
Total	**1266**	**100.0**	**24.9**	**1620**	**100.0**	**31.7**	**1581**	**100.0**	**30.9**	**533**	**100.0**

Reportable STD Treatment for Men, Non-pregnant, Pregnant, and Sex Partners

Chlamydia		
Non-pregnant, Men, and Sex Partners within 60 days	**Doxycycline 100 mg** PO BID x 7 days.	
Pregnant	**Azithromycin 1 g** PO in a single dose.	
Gonorrhea		
Non-pregnant, Pregnant, Men, and Sex Partners within 60 days	Person < 300 lb. Ceftriaxone 500 mg IM in a single dose. Person ≥ 300 lb. Ceftriaxone 1g IM in a single dose.	
Syphilis **The availability of Bicillin L-A is extremely limited.** **Our directive is to reserve Bicillin treatment for syphilis solely for pregnant women and infants who have syphilis.**		
Non-pregnant, Men, and Sex Partners within 90 days	Primary Syphilis, Secondary Syphilis, or Early Latent Syphilis	**Doxycycline 100 mg** PO BID x 14 days.
	Syphilis Unknown Duration, Late Syphilis	**Doxycycline 100 mg** PO BID x 28 days.
Pregnant - Treat at least 30 days before delivery to prevent congenital syphilis	Primary Syphilis, Secondary Syphilis, or Early Non-Primary and Non-Secondary Syphilis	**Benzathine penicillin 2.4 million units** IM every week for two weeks at 5-7 days interval.
	Syphilis Unknown Duration, Late Syphilis, or Previously Treated before Pregnancy	**Benzathine penicillin 2.4 million units** IM every week for three weeks at 5-7 days interval.

Alabama STD Reports - January through June 2026

Public Health District Map





Accessing Records & Reporting in Alabama for Congenital Syphilis

Accessing Patient History

- To access a patient's Syphilis history (including previous titers and treatments), you may call the Alabama Department of Public Health's Bureau of Communicable Diseases at 334-206-5350.

What You Need for Access

- You will need the following information when calling about a patient's history:
  - Patient name
  - Date of Birth
  - SSN (if able)
  - Partner's name (if applicable)

Reporting Syphilis

- All physicians, nurses, medical examiners, hospital administrators, and lab directors are responsible for reporting Notifiable Diseases in Alabama. Syphilis is a Notifiable Disease.
- Report all cases of Syphilis (congenital or non-congenital) through the ADPH Website using the REPORT CARD for Reportable Diseases/Condition.
- Report cases of Syphilis within 3 days of diagnosis.

What You Need for Reporting

You will need the following information when reporting:

- Patient Name
- Address
- Phone Number
- DOB
- Gender
- Race
- Ethnicity
- Marital Status
- SSN
- Patient's Payor Source
- Date of onset
- Date of diagnosis
- Date of exam
- Date of lab results
- Performing Lab
- Lab Accession number
- Specimen test site
- Qualitative results
- Quantitative results
- Treatment
- Date of treatment

ALABAMA PUBLIC HEALTH

ALABAMA PERINATAL ALPQC QUALITY COLLABORATIVE

Scan the QR code for quick access to the ADPH REPORT Card for Reportable Diseases/Condition.

Antibiotic Resistant Gonorrhea: Clinical Guidance for Suspected Treatment Failure

Gonorrhea is a common sexually transmitted infection (STI) caused by *Neisseria gonorrhoeae*. This bacteria has rapidly acquired resistance to each class of antibiotics used for treatment, and the Centers for Disease Control and Prevention (CDC) has declared drug-resistant gonorrhea an urgent public health threat.

Reported cases of cephalosporin resistance have recently occurred in Asia, United Kingdom, Europe, Australia and Canada, and cases with reduced susceptibility have now been reported in the United States (in Nevada, Massachusetts and Hawaii).

Monotherapy with ceftriaxone (500 mg IM for persons weighing <150 kg) is now the only treatment regimen for gonorrhea recommended by the CDC.



Identifying Suspected Treatment Failure

Clinicians should be alert for potential treatment failures. Gonococcal treatment failure may be suspected in individuals who have received recommended cephalosporin treatment in the following scenarios:



Patients with **persistent symptoms** more than 3 days after recommended treatment, **with:**

- ✔ No sexual contact since treatment, ***and***
- ✔ Other untreated infections have been excluded (*ex: chlamydia, mycoplasma genitalium, trichomoniasis*).



Patients with a **positive test of cure** (TOC), **with**:

- ✔ No sexual contact since treatment (reinfection unlikely), ***and***
- ✔ Positive culture at least 72 hours after appropriate treatment, ***or***
- ✔ Positive NAAT obtained more than 7 days after treatment for anogenital gonorrhea, ***or***
- ✔ Positive NAAT more than 14 days after treatment for pharyngeal gonorrhea.

Important Note: Most suspected treatment failures are likely due to reinfection rather than true treatment failures. It is crucial that clinicians **conduct a thorough sexual history** to evaluate for potential reinfection. Patients suspected of having a reinfection should be retreated with the recommended antibiotic regimen.

Both **CDC** and **NCSD** have clinician guides on taking a comprehensive sexual health history.



Testing for Suspected Treatment Failure

Antimicrobial susceptibility testing (AST) is a crucial laboratory procedure used to determine which antibiotics, or antifungal drugs will effectively inhibit the growth of a specific microorganism causing an infection. If reinfection has been ruled out, clinicians should repeat NAAT testing at all exposed anatomic sites, along with collection of specimens for gonococcal culture and AST. Note that NAATs alone cannot provide antimicrobial susceptibility results.

Treating clinicians can consult the STD Clinical Consultation Network or CDC for advice on obtaining cultures, antimicrobial susceptibility testing, and treatment regimens.



For Clinicians: If your practice does not have the capacity to conduct gonococcal culture for AST, reach out to your local health department to connect your patient for testing.

Division of STD Prevention and Control
Bureau of Communicable Disease
www.alabamapublichealth.gov/std/index.html

ALABAMA PUBLIC HEALTH

Revised 06/25/2026

Alabama STD Reports - January through June 2026

Clinical Management for Treatment Failures

The following steps should be taken to ensure adequate testing, treatment, partner management, and followup of suspected gonorrhea treatment failure when reinfection is unlikely.

Culture:	Obtain specimens for culture ***and*** NAAT **prior** to retreatment. Positive cultures should undergo AST. If culture is not available onsite, coordinate with your local health department.
Repeat Treatment:	Treat suspected gonorrhea treatment failures with either: 1. Ceftriaxone 500 mg IM in a single dose for persons weighing <150 kg (1 g for persons weighing ≥ 150 kg), ***or*** 2. If cephalosporin allergy: Gentamicin 240 mg IM ***plus*** azithromycin 2 g orally. **Note:** Gentamicin has poor efficacy for pharyngeal infection. For suspected treatment failures of pharyngeal infections, ceftriaxone should be used whenever possible.
Report & Consult:	Report the case to your local health department within 24 hours. You may also reach out to the CDC Division of STD Prevention program for consultation or reporting assistance.
Test/Treat Partners:	Work with your assigned Disease Intervention Specialist (DIS). All sexual partners in the last 60 days should be tested at all sites of exposure and empirically treated with the same treatment as the index patient.
Test-of-Cure (TOC):	Counsel the patient to refrain from sex. TOC should be performed with ***both*** culture ***and*** NAAT after: • 7 days for urogenital/rectal infection, or • 14 days for pharyngeal infection. All positive cultures should have AST performed, and be held for further testing if needed.

Source: Workowski et al. Sexually Transmitted Treatment Guidelines, 2021. MMWR Recomm Rep 2021;70(4):7180.

Reporting Presumptive Treatment Failures

Presumptive treatment failures should be **reported to ADPH** as soon as possible after receiving a positive result for a repeat NAAT, or upon receipt of a positive culture test (assuming reinfection is unlikely).

➢ **Clinicians:** report to the Alabama Department of Public Health, Division of STD.

➢ The Division of STD staff will work with you to complete the CDC's Suspected Gonorrhea Treatment Failure Consultation Form.

If antibiotic resistance or decreased susceptibility to ceftriaxone is confirmed, STD Program Manager will coordinate case assignment to a Disease Intervention Specialist (DIS) for field follow up to conduct partner services.

Laboratory Resources for Antimicrobial Susceptibility Testing (AST)*

LabCorp: offers gonorrhea culture (Test Code 008128) with the possibility of adding antimicrobial susceptibility testing (Test Code 183130) as soon as the positive culture result is obtained. The add-on of the test 183130 should be requested verbally by phone to LabCorp customer service.

Quest Diagnostics: offers gonorrhea culture with reflex to antimicrobial susceptibility testing (Test Code 38404; CPT Code 87081). If gonorrhea is isolated, then antimicrobial susceptibility testing will be performed (CPT code(s): 87185, 87181(x4)). Contact Quest directly for more information on gonorrhea testing.

Alabama Bureau of Clinic Health Laboratories (through CDC's ARLab Network) offers antimicrobial susceptibility testing for suspected gonorrhea treatment failures. Contact Clab@adph.state.al.us for more information.

* Company and laboratory names are provided for informational purposes only. ADPH does not endorse any company or its products.

ALABAMA PUBLIC HEALTH

TUSCALOOSA COUNTY FAST TRACK SEXUAL HEALTH TESTING



FAST: Reduces long wait times and the need to see a provider for patients showing no symptoms.



FREE: Sexually Transmitted Infection (STI) testing regardless of ability to pay. Free testing is provided for chlamydia, gonorrhea, syphilis, and HIV.



CONFIDENTIAL: 1 in 2 sexually active young people will get an STD before the age of 25. Most will not know it. Patients can make an appointment or walk-in to be seen at the Tuscaloosa County Health Department located on 2350 Hargrove Road East, Tuscaloosa, AL.

Hours: Monday-Friday 8am to 3:30pm (closed 12pm-1pm for lunch)
Call 205-562-6900 for more information or to make an appointment

ALABAMA PUBLIC HEALTH

TUSCALOOSA COUNTY FAST TRACK SEXUAL HEALTH TESTING



What is Fast Track? Fast Track Sexual Health Testing allows patients showing no symptoms to get free and fast Sexually Transmitted Infection (STI) testing for chlamydia, gonorrhea, syphilis, and HIV.



Why is it important? 1 in 2 sexually active young people will get an STD before the age of 25. Most will not know it. To get tested, patients can confidentially walk-in or schedule an appointment to get same-day testing, reducing long wait times and the need to see a provider.



Where can I get it? The Tuscaloosa County Health Department starting June 1, 2026! Located at 2350 Hargrove Road East, Tuscaloosa, AL.

Hours: Monday-Friday 8am to 3:30pm (closed 12pm-1pm for lunch)

Call 205-562-6900 for more information or to make an appointment



Let's Get Started Today!

ALABAMA **PUBLIC HEALTH**