Interim Heartsaver Testing Checklist Adult 1-Rescuer CPR and AED Test



Released: November 2010

Skill Step	Critical Performance Steps	Adult With ☑ if done	AED
1	Checks for response		a. V
2	Tells someone to phone emergency response number (or 911) and get an AED		
3	Checks for no breathing or no normal breathing Minimum 5 seconds; maximum 10 seconds	1	
4	Locates CPR hand position	1	
5	Delivers first cycle of compressions at correct rate Acceptable <18 seconds for 30 compressions	2	
6	Opens airway and gives 2 breaths (1 second each)		
7	Delivers second cycle of compressions at correct hand position Acceptable >23 out of 30 compressions		
8	Gives 2 breaths (1 second each)		
AED ar	rives		
AED 1	Turns AED on		
AED 2	Selects proper AED pads and places correctly		
AED 3	Clears victim to analyze (Must be visible and verbal check)		
AED 4	Clears victim to shock/presses shock button (Must be visible and verbal check) Maximum time from AED arrival 90 seconds		
Studen	t continues CPR		
9	Delivers third cycle of compressions at correct rate Acceptable <18 seconds for 30 compressions		
10	Gives 2 breaths (1 second each) with visible chest rise		
300	t step is done only with a manikin with a feedback device, such as a click k device, STOP THE TEST.	er or light. If	no
11	Delivers fourth cycle of compressions of adequate depth with full chest recoil Acceptable >23 compressions		
	Acceptable >25 compressions	STOP THE TEST	
		PASS	NR