



Neysa Hernandez, MSN, RN, CRNP
Nurse Practitioner Senior
Alabama Department of Public Health


ADPH Follow Up

Objective
Detailed standardized process for abnormal Pap and post Colposcopy Follow Up

ADPH Follow Up


The purpose of follow-up tracking:
To outline the steps ensuring our patients receive timely evidence based education, a recommended therapeutic plan of care and to confirm the completion of this process

ADPH Follow Up







```
graph LR; A[Pap results received] --> B[RN, NP review the results and make recommendation]; B --> C[RN or NP opens referral];
```

ADPH Follow-Up



```
graph LR; A["Abnormal Pap:  
1. Repeat in 1 or 3 years  
2. Refer for Colposcopy"] --> B["Follow escalating attempts to contact patient and counsel"]; B --> C["Close the follow up process"];
```





ADPH Follow Up

Colposcopy findings received with plan of care. Colposcopy findings were relayed to patient, patient's questions were answered, and plan of care discussed. See referral section of EHR for details. (Must document patient's individual plan, i.e. "Co-test in 1 year, LEEP, or Colpo, ECC and cytology in 4-6 months, etc. Add LEEP appointment date if indicated).

ADPH Follow Up

Cervical Cancer in Alabama

- **4th highest overall incidence rate for cervical cancer**
- **3rd highest overall mortality rate for cervical cancer**



