

INDUCED TERMINATION OF PREGNANCY STATISTICS





#### This publication was produced by: DIVISION OF STATISTICAL ANALYSIS CENTER FOR HEALTH STATISTICS

Izza Cagle, M.P.H.
Director, Division of Statistical Analysis

Division Members:
Qun Zheng, M.S.
Jimmy T. Messick, M.S.
Carolyn Smith, M.A.
Michael Koko, M.D., M.P.H.


Scott Harris, M.D., M.P.H., State Health Officer Nicole H. Rushing, M.P.H., Director, Center for Health Statistics

> Alabama Department of Public Health Center for Health Statistics Division of Statistical Analysis Post Office Box 5625 Montgomery, Alabama 36103-5625 (334) 206-5429

For additional copies or more information on mortality, natality and other vital events, please visit <a href="http://www.alabamapublichealth.gov/healthstats/">http://www.alabamapublichealth.gov/healthstats/</a>.

Informational materials in alternative formats will be made available upon request.





### **TABLE OF CONTENTS**

|  | Page |
|--|------|
| INDUCED TERMINATIONS OF PREGNANCY, RESIDENTS OF ALABAMA, 2021  |      |
| Induced Terminations of Pregnancy by Race of Patient           | 1    |
| Induced Terminations of Pregnancy by Age of Patient            |      |
| Induced Terminations of Pregnancy by Marital Status of Patient |      |
| Induced Terminations of Pregnancy by Previous Pregnancy Type   |      |
| Induced Terminations of Pregnancy by Education of Patient      |      |
| Induced Terminations of Pregnancy by Clinical Estimate         |      |
| of Gestation of Fetus  | 3    |
| INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2021   |      |
| Induced Terminations of Pregnancy by Probable                  |      |
| Post-fertilization Age (PPFA)                                  | 4    |
| Was a Determination of PPFA Made?                              | 5    |
| No PPFA Determined, Medical Emergency Existed                  |      |
| Was Ultrasound Used to Determine Post-fertilization Age?       |      |
| Induced Terminations of Pregnancy by Race of Patient           |      |
| Induced Terminations of Pregnancy by Age of Patient            |      |
| Induced Terminations of Pregnancy by Type of Consent           |      |
| for Women Under 18   | 6    |
| Procedure Used to Terminate the Pregnancy                      | 6    |
| Was an Intra-fetal Injection Used in an Attempt                |      |
| to Induce Fetal Demise?  | 6    |
| Information Required for Terminations at 20 Weeks or More PPFA | 7    |
| INDUCED TERMINATIONS OF PREGNANCY                              |      |
| BY FACILITY AND TERMINATION PROCEDURE                          |      |
| ALABAMA, 2021  | 8    |
|  |      |
| INDUCED TERMINATIONS OF PREGNANCY                              |      |
| BY FACILITY AND PROBABLE POST-FERTILIZATION AGE (PPFA)         | _    |
| ALABAMA, 2021  | 9    |



### INDUCED TERMINATIONS OF PREGNANCY RESIDENTS OF ALABAMA, 2021

Note that these tables contain data reported to the Center for Health Statistics for women who are residents of Alabama. The numbers include induced terminations of pregnancy that occurred to Alabama residents in Alabama and in other states that provide data to the Center. However, not all states (including some states bordering Alabama) provide information about events occurring to Alabama residents. Therefore, the numbers shown do not represent the entire population of Alabama residents having these events.

| Induced Terminations of Pregnancy by Race of Patient |           |                |
|--|-----------|----------------|
| Race   | All Women | Women Under 18 |
| Total  | 8,294     | 214            |
| White  | 2,338     | 65             |
| Black  | 5,581     | 144            |
| All other  | 265       | 4              |
| Not stated   | 110       | 1              |

| Induced Terminations of Pregnancy by Age of Patient |        |                |        |
|---|--------|----------------|--------|
| All V   | /omen  | Women Under 18 |        |
| Age   | Number | Age            | Number |
| Total   | 8,294  | Total          | 214    |
| 10-14   | 24     | 10 or less     | 0      |
| 15-19   | 673    | 11             | 0      |
| 20-24   | 2,577  | 12             | 2      |
| 25-29   | 2,540  | 13             | 7      |
| 30-34   | 1,563  | 14             | 15     |
| 35-39   | 701    | 15             | 35     |
| 40-44   | 198    | 16             | 62     |
| 45 and older  | 15     | 17             | 93     |
| Not stated  | 3      |                |        |

| Induced Terminations of Pregnancy by Marital Status of Patient |       |     |
|--|-------|-----|
| Marital Status All Women Women Under 18                        |       |     |
| Total  | 8,294 | 214 |
| Married  | 622   | 1   |
| Not married  | 7,516 | 208 |
| Not stated   | 156   | 5   |

# INDUCED TERMINATIONS OF PREGNANCY RESIDENTS OF ALABAMA, 2021 (Continued)

| Induced Terminations of Pregnancy by Previous Pregnancy Type |                      |                   |   |                   |
|--|----------------------|-------------------|---|-------------------|
| Number of  | Previous Live Births |                   | Previous Induced Terminations of<br>Pregnancy |                   |
| Events   | All Women            | Women<br>Under 18 | All Women                                     | Women<br>Under 18 |
| Total  | 8,294                | 214               | 8,294   | 214               |
| None   | 2,781                | 208               | 5,509   | 206               |
| 1  | 2,320                | 5                 | 1,795   | 8                 |
| 2  | 1,789                | 1                 | 670   | 0                 |
| 3  | 853                  | 0                 | 207   | 0                 |
| 4  | 342                  | 0                 | 59  | 0                 |
| 5  | 131                  | 0                 | 25  | 0                 |
| 6  | 47                   | 0                 | 10  | 0                 |
| 7  | 14                   | 0                 | 8   | 0                 |
| 8  | 7                    | 0                 | 0   | 0                 |
| 9 or more  | 5                    | 0                 | 3   | 0                 |
| Not stated   | 5                    | 0                 | 8   | 0                 |

| Induced Terminations of Pregnancy by Education of Patient |       |     |
|---|-------|-----|
| Highest Grade Completed All Women Women Under 18          |       |     |
| Total   | 8,294 | 214 |
| 1-6   | 38    | 2   |
| 7-9   | 83    | 34  |
| 10-11   | 299   | 73  |
| 12  | 3,394 | 79  |
| 13 or more  | 3,459 | 0   |
| Not stated  | 1,021 | 26  |

# INDUCED TERMINATIONS OF PREGNANCY RESIDENTS OF ALABAMA, 2021 (Continued)

| Induced Terminations of Pregnancy by Clinical Estimate of Gestation of Fetus |           |                |
|--|-----------|----------------|
| Estimate of Gestation in Weeks   | All Women | Women Under 18 |
| Total  | 8,294     | 214            |
| 6 or less  | 2,430     | 49             |
| 7  | 1,654     | 34             |
| 8  | 1,209     | 34             |
| 9  | 914       | 20             |
| 10   | 606       | 20             |
| 11   | 346       | 9              |
| 12   | 264       | 7              |
| 13   | 206       | 8              |
| 14   | 180       | 7              |
| 15   | 125       | 5              |
| 16   | 92        | 3              |
| 17   | 48        | 1              |
| 18   | 65        | 5              |
| 19   | 58        | 6              |
| 20   | 46        | 4              |
| 21   | 38        | 2              |
| 22   | 1         | 0              |
| 23   | 1         | 0              |
| 24   | 0         | 0              |
| 25   | 0         | 0              |
| 26 or more   | 1         | 0              |
| Not stated   | 10        | 0              |

### INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2021

Note that these tables contain data for all induced terminations of pregnancy that occurred in Alabama. The women may have lived in Alabama or some other states.

| Induced Terminations of Pregnancy by Probable Post-fertilization Age (PPFA) |       |  |
|---|-------|--|
| Total   | 6,489 |  |
| 6 or less   | 3,860 |  |
| 7   | 779   |  |
| 8   | 545   |  |
| 9   | 293   |  |
| 10  | 205   |  |
| 11  | 194   |  |
| 12  | 156   |  |
| 13  | 109   |  |
| 14  | 83    |  |
| 15  | 53    |  |
| 16  | 62    |  |
| 17  | 47    |  |
| 18  | 43    |  |
| 19  | 47    |  |
| 20  | 1     |  |
| 21  | 1     |  |
| 22  | 0     |  |
| 23  | 0     |  |
| 24  | 0     |  |
| 25  | 0     |  |
| 26 or more  | 0     |  |
| Not stated  | 11    |  |

# INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2021 (Continued)

| Was a Determination of PPFA Made? |       |
|-----------------------------------|-------|
| Total                             | 6,489 |
| Yes                               | 6,488 |
| No                                | 0     |
| Not stated                        | 1     |

| No PPFA Determined, Medical Emergency Existed |   |  |
|---|---|--|
| Total   | 0 |  |
| Uncontrolled obstetrical hemorrhage           | 0 |  |
| Other   | 0 |  |

| Was Ultrasound Used to Determine Post-fertilization Age? |       |
|--|-------|
| Total  | 6,489 |
| Yes  | 6,483 |
| No   | 1     |
| Not stated   | 5     |

| Induced Terminations of Pregnancy by Race of Patient |       |  |
|--|-------|--|
| Total  | 6,489 |  |
| White  | 2,054 |  |
| Black  | 4,180 |  |
| All other  | 229   |  |
| Not stated   | 26    |  |

| Induced Termi | nations of Pregnancy by Age of Patient |
|---------------|--|
| Total         | 6,489                                  |
| 10-14         | 22                                     |
| 15-19         | 582                                    |
| 20-24         | 2,056                                  |
| 25-29         | 1,904                                  |
| 30-34         | 1,209                                  |
| 35-39         | 542                                    |
| 40-44         | 158                                    |
| 45 and older  | 13                                     |
| Not stated    | 3                                      |

## INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2021 (Continued)

| Induced Terminations of Pregnancy by Type of Consent for Women Under 18 Only |     |   |     |  |
|--|-----|---|-----|--|
| Consent Requirement  |     | Type of Consent (Includes only those requiring consent) |     |  |
| Total  | 178 | Total   | 177 |  |
| Not required (married)   | 1   | Parental  | 168 |  |
| Required   | 177 | Court order   | 4   |  |
| Not stated   | 0   | Medical emergency 0                                     |     |  |
|  |     | Not stated  | 5   |  |

| Procedure Used to Terminate the Pregnancy  |       |  |  |  |
|--|-------|--|--|--|
| Total  | 6,489 |  |  |  |
| Suction curettage  | 2,325 |  |  |  |
| Sharp curettage  | 2     |  |  |  |
| Dilation and evacuation  | 375   |  |  |  |
| Hysterotomy  | 0     |  |  |  |
| Hysterectomy   | 3     |  |  |  |
| Medication abortion (such as mifepristone/misoprostol or methotrexate/misoprostol) | 3,653 |  |  |  |
| Manual vacuum aspiration   | 0     |  |  |  |
| Electrical vacuum aspiration   | 124   |  |  |  |
| Combined induction abortion and dilation and evacuation                            | 0     |  |  |  |
| Induction abortion and prostaglandins  | 0     |  |  |  |
| Induction abortion with intra-amniotic instillation (such as saline or urea)       | 1     |  |  |  |
| Induction abortion – other   | 1     |  |  |  |
| Intact dilation and evacuation   | 0     |  |  |  |
| Method not listed, specify   | 0     |  |  |  |
| Not stated   | 5     |  |  |  |

| Was an Intra-fetal Injection Used in an Attempt to Induce Fetal Demise (such as intra-fetal potassium chloride or digoxin)? |       |  |  |  |
|---|-------|--|--|--|
| Total   | 6,489 |  |  |  |
| Yes   | 4     |  |  |  |
| No  | 6,483 |  |  |  |
| Not stated  | 2     |  |  |  |

# INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2021 (Continued)

#### **Information Required for Terminations at 20 Weeks or More PPFA**

| Number at 20 Weeks PPFA or More and Reason                                 |   |  |  |  |  |
|--|---|--|--|--|--|
| Total  | 0 |  |  |  |  |
| Severe preeclampsia/eclampsia  | 0 |  |  |  |  |
| Severe/life threatening cardiac disease                                    | 0 |  |  |  |  |
| Severe/life threatening pulmonary disease                                  | 0 |  |  |  |  |
| Severe/life threatening liver disease                                      | 0 |  |  |  |  |
| Severe/life threatening chorioamnionitis/sepsis                            | 0 |  |  |  |  |
| Uncontrolled obstetrical hemorrhage (placental abruption, placenta previa) | 0 |  |  |  |  |
| Advanced malignancy  | 0 |  |  |  |  |
| Other  | 0 |  |  |  |  |
| Unknown  | 0 |  |  |  |  |

| Was the Method of Abortion Used One That, in Reasonable Medical Judgment, Provided the Best Opportunity for the Unborn Child to Survive? |   |  |  |  |
|--|---|--|--|--|
| Total  | 0 |  |  |  |
| Yes  | 0 |  |  |  |
| No   | 0 |  |  |  |

| If No, Basis of the Determination That Termination of the Pregnancy Would Pose a Greater Risk, Either of the Death of the Pregnant Woman or of the Substantial and Irreversible Physical Impairment of a Major Bodily Function |   |  |  |  |
|--|---|--|--|--|
| Total  | 0 |  |  |  |
| Severe preeclampsia/eclampsia  | 0 |  |  |  |
| Severe/life threatening cardiac disease  | 0 |  |  |  |
| Severe/life threatening pulmonary disease  | 0 |  |  |  |
| Severe/life threatening liver disease  | 0 |  |  |  |
| Severe/life threatening chorioamnionitis/sepsis  | 0 |  |  |  |
| Uncontrolled obstetrical hemorrhage (placental abruption, placenta previa)   | 0 |  |  |  |
| Advanced malignancy  | 0 |  |  |  |
| Other  | 0 |  |  |  |

# INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND TERMINATION PROCEDURE ALABAMA, 2021

|   | Abortion Clinics               |  |                                    |  |                              |       |
|---|--------------------------------|--|------------------------------------|--|------------------------------|-------|
| Procedure   | Planned<br>Parenthood<br>of AL | AL Women's<br>Center for<br>Reproductive<br>Alternatives | Planned<br>Parenthood<br>of Mobile | Reproductive<br>Health Services<br>of Montgomery | West AL<br>Women's<br>Center | Total |
| Total   | 656                            | 2,345  | 615                                | 733  | 2,140                        | 6,489 |
| Suction curettage                                       | 0                              | 997  | 0                                  | 648  | 680                          | 2,325 |
| Sharp curettage   | 0                              | 2  | 0                                  | 0  | 0                            | 2     |
| Dilation and evacuation                                 | 1                              | 374  | 0                                  | 0  | 0                            | 375   |
| Hysterotomy   | 0                              | 0  | 0                                  | 0  | 0                            | 0     |
| Hysterectomy  | 0                              | 1  | 0                                  | 2  | 0                            | 3     |
| Medication abortion                                     | 528                            | 971  | 615                                | 82   | 1,457                        | 3,653 |
| Manual vacuum aspiration                                | 0                              | 0  | 0                                  | 0  | 0                            | 0     |
| Electrical vacuum aspiration                            | 123                            | 0  | 0                                  | 0  | 1                            | 124   |
| Combined induction abortion and dilation and evacuation | 0                              | 0  | 0                                  | 0  | 0                            | 0     |
| Induction abortion with prostaglandins                  | 0                              | 0  | 0                                  | 0  | 0                            | 0     |
| Induction abortion with intra-amniotic instillation     | 1                              | 0  | 0                                  | 0  | 0                            | 1     |
| Induction abortion-<br>other                            | 1                              | 0  | 0                                  | 0  | 0                            | 1     |
| Intact dilation and evacuation                          | 0                              | 0  | 0                                  | 0  | 0                            | 0     |
| Unknown   | 2                              | 0  | 0                                  | 1  | 2                            | 5     |

# INDUCED TERMINATIONS OF PREGNANCY BY FACILITY AND PROBABLE POST-FERTILIZATION AGE (PPFA) ALABAMA, 2021

| Probable Post-<br>fertilization Age<br>(PPFA) | Abortion Clinics               |  |                                    |  |                              |       |  |
|---|--------------------------------|--|------------------------------------|--|------------------------------|-------|--|
|   | Planned<br>Parenthood<br>of AL | AL Women's<br>Center for<br>Reproductive<br>Alternatives | Planned<br>Parenthood<br>of Mobile | Reproductive<br>Health Services<br>of Montgomery | West AL<br>Women's<br>Center | Total |  |
| Total   | 656                            | 2,345  | 615                                | 733  | 2,140                        | 6,489 |  |
| 1-5 weeks                                     | 282                            | 1,078  | 386                                | 15   | 1,045                        | 2,806 |  |
| 6-10 weeks                                    | 361                            | 724  | 227                                | 554  | 1,010                        | 2,876 |  |
| 11-15 weeks                                   | 4                              | 346  | 0                                  | 163  | 82                           | 595   |  |
| 16-19 weeks                                   | 2                              | 197  | 0                                  | 0  | 0                            | 199   |  |
| 20 or more weeks                              | 2                              | 0  | 0                                  | 0  | 0                            | 2     |  |
| Unknown                                       | 5                              | 0  | 2                                  | 1  | 3                            | 11    |  |