


# ALABAMA INDUCED TERMINATIONS OF PREGNANCY STATISTICS 2024



**This Page Intentionally Left Blank.**



**This publication was produced by:  
DIVISION OF STATISTICAL ANALYSIS  
CENTER FOR HEALTH STATISTICS**

**Izza Cagle, M.P.H.  
Director, Division of Statistical Analysis**

**Division Members:  
Qun Zheng, M.S.  
Jimmy Tyrone Messick, M.S.  
Katrina Landry, M.S.**

**Scott Harris, M.D., M.P.H., State Health Officer  
Nicole H. Rushing, M.P.H., Director, Center for Health Statistics**

**Alabama Department of Public Health  
Center for Health Statistics  
Division of Statistical Analysis  
Post Office Box 5625  
Montgomery, Alabama 36103-5625  
(334) 206-5429**

**For additional copies or more information on mortality, natality and other vital events, please visit <http://www.alabamapublichealth.gov/healthstats/>**

**Informational materials in alternative formats will be made available upon request.**

**This Page Intentionally Left Blank.**

# TABLE OF CONTENTS

## Page

### INDUCED TERMINATIONS OF PREGNANCY, RESIDENTS OF ALABAMA, 2024

Induced Terminations of Pregnancy by Race of Patient.....	1
Induced Terminations of Pregnancy by Age of Patient.....	1
Induced Terminations of Pregnancy by Marital Status of Patient .....	1
Induced Terminations of Pregnancy by Previous Pregnancy Type .....	2
Induced Terminations of Pregnancy by Education of Patient .....	2
Induced Terminations of Pregnancy by Clinical Estimate of Gestation of Fetus.....	3

### INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2024

Induced Terminations of Pregnancy by Probable Post-fertilization Age (PPFA) .....	4
Was a Determination of PPFA Made? .....	5
No PPFA Determined, Medical Emergency Existed.....	5
Was Ultrasound Used to Determine Post-fertilization Age? .....	5
Induced Terminations of Pregnancy by Race of Patient.....	5
Induced Terminations of Pregnancy by Age of Patient.....	5
Induced Terminations of Pregnancy by Type of Consent for Women Under 18 .....	6
Procedure Used to Terminate the Pregnancy.....	6
Was an Intra-fetal Injection Used in an Attempt to Induce Fetal Demise? .....	6
Information Required for Terminations at 20 Weeks or More PPFA.....	7

### INDUCED TERMINATIONS OF PREGNANCY

#### BY FACILITY AND TERMINATION PROCEDURE

ALABAMA, 2024.....	8
--------------------	---

### INDUCED TERMINATIONS OF PREGNANCY

#### BY FACILITY AND PROBABLE POST-FERTILIZATION AGE (PPFA)

ALABAMA, 2024.....	9
--------------------	---

**This Page Intentionally Left Blank.**

## INDUCED TERMINATIONS OF PREGNANCY RESIDENTS OF ALABAMA, 2024

These tables contain data reported to the Center for Health Statistics for women who are residents of Alabama. The numbers include induced terminations of pregnancy that occurred to Alabama residents in Alabama and in other states that provide data to the Center. However, not all states (including some states bordering Alabama) provide information about events occurring to Alabama residents. Therefore, the numbers shown do not represent the entire population of Alabama residents having these events.

Induced Terminations of Pregnancy by Race of Patient		
Race	All Women	Women Under 18
<b>Total</b>	<b>2,970</b>	<b>59</b>
White	729	20
Black	2,001	36
All other	104	2
Not stated	136	1

Induced Terminations of Pregnancy by Age of Patient			
All Women		Women Under 18	
Age	Number	Age	Number
<b>Total</b>	<b>2,970</b>	<b>Total</b>	<b>59</b>
10-14	5	10 or less	0
15-19	180	11	0
20-24	881	12	0
25-29	866	13	1
30-34	662	14	4
35-39	277	15	9
40-44	80	16	15
45 and older	3	17	30
Not stated	16		

Induced Terminations of Pregnancy by Marital Status of Patient		
Marital Status	All Women	Women Under 18
<b>Total</b>	<b>2,970</b>	<b>59</b>
Married	171	1
Not married	2,137	39
Not stated	662	19

**INDUCED TERMINATIONS OF PREGNANCY  
RESIDENTS OF ALABAMA, 2024 (Continued)**

Induced Terminations of Pregnancy by Previous Pregnancy Type				
Number of Events	Previous Live Births		Previous Induced Terminations of Pregnancy	
	All Women	Women Under 18	All Women	Women Under 18
<b>Total</b>	<b>2,970</b>	<b>59</b>	<b>2,970</b>	<b>59</b>
None	1,067	59	1,999	59
1	826	0	650	0
2	650	0	211	0
3	275	0	66	0
4	97	0	22	0
5	31	0	14	0
6	13	0	1	0
7	7	0	1	0
8	1	0	2	0
9 or more	3	0	3	0
Not stated	0	0	1	0

Induced Terminations of Pregnancy by Education of Patient		
Highest Grade Completed	All Women	Women Under 18
<b>Total</b>	<b>2,970</b>	<b>59</b>
1-6	0	0
7-9	20	2
10-11	0	0
12	1,181	37
13 or more	1,095	0
Not stated	674	20



**INDUCED TERMINATIONS OF PREGNANCY  
RESIDENTS OF ALABAMA, 2024 (Continued)**

<b>Induced Terminations of Pregnancy by Clinical Estimate of Gestation of Fetus</b>		
<b>Estimate of Gestation in Weeks</b>	<b>All Women</b>	<b>Women Under 18</b>
<b>Total</b>	<b>2,970</b>	<b>59</b>
6 or less	2,351	39
7	191	5
8	142	5
9	95	2
10	83	4
11	49	1
12	38	2
13	0	0
14	2	0
15	0	0
16	1	0
17	1	0
18	1	1
19	0	0
20	1	0
21	1	0
22	0	0
23	0	0
24	0	0
25	0	0
26 or more	0	0
Not stated	14	0

## INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2024

These tables contain data for all induced terminations of pregnancy that occurred in Alabama. The women may have lived in Alabama or some other states.

Induced Terminations of Pregnancy by Probable Post-fertilization Age (PPFA)	
<b>Total</b>	<b>3</b>
6 or less	0
7	0
8	0
9	0
10	0
11	1
12	0
13	0
14	0
15	0
16	0
17	0
18	1
19	1
20	0
21	0
22	0
23	0
24	0
25	0
26 or more	0
Not stated	0

## INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2024 (Continued)

Was a Determination of PPFA Made?	
<b>Total</b>	<b>3</b>
Yes	3
No	0
Not stated	0

No PPFA Determined, Medical Emergency Existed	
<b>Total</b>	<b>0</b>
Uncontrolled obstetrical hemorrhage	0
Other	0

Was Ultrasound Used to Determine Post-fertilization Age?	
<b>Total</b>	<b>3</b>
Yes	3
No	0
Not stated	0

Induced Terminations of Pregnancy by Race of Patient	
<b>Total</b>	<b>3</b>
White	1
Black	2
All other	0
Not stated	0

Induced Terminations of Pregnancy by Age of Patient	
<b>Total</b>	<b>3</b>
10-14	0
15-19	0
20-24	1
25-29	1
30-34	1
35-39	0
40-44	0
45 and older	0
Not stated	0

**INDUCED TERMINATIONS OF PREGNANCY  
OCCURRING IN ALABAMA, 2024 (Continued)**

<b>Induced Terminations of Pregnancy by Type of Consent for Women Under 18 Only</b>			
<b>Consent Requirement</b>		<b>Type of Consent (Includes only those requiring consent)</b>	
<b>Total</b>	<b>0</b>	<b>Total</b>	<b>0</b>
Not required (married)	0	Parental	0
Required	0	Court order	0
Not stated	0	Medical emergency	0
		Not stated	0

<b>Procedure Used to Terminate the Pregnancy</b>	
<b>Total</b>	<b>3</b>
Suction curettage	0
Sharp curettage	0
Dilation and evacuation	0
Hysterotomy	0
Hysterectomy	0
Medication abortion (such as mifepristone/misoprostol or methotrexate/misoprostol)	3
Manual vacuum aspiration	0
Electrical vacuum aspiration	0
Combined induction abortion and dilation and evacuation	0
Induction abortion and prostaglandins	0
Induction abortion with intra-amniotic instillation (such as saline or urea)	0
Induction abortion – other	0
Intact dilation and evacuation	0
Method not listed, specify _____	0
Not stated	0

<b>Was an Intra-fetal Injection Used in an Attempt to Induce Fetal Demise (such as intra-fetal potassium chloride or digoxin)?</b>	
<b>Total</b>	<b>3</b>
Yes	0
No	3
Not stated	0

# **INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN ALABAMA, 2024 (Continued)**

## **Information Required for Terminations at 20 Weeks or More PPFA**

<b>Number at 20 Weeks PPFA or More and Reason</b>	
<b>Total</b>	<b>0</b>
Severe preeclampsia/eclampsia	0
Severe/life threatening cardiac disease	0
Severe/life threatening pulmonary disease	0
Severe/life threatening liver disease	0
Severe/life threatening chorioamnionitis/sepsis	0
Uncontrolled obstetrical hemorrhage (placental abruption, placenta previa)	0
Advanced malignancy	0
Other	0
Unknown	0

<b>Was the Method of Abortion Used One That, in Reasonable Medical Judgment, Provided the Best Opportunity for the Unborn Child to Survive?</b>	
<b>Total</b>	<b>3</b>
Yes	0
No	0
Unknown	3

<b>If No, Basis of the Determination That Termination of the Pregnancy Would Pose a Greater Risk, Either of the Death of the Pregnant Woman or of the Substantial and Irreversible Physical Impairment of a Major Bodily Function</b>	
<b>Total</b>	<b>1</b>
Severe preeclampsia/eclampsia	0
Severe/life threatening cardiac disease	0
Severe/life threatening pulmonary disease	0
Severe/life threatening liver disease	0
Severe/life threatening chorioamnionitis/sepsis	1
Uncontrolled obstetrical hemorrhage (placental abruption, placenta previa)	0
Advanced malignancy	0
Other	0
Unknown	0

**INDUCED TERMINATIONS OF PREGNANCY  
BY FACILITY AND TERMINATION PROCEDURE  
ALABAMA, 2024**

Procedure	Abortion Clinics					
	Planned Parenthood of AL	AL Women's Center for Reproductive Alternatives	Planned Parenthood of Mobile	Reproductive Health Services of Montgomery	West AL Women's Center	Total
<b>Total</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
Suction curettage	0	0	0	0	0	0
Sharp curettage	0	0	0	0	0	0
Dilation and evacuation	0	0	0	0	0	0
Hysterotomy	0	0	0	0	0	0
Hysterectomy	0	0	0	0	0	0
Medication abortion	0	3	0	0	0	3
Manual vacuum aspiration	0	0	0	0	0	0
Electrical vacuum aspiration	0	0	0	0	0	0
Combined induction abortion and dilation and evacuation	0	0	0	0	0	0
Induction abortion with prostaglandins	0	0	0	0	0	0
Induction abortion with intra-amniotic instillation	0	0	0	0	0	0
Induction abortion-other	0	0	0	0	0	0
Intact dilation and evacuation	0	0	0	0	0	0
Unknown	0	0	0	0	0	0

**INDUCED TERMINATIONS OF PREGNANCY  
BY FACILITY AND PROBABLE POST-FERTILIZATION AGE (PPFA)  
ALABAMA, 2024**

Probable Post-fertilization Age (PPFA)	Abortion Clinics					
	Planned Parenthood of AL	AL Women's Center for Reproductive Alternatives	Planned Parenthood of Mobile	Reproductive Health Services of Montgomery	West AL Women's Center	Total
<b>Total</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
1-5 weeks	0	0	0	0	0	0
6-10 weeks	0	0	0	0	0	0
11-15 weeks	0	1	0	0	0	1
16-19 weeks	0	2	0	0	0	2
20 or more weeks	0	0	0	0	0	0
Unknown	0	0	0	0	0	0