

Judy Lilley
Regional Director of Communication
March of Dimes Foundation

AL Prematurity Awareness Summit November 15, 2014

Judy Lilley

Financial Disclosure

 No relevant financial relationships with any commercial interests.





founding principles - 1938

Bringing science into service for people

Building public trust

Gathering the power of volunteers

our story

For more than 75 years, the March of Dimes has been helping families.

We successfully overcame the threat of polio and one day, every family will know the joy of a healthy baby.



march of dimes



Community

Our programs help momsto-be have full-term pregnancies and healthy

babies.



Advocacy

We advocate to help moms and babies get care and services to improve their health.



Research

We research the serious problems that threaten our babies and work on preventing them.



Education

Our websites provide the latest pregnancy health information in English and Spanish.



Support

We offer information and comfort to families with a newborn in intensive care.

Mission Statement: To improve the health of babies by preventing birth defects, premature birth and infant mortality.

our accomplishments



our impact



march of dimes chapters

- 48 chapters
- 1,400 staff
- Endless volunteers





why focus on prematurity

- Scope of the Problem 450,000 babies born too soon each year in the U.S.
- Severity of the Problem -- It's a leading cause of newborn death, cerebral palsy, learning disabilities, hearing loss and blindness.
- U.S. Ranking The United States has the highest premature birth rate of any industrialized country.
- Cost of the Problem Employers pay \$12 billion annually in excess health care costs for premature babies, and the U.S. spends \$26 billion total.
 Premature babies cost 12 times as much as a healthy baby.

prematurity campaign launch january 2003



prematurity campaign partners

- American Congress of Gynecologists (ACOG)
- American Academy of Pediatrics (AAP)
- Association of Women's Health, Obstetric and Neonatal Nurses (AWHONN)
- Association of Maternal & Child Health Programs (AMCHP)
- Association of State and Territorial Health Officials (ASTHO) Center (ASTHO)
- The National Association of County and City Health Officials (NACCHO)

preterm birth is costly

Annual Societal Economic Costs Associated with Preterm Birth, US 2005

Total Costs = \$26.2 billion annually



\$5.7 billion (22%)

Maternal Delivery


\$1.9 billion (7%)

Special Education


\$1.1 billion (4%)

Early Intervention

\$611 million (2%)




Immediate Short Term Medical Care for Preterm Infants \$16.9 billion (65%)





preterm birth



Preterm is less than 37 completed weeks gestation. Beginning in 1981, weeks of gestation have been imputed for records with missing day of last menstrual period (LMP) when there is a valid month and year. Reporting areas before 1985 vary, and rates are based on a sample of births; therefore, differences between years should be interpreted with caution. Source: National Center for Health Statistics, final natality 1970-2012, preliminary data 2013. Prepared by March of Dimes Perinatal Data Center, May 2014.




prematurity awareness month November

- November 6: Issue Premature Birth Report Cards
- November 1 30:
 - Awareness campaigns
 - Social media (Twitter, Facebook)
 - Public relations outreach
 - Print ads
 - Billboard
 - Emails
 - Collaborate with global organizations and parent groups
- November 17: World Prematurity Day









^{*} Percent of babies born preterm is shown in parentheses ().

Preterm birth is less than 37 completed weeks of gestation.

Source: National Center for Health Statistics, 2013 preliminary natality data.


Report card grades calculated by March of Dimes Perinatal Data Center, 2014.

See Technical Notes for more information.



39+ Weeks QI Service Package

- Grand Rounds
- March of Dimes Data Portal
- Webinars
- Educational Materials
- Access to Experts
- Hospital Recognition



State Health Dept. Collaboration

- 8% ASTHO Challenge
 signing on "pledge"
- Partnering on prevention programs
- Co-branding consumer education and awareness



HBWW Community Programs

5 Ps...

- Partnerships
- Provider Initiatives
- Patient Support
- Public Engagement
- Progress Measurement




- 39+ Weeks PSA
- Consumer Ed Materials
- Promotional Items
- Strong Start
- Co-branding Opportunities

39+ Weeks QI Service Package

- Grand Rounds
- March of Dimes Data Portal
- Webinars
- Educational Materials
- Access to Experts
- Hospital Recognition



Elimination of Non-medically Indicated (Elective) Deliveries Prior to 39 Weeks



big 5 states – data by states

	Birthing Hospitals	Births	Preterm Births	C-Sections
California	~300	510,198	50,355 9.9%	168,417 33.0%
Texas	220	386,118	50,696	135,599
New York	138	244,375	28,124 11.5%	84,377 34.7%
Florida	119	214,590	28,551	81,046
Illinois	122	165,200	20,052 12.2%	51,435 31.2%


Source: National Center for Health Statistics, 2010 final natality data

A Multistate Quality Improvement Program to Decrease Elective Deliveries Before 39 Weeks of Gestation

Bryan T. Oshiro, Md, Leslie Kowalewski, BS, William Sappenfield, Md, Mph, Caroline C. Alter, MS, Vani R. Bettegowda, Mhs, Rebecca Russell, Msph, John Curran, Md, Lori Reeves, Mph, Marilyn Kacica, Md, Mph, Nelson Andino, Mpa, Peyton Mason-Marti, Mph, Dennis Crouse, Md, Phd, Susan Knight, Ma, Karen Littlejohn, MMHS, Sharyn Malatok, Mpa, Donald J. Dudley, Md, and Scott D. Berns, Md, Mph

 Published in the April 8 online edition of Obstetrics & Gynecology Vol. 121, No. 5, May 2013.

Early Elective Deliveries Decrease



Scheduled singleton early term (37-38 completed weeks gestation) non-medically indicated inductions and cesarean deliveries fell 83 percent during a one-year quality improvement program in 25 hospitals in CA, FL, IL, NY, & TX in 2011, funded in part by the March of Dimes. Source: Oshiro BT et al. A Multistate Quality Improvement Program to Decrease Elective Deliveries Before 39 Weeks of Gestation. Obstet Gynecol, May 2013.

outcomes and lessons learned

- A total of 29,030 scheduled singletons at 34 weeks of gestation or higher were delivered in the participating hospitals between January 2011 and December 2011
- The rate of elective early term deliveries fell significantly from 27.8 to 4.8 % (83% decline)
- Multistate, hospital-based quality improvement programs can be remarkably effective at reducing early elective deliveries of babies
- Best practices model for other hospitals

march of dimes 39+ weeks QI service package

- Developed based on lessons learned from the Big 5 Hospital Network
- Complements the Toolkit and supports hospitals in implementing a 39+ weeks QI initiative
- 15-month project that includes:
 - Secure web-based data portal called the Perinatal Quality Improvement portal (PQIp)
 - Webinars focused on implementation guidance
 - Access to experts
 - o Grand Rounds
 - Discount on consumer education materials



State Health Dept. Collaboration

- 8% ASTHO Challenge
 signing on "pledge"
- Partnering on prevention programs
- Co-branding consumer education and awareness



ASTHO challenge

March of Dimes forms new partnership with State Health Departments through challenge from Dr. Howse

- In the ASTHO Challenge, Dr. Howse asked State ASTHO officials to agree to partner with MOD to reduce the rate of Prematurity to 11.2% by 2014.
- This represented a minimum 8% reduction.

Prematurity Report State Activity



<u>Alabama</u>

- Reducing infant mortality is a priority for Alabama. Strategies, programs, policies, and specific initiatives to address the many factors that contribute to infant mortality are ongoing within the state. Factors that are believed to have contributed to the decrease in the infant mortality are as follows:
- Efforts to reduce elective early term deliveries prior to 39 weeks without a medical indication
- Increased levels of prenatal care and
- Better family planning with the utilization of long acting reversible contraceptives." The infant mortality rate for births with less than a two-year interval was 11.4 per 1,000 live births versus a rate of 6.9 for births of a two-year or greater interval between births.
- Also, Alabama actively participates in the CoIIN initiative that was launched July 2012. A CoIIN director was appointed to coordinator the efforts within the state and nationally. A state team was created for each of the five strategies (Early Elective Deliveries, Interconception Care, Perinatal Regionalization, Safe Sleep, and Smoking Cessation). Therefore, we continue to work on all five strategies.




Consumer Awareness

- 39+ Weeks PSA
- Consumer Ed Materials
- Promotional Items
- Strong Start
- Co-branding Opportunities

Healthy Babies are Worth the Wait: consumer education

The Gestational Age Women Considered it Safe to Deliver





Consumer Messages

"Babies aren't fully developed until at least 39 weeks in the womb......
If your pregnancy is healthy, wait for labor to begin on its own."

campaign components

- Educational materials
- Advertising, marketing, publicity
 - TV and print ads
 - State Health Department co-branding
 - Transit/outdoor digital billboards
 - Banner ads
 - Mobile app Cinemama
- Social media outreach
 - Twitter hashtag and chats
 - Facebook
- Search engine marketing
- OB/GYN offices
 - Message on monitors in 2,500 waiting rooms




say cheese

Line up your daily photo with the simple belly grid. CineMama even helps with tools to edit new and existing photos.


TV PSA time lapse pregnancy

www.marchofdimes.com/39weeks




HBWW™ birth day print PSA





digital billboard







facebook.com/marchofdimes



twitter.com/modhealthtalk





EDUCATIONAL MATERIALS

brain development material

provider card

If your pregnancy is healthy, it's best to stay pregnant for at least 39 weeks.

A baby's brain at 35 weeks weighs only two-thirds of what it will weigh at 39 to 40 weeks.





35 weeks

39 to 40 weeks

, your baby's for balance, il functioning. r baby's brain

rning and than babies

y to have an't coordinate ing as well as

ave breathing when a baby

y to die of SIDS). SIDS is unexpectedly,



To order our catalog or multiple copies of our episetals, call 1400-1674630

marchofdimes.com

To the neutrinoldinas convictation, Graphics 827-7229-07 Late-protons links Development Card 5/10 Sporads 827-7229-07 Earlyst del deserratio sonitoral - permatura casi a termina

Ament of Common materials are for information proposes only and one and to be used on medical adults.

Alongs used medical adults from your health care provides. Our materials select current schedule, occurrent adults as it then of publication. Outsit transfordimensures for supplied information, makes the state front your developed by the firstly facilities along when the Warth settlement.

8 2013 Murch of Dines Foundation

consumer flyer

If your pregnancy is healthy, it's best to stay pregnant for at least 39 weeks.

Lots of important things are happening to your baby in the last few weeks of

Important organs, like your baby's brain, lungs and liver, are still developing and growing.

> A baby's brain at 35 weeks weighs only two-thirds of what it will weigh at 39 to 40 weeks.







39 to 40 weeks





The American College of Obstachidans and Gynecologists weapon excellent and Gynecologists

Your baby's eyes and cars are still developing, too. Babies born too early are more likely to have vision and hearing problems later in life.

Your baby is still learning to suck and swallow. Babies born early sometimes can't do these things.

39 weeks gives babies all the time they need to grow before they're born. Talk to your provider about things you can do to help you and your baby get to at least 39 weeks. Births scheduled before 39 weeks should only be for medical reasons. If your pregnancy is healthy, wait for

abor to begin on



V \$27.022-10 Late Proton Brain Development Flyor 4/12 V \$27.022-10 Foliate did absorbite condend presentare case a timetra Chrom naturalis nei se information purposes only and are rue to be seeded absorb. Along assistment purpose only and are rue to be seeded absorber disorbite manufacture of the seeded absorber to the seeded absorber and the seeded absorber and three of publishment and of these protonies on the seeded absorber and three of publishment and of Drawn Execution.

why the last weeks of pregnancy count



- Important things are happening to your baby in the last weeks of pregnancy. His brain and lungs are still growing.
- If your pregnancy is healthy, and you're planning to schedule your baby's birth, wait until at least 39 weeks. This gives your baby all the time he needs to grow.
- Babies born too early may have more health problems at birth and later in life than babies born full term.

About the March of Dimes

The March of Dimes helps moms have healthy pregnancies and healthy babies.
Visit marchofolmes.com or nacersano.org for the latest information and resources.

To order our tata big or multiple copies of our materials, call 1-480-367-4430. #27-2209-07. Why the Last Weeks of Pregnancy Count 10/08

March of Dimes materials are for information purposes only and are not to be used as medical achies. Marago seek medical achies from your hastin care provider. Our materials writest curver's stierd for secommandations at time of publication. Check marchafolimes com for updated information.

6 March of Dimes Foundation, 2009

Why the Last Weeks of Pregnancy Count







HBWW Community Programs

5 Ps...

- Partnerships
- Provider Initiatives
- Patient Support
- Public Engagement
- Progress Measurement

Healthy Babies Are Worth the Wait community program


- March of Dimes community program aimed at reducing preterm birth.
- Partnership among key entities: March of Dimes chapter, health department, clinic/hospital, and the community.
- Includes these critical elements: clinical & public health interventions, provider & patient education, and community awareness.
- Efforts are focused on results and include process and pregnancy outcome measures.



but we still have more work...



Preterm Birth Rates by Gestational Age United States, 1990, 2000, 2005-2013



^{*} Preliminary Data Source: National Center for Health Statistics, 1990-2012 final natality data and 2013 preliminary data Prepared by March of Dimes Perinatal Data Center, May 2014




prematurity research centers

Brilliant Minds

Team Science

A Great Endeavor

• The Time is Right



our future is bright

- "We are recruiting investigators not heretofore in this field. We have engineers and computer scientists applying the latest technologies, like imaging and bioinformatics, working with academic obstetricians and pediatricians to discover the *causes* of preterm birth."
 - Dr. Joe Leigh Simpson

Sr. Vice President, Research & Global Programs, March of Dimes

prematurity research centers






new this month....





prematurity research centers areas of focus



preterm birth prevention is working

- Eliminate EEDs before 39 weeks
- Progesterone Therapy
- Reform ART Practices
- 100% Access to "Maternity" Care
- Eliminate Material Smoking



Alabama 2014 Report Card



